| | Indicators | • | I | 2 | 2 | | 3 | 4 | 4 | | 5 | (| 5 |
|----|-------------|------------------------------------|---------|---------------------------------------|-----------|----------|---------|-------------------------------------|------------|-------------------------------|---------|----------------------------------|-----------|
| lı | ndicators | Total nu pregnant Registered | women | Number of women re within first | egistered | Number o | | 1st Trii registratio ANC Regi | n to Total | JSY regist Total Regist | ANC | Number of women re ANC cho | eceived 3 |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 13,543 | 15,040 | 10,902 | 11,918 | 13,538 | 14,991 | 80.4 | 79.2 | 100.0 | 99.7 | 13,178 | 15,047 |
| 1 | Agar | 4,095 | 4,798 | 3,308 | 3,642 | 4,090 | 4,797 | 80.8 | 75.9 | 99.9 | 100.0 | 3,802 | 4,795 |
| 2 | Badod | 3,308 | 3,571 | 2,512 | 3,017 | 3,308 | 3,576 | 75.9 | 84.5 | 100.0 | 100.1 | 3,360 | 3,512 |
| 3 | Nalkheda | 2,663 | 2,999 | 2,065 | 2,219 | 2,663 | 2,999 | 77.5 | 74.0 | 100.0 | 100.0 | 2,667 | 3,106 |
| 4 | Susner | 3,477 | 3,672 | 3,017 | 3,040 | 3,477 | 3,619 | 86.8 | 82.8 | 100.0 | 98.6 | 3,349 | 3,634 |

| | Indicators _Agar Malwa | | 7 | 8 | 3 | 9 | 9 | 1 | 0 | 1 | 1 | 1 | 2 |
|----|---------------------------|---------------------------------|---------|--|-----------------------|------------------------|---------------------|-------------------------|------------|------------------------------------|----------------------|---------|-----------------------------|
| li | ndicators | TT2 or Boo to Pregna (num | | Pregnant received 3 ups to To Registr | ANC check otal ANC | received Booster to | t women d TT2 or | Number of women give | en 100 IFA | Pregnant given 100 I ANC Reg | women FA to Total | | naving Hb l<11 cases) |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 12,845 | 14,509 | 97.3 | 100.0 | 94.8 | 96.4 | 13,749 | 15,673 | 101.5 | 104.2 | 5,606 | 5,847 |
| 1 | Agar | 3,761 | 4,512 | 92.8 | 99.9 | 91.8 | 94.0 | 4,308 | 5,387 | 105.2 | 112.3 | 1,559 | 2,052 |
| 2 | Badod | 3,305 | 3,679 | 101.6 | 98.3 | 99.9 | 103.0 | 3,316 | 3,567 | 100.2 | 99.9 | 1,598 | 1,331 |
| 3 | Nalkheda | 2,506 | 2,935 | 100.2 | 103.6 | 94.1 | 97.9 | 2,664 | 2,994 | 100.0 | 99.8 | 1,056 | 988 |
| 4 | Susner | 3,273 | 3,383 | 96.3 | 99.0 | 94.1 | 92.1 | 3,461 | 3,725 | 99.5 | 101.4 | 1,393 | 1,476 |

| | Indicators _Agar Malwa L Agar | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
|----|--------------------------------|---------|-------------|--|--|---|--------------------------------------|-----------------|------------------|---|---------------------|---------|------------|
| lı | ndicators | | emia <7) | Pregnant having seve (Hb treated at to women leve | women re anaemia <7) institution having hb | New cases at institu hypertensi ANC Regi | detected ution for on to Total | Number deliv | of Home eries | Number deliveries a SBA tr (Doctor/N | ttended by ained | Non SBA | ttended by |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 56 | 454 | 1.0 | 7.8 | 4.3 | 4.8 | 45 | 66 | 2 | 0 | 43 | 66 |
| 1 | Agar | 3 | 54 | 0.2 | 2.6 | 5.2 | 5.5 | 13 | 12 | 0 | 0 | 13 | 12 |
| 2 | Badod | 35 | 365 | 2.2 | 27.4 | 5.2 | 7.5 | 13 | 12 | 2 | 0 | 11 | 12 |
| 3 | Nalkheda | 18 | 30 | 1.7 | 3.0 | 5.1 | 5.0 | 5 | 14 | 0 | 0 | 5 | 14 |
| 4 | Susner | 0 | 5 | 0.0 | 0.3 | 1.9 | 0.9 | 14 | 28 | 0 | 0 | 14 | 28 |

| | | 1 | 9 | 2 | 0 | 2 | .1 | 2 | 2 | 2 | 3 | 2 | 4 |
|------------|-------------|--------------------------------|------------|-------------------------------|----------|---|---------|----------------------------|---------|---------|---------------------------|--|--|
| Indicators | | SBA attendeliveries Reporte | s to Total | Mothers incentive deliv | for home | Mothers incentive deliveries Reporte | | Deliveries at Public II | | - | d under 48 delivery in | Women dis less than 4 delivery Reported l at public in | charged in 8 hours of to Total Deliveries |
| Agar Malwa | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 4.4 | 0.0 | 4 | 0 | 8.9 | 0.0 | 10,382 | 11,009 | 896 | 977 | 8.6 | 8.8 |
| 1 | Agar | 0.0 | 0.0 | 2 | 0 | 15.4 | 0.0 | 4,710 | 4,987 | 738 | 567 | 15.7 | 11.4 |
| 2 | Badod | 15.4 | 0.0 | 0 | 0 | 0.0 | 0.0 | 1,613 | 1,712 | 40 | 62 | 2.5 | 3.6 |
| 3 | Nalkheda | 0.0 | 0.0 | 2 | 0 | 40.0 | 0.0 | 1,855 | 1,891 | 0 | 235 | 0.0 | 12.4 |
| 4 | Susner | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 2,204 | 2,419 | 118 | 113 | 5.4 | 4.7 |

| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|---|-------------|--|--------------------|----------------------------------|----------------------|-------------------|------------------|-----------------------------------|--------------------|-----------------------|---------|-------------------------------|--------------------|
| I | ndicators | Institu deliv (Public In Inst | eries sts.+Pvt. | Institu Deliverie ANC regi | tional s to total | Total re deliv | eported eries | Institu deliveries Reported | tional to Total | Safe deli Total Re | | Home del Total Re Deliv | iveries to eported |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 10,382 | 11,009 | 76.6 | 73.1 | 10,427 | 11,075 | 99.6 | 99.4 | 99.6 | 99.4 | 0.4 | 0.6 |
| 1 | Agar | 4,710 | 4,987 | 115.0 | 103.9 | 4,723 | 4,999 | 99.7 | 99.8 | 99.7 | 99.8 | 0.3 | 0.2 |
| 2 | Badod | 1,613 | 1,712 | 48.8 | 47.9 | 1,626 | 1,724 | 99.2 | 99.3 | 99.3 | 99.3 | 0.8 | 0.7 |
| 3 | Nalkheda | 1,855 | 1,891 | 69.7 | 63.1 | 1,860 | 1,905 | 99.7 | 99.3 | 99.7 | 99.3 | 0.3 | 0.7 |
| 4 | Susner | 2,204 | 2,419 | 63.4 | 65.9 | 2,218 | 2,447 | 99.4 | 98.9 | 99.4 | 98.9 | 0.6 | 1.1 |

| | IndicatorsAgar Malwa | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
|-------------|----------------------|--------------------------------------|-----------|---------------------------------------|-----------|------------------------------|------------------|------------|------------------------|--|--|--|--------------------------|
| lı | ndicators | Number of deliveries at public | conducted | Number of deliveries at private | conducted | to rep institu (Public | + Pvt.) orted | C-sections | acilities to conducted | C-sections at Private 1 Deliveries at private | conducted acilities to conducted | Deliveries at Public Ir to Total In Deliv | conducted estitutions |
| Anna Malaus | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 120 | 141 | | | 1.1 | 1.2 | 1.2 | 1.3 | | | 100.0 | 100.0 |
| 1 | Agar | 120 | 141 | | | 2.5 | 2.8 | 2.5 | 2.8 | | | 100.0 | 100.0 |
| 2 | Badod | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Nalkheda | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 4 | Susner | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |

| | Indicators _Agar Malwa 1 Agar | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|----|--------------------------------|--|---|--|---------------------------------|---|---|---|---------------------|--|------------|--|--|
| lı | ndicators | Mothers Incentive fo at Public i to Tota Deliv | paid JSY or Delivery nstitution I Public | of cases w Incentive ASHA for D Public inst Total Public | where JSY e paid to Delivery at | Deliveries at Private I to Total In | conducted nstitutions stitutional | Women rec partum o within 48 deliv | heck-up hours of | Care / Wo post partur between 48 | n check up | Women rec partum o within 48 delivery Reported | eiving post heck-up hours of to Total |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 90.7 | 89.1 | 48.9 | 47.0 | 0.0 | 0.0 | 9,966 | 10,724 | 10,304 | 9,802 | 95.6 | 96.8 |
| 1 | Agar | 86.7 | 82.3 | 29.0 | 31.2 | 0.0 | 0.0 | 4,615 | 4,716 | 5,223 | 4,514 | 97.7 | 94.3 |
| 2 | Badod | 88.5 | 88.2 | 50.2 | 38.9 | 0.0 | 0.0 | 1,455 | 1,701 | 1,414 | 1,596 | 89.5 | 98.7 |
| 3 | Nalkheda | 96.4 | 102.5 | 71.7 | 67.1 | 0.0 | 0.0 | 1,863 | 1,872 | 1,623 | 1,616 | 100.2 | 98.3 |
| 4 | Susner | 96.3 | 93.3 | 71.2 | 69.6 | 0.0 | 0.0 | 2,033 | 2,435 | 2,044 | 2,076 | 91.7 | 99.5 |

| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
|----|-------------|--|--|------------------------|---------|------------|---------|------------------------|---------|---------------------------|------------|----------------------|---------|
| li | ndicators | Women ge Partum (between 48 14 days Deliv | tting Post Checkup B hours and to Total | Total Nu reported l | | Total Repo | | Total Nu reported S | | 9 live birth to Bir | o Reported | Number of weighed | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 98.8 | 88.5 | 10,269 | 10,884 | 98.5 | 98.3 | 178 | 194 | 98.3 | 98.2 | 10,266 | 10,720 |
| 1 | Agar | 110.6 | 90.3 | 4,640 | 4,904 | 98.2 | 98.1 | 93 | 100 | 98.0 | 98.0 | 4,645 | 4,882 |
| 2 | Badod | 87.0 | 92.6 | 1,601 | 1,688 | 98.5 | 97.9 | 29 | 34 | 98.2 | 98.0 | 1,600 | 1,682 |
| 3 | Nalkheda | 87.3 | 84.8 | 1,839 | 1,865 | 98.9 | 97.9 | 27 | 40 | 98.6 | 97.9 | 1,839 | 1,765 |
| 4 | Susner | 92.2 | 84.8 | 2,189 | 2,427 | 98.7 | 99.2 | 29 | 20 | 98.7 | 99.2 | 2,182 | 2,391 |

| | Indicators _Agar Malwa | 4 | 9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|----|-------------------------|------------|---------|----------------------------------|------------|--|------------------------------------|-------------------------|---------|-------------------------------------|----------------------------|-------------------------------|------------|
| lı | ndicators | Newborns v | | Number of having we than 2 | eight less | Newborr weight les kg to Ne weighed | ns having s than 2.5 ewborns | Number of Breast Fed | | Newborns within 1 ho to Total | breast fed our of birth | Number of visited wit of Home | hin 24 hrs |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 100.0 | 98.5 | 919 | 844 | 8.9 | 7.8 | 10,113 | 10,642 | 98.4 | 97.7 | 26 | 48 |
| 1 | Agar | 100.1 | 99.6 | 314 | 323 | 6.8 | 6.6 | 4,586 | 4,853 | 98.8 | 99.0 | 7 | 4 |
| 2 | Badod | 99.9 | 99.6 | 210 | 137 | 13.1 | 8.1 | 1,509 | 1,527 | 94.3 | 90.5 | 7 | 4 |
| 3 | Nalkheda | 100.0 | 94.6 | 180 | 131 | 9.8 | 7.4 | 1,836 | 1,863 | 99.8 | 99.9 | 4 | 14 |
| 4 | Susner | 99.7 | 98.5 | 215 | 253 | 9.9 | 10.6 | 2,182 | 2,399 | 99.7 | 98.8 | 8 | 26 |

| | Agar Badod | 5 | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|------------|---------------|--|------------------------|--|-------------------|---------------------------------------|--------------------------------------|---------|--|--|--|----------------------------|---|
| _Agar Malw | | newborn within 24h delivery reporte | rs of home to total | Sex Ra birth (Fe Bitr Male Birtl | male Live ths/ | women with Complica attended to | Pregnant h Obstetric tions and | Compli | icated es treated h IV rtensive/ njection to | Compl Pregnanci with antihype | es treated h IV rtensive/ njection to ew cases ed with | Transfusio Wome Obst | icated es treated Blood n to Total n with etric cations |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 57.7 | 72.7 | 958 | 921 | 5.9 | 4.1 | 61.4 | 128.4 | 64.8 | 82.7 | 14.4 | 19.3 |
| 1 | Agar | 53.8 | 33.3 | 950 | 949 | 10.2 | 5.9 | 64.7 | 65.0 | 146.0 | 72.1 | 18.5 | 27.2 |
| 2 | Badod | 53.8 | 33.3 | 945 | 1,071 | 2.1 | 4.7 | 100.0 | 96.3 | 19.9 | 29.2 | 0.0 | 6.2 |
| 3 | Nalkheda | 80.0 | 100.0 | 936 | 805 | 2.0 | 1.6 | 23.7 | 93.5 | 6.6 | 19.2 | 0.0 | 12.9 |
| 4 | Susner | 57.1 | 92.9 | 1,005 | 864 | 3.0 | 2.3 | 39.4 | 526.8 | 40.0 | 867.6 | 0.0 | 0.0 |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|----|-------------|---|--|---|------------------|----------------------------|---------|---------------------------|---------|---|------------------------------------|--|-----------------------------------|
| lı | ndicators | Post - Care / PNC compli attended Deliv | Natal C maternal cations to Total | Total Nu Abort (Sponta Induced) | tions aneous/ | Total Nu MTPs (repo | Public) | % <i>N</i> (Public) to | | MTPs up to of Pregn Total MTP: Institu | 12 weeks ancy to s at Public | MTPs mor weeks of P to Total Public Ins | e than 12 Pregnancy MTPs at |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 2.4 | 1.3 | 132 | 360 | 424 | 410 | 321.2 | 113.9 | 85.4 | 85.1 | 14.6 | 14.9 |
| 1 | Agar | 5.1 | 2.4 | 89 | 273 | 258 | 288 | 289.9 | 105.5 | 76.0 | 79.2 | 24.0 | 20.8 |
| 2 | Badod | 0.0 | 0.0 | 0 | 0 | 0 | 0 | | | | | | |
| 3 | Nalkheda | 0.3 | 1.0 | 41 | 87 | 0 | 0 | 0.0 | 0.0 | | | | |
| 4 | Susner | 0.0 | 0.0 | 2 | 0 | 166 | 122 | 8300.0 | | 100.0 | 99.2 | 0.0 | 0.8 |

| | Indicators _Agar Malwa I Agar | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7 | 2 |
|----|--------------------------------|---|-------------------------|---|----------------------|--|---------------------|---|--|----------------|--------------------------------------|------------------------------------|-----------------|
| lı | ndicators | 9 MTPs Cone Public Insti Total | ducted at tutions to | 9 MTPs Con Private Ins to Tota | ducted at stitutions | % Tota (Pul Conducted ANC Reg | blic) I to Total | Number of Tests cond Number of STI female which tr initi | Wet Mount ducted to f new RTI/ e cases for eatment | Vasect Cond | per of comies ucted + Pvt.) | Numb Tubect Condu (Public | comies icted |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 100.0 | 100.0 | 0.0 | 0.0 | 3.1 | 2.7 | 1.8 | 8.1 | 5 | 5 | 3,095 | 3,025 |
| 1 | Agar | 100.0 | 100.0 | 0.0 | 0.0 | 6.3 | 6.0 | 0.0 | 0.0 | 0 | 0 | 802 | 882 |
| 2 | Badod | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0 | 818 | 791 |
| 3 | Nalkheda | | | | | 0.0 | 0.0 | 25.4 | 82.2 | 5 | 5 | 670 | 570 |
| 4 | Susner | 100.0 | 100.0 | 0.0 | 0.0 | 4.8 | 3.3 | | | 0 | 0 | 805 | 782 |

| | | 7 | 3 | 7 | 4 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|----|-------------|-------------------|---------|-------------------------------------|---------|----------------------------|---------|---|--------------------|---|--------------------|--|--------------------|
| lı | ndicators | Total Ste Cond | | % Male St (Vasect to Total st | comies) | 7 Tubector Total ste | mies to | Total Ste (Tubecto Vasect conducte | mies and omies) | Total Ste (Tubecto Vasect conducte | mies and omies) | Total Ste (Tubecto Vasect conducted | mies and omies) |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 3,100 | 3,030 | 0.1 | 0.1 | 99.8 | 99.8 | 0 | 0 | 2,298 | 2,148 | 802 | 882 |
| 1 | Agar | 802 | 882 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | | | 802 | 882 |
| 2 | Badod | 818 | 791 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | 818 | 791 | | |
| 3 | Nalkheda | 675 | 575 | 0.7 | 0.9 | 99.3 | 99.1 | 0 | 0 | 675 | 575 | | |
| 4 | Susner | 805 | 782 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | 805 | 782 | | |

| | IndicatorsAgar Malwa | 7 | 9 | 8 | 0 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|-------------|----------------------|---|----------------------------------|---------|----------------------------------|---|---------------------------------|---|---------------------------------|--|---------------------------------|---|--|
| _Agar Malwa | ndicators | Total Ste (Tubecto Vasecto conducted public Ins | mies and omies) d at Other | | mies and omies) at Private | % Total Sto (Tubecto Vasect conducted Total Ste | mies and omies) at PHC to | % Total Sto (Tubecto Vasect conducted Total Ste | mies and omies) at CHC to | % Total Sto (Tubecto Vasect conducted to Total S | mies and omies) at SDH/DH | % Total Ste (Tubector Vasector conducted public Instit Total Ste | mies and omies) I at Other tutions to |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | | | | | 0.0 | 0.0 | 74.1 | 70.9 | 25.9 | 29.1 | 0.0 | 0.0 |
| 1 | Agar | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 2 | Badod | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Nalkheda | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Susner | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|----|-------------|--|--|--------------------------------------|----------------------|-------------------------------------|-------------------------|--------------------------------------|---------------------|------------------------------|---|---|--|
| li | ndicators | % Total Sto (Tubecto Vasecto conducted institutions Sterlis | mies and omies) at Private s to Total | Laparo sterlisation Female Ste | scopic s to Total | Mini Lap St to Total Sterilis | erlisations Female | Post P Sterlisation Female Ste | artum s to Total | sterlisation Institutions | scopic s at Public s to Total scopic | Mini Lap st at Public In to Total Sterilis | erlisations estitutions Mini Lap |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 0.0 | 0.0 | 97.2 | 95.7 | 0.3 | 2.3 | 2.5 | 1.9 | 100.0 | 100.0 | 100.0 | 100.0 |
| 1 | Agar | 0.0 | 0.0 | 90.4 | 88.2 | 1.0 | 5.2 | 8.6 | 6.6 | 100.0 | 100.0 | 100.0 | 100.0 |
| 2 | Badod | 0.0 | 0.0 | 100.0 | 99.7 | 0.0 | 0.0 | 0.0 | 0.3 | 100.0 | 100.0 | | |
| 3 | Nalkheda | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 4 | Susner | 0.0 | 0.0 | 98.8 | 96.9 | 0.0 | 3.1 | 1.2 | 0.0 | 100.0 | 100.0 | | 100.0 |

| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 14 | 9 | 5 | 9 | 6 |
|----|-------------|--|------------------------------------|-------------|---------|-------------------------|---------|---------|------------|--------------------------|---------|--------------------------|---------|
| lı | ndicators | Post P sterlisation Institution Post P Sterili | s at Public s to Total artum | Sterlisatio | wing | IUCD Inser (public f | | | tions done | Total IUCD done(publi | | PP IUCD I done (publi | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 100.0 | 100.0 | 0 | 0 | 3,237 | 3,955 | | | 3,237 | 3,955 | 660 | 589 |
| 1 | Agar | 100.0 | 100.0 | 0 | 0 | 687 | 1,072 | | | 687 | 1,072 | 27 | 134 |
| 2 | Badod | | 100.0 | 0 | 0 | 755 | 816 | | | 755 | 816 | 145 | 101 |
| 3 | Nalkheda | | | 0 | 0 | 1,087 | 1,251 | | | 1,087 | 1,251 | 343 | 289 |
| 4 | Susner | 100.0 | | 0 | 0 | 708 | 816 | | | 708 | 816 | 145 | 65 |

| | Indicators _Agar Malwa 1 Agar | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 |)2 |
|----|---------------------------------|--|------------------|--|---------|------------|---|--------------|-------------|-------------------|---------|---------------------|---------|
| lı | ndicators | % PP IUCD (pul to Tota Insertion: | olic) al IUCD | % PP IUCD (pul to Total In: Deliverie | olic) | institutio | ertions in us private ons to all olanning IUCD plus | Oral Pills o | listributed | Condom distril | | Centchro distril | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 20.3 | 14.8 | 6.3 | 5.3 | 51.0 | 56.6 | 22,019 | 28,641 | 128,619 | 185,356 | 0 | 766 |
| 1 | Agar | 3.9 | 12.5 | 0.6 | 2.7 | 46.1 | 54.9 | 10,623 | 13,891 | 69,576 | 122,335 | 0 | 766 |
| 2 | Badod | 19.2 | 12.4 | 9.0 | 5.9 | 48.0 | 50.8 | 4,271 | 7,162 | 15,828 | 37,760 | 0 | 0 |
| 3 | Nalkheda | 31.6 | 23.1 | 18.5 | 15.3 | 61.7 | 68.5 | 4,737 | 4,414 | 34,538 | 18,324 | 0 | 0 |
| 4 | Susner | 20.5 | 8.0 | 6.6 | 2.7 | 46.8 | 51.1 | 2,388 | 3,174 | 8,677 | 6,937 | 0 | 0 |

| | | 10 | 03 | 10 | 04 | 10 | 05 | 10 | 06 | 10 |)7 | 10 |)8 |
|---|-------------|------------------------|---------|----------|---------|-----------------------------------|------------|---------------------|------------------------|----------|---------|----------|---------|
| I | Indicators | Number of given (Birth | | Number o | | Newborns g at birth to live | given OPV0 | Newborns to Repo | given BCG rted live | Number o | | Number o | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 9,595 | 10,931 | 10,071 | 11,298 | 93.4 | 100.4 | 98.1 | 103.8 | 9 | 10 | 11 | 14 |
| 1 | Agar | 4,015 | 4,998 | 4,357 | 5,112 | 86.5 | 101.9 | 93.9 | 104.2 | 9 | 0 | 11 | 3 |
| 2 | Badod | 1,588 | 1,677 | 1,705 | 1,844 | 99.2 | 99.3 | 106.5 | 109.2 | 0 | 10 | 0 | 8 |
| 3 | Nalkheda | 1,751 | 1,796 | 1,802 | 1,816 | 95.2 | 96.3 | 98.0 | 97.4 | 0 | 0 | 0 | 1 |
| 4 | Susner | 2,241 | 2,460 | 2,207 | 2,526 | 102.4 | 101.4 | 100.8 | 104.1 | 0 | 0 | 0 | 2 |

| | 1 Agar | 10 |)9 | 11 | 10 | 11 | 11 | 1 | 12 | 11 | 13 | 11 | 14 |
|----|-------------|----------|---------|----------|---------|-----------------------|---------|----------|---------|----------|-----------------------|---|---|
| li | ndicators | Number o | | Number o | | Number (given Pen | | Number o | | Number (| of Infants Neasles | Infants months received vaccine to live b | 0 to 11 old who I Measles o reported |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 22 | 59 | 12,795 | 13,210 | 13,145 | 13,524 | 13,052 | 13,879 | 13,133 | 13,654 | 127.8 | 125.4 |
| 1 | Agar | 22 | 31 | 3,844 | 4,140 | 3,925 | 4,169 | 3,705 | 4,313 | 3,896 | 4,337 | 84.0 | 88.4 |
| 2 | Badod | 0 | 6 | 3,174 | 3,290 | 3,243 | 3,319 | 3,236 | 3,378 | 3,329 | 3,318 | 207.9 | 196.6 |
| 3 | Nalkheda | 0 | 6 | 2,723 | 2,758 | 2,728 | 2,962 | 2,758 | 2,948 | 2,584 | 2,727 | 140.5 | 146.2 |
| 4 | Susner | 0 | 16 | 3,054 | 3,022 | 3,249 | 3,074 | 3,353 | 3,240 | 3,324 | 3,272 | 151.9 | 134.8 |

| | Indicators _Agar Malwa | 11 | 15 | 11 | 16 | 11 | 17 | 11 | 18 | 11 | 19 | 12 | 20 |
|----|------------------------|----------|-----------------------------------|--------------------------|---------|-----------|----------|--------------------------------|------------|---|------------------------------------|------------------------|---------|
| li | ndicators | immunize | of fully d children nonths) | 9 Drop Out BCG & / | | Vitamin - | A dose 1 | Children g dose1 to live | iven Vit A | Childre Vitamin A Children g dos | n given Dose 9 to iven Vit A | Adverse Following I | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 13,084 | 13,331 | -30.4 | -20.9 | 14,088 | 13,866 | 137.2 | 127.4 | 148.1 | 190.1 | 644 | 369 |
| 1 | Agar | 3,855 | 4,298 | 10.6 | 15.2 | 4,138 | 4,414 | 89.2 | 90.0 | 153.0 | 187.6 | 148 | 319 |
| 2 | Badod | 3,326 | 3,312 | -95.2 | -79.9 | 3,391 | 3,257 | 211.8 | 193.0 | 190.0 | 321.0 | 93 | 0 |
| 3 | Nalkheda | 2,581 | 2,657 | -43.4 | -50.2 | 2,579 | 2,750 | 140.2 | 147.5 | 133.2 | 97.2 | 155 | 26 |
| 4 | Susner | 3,322 | 3,064 | -50.6 | -29.5 | 3,980 | 3,445 | 181.8 | 141.9 | 117.1 | 143.6 | 248 | 24 |

| 1 Agar 2 Badod | 12 | 21 | 12 | 22 | 12 | 23 | 13 | 24 | 12 | 25 | 12 | 26 | |
|-------------------|-------------|--|---------------------------|---|---|------------------------------------|------------------------------|------------------------------------|-------------------------|--|--------------------------------------|---|---|
| lı | ndicators | immunisatio Held to Imr Sessions | on Sessions munisation | Immunisatio where ASI preser Immunisatio Plan | on Sessions HAs were nt to on Sessions | 0-5 Years Total Re Childhood | n Children of Age to eported | 0-5 Years Total Re Childhood | n Children of Age to | Tetanus Ne in Childrer of Age t Reported (Diseases) | n 0-5 Years to Total Childhood | Tetanus (Children 0: Age to Tota Childhood 0-5) | Others in -5 Years of Il Reported I Diseases |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 100.2 | 99.0 | 74.7 | 75.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Agar | 99.3 | 98.5 | 67.4 | 70.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Badod | 100.1 | 98.5 | 78.2 | 81.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Nalkheda | 101.3 | 98.9 | 71.5 | 70.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Susner | 100.5 | 100.3 | 84.3 | 82.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| li | ndicators | Polio in Ch Years of Ag Reported O | 6 ildren 0-5 ge to Total Childhood | 9 Measles ir 0-5 Years Total Re Childhood | Children of Age to eported I Diseases | Diarrho dehydra Children O Age to Tota Childhood | % bea and ation in -5 Years of Il Reported d Diseases Years | Malaria in C Years of Ag Reported | Children 0-5 ge to Total | 9 Adult F Inpatients Adult In | 6 Female to Total | 13 9 Children Inp Total In | patient to |
|----|-------------|--|---|---|--|--|---|---|-----------------------------|--|-------------------------|-------------------------------------|------------|
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 0.0 | 0.0 | 0.3 | 0.3 | 98.7 | 99.7 | 0.9 | 0.0 | 64.4 | 61.1 | 25.6 | 25.8 |
| 1 | Agar | 0.0 | 0.0 | 0.0 | 0.1 | 96.2 | 99.9 | 3.8 | 0.0 | 47.4 | 50.7 | 37.6 | 28.1 |
| 2 | Badod | 0.0 | 0.0 | 0.0 | 0.0 | 99.8 | 100.0 | 0.2 | 0.0 | 77.7 | 64.1 | 23.6 | 26.7 |
| 3 | Nalkheda | 0.0 | 0.0 | 1.2 | 0.8 | 98.7 | 99.2 | 0.1 | 0.0 | 96.7 | 96.7 | 7.4 | 11.0 |
| 4 | Susner | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 61.8 | 54.9 | 17.5 | 28.1 |

| | | 13 | 33 | 13 | 34 | 13 | 35 | 13 | 36 | 13 | 37 | 13 | 38 |
|----|-------------|----------------------------------|----------------------|--------------------------|-----------|---------|---------|---------|---------|---------|---------|-----------------|---------|
| lı | ndicators | Female I Deaths t Inpatien | npatient to Total | 9 Inpatient I Tota | Deaths to | IPD (Nu | umber) | OPD (N | umber) | % IPD | to OPD | Number Opera | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 46.2 | 33.3 | 0.1 | 0.0 | 27,101 | 28,816 | 484,410 | 432,042 | 5.6 | 6.7 | 96 | 101 |
| 1 | Agar | 47.2 | 33.3 | 0.3 | 0.1 | 10,861 | 10,725 | 212,513 | 176,174 | 5.1 | 6.1 | 96 | 101 |
| 2 | Badod | | | 0.0 | 0.0 | 4,818 | 6,584 | 92,046 | 95,261 | 5.2 | 6.9 | 0 | 0 |
| 3 | Nalkheda | 33.3 | | 0.1 | 0.0 | 2,795 | 3,258 | 75,107 | 56,870 | 3.7 | 5.7 | 0 | 0 |
| 4 | Susner | | | 0.0 | 0.0 | 8,627 | 8,249 | 104,744 | 103,737 | 8.2 | 8.0 | 0 | 0 |

| | | 13 | 39 | 14 | 40 | 14 | 41 | 14 | 42 | 14 | 43 | 14 | 14 |
|----|-------------|-----------------|--------------------|----------------------------|------------|--------------------------|---------|----------------------------------|--------------------|-----------|----------|---------------------|------------|
| lı | ndicators | Number Opera | of Minor ations | % Major Ope Total Op | rations to | Numb Hystere Surge | ectomy | Hystere Surgeries Major Op | ectomy to Total | Ayush OPD | (Number) | 9 AYUSH OP OF | D to Total |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 165 | 465 | 36.8 | 17.8 | 2 | 0 | 2.0 | 0.0 | 12,835 | 9,688 | 2.6 | 2.2 |
| 1 | Agar | 165 | 465 | 36.8 | 17.8 | 2 | 0 | 2.1 | 0.0 | 12,835 | 9,688 | 6.0 | 5.5 |
| 2 | Badod | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |
| 3 | Nalkheda | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |
| 4 | Susner | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|-------------|---------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 103 | 0 | 0.0 | 0.0 | 0 | 253 | 4.7 | 1.7 | 0.0 | 0.2 | 0.0 | 0.0 |
| 1 | Agar | 103 | 0 | 0.0 | 0.0 | 0 | 0 | 9.4 | 2.9 | 0.0 | 0.2 | 0.0 | 0.0 |
| 2 | Badod | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 1.2 | 1.0 | | | 0.0 | 0.0 |
| 3 | Nalkheda | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0.7 | 0.8 | 0.0 | 0.0 | 0.1 | 0.0 |
| 4 | Susner | 0 | 0 | 0.0 | 0.0 | 0 | 253 | 1.5 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|-------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | 0.0 | 42 | 21 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Agar | 0.0 | 0.0 | 0.4 | 0.6 | 0.0 | 0.0 | 8 | 5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Badod | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 3 | | 0.0 | | 0.0 | |
| 3 | Nalkheda | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 28 | 11 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Susner | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 3 | 5 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|-------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Agar Malwa | 20.0 | 35.0 | 14.3 | 10.0 | 0.0 | 0.0 | 2.9 | 10.0 | 0.0 | 0.0 | 62.9 | 45.0 |
| 1 | Agar | 25.0 | 0.0 | 12.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 62.5 | 100.0 |
| 2 | Badod | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 | |
| 3 | Nalkheda | 19.0 | 60.0 | 19.0 | 20.0 | 0.0 | 0.0 | 0.0 | 10.0 | 0.0 | 0.0 | 61.9 | 10.0 |
| 4 | Susner | 33.3 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.3 | 20.0 | 0.0 | 0.0 | 33.3 | 60.0 |