

Performance of Key HMIS Indicators for Jammu & Kashmir-> Ganderbal (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to March

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1	2	3	4	5	6	7	8	9	10	11	12	13
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	% 1st Trimester registration to Total ANC Registrations	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers)	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrations	% Pregnant women received TT2+ TT Booster to Total ANC Registration	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registration	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	5,548	5,133	92.5	4,166	4,491	946	75.0	97.9	4,658	83.9	2,562	210	78.1
1	District HQ	275	194	70.5	671	554	115	244.0	243.3	281	102.2	255	108	91.5
2	Ganderbal	1,481	1,406	94.9	599	985	165	40.4	77.7	1,155	78.0	657	10	22.7
3	Kangan	2,477	2,284	92.2	1,927	1,808	600	77.8	97.2	2,219	89.6	932	90	86.5
4	Laar	817	758	92.8	552	682	49	67.6	89.5	585	71.6	501	1	100.0
5	Wakura	498	491	98.6	417	462	17	83.7	96.2	418	83.9	217	1	50.0

Indicators		14	15	16	17	18	19	20	21	22	23	24	25	26
		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducted at Public Institutions	Number of Women Discharged under 48 hours of delivery in public facilities	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	Deliveries Conducted at Private Institutions	Number of Women Discharged under 48 hours of delivery in private institutions	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	Institutional deliveries (Public Insts.+Pvt. Insts.)	% Institutional Deliveries to total ANC registration
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	5.2	41	0	41	0.0	1,697	631	37.1				1,697	30.5
1	District HQ	22.2					497	272	54.7				497	180.7
2	Ganderbal	1.2	4	0	4	0.0	4	4	100.0				4	0.3
3	Kangan	6.8	36	0	36	0.0	1,107	284	25.7				1,107	44.7
4	Laar	3.4	1		1	0.0	64	49	76.6				64	7.8
5	Wakura	2.2					25	22	88.0				25	5.0

Indicators		27	28	29	30	31	32	33	34	35	36	37	38	39
		Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries	% Deliveries conducted at Private Institutions to Total Institutional Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	1,738	97.6	97.6	2.4	243		14.3	14.3		100.0	0.0	130	2,120
1	District HQ	497	100.0	100.0	0.0	131		26.4	26.4		100.0	0.0	76	312
2	Ganderbal	8	50.0	50.0	50.0	0		0.0	0.0		100.0	0.0	0	20
3	Kangan	1,143	96.9	96.9	3.1	112		10.1	10.1		100.0	0.0	36	1,102
4	Laar	65	98.5	98.5	1.5			0.0	0.0		100.0	0.0	1	404
5	Wakura	25	100.0	100.0	0.0			0.0	0.0		100.0	0.0	17	282

Indicators		40	41	42	43	44	45	46	47	48	49	50	51	52
		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	317.1	122.0	1,725	99.3	17	99.0	1,679	97.3	35	2.0	1,609	93.2	971
1	District HQ		62.8	494	99.4	5	99.0	461	93.3	14	3.0	400	81.0	1,102
2	Ganderbal	0.0	250.0	7	87.5	0	100.0	5	71.4	0	0.0	5	71.4	1,333
3	Kangan	100.0	96.4	1,136	99.4	9	99.2	1,125	99.0	21	1.9	1,116	98.2	929
4	Laar	100.0	621.5	63	96.9	1	98.4	63	100.0	0	0.0	63	100.0	658
5	Wakura		1128.0	25	100.0	2	92.6	25	100.0	0	0.0	25	100.0	1,500

Indicators		53	54	55	56	57	58	59	60	61	62	63	64	65
		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registrations	Number of PW given one Albendazole tablet after 1st trimester	% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registrations	Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registrations	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registrations	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registrations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	3.3	0.0	1,335	24.1	394	7.1	237	4.3	7	0.1	328	0	5.9
1	District HQ	2.0	0.0	27	9.8	0	0.0	157	57.1	0	0.0	0	0	0.0
2	Ganderbal	0.0		218	14.7	35	2.4	6	0.4	3	0.2	10	0	0.7
3	Kangan	4.3	0.0	923	37.3	313	12.6	58	2.3	3	0.1	266	0	10.7
4	Laar	0.0		78	9.5	10	1.2	16	2.0	1	0.1	52	0	6.4
5	Wakura	0.0		89	17.9	36	7.2		0.0		0.0			0.0

Indicators		66	67	68	69	70	71	72	73	74	75	76	77	78
		% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenita l Syphilis to babies total diagnosed with Congenit al Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontan eous) Reported	Total Number of MTPs (Public) conducte d	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs Conducte d at Public Institutio ns to Total MTPs	% MTPs Conducte d at Private Institutio ns to Total MTPs	% Total MTPs (Public) Conducte d to Total ANC Registrati on	Number of Vasectom ies Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	0.0		1	0	92	0	0.0					0.0	0
1	District HQ			0	0	10	0	0.0					0.0	0
2	Ganderbal	0.0				8	0	0.0					0.0	0
3	Kangan	0.0				68	0	0.0					0.0	0
4	Laar	0.0		1		3		0.0					0.0	
5	Wakura					3		0.0					0.0	

Performance of Key HMIS Indicators for Jammu & Kashmir-> Ganderbal (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		79	80	81	82	83	84	85	86	87	88	89	90	91
				% Male Sterilisati on (Vasecto mies) to Total sterilisati on	% Female Serlisatio n (Tubecto mies) to Total sterilisati on	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on	% Laparosc opic sterlisati ons to Total Female Sterilisati ons
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	192	192	0.0	100.0						192	0.0	100.0	0.0
1	District HQ	36	36	0.0	100.0						36	0.0	100.0	0.0
2	Ganderbal	0	0								0			
3	Kangan	156	156	0.0	100.0						156	0.0	100.0	0.0
4	Laar													
5	Wakura													

Indicators		92	93	94	95	96	97	98	99	100	101	102	103	104
		% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Post Abortion Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterlisati on (Male + Female)	Total cases of deaths following Male Sterlisati on	Total cases of deaths following Female Sterlisati on	Total cases of failure following Male Sterlisati on	Total cases of failure following Female Sterlisati on	Total cases of complicat ion following Male Sterlisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	88.0	11.9	0.0		100.0	100.0		0	0	0	0	0	0
1	District HQ	83.3	16.7	0.0		100.0	100.0		0	0	0	0	0	0
2	Ganderbal								0	0	0	0	0	0
3	Kangan	89.1	10.9	0.0		100.0	100.0		0	0	0	0	0	0
4	Laar													
5	Wakura													

Indicators		105	106	107	108	109	110	111	112	113	114	115	116	117
		Total cases of complication following Female Sterilisation	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus permanent)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combined Oral Pills distributed	Emergency pills distributed	Condom pieces distributed	Centchroman (weekly pills) distributed
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	0	872		33.3	17.1	81.9	579	291	2	13,528	1,094	96,401	467
1	District HQ	0	350		26.3	18.5	90.7	258	92	0	959	162	12,609	6
2	Ganderbal	0	132		68.2	2250.0	100.0	40	90	2	2,421	208	32,260	84
3	Kangan	0	291		35.4	9.3	65.1	188	103	0	6,956	456	21,555	366
4	Laar		31		19.4	9.4	100.0	25	6		2,306	104	18,851	10
5	Wakura		68		0.0	0.0	100.0	68			886	164	11,126	1

Indicators		118	119	120	121	122	123	124	125	126	127	128	129	130
		Number of beneficiaries given 1st dose of Injectable (Antara Program)	Number of beneficiaries given 2nd dose of Injectable (Antara Program)	Number of beneficiaries given 3rd dose of Injectable (Antara Program)	Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)	Pregnancy testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose) at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	39	0	0	21	4,733	1,765	1,979	1,689	102.3	114.7	97.9	19	12
1	District HQ	39	0	0	0	543	506	552	491	102.4	111.7	99.4	0	0
2	Ganderbal	0	0	0	0	954	29	31	3	414.3	442.9	42.9	0	0
3	Kangan	0	0	0	21	1,987	1,123	1,238	1,105	98.9	109.0	97.3	19	12
4	Laar					688	74	124	65	117.5	196.8	103.2		
5	Wakura					561	33	34	25	132.0	136.0	100.0		

Performance of Key HMIS Indicators for Jammu & Kashmir-> Ganderbal (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		131	132	133	134	135	136	137	138	139	140	141	142	143
		Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisation (Abcess)	Adverse Events Following Imunisation (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	6	5,236	5,315	5,233	5,419	32	316.0	5,287	-173.8	313.7	140.7	0	0
1	District HQ	0	591	544	541	523		105.9	485	5.3	105.9	426.6	0	0
2	Ganderbal	0	1,136	1,162	1,159	1,287	2	8414.3	1,285	-51.6	8614.3	114.4	0	0
3	Kangan	6	2,354	2,434	2,363	2,332	30	207.9	2,241	-88.4	204.6	135.8	0	0
4	Laar		725	706	702	760		1206.3	760	-512.9	1201.6	46.6		
5	Wakura		430	469	468	517		2068.0	516	-420.6	2020.0	76.0		

Indicators		144	145	146	147	148	149	150	151	152	153	154	155	156
		Adverse Events Following Immunisation (Others)	% immunisation Sessions Held to Immunisation Sessions Planned	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned	Pneumonia in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheria in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonatorum in Children 0-5 Years of Age	Tuberculosis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	0	98.6	89.9	59	54	1	0	0	0	0	0	2	59
1	District HQ	0	99.1	53.5	0	0	0	0	0	0	0	0	0	0
2	Ganderbal	0	98.9	85.8	0	5	0	0	0	0	0	0	1	0
3	Kangan	0	97.8	98.6	59	49	1	0	0	0	0	0	1	59
4	Laar		99.8	82.9										
5	Wakura		99.5	85.6										

Performance of Key HMIS Indicators for Jammu & Kashmir-> Ganderbal (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3rd dose	No of children 16-24 months age given Measles 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	4,056	644	32	8	0	0	5,189	25	50.0	27.2		0.0	16,743
1	District HQ	270	216					541	0	42.8	58.1		0.0	4,053
2	Ganderbal	71	10	2	0	0	0	1,240	0	65.0	6.7		0.0	2,181
3	Kangan	3,685	413	30	8	0	0	2,172	25	48.1	22.7		0.0	7,829
4	Laar	0	5		0			747		45.1	8.2		0.0	2,232
5	Wakura	30						489		60.1	20.5		0.0	448

Performance of Key HMIS Indicators for Jammu & Kashmir-> Ganderbal (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to March

These indicators are under compilation (83,84,85,86,197,198)

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathic)	Ayush OPD (Number)	OPD (Ayush+Allopathic)	% IPD to OPD	Number of Major Operations	Number of Minor Operations	% Major Operations to Total Operation	Number of Hysterectomy Surgeries	% Hysterectomy Surgeries to Total Major Operations	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	914,575	79,304	993,879	1.7	1,290	11,347	10.2	25	1.9	7.9	70,640	7.1	0.8
1	District HQ	299,184	9,822	309,006	1.3	948	2,414	28.2	25	2.6	3.2	9,523	3.1	10.9
2	Ganderbal	82,465	9,820	92,285	2.4		114	0.0			10.6	10,867	11.8	0.7
3	Kangan	365,444	33,506	398,950	2.0	342	4,588	6.9	0	0.0	8.4	33,031	8.3	0.5
4	Laar	104,272	14,105	118,377	1.9		1,144	0.0			11.9	10,000	8.4	0.2
5	Wakura	63,210	12,051	75,261	0.6		3,087	0.0			16.0	7,219	9.6	0.1

Performance of Key HMIS Indicators for Jammu & Kashmir-> Ganderbal (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ganderbal	0.0	19.9	0.0	0.0			28	3.6	0.0	3.6	0.0	0.0	0.0
1	District HQ	0.0	190.5	0.0	0.0			0						
2	Ganderbal	0.0	1.6	0.0	0.0			2	0.0	0.0	50.0	0.0	0.0	0.0
3	Kangan	0.0	18.2	0.0	0.0			16	0.0	0.0	0.0	0.0	0.0	0.0
4	Laar	0.0	0.7	0.0	0.0			7	0.0	0.0	0.0	0.0	0.0	0.0
5	Wakura	0.0	19.5	0.0	0.0			3	33.3	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Jammu & Kashmir-> Ganderbal (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		196	197	198
		Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH
		2017-18	2017-18	2017-18
	_Ganderbal			
1	District HQ			
2	Ganderbal			
3	Kangan			
4	Laar			
5	Wakura			