

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to September

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	34,164	32,056	98.1	101.3	759	709	97.8	97.8	23,763	22,057	15,111	11,991
1	East Garo Hills	2,007	1,955	100.0	109.2	18	23	99.1	98.8	1,005	730	1,277	736
2	East Jaintia Hills												
3	East Khasi Hills	11,504	11,028	97.1	105.5	352	296	97.0	97.4	8,712	7,949	7,288	6,325
4	North Garo Hills												
5	Ri Bhoi	2,492	2,759	99.3	99.5	23	21	99.1	99.2	943	1,198	785	696
6	South Garo Hills	930	718	100.0	99.3	9	3	99.0	99.6	371	185	625	29
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	7,526	7,259	98.3	97.9	141	155	98.2	97.9	7,170	6,901	2,219	2,033
10	West Jaintia Hills	5,520	5,070	98.0	98.0	140	157	97.5	97.0	3,407	2,906	1,824	1,392
11	West Khasi Hills	4,185	3,267	98.4	98.4	76	54	98.2	98.4	2,155	2,188	1,093	780

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to September

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Meghalaya	40,869	38,019	44.2	37.4	119.6	118.6	39,668	36,987	37,391	34,303	34,199	31,339
1	East Garo Hills	4,740	3,059	63.6	37.6	236.2	156.5	4,824	3,223	4,488	2,711	3,857	2,446
2	East Jaintia Hills												
3	East Khasi Hills	10,721	10,256	63.4	57.4	93.2	93.0	8,720	8,390	8,021	7,837	7,491	7,077
4	North Garo Hills												
5	Ri Bhoi	3,224	3,151	31.5	25.2	129.4	114.2	3,460	3,438	3,186	3,130	3,069	2,913
6	South Garo Hills	1,856	1,820	67.2	4.0	199.6	253.5	2,015	1,734	1,827	1,646	1,636	1,420
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	8,524	8,312	29.5	28.0	113.3	114.5	8,478	8,584	8,593	8,444	7,767	8,050
10	West Jaintia Hills	6,471	6,518	33.0	27.5	117.2	128.6	6,331	6,681	5,956	6,008	5,502	5,406
11	West Khasi Hills	5,333	4,903	26.1	23.9	127.4	150.1	5,840	4,937	5,320	4,527	4,877	4,027

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to September

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya							31,081	25,771	91.0	80.4	28,159	24,848
1	East Garo Hills							3,403	2,051	169.6	104.9	2,272	2,087
2	East Jaintia Hills												
3	East Khasi Hills							6,226	5,963	54.1	54.1	6,022	5,379
4	North Garo Hills												
5	Ri Bhoi							2,765	2,421	111.0	87.7	2,614	2,315
6	South Garo Hills							1,381	924	148.5	128.7	1,071	1,239
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							7,217	6,811	95.9	93.8	6,666	6,680
10	West Jaintia Hills							5,269	4,363	95.5	86.1	4,903	4,154
11	West Khasi Hills							4,820	3,238	115.2	99.1	4,611	2,994

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to September

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	23.9	32.2	36,640	7,867	107.2	24.5	27.6	14.7		1	81.7	78.1
1	East Garo Hills	28.2	33.0	1,695	575	84.5	29.4	80.6	34.4			84.5	74.7
2	East Jaintia Hills												
3	East Khasi Hills	41.9	41.9	9,306	4,441	80.9	40.3	9.1	5.2			94.4	87.0
4	North Garo Hills												
5	Ri Bhoi	14.2	23.2	3,121	573	125.2	20.8	2.9	16.6			87.6	87.4
6	South Garo Hills	25.6	49.2	1,377	235	148.1	32.7	37.5	13.6			62.7	89.1
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	15.3	18.1	7,716	1,190	102.5	16.4	51.9	30.3			80.6	83.5
10	West Jaintia Hills	18.6	33.1	8,332	200	150.9	3.9	31.8	95.5		1	88.4	86.3
11	West Khasi Hills	9.6	34.0	5,093	653	121.7	20.0	12.6	7.2			60.2	48.5

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
 Financial Year: 2010-11
 Provisional Figures for the Period April to September

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	61.9	60.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	70.9	64.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	64.9	63.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	60.6	58.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	54.3	81.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	78.6	79.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	48.0	42.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	43.6	36.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
 Financial Year: 2010-11
 Provisional Figures for the Period April to September

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	1.0	2.2	88.9	75.5	10.1	22.2	1,190	755	5.9	4.2	8.4	7.9
1	East Garo Hills	2.1	3.2	55.1	29.3	42.9	67.5	14	40	25.0	10.0	25.0	12.5
2	East Jaintia Hills												
3	East Khasi Hills	0.6	2.4	98.6	92.2	0.8	5.4	591	311	4.8	3.1	8.7	9.9
4	North Garo Hills												
5	Ri Bhoi	1.3	1.1	92.4	93.6	6.2	5.3	29	14	3.7	0.0	3.7	23.1
6	South Garo Hills	2.6	0.2	52.5	43.6	44.8	56.2	29		0.0		0.0	
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	2.7	1.3	68.3	51.9	29.1	46.8	228	284	4.2	4.0	8.5	2.9
10	West Jaintia Hills	0.4	3.8	99.3	95.2	0.3	0.9	155	71	14.7	4.6	12.6	12.3
11	West Khasi Hills	0.2	1.8	96.4	88.4	3.5	9.8	144	35	0.0	9.7	2.1	12.9

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	4.9	5.9	12.9	5.9	2.4	1.2	13.4	16.5	0.0	1.2	52.2	57.2
1	East Garo Hills	0.0	2.5	0.0	2.5	0.0	2.5	25.0	15.0	0.0	7.5	25.0	47.5
2	East Jaintia Hills												
3	East Khasi Hills	3.6	3.4	12.7	0.8	1.5	0.8	4.3	6.9	0.0	1.1	64.4	74.0
4	North Garo Hills												
5	Ri Bhoi	7.4	7.7	7.4	0.0	3.7	0.0	22.2	15.4	0.0	0.0	51.9	53.8
6	South Garo Hills	4.8		14.3		0.0		19.0		0.0		61.9	
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	6.6	8.5	17.9	10.7	1.9	0.4	31.6	26.8	0.0	0.7	29.2	46.0
10	West Jaintia Hills	9.1	9.2	8.4	10.8	4.9	1.5	2.8	16.9	0.0	0.0	47.6	44.6
11	West Khasi Hills	0.0	0.0	12.4	3.2	4.1	9.7	20.6	9.7	0.0	0.0	60.8	54.8