		1	ı	2	2	3	3	4	1	5	5		5
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% live birth to Reported Birth		f Newborns at birth	Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Mizoram	5,889		106.9	0.0	33		99.4		5,679			
1	Aizawl East												
2	Aizawl West	2,002		113.5	0.0	5		99.8		1,935			
3	Champhai	648		100.8		5		99.2		632			
4	Kolasib	392		105.9		7		98.2		362			
5	Lawngtlai	528		106.2		3		99.4		528			
6	Lunglei	1,408		106.4		1		99.9		1,351			
7	Mamit	276		100.0		2		99.3		257			_
8	Saiha	366		100.0		7		98.1		354			
9	Serchhip	269		100.0		3		98.9		260			_

		7	7	8	3	ġ	9	1	0	1	1	1:	2
I	ndicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		Number of Infants given DPT1		of Infants DPT2	Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Mizoram	1,616	5,135	0.0		27.4		1,631		1,717	5,060	1,650	5,028
1	Aizawl East												
2	Aizawl West	615	5,135	0.0		30.7		600		630	5,060	628	5,028
3	Champhai	246		0.0		38.0		203		222		209	
4	Kolasib	126		0.0		32.1		160		158		163	
5	Lawngtlai	199		0.0		37.7		208		218		207	
6	Lunglei	230		0.0		16.3		243		264		235	
7	Mamit	106		0.0		38.4		103		126		125	
8	Saiha	94		0.0		25.7		114		99		83	
9	Serchhip			0.0		0.0							

		1	3	1	4	1	5	1	6	1	7	1	8
1	Indicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Mizoram							1,685	4,740	28.6		2,362	
1	Aizawl East												
2	Aizawl West							654	4,740	32.7		907	
3	Champhai							246		38.0		324	
4	Kolasib							160		40.8		244	
5	Lawngtlai							144		27.3		244	
6	Lunglei							273		19.4		333	
7	Mamit							108		39.1		161	
8	Saiha							100		27.3		100	
9	Serchhip									0.0		49	

		1	9	2	0	2	1	2	2	2	3	2	4
1	ndicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R	% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% on Sessions munisation Planned
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Mizoram	-4.3	7.7		1,338	0.0			0.0				
1	Aizawl East												
2	Aizawl West	-6.3	7.7		1,338	0.0			0.0				
3	Champhai	0.0				0.0							
4	Kolasib	-27.0				0.0							
5	Lawngtlai	27.6				0.0							
6	Lunglei	-18.7				0.0							
7	Mamit	-1.9				0.0				_			
8	Saiha	-6.4				0.0							
9	Serchhip					0.0							

		2	25		6	2	7	2	8	29		30	
Indicator		9% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Mizoram			0.0		0.0		0.0		0.0		0.0	
1	Aizawl East												
2	Aizawl West			0.0		0.0		0.0		0.0		0.0	
3	Champhai			0.0		0.0		0.0		0.0		0.0	
4	Kolasib			0.0		0.0		0.0		0.0		0.0	
5	Lawngtlai			0.0		0.0		0.0		0.0		0.0	
6	Lunglei			0.0		0.0		0.0		0.1		0.0	
7	Mamit			0.0		0.0		0.0		0.0		0.0	
8	Saiha			0.0		0.0		0.0		0.0		0.0	
9	Serchhip			0.0		0.0		0.0		0.0		0.0	

		3	1	3	2	3	3	3	4	3	5	3	6
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Mizoram	1.1		53.9		45.0							
1	Aizawl East												
2	Aizawl West	0.7		51.2		48.0							
3	Champhai	0.5		66.8		32.7							
4	Kolasib	3.2		60.8		36.0							
5	Lawngtlai	0.0		57.7		42.3							
6	Lunglei	0.9		39.7		59.4							
7	Mamit	0.8		57.4		41.9							
8	Saiha	0.0		40.1		59.9							
9	Serchhip	5.4		92.1		2.5							

		3	7	3	8	3	9	4	.0	4	.1	4	2
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		to Measles Reported Deaths		e to Other to Total d Infant
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Mizoram												
1	Aizawl East												
2	Aizawl West												
3	Champhai												
4	Kolasib												
5	Lawngtlai												
6	Lunglei												
7	Mamit												
8	Saiha												
9	Serchhip												