

Performance of Key HMIS Indicators for Madhya Pradesh-> Vidisha (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

| Indicators | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|------------|-----------|---|---------|--|---------|--------------------------------------|---------|---|---------|--|---------|---|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | Number of Women registered under JSY | | % 1st Trimester registration to Total ANC Registrations | | % JSY registration to Total ANC Registration | | Number of pregnant women received 3 ANC check ups | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 28,844 | 32,068 | 21,696 | 22,845 | 27,227 | 28,904 | 75.2 | 71.2 | 94.4 | 90.1 | 24,431 | 24,516 |
| 1 | Basoda | 5,234 | 5,167 | 4,087 | 3,847 | 5,234 | 5,167 | 78.1 | 74.5 | 100.0 | 100.0 | 4,995 | 4,933 |
| 2 | Gyaraspur | 2,065 | 1,893 | 1,553 | 1,497 | 2,065 | 1,893 | 75.2 | 79.1 | 100.0 | 100.0 | 1,735 | 1,591 |
| 3 | Kurwai | 2,886 | 2,892 | 2,068 | 1,990 | 2,886 | 2,895 | 71.7 | 68.8 | 100.0 | 100.1 | 2,297 | 2,386 |
| 4 | Lateri | 2,905 | 3,210 | 2,109 | 2,310 | 2,905 | 3,197 | 72.6 | 72.0 | 100.0 | 99.6 | 2,319 | 2,611 |
| 5 | Nateran | 3,240 | 3,471 | 2,385 | 3,008 | 3,240 | 3,471 | 73.6 | 86.7 | 100.0 | 100.0 | 2,951 | 2,797 |
| 6 | Sironj | 5,467 | 4,783 | 4,029 | 3,336 | 5,467 | 4,783 | 73.7 | 69.7 | 100.0 | 100.0 | 4,285 | 3,568 |
| 7 | Vidisha | 7,047 | 10,652 | 5,465 | 6,857 | 5,430 | 7,498 | 77.6 | 64.4 | 77.1 | 70.4 | 5,849 | 6,630 |

| Indicators | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|------------|-----------|--|---------|--|---------|--|---------|--|---------|--|---------|--|---------|
| | | TT2 or Booster given to Pregnant women (numbers) | | % Pregnant Woman received 3 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2 or Booster to Total ANC Registration | | Number of Pregnant women given 100 IFA tablets | | % Pregnant women given 100 IFA to Total ANC Registration | | Number having Hb level<11 (tested cases) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 24,641 | 25,382 | 84.7 | 76.4 | 85.4 | 79.1 | 29,569 | 32,584 | 102.5 | 101.6 | 14,625 | 8,890 |
| 1 | Basoda | 4,719 | 4,870 | 95.4 | 95.5 | 90.2 | 94.3 | 5,373 | 5,440 | 102.7 | 105.3 | 4,230 | 1,676 |
| 2 | Gyaraspur | 1,687 | 1,621 | 84.0 | 84.0 | 81.7 | 85.6 | 2,313 | 1,988 | 112.0 | 105.0 | 1,224 | 670 |
| 3 | Kurwai | 2,435 | 2,530 | 79.6 | 82.5 | 84.4 | 87.5 | 2,887 | 2,880 | 100.0 | 99.6 | 794 | 664 |
| 4 | Lateri | 2,575 | 2,920 | 79.8 | 81.3 | 88.6 | 91.0 | 2,926 | 3,197 | 100.7 | 99.6 | 1,375 | 891 |
| 5 | Nateran | 2,625 | 2,897 | 91.1 | 80.6 | 81.0 | 83.5 | 3,251 | 3,397 | 100.3 | 97.9 | 1,188 | 367 |
| 6 | Sironj | 4,835 | 4,245 | 78.4 | 74.6 | 88.4 | 88.8 | 5,659 | 4,719 | 103.5 | 98.7 | 1,643 | 1,033 |
| 7 | Vidisha | 5,765 | 6,299 | 83.0 | 62.2 | 81.8 | 59.1 | 7,160 | 10,963 | 101.6 | 102.9 | 4,171 | 3,589 |

| Indicators | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|------------|----------|--|---------|--|---------|---|---------|---------------------------|---------|--|---------|--|---------|
| | | Number having severe anaemia (Hb<7) treated at institution | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11 | | % New cases detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 914 | 596 | 6.2 | 6.7 | 3.9 | 3.8 | 3,978 | 3,467 | 0 | 80 | 3,978 | 3,387 |
| 1 | Basoda | 100 | 85 | 2.4 | 5.1 | 3.4 | 2.8 | 474 | 344 | | 6 | 474 | 338 |
| 2 | Gyaspur | 262 | 15 | 21.4 | 2.2 | 6.2 | 2.6 | 276 | 146 | 0 | 1 | 276 | 145 |
| 3 | Kurwai | 4 | 1 | 0.5 | 0.2 | 0.8 | 1.7 | 336 | 379 | 0 | 2 | 336 | 377 |
| 4 | Lateri | 27 | 24 | 2.0 | 2.7 | 3.0 | 5.1 | 703 | 757 | 0 | 25 | 703 | 732 |
| 5 | Nateran | 11 | 4 | 0.9 | 1.1 | 0.2 | 0.1 | 641 | 405 | | 14 | 641 | 391 |
| 6 | Sironj | 36 | 12 | 2.2 | 1.2 | 3.3 | 1.4 | 1,123 | 1,148 | 0 | 0 | 1,123 | 1,148 |
| 7 | Vidisha | 474 | 455 | 11.4 | 12.7 | 7.5 | 6.8 | 425 | 288 | 0 | 32 | 425 | 256 |

| Indicators | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|------------|-----------|--|---------|--|---------|--|---------|---|---------|--|---------|--|---------|
| | | % SBA attended home deliveries to Total Reported Home Deliveries | | Mothers paid JSY incentive for home deliveries | | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 0.0 | 2.3 | 0 | 80 | 0.0 | 2.3 | 16,179 | 15,247 | 278 | 912 | 1.7 | 5.9 |
| 1 | Basoda | 0.0 | 1.7 | | 7 | 0.0 | 2.0 | 3,247 | 3,166 | 34 | 107 | 1.0 | 3.4 |
| 2 | Gyaraspur | 0.0 | 0.7 | 0 | 0 | 0.0 | 0.0 | 1,272 | 1,120 | 27 | 106 | 2.1 | 9.5 |
| 3 | Kurwai | 0.0 | 0.5 | 0 | 11 | 0.0 | 2.9 | 1,720 | 1,776 | 19 | 216 | 1.1 | 12.2 |
| 4 | Lateri | 0.0 | 3.3 | 0 | 7 | 0.0 | 0.9 | 1,383 | 1,190 | 17 | 15 | 1.2 | 1.3 |
| 5 | Nateran | 0.0 | 3.5 | | 52 | 0.0 | 12.8 | 1,680 | 1,590 | 43 | 217 | 2.6 | 13.6 |
| 6 | Sironj | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 2,608 | 2,538 | 47 | 73 | 1.8 | 2.9 |
| 7 | Vidisha | 0.0 | 11.1 | 0 | 3 | 0.0 | 1.0 | 4,269 | 3,867 | 91 | 178 | 2.1 | 4.6 |

Performance of Key HMIS Indicators for Madhya Pradesh-> Vidisha (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

| Indicators | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|------------|-----------|---|---------|--|---------|---------------------------|---------|---|---------|--|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 18,407 | 16,939 | 63.8 | 52.8 | 22,385 | 20,406 | 82.2 | 83.0 | 82.2 | 83.4 | 17.8 | 17.0 |
| 1 | Basoda | 3,247 | 3,166 | 62.0 | 61.3 | 3,721 | 3,510 | 87.3 | 90.2 | 87.3 | 90.4 | 12.7 | 9.8 |
| 2 | Gyaraspur | 1,272 | 1,120 | 61.6 | 59.2 | 1,548 | 1,266 | 82.2 | 88.5 | 82.2 | 88.5 | 17.8 | 11.5 |
| 3 | Kurwai | 1,720 | 1,776 | 59.6 | 61.4 | 2,056 | 2,155 | 83.7 | 82.4 | 83.7 | 82.5 | 16.3 | 17.6 |
| 4 | Lateri | 1,383 | 1,190 | 47.6 | 37.1 | 2,086 | 1,947 | 66.3 | 61.1 | 66.3 | 62.4 | 33.7 | 38.9 |
| 5 | Nateran | 1,680 | 1,590 | 51.9 | 45.8 | 2,321 | 1,995 | 72.4 | 79.7 | 72.4 | 80.4 | 27.6 | 20.3 |
| 6 | Sironj | 2,608 | 2,538 | 47.7 | 53.1 | 3,731 | 3,686 | 69.9 | 68.9 | 69.9 | 68.9 | 30.1 | 31.1 |
| 7 | Vidisha | 6,497 | 5,559 | 92.2 | 52.2 | 6,922 | 5,847 | 93.9 | 95.1 | 93.9 | 95.6 | 6.1 | 4.9 |

| Indicators | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|------------|-----------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 611 | 437 | 820 | 469 | 7.7 | 5.3 | 3.8 | 2.9 | 36.8 | 27.7 | 87.9 | 90.0 |
| 1 | Basoda | 46 | 6 | | | 1.4 | 0.2 | 1.4 | 0.2 | | | 100.0 | 100.0 |
| 2 | Gyaraspur | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Kurwai | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 4 | Lateri | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 5 | Nateran | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 6 | Sironj | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 7 | Vidisha | 565 | 431 | 820 | 469 | 21.3 | 16.2 | 13.2 | 11.1 | 36.8 | 27.7 | 65.7 | 69.6 |

| Indicators | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|------------|-----------|--|---------|---|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries | | % of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received post partum check-up within 48 hours of delivery | | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 88.7 | 71.1 | 38.2 | 41.3 | 12.1 | 10.0 | 19,777 | 18,446 | 13,392 | 12,486 | 88.3 | 90.4 |
| 1 | Basoda | 87.4 | 75.6 | 12.0 | 9.9 | 0.0 | 0.0 | 3,557 | 3,428 | 3,301 | 3,110 | 95.6 | 97.7 |
| 2 | Gyaraspur | 69.5 | 95.1 | 51.0 | 86.1 | 0.0 | 0.0 | 1,358 | 1,218 | 1,855 | 1,092 | 87.7 | 96.2 |
| 3 | Kurwai | 78.8 | 76.4 | 98.8 | 82.3 | 0.0 | 0.0 | 1,798 | 2,031 | 699 | 1,619 | 87.5 | 94.2 |
| 4 | Lateri | 89.7 | 105.4 | 74.5 | 95.6 | 0.0 | 0.0 | 1,612 | 1,759 | 1,488 | 1,101 | 77.3 | 90.3 |
| 5 | Nateran | 100.0 | 100.0 | 92.7 | 82.8 | 0.0 | 0.0 | 2,279 | 1,871 | 1,407 | 1,512 | 98.2 | 93.8 |
| 6 | Sironj | 88.0 | 19.5 | 23.7 | 16.4 | 0.0 | 0.0 | 2,859 | 2,530 | 1,766 | 1,295 | 76.6 | 68.6 |
| 7 | Vidisha | 95.1 | 69.7 | 5.6 | 17.8 | 34.3 | 30.4 | 6,314 | 5,609 | 2,876 | 2,757 | 91.2 | 95.9 |

| Indicators | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|------------|-----------|--|---------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|
| | | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 59.8 | 61.2 | 21,911 | 20,050 | 97.9 | 98.3 | 553 | 367 | 97.5 | 98.2 | 21,908 | 19,947 |
| 1 | Basoda | 88.7 | 88.6 | 3,633 | 3,453 | 97.6 | 98.4 | 107 | 63 | 97.1 | 98.2 | 3,633 | 3,427 |
| 2 | Gyaraspur | 119.8 | 86.3 | 1,509 | 1,252 | 97.5 | 98.9 | 39 | 15 | 97.5 | 98.8 | 1,509 | 1,252 |
| 3 | Kurwai | 34.0 | 75.1 | 2,023 | 2,129 | 98.4 | 98.8 | 36 | 24 | 98.3 | 98.9 | 2,023 | 2,094 |
| 4 | Lateri | 71.3 | 56.5 | 2,056 | 1,924 | 98.6 | 98.8 | 39 | 24 | 98.1 | 98.8 | 2,053 | 1,921 |
| 5 | Nateran | 60.6 | 75.8 | 2,263 | 1,950 | 97.5 | 97.7 | 58 | 40 | 97.5 | 98.0 | 2,263 | 1,930 |
| 6 | Sironj | 47.3 | 35.1 | 3,685 | 3,625 | 98.8 | 98.3 | 66 | 71 | 98.2 | 98.1 | 3,685 | 3,621 |
| 7 | Vidisha | 41.5 | 47.2 | 6,742 | 5,717 | 97.4 | 97.8 | 208 | 130 | 97.0 | 97.8 | 6,742 | 5,702 |

| Indicators | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|------------|-----------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Number of New Borns visited within 24 hrs of Home Delivery | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 100.0 | 99.5 | 2,446 | 2,644 | 11.1 | 13.2 | 21,908 | 19,431 | 99.9 | 96.9 | 3,803 | 2,871 |
| 1 | Basoda | 100.0 | 99.2 | 473 | 430 | 13.0 | 12.5 | 3,633 | 3,412 | 100.0 | 98.8 | 456 | 314 |
| 2 | Gyaraspur | 100.0 | 100.0 | 131 | 93 | 8.7 | 7.4 | 1,509 | 1,241 | 100.0 | 99.1 | 259 | 123 |
| 3 | Kurwai | 100.0 | 98.4 | 109 | 191 | 5.4 | 9.1 | 2,022 | 2,078 | 100.0 | 97.6 | 302 | 298 |
| 4 | Lateri | 99.9 | 99.8 | 98 | 127 | 4.8 | 6.6 | 2,054 | 1,913 | 99.9 | 99.4 | 671 | 707 |
| 5 | Nateran | 100.0 | 99.0 | 117 | 49 | 5.2 | 2.5 | 2,263 | 1,819 | 100.0 | 93.3 | 615 | 335 |
| 6 | Sironj | 100.0 | 99.9 | 275 | 504 | 7.5 | 13.9 | 3,685 | 3,610 | 100.0 | 99.6 | 1,103 | 863 |
| 7 | Vidisha | 100.0 | 99.7 | 1,243 | 1,250 | 18.4 | 21.9 | 6,742 | 5,358 | 100.0 | 93.7 | 397 | 231 |

| Indicators | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|------------|----------|--|---------|---|---------|--|---------|---|---------|--|---------|---|---------|
| | | % newborns visited within 24hrs of home delivery to total reported home deliveries | | Sex Ratio at birth (Female Live Births/ Male Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 95.6 | 82.8 | 915 | 889 | 24.9 | 17.5 | 15.0 | 11.2 | 60.6 | 27.5 | 6.8 | 3.2 |
| 1 | Basoda | 96.2 | 91.3 | 954 | 901 | 15.6 | 9.3 | 0.8 | 14.9 | 2.2 | 30.6 | 2.4 | 0.3 |
| 2 | Gyaspur | 93.8 | 84.2 | 875 | 858 | 5.9 | 10.2 | 48.0 | 0.9 | 28.1 | 2.0 | 0.0 | 0.0 |
| 3 | Kurwai | 89.9 | 78.6 | 914 | 921 | 10.6 | 10.8 | 59.3 | 16.1 | 450.0 | 62.0 | 0.0 | 0.0 |
| 4 | Lateri | 95.4 | 93.4 | 971 | 943 | 6.9 | 12.1 | 37.9 | 13.9 | 40.9 | 12.1 | 0.0 | 0.0 |
| 5 | Nateran | 95.9 | 82.7 | 902 | 870 | 21.2 | 15.8 | 5.9 | 0.0 | 262.5 | 0.0 | 0.0 | 0.0 |
| 6 | Sironj | 98.2 | 75.2 | 904 | 894 | 53.1 | 36.7 | 14.4 | 6.1 | 109.3 | 86.4 | 0.0 | 0.0 |
| 7 | Vidisha | 93.4 | 80.2 | 899 | 863 | 30.6 | 18.7 | 14.3 | 17.3 | 54.1 | 24.6 | 15.0 | 9.0 |

| Indicators | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|------------|-----------|---|---------|--|---------|---|---------|------------------------------|---------|---|---------|---|---------|
| | | % Post - Natal Care / PNC maternal complications attended to Total Deliveries | | Total Number of Abortions (Spontaneous/ Induced) Reported | | Total Number of MTPs (Public) reported | | % MTPs (Public) to Abortions | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 3.9 | 2.8 | 711 | 824 | 218 | 167 | 30.7 | 20.3 | 94.0 | 100.0 | 6.0 | 0.0 |
| 1 | Basoda | 0.2 | 0.1 | 84 | 93 | 131 | 88 | 156.0 | 94.6 | 91.6 | 100.0 | 8.4 | 0.0 |
| 2 | Gyaraspur | 8.5 | 0.8 | 55 | 34 | 22 | 26 | 40.0 | 76.5 | 100.0 | 100.0 | 0.0 | 0.0 |
| 3 | Kurwai | 0.1 | 0.3 | 9 | 3 | 4 | 0 | 44.4 | 0.0 | 50.0 | | 50.0 | |
| 4 | Lateri | 0.0 | 0.3 | 24 | 152 | 5 | 0 | 20.8 | 0.0 | 100.0 | | 0.0 | |
| 5 | Nateran | 1.6 | 0.8 | 32 | 2 | 31 | | 96.9 | 0.0 | 100.0 | | 0.0 | |
| 6 | Sironj | 0.7 | 2.0 | 139 | 106 | 7 | 8 | 5.0 | 7.5 | 100.0 | 100.0 | 0.0 | 0.0 |
| 7 | Vidisha | 9.5 | 7.7 | 368 | 434 | 18 | 45 | 4.9 | 10.4 | 100.0 | 100.0 | 0.0 | 0.0 |

| Indicators | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|------------|-----------|--|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | % Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated | | Number of Vasectomies Conducted (Public + Pvt.) | | Number of Tubectomies Conducted (Public + Pvt.) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 87.9 | 86.5 | 12.1 | 13.5 | 0.8 | 0.5 | 0.1 | 4.1 | 321 | 12 | 3,579 | 3,542 |
| 1 | Basoda | 100.0 | 100.0 | 0.0 | 0.0 | 2.5 | 1.7 | 0.0 | 9.0 | 43 | 2 | 639 | 593 |
| 2 | Gyaraspur | 100.0 | 100.0 | 0.0 | 0.0 | 1.1 | 1.4 | 0.0 | 0.0 | 0 | 0 | 309 | 340 |
| 3 | Kurwai | 100.0 | | 0.0 | | 0.1 | 0.0 | | | 0 | 0 | 305 | 397 |
| 4 | Lateri | 100.0 | | 0.0 | | 0.2 | 0.0 | 0.0 | 0.0 | 0 | 0 | 523 | 574 |
| 5 | Nateran | 100.0 | | 0.0 | | 1.0 | 0.0 | 6.5 | 0.0 | 105 | 1 | 529 | 613 |
| 6 | Sironj | 100.0 | 100.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 0 | 0 | 345 | 559 |
| 7 | Vidisha | 37.5 | 63.4 | 62.5 | 36.6 | 0.3 | 0.4 | 0.0 | 3.9 | 173 | 9 | 929 | 466 |

| Indicators | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|------------|-----------|-------------------------------|---------|---|---------|--------------------------------------|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Tubectomies to Total sterilisation | | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 3,900 | 3,554 | 8.2 | 0.3 | 91.8 | 99.7 | 174 | 148 | 2,619 | 2,367 | 1,081 | 1,014 |
| 1 | Basoda | 682 | 595 | 6.3 | 0.3 | 93.7 | 99.7 | | 0 | 449 | 380 | 233 | 215 |
| 2 | Gyaraspur | 309 | 340 | 0.0 | 0.0 | 100.0 | 100.0 | 60 | 49 | 249 | 291 | | |
| 3 | Kurwai | 305 | 397 | 0.0 | 0.0 | 100.0 | 100.0 | 114 | 99 | 191 | 298 | | |
| 4 | Lateri | 523 | 574 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | 523 | 574 | | |
| 5 | Nateran | 634 | 614 | 16.6 | 0.2 | 83.4 | 99.8 | | | 634 | 614 | | |
| 6 | Sironj | 345 | 559 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | | | 345 | 559 |
| 7 | Vidisha | 1,102 | 475 | 15.7 | 1.9 | 84.3 | 98.1 | 0 | 0 | 573 | 210 | 503 | 240 |

| Indicators | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|------------|-----------|--|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | | | 0 | 1 | 4.5 | 4.2 | 67.2 | 66.6 | 27.7 | 28.5 | 0.0 | 0.0 |
| 1 | Basoda | | | | | 0.0 | 0.0 | 65.8 | 63.9 | 34.2 | 36.1 | 0.0 | 0.0 |
| 2 | Gyaraspur | | | | | 19.4 | 14.4 | 80.6 | 85.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Kurwai | | | | | 37.4 | 24.9 | 62.6 | 75.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Lateri | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Nateran | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Sironj | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 7 | Vidisha | | | 0 | 1 | 0.0 | 0.0 | 52.0 | 44.2 | 45.6 | 50.5 | 0.0 | 0.0 |

| Indicators | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|------------|-----------|--|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterilisations to Total Female Sterilisations | | % Post Partum Sterilisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 0.7 | 0.7 | 88.2 | 91.8 | 2.3 | 2.0 | 9.4 | 6.1 | 100.0 | 99.8 | 96.4 | 93.1 |
| 1 | Basoda | 0.0 | 0.0 | 89.4 | 89.4 | 1.3 | 2.4 | 9.4 | 8.3 | 100.0 | 100.0 | 100.0 | 100.0 |
| 2 | Gyaraspur | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 3 | Kurwai | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 4 | Lateri | 0.0 | 0.0 | 96.7 | 100.0 | 1.5 | 0.0 | 1.7 | 0.0 | 100.0 | 100.0 | 100.0 | |
| 5 | Nateran | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 6 | Sironj | 0.0 | 0.0 | 98.6 | 100.0 | 0.3 | 0.0 | 1.2 | 0.0 | 100.0 | 100.0 | 100.0 | |
| 7 | Vidisha | 2.4 | 5.3 | 64.2 | 51.3 | 7.1 | 12.4 | 28.7 | 36.3 | 99.8 | 97.5 | 95.5 | 91.4 |

| Indicators | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|------------|-----------|--|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | Total IUCD Insertions done(public+private) | | PP IUCD Insertions done (public facilities) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 93.5 | 94.0 | 0 | 0 | 4,740 | 3,770 | 38 | 55 | 4,778 | 3,825 | 2,171 | 449 |
| 1 | Basoda | 100.0 | 100.0 | 0 | 0 | 1,114 | 1,027 | | | 1,114 | 1,027 | 317 | 221 |
| 2 | Gyaraspur | | | 0 | 0 | 553 | 141 | | | 553 | 141 | 446 | 7 |
| 3 | Kurwai | | | 0 | 0 | 358 | 45 | | | 358 | 45 | 174 | 7 |
| 4 | Lateri | 100.0 | | 0 | 0 | 190 | 34 | | | 190 | 34 | 20 | 0 |
| 5 | Nateran | | | | | 456 | 787 | | | 456 | 787 | 130 | 1 |
| 6 | Sironj | 100.0 | | 0 | 0 | 671 | 825 | | | 671 | 825 | 31 | 0 |
| 7 | Vidisha | 91.8 | 92.3 | 0 | 0 | 1,398 | 911 | 38 | 55 | 1,436 | 966 | 1,053 | 213 |

| Indicators | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|------------|----------|---|---------|--|---------|---|---------|------------------------|---------|---------------------------|---------|-------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent) | | Oral Pills distributed | | Condom pieces distributed | | Centchroman Pills distributed | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 45.8 | 11.9 | 13.4 | 2.9 | 55.0 | 51.8 | 87,526 | 87,210 | 476,201 | 582,693 | 0 | 0 |
| 1 | Basoda | 28.5 | 21.5 | 9.8 | 7.0 | 62.0 | 63.3 | 27,245 | 21,998 | 90,262 | 249,544 | 0 | 0 |
| 2 | Gyaspur | 80.7 | 5.0 | 35.1 | 0.6 | 64.2 | 29.3 | 6,048 | 5,450 | 47,034 | 22,664 | 0 | 0 |
| 3 | Kurwai | 48.6 | 15.6 | 10.1 | 0.4 | 54.0 | 10.2 | 7,761 | 12,295 | 20,719 | 34,426 | 0 | 0 |
| 4 | Lateri | 10.5 | 0.0 | 1.4 | 0.0 | 26.6 | 5.6 | 9,389 | 9,348 | 73,452 | 72,715 | 0 | 0 |
| 5 | Nateran | 28.5 | 0.1 | 7.7 | 0.1 | 41.8 | 56.2 | 12,667 | 19,061 | 93,570 | 82,291 | | |
| 6 | Sironj | 4.6 | 0.0 | 1.2 | 0.0 | 66.0 | 59.6 | 15,855 | 9,259 | 78,168 | 59,093 | 0 | 0 |
| 7 | Vidisha | 75.3 | 23.4 | 24.7 | 5.5 | 56.6 | 67.0 | 8,561 | 9,799 | 72,996 | 61,960 | 0 | 0 |

| Indicators | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|------------|-----------|--|---------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 17,322 | 17,960 | 22,399 | 21,437 | 79.1 | 89.6 | 102.2 | 106.9 | 140 | 19,477 | 377 | 22,016 |
| 1 | Basoda | 3,563 | 3,489 | 3,626 | 3,487 | 98.1 | 101.0 | 99.8 | 101.0 | 10 | 3,768 | 26 | 4,291 |
| 2 | Gyaraspur | 1,296 | 1,112 | 1,515 | 1,382 | 85.9 | 88.8 | 100.4 | 110.4 | 3 | 1,235 | 12 | 1,458 |
| 3 | Kurwai | 1,709 | 1,746 | 2,022 | 2,090 | 84.5 | 82.0 | 100.0 | 98.2 | 0 | 1,828 | 0 | 2,152 |
| 4 | Lateri | 1,535 | 1,510 | 2,100 | 2,184 | 74.7 | 78.5 | 102.1 | 113.5 | 31 | 1,735 | 121 | 2,109 |
| 5 | Nateran | 2,166 | 1,742 | 2,265 | 1,901 | 95.7 | 89.3 | 100.1 | 97.5 | 7 | 2,249 | 22 | 2,598 |
| 6 | Sironj | 2,737 | 2,131 | 4,020 | 4,007 | 74.3 | 58.8 | 109.1 | 110.5 | 55 | 3,444 | 147 | 3,662 |
| 7 | Vidisha | 4,316 | 6,230 | 6,851 | 6,386 | 64.0 | 109.0 | 101.6 | 111.7 | 34 | 5,218 | 49 | 5,746 |

| Indicators | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|------------|-----------|------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|
| | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 613 | 22,757 | 21,860 | 3,874 | 20,841 | 1,410 | 19,911 | 0 | 22,295 | 24,902 | 101.7 | 124.1 |
| 1 | Basoda | 85 | 4,570 | 4,260 | 917 | 4,255 | 388 | 4,143 | 0 | 4,898 | 4,836 | 134.8 | 140.1 |
| 2 | Gyaraspur | 21 | 1,487 | 1,450 | 284 | 1,437 | 107 | 1,399 | 0 | 1,582 | 1,728 | 104.8 | 138.0 |
| 3 | Kurwai | 2 | 2,338 | 2,079 | 438 | 1,998 | 176 | 1,981 | 0 | 2,344 | 2,333 | 115.9 | 109.6 |
| 4 | Lateri | 132 | 2,120 | 2,242 | 476 | 2,038 | 171 | 1,765 | 0 | 2,038 | 2,337 | 99.1 | 121.5 |
| 5 | Nateran | 83 | 2,752 | 2,481 | 658 | 2,311 | 210 | 2,360 | | 2,804 | 3,053 | 123.9 | 156.6 |
| 6 | Sironj | 174 | 3,631 | 4,348 | 401 | 4,072 | 95 | 3,689 | 0 | 3,775 | 3,459 | 102.4 | 95.4 |
| 7 | Vidisha | 116 | 5,859 | 5,000 | 700 | 4,730 | 263 | 4,574 | 0 | 4,854 | 7,156 | 72.0 | 125.2 |

| Indicators | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|------------|-----------|--|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|
| | | Number of fully immunized children (9-11 months) | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 22,108 | 22,569 | 0.5 | -16.2 | 22,297 | 24,646 | 101.8 | 122.9 | 117.8 | 88.9 | 992 | 636 |
| 1 | Basoda | 4,740 | 4,369 | -35.1 | -38.7 | 4,891 | 4,836 | 134.6 | 140.1 | 140.5 | 132.2 | 207 | 62 |
| 2 | Gyaraspur | 1,582 | 1,707 | -4.4 | -25.0 | 1,582 | 1,731 | 104.8 | 138.3 | 192.2 | 230.7 | 10 | 0 |
| 3 | Kurwai | 2,311 | 1,904 | -15.9 | -11.6 | 2,344 | 2,302 | 115.9 | 108.1 | 64.2 | 55.0 | 13 | 22 |
| 4 | Lateri | 2,042 | 2,308 | 3.0 | -7.0 | 2,034 | 2,224 | 98.9 | 115.6 | 61.5 | 41.5 | 358 | 291 |
| 5 | Nateran | 2,804 | 3,050 | -23.8 | -60.6 | 2,800 | 3,038 | 123.7 | 155.8 | 183.3 | 128.8 | | |
| 6 | Sironj | 3,775 | 3,439 | 6.1 | 13.7 | 3,792 | 3,459 | 102.9 | 95.4 | 142.9 | 77.8 | 400 | 259 |
| 7 | Vidisha | 4,854 | 5,792 | 29.1 | -12.1 | 4,854 | 7,056 | 72.0 | 123.4 | 63.0 | 38.5 | 4 | 2 |

| Indicators | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|------------|-----------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 97.8 | 96.4 | 76.4 | 75.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Basoda | 98.5 | 98.4 | 78.3 | 76.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Gyaraspur | 99.7 | 95.9 | 89.4 | 82.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Kurwai | 93.0 | 90.4 | 78.7 | 76.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Lateri | 97.5 | 89.9 | 84.4 | 76.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Nateran | 99.8 | 99.9 | 98.9 | 89.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Sironj | 95.7 | 95.0 | 68.5 | 69.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Vidisha | 99.7 | 100.7 | 57.4 | 63.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|------------|-----------|---|---------|--|---------|---|---------|---|---------|---|---------|---|---------|
| | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 0.0 | 0.0 | 1.0 | 0.3 | 95.4 | 89.4 | 3.5 | 10.3 | 55.1 | 59.6 | 22.2 | 20.3 |
| 1 | Basoda | 0.0 | 0.0 | 2.6 | 0.1 | 92.2 | 94.6 | 5.2 | 5.3 | 49.5 | 51.5 | 20.9 | 21.7 |
| 2 | Gyaraspur | 0.0 | 0.0 | 0.0 | 0.0 | 96.4 | 99.7 | 3.6 | 0.3 | 75.8 | 77.4 | 16.3 | 10.3 |
| 3 | Kurwai | 0.0 | 0.0 | 14.0 | 0.0 | 86.0 | 97.4 | 0.0 | 2.6 | 65.6 | 74.3 | 19.0 | 15.0 |
| 4 | Lateri | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 98.8 | 0.0 | 1.2 | 74.2 | 86.8 | 18.5 | 9.3 |
| 5 | Nateran | 0.0 | 0.0 | 0.0 | 0.0 | 94.0 | 75.9 | 6.0 | 24.1 | 86.4 | 96.5 | 41.0 | 47.2 |
| 6 | Sironj | 0.0 | 0.0 | 1.4 | 0.0 | 97.3 | 100.0 | 1.3 | 0.0 | 73.5 | 82.9 | 14.9 | 8.1 |
| 7 | Vidisha | 0.0 | 0.0 | 0.0 | 1.0 | 96.3 | 88.4 | 3.6 | 10.7 | 51.7 | 53.6 | 22.8 | 20.7 |

| Indicators | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|------------|-----------|---|---------|---------------------------------|---------|--------------|---------|--------------|---------|--------------|---------|----------------------------|---------|
| | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | | IPD (Number) | | OPD (Number) | | % IPD to OPD | | Number of Major Operations | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 49.6 | 38.2 | 0.5 | 0.5 | 96,848 | 76,273 | 842,538 | 701,965 | 11.5 | 10.9 | 1,363 | 965 |
| 1 | Basoda | 35.5 | 37.2 | 0.3 | 0.5 | 25,526 | 17,471 | 187,281 | 184,432 | 13.6 | 9.5 | 46 | 4 |
| 2 | Gyaraspur | 50.0 | 0.0 | 0.1 | 0.2 | 2,353 | 1,368 | 66,962 | 47,993 | 3.5 | 2.9 | 0 | 0 |
| 3 | Kurwai | 75.0 | 0.0 | 0.1 | 0.0 | 3,963 | 3,697 | 59,226 | 60,889 | 6.7 | 6.1 | 0 | 0 |
| 4 | Lateri | | 0.0 | 0.0 | 0.0 | 1,180 | 2,053 | 49,244 | 47,095 | 2.4 | 4.4 | 0 | 0 |
| 5 | Nateran | 25.0 | 50.0 | 0.1 | 0.1 | 3,888 | 3,344 | 67,503 | 57,313 | 5.8 | 5.8 | | |
| 6 | Sironj | 57.1 | 14.3 | 0.1 | 0.2 | 5,943 | 5,967 | 73,052 | 56,206 | 8.1 | 10.6 | 0 | 0 |
| 7 | Vidisha | 52.2 | 40.3 | 0.7 | 0.7 | 53,995 | 42,373 | 339,270 | 248,037 | 15.9 | 17.1 | 1,317 | 961 |

| Indicators | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|------------|-----------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------|---------|--------------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | Ayush OPD (Number) | | % AYUSH OPD to Total OPD | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 1,458 | 521 | 48.3 | 64.9 | 230 | 204 | 16.8 | 21.1 | 36,510 | 40,742 | 4.3 | 5.8 |
| 1 | Basoda | 139 | 182 | 24.9 | 2.2 | 0 | 1 | 0.0 | 25.0 | 15,189 | 13,287 | 8.1 | 7.2 |
| 2 | Gyaraspur | 312 | 7 | 0.0 | 0.0 | 0 | 0 | | | 3,517 | 270 | 5.3 | 0.6 |
| 3 | Kurwai | 379 | 0 | 0.0 | | 0 | 0 | | | 8,477 | 13,432 | 14.3 | 22.1 |
| 4 | Lateri | 32 | 0 | 0.0 | | 0 | 0 | | | 0 | 50 | 0.0 | 0.1 |
| 5 | Nateran | 119 | | 0.0 | | | | | | 1,063 | 5,328 | 1.6 | 9.3 |
| 6 | Sironj | 35 | 0 | 0.0 | | 0 | 0 | | | 5,674 | 7,590 | 7.8 | 13.5 |
| 7 | Vidisha | 442 | 332 | 74.9 | 74.3 | 230 | 203 | 17.5 | 21.1 | 2,590 | 785 | 0.8 | 0.3 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|-----------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 5,775 | 3,637 | 0.7 | 0.5 | 6,158 | 2,737 | 5.0 | 4.6 | 0.6 | 0.4 | 0.1 | 0.1 |
| 1 | Basoda | 0 | 0 | 0.0 | 0.0 | 1,528 | 378 | 2.2 | 1.9 | 0.3 | 0.3 | 0.0 | 0.0 |
| 2 | Gyaraspur | 24 | 0 | 0.0 | 0.0 | 803 | 40 | 2.7 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Kurwai | 0 | 0 | 0.0 | 0.0 | 1,685 | 870 | 0.5 | 0.2 | 0.0 | | 0.0 | 0.0 |
| 4 | Lateri | 0 | 0 | 0.0 | 0.0 | 91 | 82 | 2.6 | 4.0 | 2.3 | 0.1 | 0.3 | 0.5 |
| 5 | Nateran | 10 | | 0.0 | 0.0 | 149 | 189 | 8.8 | 0.7 | 1.5 | 0.0 | 0.1 | 0.0 |
| 6 | Sironj | 0 | 0 | 0.0 | 0.0 | 33 | 10 | 3.8 | 2.0 | 0.0 | 3.4 | 0.0 | 0.3 |
| 7 | Vidisha | 5,741 | 3,637 | 1.7 | 1.5 | 1,869 | 1,168 | 9.7 | 9.0 | 0.8 | 0.5 | 0.1 | 0.1 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|-----------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 0.2 | 0.2 | 0.9 | 1.1 | 0.1 | 0.1 | 694 | 240 | 3.7 | 10.1 | 1.6 | 1.9 |
| 1 | Basoda | 0.1 | 0.1 | 0.4 | 0.5 | 0.1 | 0.1 | 131 | 88 | 1.0 | 1.7 | 1.0 | 0.0 |
| 2 | Gyaraspur | 0.0 | 0.0 | 0.4 | 0.5 | 0.0 | 0.1 | 57 | 2 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Kurwai | 0.0 | 0.0 | 0.3 | 1.1 | 0.1 | 0.1 | 106 | 34 | 2.5 | 6.3 | 8.9 | 0.0 |
| 4 | Lateri | 0.5 | 0.3 | 0.3 | 0.5 | 0.1 | 0.1 | 59 | 29 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Nateran | 0.3 | 0.0 | 0.8 | 2.5 | 0.1 | 0.3 | 70 | 4 | 1.8 | 0.0 | 0.0 | 0.0 |
| 6 | Sironj | 0.0 | 0.4 | 15.3 | 2.9 | 0.6 | 0.0 | 120 | 28 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Vidisha | 0.3 | 0.2 | 1.9 | 2.9 | 0.1 | 0.3 | 151 | 55 | 12.1 | 33.3 | 0.7 | 7.4 |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|-----------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Vidisha | 27.5 | 32.7 | 2.4 | 2.4 | 0.2 | 0.0 | 4.2 | 3.8 | 0.0 | 0.0 | 60.5 | 49.0 |
| 1 | Basoda | 34.7 | 21.7 | 2.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 60.4 | 76.7 |
| 2 | Gyaraspur | 17.4 | 0.0 | 2.2 | 0.0 | 0.0 | 0.0 | 19.6 | 0.0 | 0.0 | 0.0 | 60.9 | 100.0 |
| 3 | Kurwai | 17.7 | 18.8 | 5.1 | 0.0 | 0.0 | 0.0 | 5.1 | 3.1 | 0.0 | 0.0 | 60.8 | 71.9 |
| 4 | Lateri | 14.3 | 55.2 | 1.8 | 0.0 | 0.0 | 0.0 | 1.8 | 0.0 | 0.0 | 0.0 | 82.1 | 44.8 |
| 5 | Nateran | 26.3 | 0.0 | 1.8 | 0.0 | 1.8 | 0.0 | 7.0 | 100.0 | 0.0 | 0.0 | 61.4 | 0.0 |
| 6 | Sironj | 33.0 | 37.0 | 4.3 | 18.5 | 0.0 | 0.0 | 2.1 | 0.0 | 0.0 | 0.0 | 60.6 | 44.4 |
| 7 | Vidisha | 33.3 | 42.6 | 0.7 | 0.0 | 0.0 | 0.0 | 2.1 | 5.6 | 0.0 | 0.0 | 51.1 | 11.1 |