

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	24,125	26,273	21,176	22,443	23,118	24,071	87.7	85.4	95.8	91.6	20,396	21,940
1	Gangavati	7,607	8,375	6,700	7,077	7,354	7,260	88.1	84.5	96.7	86.7	4,705	5,713
2	Koppal	6,223	6,849	5,509	5,998	5,914	6,333	88.5	87.6	95.0	92.5	7,346	7,781
3	Kushtagi	5,535	5,735	4,757	4,843	5,198	5,348	85.9	84.4	93.9	93.3	4,947	5,298
4	Yelburga	4,760	5,314	4,210	4,525	4,652	5,130	88.4	85.2	97.7	96.5	3,398	3,148

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	22,967	23,103	84.5	83.5	95.2	87.9	13,347	4,190	55.3	15.9	37,980	34,504
1	Gangavati	7,426	7,434	61.9	68.2	97.6	88.8	4,071	741	53.5	8.8	11,245	9,888
2	Koppal	6,368	5,827	118.0	113.6	102.3	85.1	4,817	1,559	77.4	22.8	9,454	8,253
3	Kushtagi	5,220	5,462	89.4	92.4	94.3	95.2	2,761	1,384	49.9	24.1	9,847	9,813
4	Yelburga	3,953	4,380	71.4	59.2	83.0	82.4	1,698	506	35.7	9.5	7,434	6,550

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	1,512	1,430	4.0	4.1	4.4	3.8	526	1,016	79	180	447	836
1	Gangavati	536	384	4.8	3.9	3.6	3.1	99	214	33	75	66	139
2	Koppal	582	588	6.2	7.1	6.3	5.0	59	137	10	41	49	96
3	Kushtagi	202	244	2.1	2.5	5.6	5.7	206	410	11	21	195	389
4	Yelburga	192	214	2.6	3.3	1.9	1.2	162	255	25	43	137	212

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	15.0	17.7	8	16	1.5	1.6	17,212	16,660	1,360	1,139	7.9	6.8
1	Gangavati	33.3	35.0	0	11	0.0	5.1	5,232	4,573	65	61	1.2	1.3
2	Koppal	16.9	29.9	0	0	0.0	0.0	4,965	4,573	316	555	6.4	12.1
3	Kushtagi	5.3	5.1	8	0	3.9	0.0	4,319	4,657	215	171	5.0	3.7
4	Yelburga	15.4	16.9	0	5	0.0	2.0	2,696	2,857	764	352	28.3	12.3

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	19,271	17,776	79.8	67.6	19,797	18,792	97.3	94.6	97.7	95.6	2.7	5.4
1	Gangavati	6,975	5,455	91.7	65.1	7,074	5,669	98.6	96.2	99.1	97.5	1.4	3.8
2	Koppal	5,260	4,784	84.5	69.8	5,319	4,921	98.9	97.2	99.1	98.0	1.1	2.8
3	Kushtagi	4,340	4,680	78.4	81.6	4,546	5,090	95.5	91.9	95.7	92.4	4.5	8.1
4	Yelburga	2,696	2,857	56.6	53.8	2,858	3,112	94.3	91.8	95.2	93.2	5.7	8.2

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	2,299	1,991	810	325	16.1	13.0	13.4	12.0	39.3	29.1	89.3	93.7
1	Gangavati	642	445	711	297	19.4	13.6	12.3	9.7	40.8	33.7	75.0	83.8
2	Koppal	998	755	95	26	20.8	16.3	20.1	16.5	32.2	12.3	94.4	95.6
3	Kushtagi	481	625	4	2	11.2	13.4	11.1	13.4	19.0	8.7	99.5	99.5
4	Yelburga	178	166			6.6	5.8	6.6	5.8			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	67.5	51.0	0.0	0.2	10.7	6.3	16,890	17,713	22,275	21,976	85.3	94.3
1	Gangavati	95.0	74.8	0.0	0.0	25.0	16.2	5,485	4,903	6,938	6,777	77.5	86.5
2	Koppal	31.5	29.5	0.0	0.5	5.6	4.4	4,600	4,665	6,482	5,925	86.5	94.8
3	Kushtagi	89.1	63.1	0.1	0.0	0.5	0.5	4,353	5,053	4,608	5,188	95.8	99.3
4	Yelburga	45.8	27.5	0.0	0.3	0.0	0.0	2,452	3,092	4,247	4,086	85.8	99.4

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	112.5	116.9	19,591	18,714	99.0	99.6	327	358	98.4	98.1	19,541	18,698
1	Gangavati	98.1	119.5	6,991	5,598	98.8	98.7	96	82	98.6	98.6	6,992	5,601
2	Koppal	121.9	120.4	5,239	4,875	98.5	99.1	143	87	97.3	98.2	5,258	4,914
3	Kushtagi	101.4	101.9	4,508	5,149	99.2	101.2	47	132	99.0	97.5	4,493	5,126
4	Yelburga	148.6	131.3	2,853	3,092	99.8	99.4	41	57	98.6	98.2	2,798	3,057

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	99.7	99.9	2,995	2,957	15.3	15.8	17,997	17,944	91.8	95.8	510	962
1	Gangavati	100.0	100.1	915	1,113	13.1	19.9	6,350	5,260	90.8	94.0	83	169
2	Koppal	100.4	100.8	1,183	848	22.5	17.3	4,519	4,707	86.3	96.6	63	138
3	Kushtagi	99.7	99.6	554	657	12.3	12.8	4,476	5,134	99.3	99.7	209	423
4	Yelburga	98.1	98.9	343	339	12.3	11.1	2,652	2,843	93.0	91.9	155	232

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	96.9	94.6	983	949	11.9	10.0	19.7	15.3	42.5	27.5	48.1	44.0
1	Gangavati	83.8	79.0	979	978	15.2	7.0	22.2	23.8	86.1	35.3	41.9	39.8
2	Koppal	106.8	100.7	964	919	17.6	19.2	6.8	3.5	16.2	9.4	43.6	18.3
3	Kushtagi	101.5	103.2	1,018	935	1.9	6.8	115.5	36.1	31.3	35.1	173.8	125.4
4	Yelburga	95.7	91.0	972	969	8.5	5.6	24.8	21.1	63.3	54.0	49.1	39.1

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	1.5	1.1	549	559	165	115	30.1	20.6	61.8	62.6	38.2	37.4
1	Gangavati	1.9	0.8	135	121	60	49	44.4	40.5	48.3	61.2	51.7	38.8
2	Koppal	2.3	2.3	147	173	46	35	31.3	20.2	58.7	60.0	41.3	40.0
3	Kushtagi	0.5	0.9	125	132	47	29	37.6	22.0	74.5	69.0	25.5	31.0
4	Yelburga	0.8	0.0	142	133	12	2	8.5	1.5	91.7	50.0	8.3	50.0

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	98.2	94.3	1.8	5.7	0.7	0.4	0.1	0.1	3	5	7,430	7,795
1	Gangavati	95.2	96.1	4.8	3.9	0.8	0.6	0.0	0.0	1	2	2,440	2,410
2	Koppal	100.0	100.0	0.0	0.0	0.7	0.5	0.0	0.0	1	1	1,773	1,642
3	Kushtagi	100.0	85.3	0.0	14.7	0.8	0.5	0.3	0.0	1	2	2,200	2,353
4	Yelburga	100.0	100.0	0.0	0.0	0.3	0.0	0.0	0.6	0	0	1,017	1,390

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	7,433	7,800	0.0	0.0	100.0	99.9	1,058	2,390	2,843	2,797	3,362	2,561
1	Gangavati	2,441	2,412	0.0	0.1	100.0	99.9	15	146	1,207	1,213	1,049	1,001
2	Koppal	1,774	1,643	0.1	0.1	99.9	99.9	454	880	817	509	503	254
3	Kushtagi	2,201	2,355	0.0	0.1	100.0	99.9	488	942	339	361	1,374	1,052
4	Yelburga	1,017	1,390	0.0	0.0	100.0	100.0	101	422	480	714	436	254

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal			0	0	14.2	30.6	38.2	35.9	45.2	32.8	0.0	0.0
1	Gangavati			0	0	0.6	6.1	49.4	50.3	43.0	41.5	0.0	0.0
2	Koppal			0	0	25.6	53.6	46.1	31.0	28.4	15.5	0.0	0.0
3	Kushtagi			0	0	22.2	40.0	15.4	15.3	62.4	44.7	0.0	0.0
4	Yelburga					9.9	30.4	47.2	51.4	42.9	18.3	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	2.3	0.7	74.1	78.1	14.8	14.4	11.0	7.4	99.1	99.7	93.6	98.8
1	Gangavati	7.0	2.2	61.0	74.1	25.7	17.0	13.3	8.9	96.8	99.0	88.8	96.6
2	Koppal	0.0	0.0	75.5	82.2	12.4	17.8	12.1	0.0	100.0	100.0	100.0	100.0
3	Kushtagi	0.0	0.0	86.0	76.2	4.8	10.5	9.2	13.3	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	77.3	83.6	14.7	12.7	8.0	3.7	100.0	100.0	100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	93.6	96.5	1	0	2,140	1,702	36	36	2,176	1,738	858	226
1	Gangavati	83.6	90.7	0	0	444	355	34	33	478	388	254	48
2	Koppal	100.0		0	0	940	746	0	0	940	746	399	162
3	Kushtagi	100.0	100.0	0	0	237	217	2	3	239	220	80	15
4	Yelburga	100.0	100.0	1	0	519	384			519	384	125	1

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	40.0	13.2	4.9	1.3	22.6	18.2	25,276	20,018	260,255	266,479	0	0
1	Gangavati	57.2	13.5	4.9	1.0	16.4	13.9	7,704	7,425	70,630	74,495	0	0
2	Koppal	42.4	21.7	8.0	3.5	34.6	31.2	7,624	5,768	78,725	69,759	0	0
3	Kushtagi	33.8	6.9	1.9	0.3	9.8	8.5	4,038	2,853	54,371	70,739	0	0
4	Yelburga	24.1	0.3	4.6	0.0	33.8	21.6	5,910	3,972	56,529	51,486	0	0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	21,922	21,299	26,932	26,774	111.9	113.8	137.5	143.1	286	136	268	107
1	Gangavati	7,599	6,996	9,443	8,128	108.7	125.0	135.1	145.2	238	80	248	82
2	Koppal	6,537	5,809	7,529	7,366	124.8	119.2	143.7	151.1	18	31	0	12
3	Kushtagi	4,992	5,282	5,895	6,892	110.7	102.6	130.8	133.9	29	25	20	9
4	Yelburga	2,794	3,212	4,065	4,388	97.9	103.9	142.5	141.9	1	0	0	4

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	292	63	23,147	23,862	22,266	23,228	22,236	23,444	22,308	22,903	113.8	122.3
1	Gangavati	266	40	7,250	7,173	7,083	6,966	7,048	7,117	7,202	6,758	103.0	120.7
2	Koppal	13	9	6,180	6,480	5,955	6,312	6,120	6,482	6,111	6,504	116.6	133.4
3	Kushtagi	10	12	5,225	5,474	4,856	5,220	4,739	5,131	4,674	4,792	103.7	93.1
4	Yelburga	3	2	4,492	4,735	4,372	4,730	4,329	4,714	4,321	4,849	151.5	156.8

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	21,888	22,600	17.2	14.5	20,335	23,695	103.8	126.6	50.4	5.0	1,310	966
1	Gangavati	6,908	6,606	23.7	16.9	6,882	8,286	98.4	148.0	27.7	3.3	90	156
2	Koppal	6,070	6,453	18.8	11.7	4,806	5,987	91.7	122.8	118.8	4.7	1,082	721
3	Kushtagi	4,593	4,711	20.7	30.5	4,622	4,753	102.5	92.3	36.0	5.3	85	37
4	Yelburga	4,317	4,830	-6.3	-10.5	4,025	4,669	141.1	151.0	24.1	8.2	53	52

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	97.1	98.0	72.0	65.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	96.9	96.6	80.1	65.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	96.6	99.2	60.5	62.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	97.9	98.1	72.5	64.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	97.4	98.1	74.5	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	0.0	0.0	0.5	1.4	99.4	98.3	0.1	0.2	70.0	68.0	11.3	11.5
1	Gangavati	0.0	0.0	0.0	0.2	99.9	99.8	0.1	0.0	75.6	73.5	6.3	6.8
2	Koppal	0.0	0.0	0.2	1.0	99.8	99.0	0.0	0.0	67.9	64.8	15.6	8.0
3	Kushtagi	0.0	0.0	1.0	0.7	98.6	98.7	0.3	0.6	69.2	74.8	11.0	16.0
4	Yelburga	0.0	0.0	0.9	8.1	99.1	91.3	0.0	0.6	65.4	61.8	12.1	15.9

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	37.5	37.0	0.5	0.5	85,138	84,277	1,000,947	948,334	8.5	8.9	4,205	2,543
1	Gangavati	32.3	40.5	0.4	0.4	24,361	19,982	287,045	259,017	8.5	7.7	1,565	787
2	Koppal	38.6	35.9	1.0	0.9	25,862	24,566	294,955	285,968	8.8	8.6	1,483	971
3	Kushtagi	40.7	40.8	0.4	0.4	16,374	16,331	173,906	167,574	9.4	9.7	619	619
4	Yelburga	40.0	26.7	0.1	0.1	18,541	23,398	245,041	235,775	7.6	9.9	538	166

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	7,376	9,638	36.3	20.9	224	191	5.3	7.5	128,097	120,267	12.7	12.6
1	Gangavati	1,499	1,238	51.1	38.9	107	55	6.8	7.0	37,991	31,286	13.2	12.1
2	Koppal	2,977	5,430	33.3	15.2	78	16	5.3	1.6	30,150	33,351	10.2	11.7
3	Kushtagi	2,468	2,107	20.1	22.7	28	116	4.5	18.7	37,596	36,399	21.6	21.7
4	Yelburga	432	863	55.5	16.1	11	4	2.0	2.4	22,360	19,231	9.1	8.2

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	4,058	1,222	0.4	0.1	10,850	6,395	8.3	7.1	2.0	2.4	0.7	0.8
1	Gangavati	1,980	0	0.7	0.0	2,098	1,835	5.1	9.5	2.4	3.5	0.8	0.8
2	Koppal	532	1,222	0.2	0.4	3,938	1,061	15.2	9.3	2.6	2.3	0.7	0.8
3	Kushtagi	1,311	0	0.8	0.0	2,069	2,103	3.1	3.7	1.4	2.6	0.7	1.0
4	Yelburga	235	0	0.1	0.0	2,745	1,396	3.8	4.4	1.5	1.4	0.6	0.6

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	1.0	1.1	0.1	0.2	0.0	0.0	77	113	5.5	2.8	20.5	34.3
1	Gangavati	1.1	1.3	0.0	0.0	0.0	0.0	20	34	5.6	0.0	44.4	36.4
2	Koppal	1.1	1.1	0.0	0.0	0.0	0.0	23	30	4.5	10.3	18.2	27.6
3	Kushtagi	0.9	1.4	0.3	0.3	0.0	0.0	13	28	7.7	0.0	7.7	50.0
4	Yelburga	0.8	0.8	0.1	0.1	0.0	0.0	21	21	5.0	0.0	10.0	20.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	13.7	20.4	12.3	1.9	0.0	0.9	1.4	0.0	0.0	0.0	46.6	39.8
1	Gangavati	11.1	18.2	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.3	45.5
2	Koppal	9.1	24.1	18.2	6.9	0.0	3.4	0.0	0.0	0.0	0.0	50.0	27.6
3	Kushtagi	15.4	15.4	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	61.5	34.6
4	Yelburga	20.0	25.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.0	55.0