| | | | 1 | 2 | 2 | : | 3 | 4 | 4 | | 5 | | 5 |
|---|---------------|----------------------------------|---------|---------------------------------------|-----------|----------|-----------------------|-------------------------------------|----------------------|---------------------|-----------------------|----------|------------------------------------|
| | Indicators | Total nu pregnan Registere | t women | Number of women re within first | egistered | Number o | of Women under JSY | 1st Trii registratio ANC Regi | nester n to Total | JSY regist Total | tration to ANC ration | women re | f pregnant eceived 3 eck ups |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 54,163 | 52,585 | 27,320 | 18,859 | 53,785 | 52,532 | 50.4 | 35.8 | 99.3 | 99.9 | 43,046 | 34,182 |
| 1 | Bermo | 7,557 | 7,103 | 2,590 | 2,121 | 7,479 | 7,092 | 34.3 | 29.9 | 99.0 | 99.8 | 5,179 | 4,301 |
| 2 | Chandankiyari | 6,223 | 4,469 | 4,072 | 1,444 | 6,223 | 4,469 | 65.4 | 32.3 | 100.0 | 100.0 | 5,018 | 2,828 |
| 3 | Chas | 21,365 | 24,097 | 10,199 | 8,821 | 21,365 | 24,091 | 47.7 | 36.6 | 100.0 | 100.0 | 18,043 | 16,461 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 6,154 | 4,811 | 3,276 | 1,623 | 5,854 | 4,775 | 53.2 | 33.7 | 95.1 | 99.3 | 4,641 | 2,768 |
| 6 | Jaridih | 2,740 | 2,349 | 1,707 | 1,028 | 2,740 | 2,349 | 62.3 | 43.8 | 100.0 | 100.0 | 2,088 | 1,502 |
| 7 | Kasmar | 2,148 | 1,890 | 1,251 | 822 | 2,148 | 1,890 | 58.2 | 43.5 | 100.0 | 100.0 | 1,664 | 1,310 |
| 8 | Nawadih | 4,882 | 4,875 | 2,400 | 1,561 | 4,882 | 4,875 | 49.2 | 32.0 | 100.0 | 100.0 | 3,675 | 2,717 |
| 9 | Peterwar | 3,094 | 2,991 | 1,825 | 1,439 | 3,094 | 2,991 | 59.0 | 48.1 | 100.0 | 100.0 | 2,738 | 2,295 |

| | | 7 | 7 | 8 | 3 | 9 | 9 | 1 | 0 | 1 | 1 | 1 | 2 |
|---|---------------|----------------------------------|----------|--|----------------------|------------------------|---------------------|-------------------------|---------|---------|---------|-----------------------------|---------|
| | Indicators | TT2 or Boo to Pregnai (num | nt women | Pregnant received 3 ups to To Registr | : Woman ANC check | received Booster to | t women d TT2 or | Number of women give | | | | Number h leve (tested | l<11 |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 38,452 | 34,494 | 79.4 | 65.0 | 70.9 | 65.5 | 42,486 | 26,977 | 78.4 | 51.3 | 18,596 | 14,111 |
| 1 | Bermo | 5,423 | 4,659 | 68.5 | 60.6 | 71.8 | 65.6 | 4,566 | 1,749 | 60.4 | 24.6 | 1,233 | 483 |
| 2 | Chandankiyari | 4,387 | 3,024 | 80.6 | 63.3 | 70.5 | 67.7 | 4,077 | 3,082 | 65.5 | 69.0 | 2,334 | 1,166 |
| 3 | Chas | 13,925 | 13,413 | 84.5 | 68.3 | 65.2 | 55.7 | 17,633 | 12,596 | 82.5 | 52.3 | 9,942 | 9,367 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 4,231 | 3,552 | 75.4 | 57.5 | 68.8 | 73.8 | 5,574 | 2,341 | 90.6 | 48.7 | 347 | 434 |
| 6 | Jaridih | 2,505 | 2,109 | 76.2 | 63.9 | 91.4 | 89.8 | 2,417 | 1,626 | 88.2 | 69.2 | 713 | 715 |
| 7 | Kasmar | 1,664 | 1,588 | 77.5 | 69.3 | 77.5 | 84.0 | 2,112 | 1,021 | 98.3 | 54.0 | 850 | 688 |
| 8 | Nawadih | 3,580 | 3,248 | 75.3 | 55.7 | 73.3 | 66.6 | 3,728 | 2,146 | 76.4 | 44.0 | 2,018 | 539 |
| 9 | Peterwar | 2,737 | 2,901 | 88.5 | 76.7 | 88.5 | 97.0 | 2,379 | 2,416 | 76.9 | 80.8 | 1,159 | 719 |

| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
|---|---------------|---------------------------------------|--------------|--|---|---|--------------------------|-----------------|---------|--|---------------------|---|------------|
| | Indicators | Number ha ana (Hb treated at | emia >(7) | Pregnant having seve (Hb treated at to women leve | t women ere anaemia <7) institution having hb | New cases at institu hypertensi ANC Regi | ution for on to Total | Number deliv | | Number deliveries a SBA tr (Doctor/No | ttended by ained | Number deliveries a Non SBA (trained | ttended by |
| | | | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 2,273 | 2,349 | 12.2 | 16.6 | 5.9 | 8.7 | 3,847 | 6,231 | 1,358 1,971 | | 2,489 | 4,260 |
| 1 | Bermo | 116 | 65 | 9.4 | 13.5 | 1.2 | 0.1 | 704 | 815 | 254 306 | | 450 | 509 |
| 2 | Chandankiyari | 20 | 19 | 0.9 | 1.6 | 0.1 | 0.7 | 280 | 727 | | | 53 | 450 |
| 3 | Chas | 2,123 | 2,264 | 21.4 | 24.2 | 10.9 | 16.5 | 796 | 1,887 | 434 | 761 | 362 | 1,126 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 6 | 0 | 1.7 | 0.0 | 1.9 | 1.6 | 666 | 769 | 208 | 192 | 458 | 577 |
| 6 | Jaridih | 0 | 0 | 0.0 | 0.0 | 5.7 | 7.2 | 194 | 278 | 92 | 112 | 102 | 166 |
| 7 | Kasmar | 0 | 0 | 0.0 | 0.0 | 5.3 | 4.1 | 202 | 330 | 27 | 39 | 175 | 291 |
| 8 | Nawadih | 0 | 0 | 0.0 | 0.0 | 6.0 | 4.2 | 678 | 951 | 46 | 145 | 632 | 806 |
| 9 | Peterwar | 8 | 1 | 0.7 | 0.1 | 2.6 | 1.8 | 327 | 474 | 70 | 139 | 257 | 335 |

| | | 1 | 9 | 2 | 0 | 2 | .1 | 2 | 2 | 2 | 3 | 2 | 4 |
|---|---------------|---|----------------------------------|-------------------------------|----------|---|------------|--------------|---------|---------|---------|--|--|
| | Indicators | SBA atten deliveries Reporte Deliv | ded home s to Total d Home | Mothers incentive deliv | for home | Mothers incentive deliveries Reporte | s to Total | Deliveries (| | | | Women dis less than 4 delivery Reported at public in | charged in 8 hours of to Total Deliveries |
| | | | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 35.3 | 31.6 | 3 | 10 | 0.1 | 0.2 | 15,790 | 13,213 | 15,176 | 11,483 | 96.1 | 86.9 |
| 1 | Bermo | 36.1 | 37.5 | 2 | 0 | 0.3 | 0.0 | 1,481 | 1,179 | 1,466 | 1,179 | 99.0 | 100.0 |
| 2 | Chandankiyari | 81.1 | 38.1 | 0 | 0 | 0.0 | 0.0 | 2,636 | 2,157 | 2,634 | 2,154 | 99.9 | 99.9 |
| 3 | Chas | 54.5 | 40.3 | 1 | 0 | 0.1 | 0.0 | 3,578 | 2,510 | 3,022 | 1,111 | 84.5 | 44.3 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 31.2 | 25.0 | 0 | 3 | 0.0 | 0.4 | 1,837 | 1,701 | 1,837 | 1,699 | 100.0 | 99.9 |
| 6 | Jaridih | 47.4 | 40.3 | 0 | 0 | 0.0 | 0.0 | 1,214 | 962 | 1,192 | 951 | 98.2 | 98.9 |
| 7 | Kasmar | 13.4 | 11.8 | 0 | 3 | 0.0 | 0.9 | 1,027 | 990 | 1,023 | 684 | 99.6 | 69.1 |
| 8 | Nawadih | 6.8 | 15.2 | 0 | 0 | 0.0 | 0.0 | 2,449 | 2,132 | 2,442 | 2,123 | 99.7 | 99.6 |
| 9 | Peterwar | 21.4 | 29.3 | 0 | 4 | 0.0 | 0.8 | 1,568 | 1,582 | 1,560 | 1,582 | 99.5 | 100.0 |

| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|---|---------------|--------------------------------|---------|-----------------------------------|----------------------|-------------------|-------------------|-----------------------------------|--------------------|--------------------------------|----------------------|-------------------------------|-----------------------|
| | Indicators | Institu deliv (Public In | eries | Institu Deliveries ANC regi | tional s to total | Total re deliv | eported reries | Institu deliveries Reported | tional to Total | Safe deli Total Re Deliv | veries to eported | Home del Total Re Deliv | iveries to eported |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 42,066 | 37,947 | 77.6 | 72.1 | 45,913 | 44,178 | 91.6 | 85.9 | 94.6 | 90.4 | 8.4 | 14.1 |
| 1 | Bermo | 3,900 | 3,603 | 51.6 | 50.7 | 4,604 | 4,418 | 84.7 | 81.6 | 90.2 | 88.5 | 15.3 | 18.4 |
| 2 | Chandankiyari | 5,343 | 4,466 | 85.9 | 99.9 | 5,623 | 5,193 | 95.0 | 86.0 | 99.1 | 91.3 | 5.0 | 14.0 |
| 3 | Chas | 18,518 | 17,296 | 86.7 | 71.8 | 19,314 | 19,183 | 95.9 | 90.2 | 98.1 | 94.1 | 4.1 | 9.8 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 4,469 | 3,559 | 72.6 | 74.0 | 5,135 | 4,328 | 87.0 | 82.2 | 91.1 | 86.7 | 13.0 | 17.8 |
| 6 | Jaridih | 2,519 | 2,500 | 91.9 | 106.4 | 2,713 | 2,778 | 92.8 | 90.0 | 96.2 | 94.0 | 7.2 | 10.0 |
| 7 | Kasmar | 1,615 | 1,568 | 75.2 | 83.0 | 1,817 | 1,898 | 88.9 | 82.6 | 90.4 | 84.7 | 11.1 | 17.4 |
| 8 | Nawadih | 3,359 | 2,776 | 68.8 | 56.9 | 4,037 | 3,727 | 83.2 | 74.5 | 84.3 | 78.4 | 16.8 | 25.5 |
| 9 | Peterwar | 2,343 | 2,179 | 75.7 | 72.9 | 2,670 | 2,653 | 87.8 | 82.1 | 90.4 | 87.4 | 12.2 | 17.9 |

| | | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
|---|---------------|--------------------------------------|---------|---------------------------------------|---------|------------------------------|------------------|--|---------------------------|--|----------------------------|--|---|
| | Indicators | Number of deliveries at public | | Number of deliveries at private | | to rep institu (Public | + Pvt.) orted | C-sections at public f Deliveries at public | conducted acilities to | C-sections at Private f Deliveries at private | conducted facilities to | Deliveries at Public II to Total In Deliv | conducted nstitutions stitutional |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 80 | 23 | 1,211 | 1,142 | 3.0 | 3.0 | 0.5 | 0.2 | 4.6 | 4.6 | 37.5 | 34.8 |
| 1 | Bermo | 0 | 0 | 0 | 18 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.7 | 38.0 | 32.7 |
| 2 | Chandankiyari | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 49.3 | 48.3 |
| 3 | Chas | 62 | 13 | 959 | 961 | 5.5 | 5.6 | 1.7 | 0.5 | 6.4 | 6.5 | 19.3 | 14.5 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.1 | 47.8 |
| 6 | Jaridih | 18 | 10 | 252 | 163 | 10.7 | 6.9 | 1.5 | 1.0 | 19.3 | 10.6 | 48.2 | 38.5 |
| 7 | Kasmar | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.6 | 63.1 |
| 8 | Nawadih | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 72.9 | 76.8 |
| 9 | Peterwar | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.9 | 72.6 |

| | | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|---|---------------|--|---------|---------------------------------|--|---|---|---------------------|--|-------------------------|--|--|---------|
| | Indicators | at Public institution to Total Public Deliveries ASHA for Deliv Public institut Total Public De | | where JSY e paid to Delivery at | Deliveries at Private I to Total In Deliv | conducted nstitutions stitutional | Women rec partum o within 48 deliv | heck-up hours of | Post - Care / Wo post partur between 48 | men got a n check up | Women rec partum o within 48 delivery Reported | eiving post heck-up hours of to Total | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 82.7 | 77.0 | 136.4 | 164.5 | 62.5 | 65.2 | 34,694 | 32,357 | 12,182 | 10,898 | 75.6 | 73.2 |
| 1 | Bermo | 51.5 | 60.7 | 48.3 | 57.8 | 62.0 | 67.3 | 2,485 | 3,525 | 1,601 | 2,137 | 54.0 | 79.8 |
| 2 | Chandankiyari | 79.4 | 78.4 | 169.4 | 189.2 | 50.7 | 51.7 | 5,222 | 4,523 | 180 | 470 | 92.9 | 87.1 |
| 3 | Chas | 96.2 | 107.3 | 239.8 | 425.7 | 80.7 | 85.5 | 14,547 | 13,067 | 6,835 | 4,575 | 75.3 | 68.1 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 85.9 | 97.4 | 87.8 | 97.4 | 58.9 | 52.2 | 4,640 | 3,746 | 489 | 613 | 90.4 | 86.6 |
| 6 | Jaridih | 92.8 | 65.0 | 78.0 | 86.2 | 51.8 | 61.5 | 1,223 | 1,044 | 79 | 125 | 45.1 | 37.6 |
| 7 | Kasmar | 89.8 | 95.2 | 138.2 | 105.6 | 36.4 | 36.9 | 1,574 | 1,586 | 452 | 398 | 86.6 | 83.6 |
| 8 | Nawadih | 76.7 | 40.5 | 100.2 | 45.1 | 27.1 | 23.2 | 2,568 | 2,403 | 566 | 635 | 63.6 | 64.5 |
| 9 | Peterwar | 80.0 | 62.5 | 86.2 | 114.0 | 33.1 | 27.4 | 2,435 | 2,463 | 1,980 | 1,945 | 91.2 | 92.8 |

| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
|---|-----------------|---|------------------------|----------|---------|--------------------------------------|-----------------------|------------------------|---------|---------------------------|----------|----------------------|---------|
| | Indicators | Women ge Partum (between 48 14 days | Checkup 3 hours and | Total Nu | | 7 Total Repo Births t Deliv | orted Live o Total | Total Nu reported S | | 9 live birth to Bir | Reported | Number of weighed | |
| | 2016-17 2015-16 | | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 26.5 | 24.7 | 45,951 | 44,185 | 100.1 | 100.0 | 208 | 159 | 99.5 | 99.6 | 45,039 | 42,281 |
| 1 | Bermo | 34.8 | 48.4 | 4,609 | 4,401 | 100.1 | 99.6 | 41 | 28 | 99.1 | 99.4 | 4,589 | 4,340 |
| 2 | Chandankiyari | 3.2 | 9.1 | 5,622 | 5,191 | 100.0 | 100.0 | 3 | 3 | 99.9 | 99.9 | 5,622 | 5,191 |
| 3 | Chas | 35.4 | 23.8 | 19,331 | 19,158 | 100.1 | 99.9 | 75 | 43 | 99.6 | 99.8 | 19,139 | 19,076 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 9.5 | 14.2 | 5,131 | 4,324 | 99.9 | 99.9 | 5 | 7 | 99.9 | 99.8 | 5,117 | 4,317 |
| 6 | Jaridih | 2.9 | 4.5 | 2,711 | 2,777 | 99.9 | 100.0 | 16 | 10 | 99.4 | 99.6 | 2,711 | 2,775 |
| 7 | Kasmar | 24.9 | 21.0 | 1,807 | 1,890 | 99.4 | 99.6 | 36 | 29 | 98.0 | 98.5 | 1,779 | 1,885 |
| 8 | Nawadih | 14.0 | 17.0 | 4,037 | 3,805 | 100.0 | 102.1 | 0 | 2 | 100.0 | 99.9 | 3,665 | 2,737 |
| 9 | Peterwar | 74.2 | 73.3 | 2,703 | 2,639 | 101.2 | 99.5 | 32 | 37 | 98.8 | 98.6 | 2,417 | 1,960 |

| | | 4 | 9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|---|---------------|---------------------|---------|----------------------------------|---------|-----------------------------------|---------|-------------------------|---------|-------------------------------------|--------------|-----------------------|------------|
| | Indicators | Newborns birth to I | | Number of having we than 2 | | Newbori weight les kg to Ne | | Number of Breast Fed | | Newborns within 1 ho to Total | our of birth | Number of visited wit | hin 24 hrs |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 98.0 | 95.7 | 5,003 | 4,530 | 11.1 | 10.7 | 44,722 | 42,383 | 97.3 | 95.9 | 2,509 | 4,040 |
| 1 | Bermo | 99.6 | 98.6 | 335 | 294 | 7.3 | 6.8 | 4,588 | 4,330 | 99.5 | 98.4 | 164 | 299 |
| 2 | Chandankiyari | 100.0 | 100.0 | 238 | 132 | 4.2 | 2.5 | 5,622 | 5,191 | 100.0 | 100.0 | 218 | 545 |
| 3 | Chas | 99.0 | 99.6 | 3,191 | 3,092 | 16.7 | 16.2 | 19,115 | 18,958 | 98.9 | 99.0 | 595 | 1,202 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 99.7 | 99.8 | 331 | 125 | 6.5 | 2.9 | 4,863 | 4,316 | 94.8 | 99.8 | 660 | 753 |
| 6 | Jaridih | 100.0 | 99.9 | 393 | 487 | 14.5 | 17.5 | 2,711 | 2,775 | 100.0 | 99.9 | 104 | 151 |
| 7 | Kasmar | 98.5 | 99.7 | 110 | 96 | 6.2 | 5.1 | 1,773 | 1,882 | 98.1 | 99.6 | 39 | 110 |
| 8 | Nawadih | 90.8 | 71.9 | 93 | 115 | 2.5 | 4.2 | 3,815 | 2,969 | 94.5 | 78.0 | 469 | 563 |
| 9 | Peterwar | 89.4 | 74.3 | 312 | 189 | 12.9 | 9.6 | 2,235 | 1,962 | 82.7 | 74.3 | 260 | 417 |

| | | 5 | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|---|---------------|--|------------------------|--|-------------------|--|-----------|---------|---|---|---|--|---|
| | Indicators | newborn within 24h delivery reporte | rs of home to total | Sex Ra birth (Fe Bitr Male Birtl | male Live ths/ | cases of women wit Complica attended to | tions and | | icated es treated h IV rtensive/ njection to men with etric cations | Compl Pregnancie with antihype Magsulph ii Total Ne detecte Hypert | icated es treated IV rtensive/ njection to ew cases ed with | Compl Pregnancie with Transfusion Women Obstr Complie atter | icated es treated Blood n to Total n with etric cations |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 65.2 | 64.8 | 892 | 900 | 10.6 | 6.4 | 93.4 | 97.0 | 131.8 | 51.4 | 0.6 | 0.0 |
| 1 | Bermo | 23.3 | 36.7 | 811 | 886 | 1.9 | 0.3 | 0.0 | 8.3 | 0.0 | 10.0 | 0.0 | 0.0 |
| 2 | Chandankiyari | 77.9 | 75.0 | 844 | 819 | 0.0 | 0.3 | | 46.2 | 0.0 | 19.4 | | 0.0 |
| 3 | Chas | 74.7 | 63.7 | 940 | 981 | 22.8 | 13.6 | 99.1 | 99.9 | 179.2 | 59.2 | 0.6 | 0.0 |
| 4 | DHQ | | | 0 | 0 | | | | | | | | |
| 5 | Gomia | 99.1 | 97.9 | 767 | 815 | 1.0 | 1.5 | 17.8 | 0.0 | 7.0 | 0.0 | 0.0 | 0.0 |
| 6 | Jaridih | 53.6 | 54.3 | 993 | 814 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 7 | Kasmar | 19.3 | 33.3 | 876 | 819 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 8 | Nawadih | 69.2 | 59.2 | 1,001 | 883 | 4.6 | 0.1 | 5.2 | 100.0 | 2.7 | 1.4 | 0.0 | 0.0 |
| 9 | Peterwar | 79.5 | 88.0 | 810 | 845 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|---|---------------|---|--|---|------------------|----------------------------|---------|---------------------------|---------|---|------------------------------------|--|-----------------------------------|
| | Indicators | Post - Care / PNC compli attended Deliv | Natal C maternal cations I to Total | Total Nu Abort (Sponta Induced) | tions aneous/ | Total Nu MTPs (repo | Public) | % <i>N</i> (Public) to | | MTPs up to of Pregn Total MTP: Institu | 12 weeks ancy to s at Public | MTPs mor weeks of P to Total Public Ins | e than 12 Pregnancy MTPs at |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 0.2 | 0.0 | 3,479 | 2,938 | 96 | 113 | 2.8 | 3.8 | 93.8 | 100.0 | 6.3 | 0.0 |
| 1 | Bermo | 0.0 | 0.0 | 46 | 13 | 24 | 0 | 52.2 | 0.0 | 75.0 | | 25.0 | |
| 2 | Chandankiyari | 0.0 | 0.0 | 1 | 1 | 0 | 0 | 0.0 | 0.0 | | | | |
| 3 | Chas | 0.3 | 0.0 | 2,227 | 2,277 | 0 | 0 | 0.0 | 0.0 | | | | |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 0.2 | 0.0 | 874 | 426 | 72 | 113 | 8.2 | 26.5 | 100.0 | 100.0 | 0.0 | 0.0 |
| 6 | Jaridih | 0.0 | 0.0 | 149 | 89 | 0 | | 0.0 | 0.0 | | | | |
| 7 | Kasmar | 0.0 | 0.0 | 59 | 54 | 0 | 0 | 0.0 | 0.0 | | | | |
| 8 | Nawadih | 0.0 | 0.0 | 1 | 4 | 0 | 0 | 0.0 | 0.0 | | | | |
| 9 | Peterwar | 0.0 | 0.0 | 122 | 74 | 0 | 0 | 0.0 | 0.0 | | | | |

| | | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7 | 2 |
|----|---------------|---|-------------------------|---|----------------------|---|-------------------|---|--|------------------------------------|---------|------------------------------------|---------|
| lr | ndicators | 9 MTPs Cone Public Insti Total | ducted at tutions to | 9 MTPs Con Private Ins to Tota | ducted at stitutions | % Tota (Pul Conducted ANC Regi | olic) to Total | Number of Tests cond Number of STI female which tr initi | Wet Mount ducted to f new RTI/ e cases for eatment | Numb Vasect Condi (Public | tomies | Numb Tubect Condu (Public | omies |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 3.1 | 4.3 | 96.9 | 95.7 | 0.2 | 0.2 | 0.0 | 0.0 | 307 | 928 | 8,091 | 8,409 |
| 1 | Bermo | 42.1 | 0.0 | 57.9 | 100.0 | 0.3 | 0.0 | 0.0 | 0.0 | 55 | 13 | 132 | 129 |
| 2 | Chandankiyari | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 1 | 30 | 357 | 625 |
| 3 | Chas | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 186 | 568 | 5,096 | 4,514 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 7.3 | 27.6 | 92.7 | 72.4 | 1.2 | 2.3 | 0.0 | 0.0 | 35 | 26 | 1,349 | 654 |
| 6 | Jaridih | | | | | 0.0 | 0.0 | | | 0 | 53 | 458 | 766 |
| 7 | Kasmar | | | | | 0.0 | 0.0 | | | 2 | 18 | 253 | 500 |
| 8 | Nawadih | | | | | 0.0 | 0.0 | 0.0 | | 20 | 88 | 86 | 398 |
| 9 | Peterwar | | | | | 0.0 | 0.0 | | | 8 | 132 | 360 | 823 |

| | | 7 | 3 | 7 | 4 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|---|---------------|-----------|---------|-------------------------------------|---------|---------|----------------------------|--|--------------------|---|--------------------|--|--------------------|
| | Indicators | Total Ste | | % Male St (Vasect to Total st | comies) | Tubecto | % mies to rilisation | Total Ste (Tubecto Vasecto conducte | mies and omies) | Total Ste (Tubecto Vasect conducte | mies and omies) | Total Ste (Tubecto Vasect conducted | mies and omies) |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 8,398 | 9,337 | 3.6 | 9.9 | 96.3 | 90.1 | 3 | 0 | 1,973 | 4,305 | 881 | 1,159 |
| 1 | Bermo | 187 | 142 | 29.4 | 9.2 | 70.6 | 90.8 | 0 | 0 | 132 | 136 | 55 | 6 |
| 2 | Chandankiyari | 358 | 655 | 0.3 | 4.6 | 99.7 | 95.4 | 0 | 0 | 358 | 655 | | |
| 3 | Chas | 5,282 | 5,082 | 3.5 | 11.2 | 96.5 | 88.8 | 3 | 0 | 0 | 471 | 724 | 1,052 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 1,384 | 680 | 2.5 | 3.8 | 97.5 | 96.2 | 0 | 0 | 296 | 265 | 102 | 101 |
| 6 | Jaridih | 458 | 819 | 0.0 | 6.5 | 100.0 | 93.5 | 0 | 0 | 458 | 819 | | |
| 7 | Kasmar | 255 | 518 | 0.8 | 3.5 | 99.2 | 96.5 | 0 | 0 | 255 | 518 | | |
| 8 | Nawadih | 106 | 486 | 18.9 | 18.1 | 81.1 | 81.9 | 0 | 0 | 106 | 486 | | |
| 9 | Peterwar | 368 | 955 | 2.2 | 13.8 | 97.8 | 86.2 | 0 | 0 | 368 | 955 | | |

| | | 7 | 9 | 8 | 0 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|---|---|---|----------------------------------|---|----------------------------------|---|---------------------------------|--|---------------------------------|---|---------------------------------|---|--|
| | Indicators Indicators Total Sterlis (Tubectomic Vasectom conducted at public Instit 2016-17 | | mies and omies) d at Other | Total Ste (Tubecto Vasect conducted institu | mies and omies) at Private | % Total Sto (Tubecto Vasect conducted Total Sto | mies and omies) at PHC to | % Total Sto (Tubecto Vasecto conducted Total Ste | mies and omies) at CHC to | % Total Sto (Tubecto Vasect conducted to Total St | mies and omies) at SDH/DH | % Total Sto (Tubecto Vasect conducted public Insti Total Ste | mies and omies) I at Other tutions to |
| | 2016-17 2 | | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | | | 221 | 535 | 0.0 | 0.0 | 23.5 | 46.1 | 10.5 | 12.4 | 0.0 | 0.0 |
| 1 | Bermo | | | 0 | 0 | 0.0 | 0.0 | 70.6 | 95.8 | 29.4 | 4.2 | 0.0 | 0.0 |
| 2 | Chandankiyari | | | 0 | 0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Chas | | | 186 | 518 | 0.1 | 0.0 | 0.0 | 9.3 | 13.7 | 20.7 | 0.0 | 0.0 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | | | 35 | 17 | 0.0 | 0.0 | 21.4 | 39.0 | 7.4 | 14.9 | 0.0 | 0.0 |
| 6 | Jaridih | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Kasmar | | | 0 | 0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Nawadih | | | 0 | 0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | Peterwar | | | 0 | 0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|---|---------------|--|--|--------------------------------------|----------------------|-------------|----------|--------------------------------------|---------------------|--|---|---|---------------------------------------|
| | Indicators | % Total Ste (Tubecto Vasecto conducted institution: Sterlis | mies and omies) at Private s to Total | Laparo sterlisation Female Ste | scopic s to Total | Mini Lap St | l Female | Post P Sterlisation Female Ste | artum s to Total | Laparo sterlisation Institutions Laparo Sterilis | scopic s at Public to Total scopic | Mini Lap st at Public In to Total Sterilis | erlisations stitutions Mini Lap |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 66.0 | 41.5 | 0.0 | 0.0 | 98.6 | 93.0 | 1.3 | 7.0 | | | 34.5 | 64.3 |
| 1 | Bermo | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 2 | Chandankiyari | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Chas | 86.2 | 70.0 | 0.0 | 0.0 | 98.1 | 87.9 | 1.9 | 12.1 | | | 14.5 | 37.1 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 71.2 | 46.2 | 0.0 | 0.0 | 99.7 | 97.1 | 0.3 | 2.9 | | | 29.3 | 53.2 |
| 6 | Jaridih | 0.0 | 0.0 | 0.0 | 0.0 | 97.6 | 97.8 | 2.4 | 2.2 | | | 100.0 | 100.0 |
| 7 | Kasmar | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 8 | Nawadih | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 9 | Peterwar | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 99.4 | 0.0 | 0.6 | | | 100.0 | 100.0 |

| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
|---|---------------|--|--|--|--------------------|-------------------------|---------|------------------------|-------------------------|--------------------------|---------|--------------------------|---------|
| | Indicators | Post P sterlisation Institution Post P Sterili | artum ns at Public s to Total artum | Total cases follo Sterlisatio Fem | wing n (Male + | IUCD Inser (public f | | IUCD inser (pvt. fa | tions done cilities) | Total IUCD done(publi | | PP IUCD I done (publi | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 16.2 | 7.3 | 0 | 0 | 2,879 | 3,184 | 3,478 | 1,238 | 6,357 | 4,422 | 1,084 | 894 |
| 1 | Bermo | | | 0 | 0 | 180 | 106 | 16 | 41 | 196 | 147 | 5 | 14 |
| 2 | Chandankiyari | | | 0 | 0 | 318 | 439 | 0 | 0 | 318 | 439 | 19 | 34 |
| 3 | Chas | 3.1 | 0.4 | 0 | 0 | 1,136 | 1,132 | 2,852 | 1,032 | 3,988 | 2,164 | 1,026 | 801 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 100.0 | 100.0 | 0 | 0 | 484 | 599 | 610 | 165 | 1,094 | 764 | 4 | 3 |
| 6 | Jaridih | 100.0 | 100.0 | 0 | 0 | 139 | 149 | | | 139 | 149 | 2 | 18 |
| 7 | Kasmar | | | 0 | 0 | 183 | 260 | 0 | 0 | 183 | 260 | 0 | 0 |
| 8 | Nawadih | | | 0 | 0 | 304 | 316 | 0 | 0 | 304 | 316 | 28 | 13 |
| 9 | Peterwar | | 100.0 | 0 | 0 | 135 | 183 | 0 | 0 | 135 | 183 | 0 | 11 |

| | | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 |)2 |
|---|---------------|--|------------------|---|----------------------|---|---|--------------|-------------|-------------------|---------|---------------------|---------|
| | Indicators | % PP IUCD (pul to Tota Insertion: | olic) al IUCD | % PP IUCD (pul to Total In: Deliverie: | olic) stitutional | IUCD inse public plu institutio family p methods (perma | ertions in us private ons to all blanning IUCD plus | Oral Pills o | listributed | Condom distrit | | Centchro distril | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 37.6 | 28.0 | 6.8 | 6.7 | 43.0 | 32.1 | 36,820 | 43,125 | 316,031 | 481,733 | 1,275 | 899 |
| 1 | Bermo | 2.8 | 13.2 | 0.3 | 1.2 | 51.2 | 50.9 | 2,719 | 3,614 | 14,109 | 12,670 | 131 | 62 |
| 2 | Chandankiyari | 6.0 | 7.7 | 0.7 | 1.6 | 47.0 | 40.1 | 2,128 | 1,891 | 5,520 | 4,875 | 152 | 150 |
| 3 | Chas | 90.3 | 70.8 | 28.7 | 31.9 | 43.0 | 29.9 | 3,884 | 23,708 | 11,782 | 172,618 | 0 | 0 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 0.8 | 0.5 | 0.2 | 0.2 | 44.1 | 52.9 | 18,788 | 5,693 | 240,209 | 262,614 | 0 | 0 |
| 6 | Jaridih | 1.4 | 12.1 | 0.2 | 1.9 | 23.3 | 15.4 | 1,268 | 670 | 6,498 | 6,237 | 412 | 331 |
| 7 | Kasmar | 0.0 | 0.0 | 0.0 | 0.0 | 41.8 | 33.4 | 1,398 | 2,113 | 7,103 | 9,953 | 0 | 57 |
| 8 | Nawadih | 9.2 | 4.1 | 1.1 | 0.6 | 74.1 | 39.4 | 2,773 | 4,268 | 3,669 | 2,574 | 10 | 139 |
| 9 | Peterwar | 0.0 | 6.0 | 0.0 | 0.7 | 26.8 | 16.1 | 3,862 | 1,168 | 27,141 | 10,192 | 570 | 160 |

| | | 10 | 03 | 10 |)4 | 10 | 05 | 10 | 06 | 10 | 07 | 10 | 08 |
|---|---------------|-----------------------------|---------|----------|---------|---------------------------|---------|---------------------|------------------------|----------|---------|----------|---------|
| | Indicators | Number o given (Birth | | Number o | | Newborns g at birth to | | Newborns to Repo | given BCG rted live | Number o | | Number (| |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 31,228 | 25,488 | 46,959 | 46,233 | 68.0 | 57.7 | 102.2 | 104.6 | 20 | 3,623 | 5 | 6,691 |
| 1 | Bermo | 2,123 | 1,894 | 5,326 | 5,443 | 46.1 | 43.0 | 115.6 | 123.7 | 0 | 0 | 0 | 205 |
| 2 | Chandankiyari | 4,111 | 2,719 | 5,787 | 5,154 | 73.1 | 52.4 | 102.9 | 99.3 | 0 | 126 | 2 | 578 |
| 3 | Chas | 16,149 | 12,662 | 19,884 | 20,356 | 83.5 | 66.1 | 102.9 | 106.3 | 10 | 3,044 | 3 | 4,645 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 2,874 | 2,602 | 5,100 | 4,485 | 56.0 | 60.2 | 99.4 | 103.7 | 10 | 400 | 0 | 790 |
| 6 | Jaridih | 1,061 | 949 | 2,446 | 2,445 | 39.1 | 34.2 | 90.2 | 88.0 | 0 | 18 | 0 | 162 |
| 7 | Kasmar | 1,067 | 1,043 | 1,642 | 1,764 | 59.0 | 55.2 | 90.9 | 93.3 | 0 | 5 | 0 | 103 |
| 8 | Nawadih | 3,011 | 2,581 | 4,139 | 3,973 | 74.6 | 67.8 | 102.5 | 104.4 | 0 | 14 | 0 | 97 |
| 9 | Peterwar | 832 | 1,038 | 2,635 | 2,613 | 30.8 | 39.3 | 97.5 | 99.0 | 0 | 16 | 0 | 111 |

| | | 10 | 09 | 11 | 10 | 11 | 11 | 11 | 12 | 11 | 13 | 11 | 14 |
|---|---------------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|---|---------------------------------|
| | Indicators | Number o | | Infants months received vaccine to live b | 0 to 11 old who I Measles |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 13 | 10,809 | 47,824 | 42,371 | 47,723 | 39,074 | 49,074 | 34,184 | 49,323 | 44,198 | 107.3 | 100.0 |
| 1 | Bermo | 0 | 897 | 5,216 | 5,659 | 5,182 | 5,580 | 5,179 | 4,669 | 5,307 | 4,724 | 115.1 | 107.3 |
| 2 | Chandankiyari | 2 | 1,080 | 5,785 | 4,915 | 5,673 | 4,347 | 5,608 | 3,676 | 5,600 | 4,547 | 99.6 | 87.6 |
| 3 | Chas | 11 | 5,869 | 20,873 | 16,597 | 20,963 | 15,442 | 21,393 | 14,138 | 20,638 | 20,673 | 106.8 | 107.9 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 0 | 1,153 | 4,708 | 4,287 | 4,682 | 3,694 | 5,054 | 3,064 | 5,362 | 4,238 | 104.5 | 98.0 |
| 6 | Jaridih | 0 | 402 | 2,528 | 2,388 | 2,473 | 2,184 | 2,603 | 1,851 | 2,787 | 2,229 | 102.8 | 80.3 |
| 7 | Kasmar | 0 | 316 | 1,687 | 1,851 | 1,709 | 1,620 | 1,744 | 1,465 | 2,062 | 1,672 | 114.1 | 88.5 |
| 8 | Nawadih | 0 | 662 | 4,410 | 3,987 | 4,314 | 3,658 | 4,607 | 3,116 | 4,515 | 3,590 | 111.8 | 94.3 |
| 9 | Peterwar | 0 | 430 | 2,617 | 2,687 | 2,727 | 2,549 | 2,886 | 2,205 | 3,052 | 2,525 | 112.9 | 95.7 |

| | | 11 | 15 | 11 | 16 | 1 | 17 | 11 | 18 | 11 | 19 | 13 | 20 |
|---|---------------|----------|-----------------------------------|--------------------------|---------|-----------|----------|--------------------------------|------------------------|---|-------------------------------------|--------------------------------|---------|
| | Indicators | immunize | of fully d children nonths) | 9 Drop Out BCG & / | between | Vitamin - | A dose 1 | Children g dose1 to live | iven Vit A Reported | Childre Vitamin A Children g dos | n given Dose 9 to viven Vit A | Adverse Following I (Oth | |
| | | | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 48,716 | 43,704 | -5.0 | 4.4 | 92,746 | 85,987 | 201.8 | 194.6 | 33.8 | 31.6 | 39 | 70 |
| 1 | Bermo | 5,270 | 4,738 | 0.4 | 13.2 | 3,109 | 2,195 | 67.5 | 49.9 | 36.1 | 0.0 | 0 | 0 |
| 2 | Chandankiyari | 5,600 | 4,547 | 3.2 | 11.8 | 27,409 | 24,992 | 487.5 | 481.4 | 0.0 | 0.0 | 0 | 0 |
| 3 | Chas | 20,231 | 20,408 | -3.8 | -1.6 | 20,230 | 29,697 | 104.7 | 155.0 | 113.6 | 90.8 | 4 | 6 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 5,345 | 4,237 | -5.1 | 5.5 | 301 | 460 | 5.9 | 10.6 | 126.9 | 0.0 | 0 | 1 |
| 6 | Jaridih | 2,736 | 2,163 | -13.9 | 8.8 | 1,632 | 2,339 | 60.2 | 84.2 | 334.6 | 6.0 | 5 | 6 |
| 7 | Kasmar | 2,062 | 1,653 | -25.6 | 5.2 | 1,837 | 3,041 | 101.7 | 160.9 | 32.0 | 0.7 | 0 | 0 |
| 8 | Nawadih | 4,472 | 3,522 | -9.1 | 9.6 | 35,486 | 18,423 | 879.0 | 484.2 | 0.0 | 0.0 | 18 | 57 |
| 9 | Peterwar | 3,000 | 2,436 | -15.8 | 3.4 | 2,742 | 4,840 | 101.4 | 183.4 | 30.8 | 0.4 | 12 | 0 |

| | | 12 | 21 | 12 | 22 | 13 | 23 | 13 | 24 | 13 | 25 | 12 | 26 |
|---|---------------|---------------------------|---------|--|----------------------------------|---|---|-----------|-------------------|---|-------------------------|---|---|
| | Indicators | immunisati Held to Imi | | Immunisatio where AS presed Immunisatio Plan | on Sessions HAs were nt to | Diptheria i 0-5 Years Total Re Childhood | n Children of Age to eported d Diseases | Childhood | of Age to eported | Tetanus No in Children of Age t Reported | o O-5 Years to Total | Tetanus (Children 0- Age to Tota Childhood 0-5) | Others in -5 Years of Il Reported |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 95.2 | 90.3 | 63.6 | 53.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Bermo | 91.4 | 88.1 | 41.6 | 31.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Chandankiyari | 96.6 | 87.4 | 59.7 | 48.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Chas | 94.5 | 88.1 | 43.7 | 34.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 96.8 | 92.5 | 92.4 | 78.5 | | 0.0 | | 0.0 | | 0.0 | | 0.0 |
| 6 | Jaridih | 97.2 | 93.1 | 76.4 | 59.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Kasmar | 96.7 | 91.2 | 87.0 | 79.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Nawadih | 97.0 | 95.9 | 86.8 | 82.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | Peterwar | 95.0 | 94.1 | 83.0 | 82.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 12 | 27 | 12 | 28 | 12 | 29 | 13 | 30 | 13 | 31 | 13 | 32 |
|---|---------------|--|---|--|--|--|---|---|--|--|-------------------|------------------------------|------------|
| | Indicators | Polio in Ch Years of Ag Reported (Diseases (| nildren 0-5 ge to Total Childhood | Measles in 0-5 Years Total Re Childhood | Children of Age to eported I Diseases | Diarrho dehydra Children O Age to Tota Childhood | bea and ation in -5 Years of al Reported I Diseases | Malaria in C Years of Ag Reported Diseases | Children 0-5 ge to Total Childhood | 9 Adult F Inpatients Adult In | emale to Total | 9 Children In Total In | patient to |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 0.0 | 0.0 | 8.0 | 7.3 | 65.4 | 79.6 | 26.6 | 13.1 | 68.8 | 81.9 | 11.4 | 7.7 |
| 1 | Bermo | 0.0 | 0.0 | 2.0 | 16.7 | 79.8 | 74.2 | 18.2 | 9.2 | 85.8 | 89.9 | 7.5 | 5.8 |
| 2 | Chandankiyari | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 62.1 | 83.2 | 9.6 | 7.6 |
| 3 | Chas | 0.0 | 0.0 | 14.0 | 12.3 | 70.4 | 80.8 | 15.6 | 6.9 | 57.3 | 84.3 | 18.8 | 11.8 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | | 0.0 | | 0.0 | | 100.0 | | 0.0 | 80.5 | 72.3 | 8.0 | 9.0 |
| 6 | Jaridih | 0.0 | 0.0 | 0.0 | 0.0 | 97.9 | 95.4 | 2.1 | 4.6 | 71.7 | 76.6 | 9.3 | 7.4 |
| 7 | Kasmar | 0.0 | 0.0 | 15.0 | 13.5 | 55.1 | 41.7 | 29.9 | 44.8 | 74.3 | 86.5 | 4.9 | 0.0 |
| 8 | Nawadih | 0.0 | 0.0 | 0.0 | 0.0 | 78.9 | 95.2 | 21.1 | 4.8 | 80.3 | 81.9 | 2.7 | 0.0 |
| 9 | Peterwar | 0.0 | 0.0 | 3.3 | 4.8 | 26.6 | 71.4 | 70.1 | 23.8 | 65.8 | 88.6 | 7.3 | 5.8 |

| | | 13 | 33 | 13 | 34 | 1: | 35 | 13 | 36 | 13 | 37 | 13 | 38 |
|---|---------------|----------|----------|--------------------------|-----------|---------|---------|---------|---------|---------|---------|-----------------|---------|
| | Indicators | Deaths 1 | npatient | 9 Inpatient [Tota | Deaths to | IPD (No | umber) | OPD (N | umber) | % IPD t | to OPD | Number Opera | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 33.3 | 55.6 | 0.4 | 0.2 | 17,921 | 16,618 | 590,984 | 535,659 | 3.0 | 3.1 | 1,662 | 951 |
| 1 | Bermo | | | 0.0 | 0.0 | 1,153 | 1,826 | 74,451 | 60,974 | 1.5 | 3.0 | 0 | 0 |
| 2 | Chandankiyari | | | 0.0 | 0.0 | 1,314 | 1,324 | 57,781 | 47,102 | 2.3 | 2.8 | 0 | 0 |
| 3 | Chas | 33.3 | 55.6 | 1.3 | 0.6 | 6,073 | 4,641 | 200,661 | 169,583 | 3.0 | 2.7 | 1,040 | 13 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | | | 0.0 | 0.0 | 1,921 | 2,249 | 69,702 | 69,386 | 2.8 | 3.2 | 177 | 159 |
| 6 | Jaridih | | | 0.0 | 0.0 | 3,759 | 3,493 | 57,795 | 57,458 | 6.5 | 6.1 | 445 | 779 |
| 7 | Kasmar | | | 0.0 | 0.0 | 1,201 | 940 | 30,280 | 31,955 | 4.0 | 2.9 | 0 | 0 |
| 8 | Nawadih | | | 0.0 | 0.0 | 1,192 | 883 | 54,604 | 59,950 | 2.2 | 1.5 | 0 | 0 |
| 9 | Peterwar | | | 0.0 | 0.0 | 1,308 | 1,262 | 45,710 | 39,251 | 2.9 | 3.2 | 0 | 0 |

| | | 13 | 39 | 14 | 40 | 14 | 41 | 14 | 42 | 14 | 43 | 14 | 14 |
|---|---------------|-----------------|--------------------|----------------------------|------------|---------|---------------------------|----------------------------------|--------------------|-----------|----------|----------|------------|
| | Indicators | Number Opera | of Minor ations | % Major Ope Total Op | rations to | Hyster | per of ectomy eries | Hystere Surgeries Major Op | ectomy to Total | Ayush OPD | (Number) | AYUSH OP | D to Total |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 2,068 | 2,582 | 44.6 | 26.9 | 0 | 0 | 0.0 | 0.0 | 8,736 | 10,040 | 1.4 | 1.8 |
| 1 | Bermo | 204 | 0 | 0.0 | | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |
| 2 | Chandankiyari | 1,012 | 1,406 | 0.0 | 0.0 | 0 | 0 | | | 2,168 | 1,243 | 3.8 | 2.6 |
| 3 | Chas | 348 | 0 | 74.9 | 100.0 | 0 | 0 | 0.0 | 0.0 | 3,508 | 5,763 | 1.7 | 3.4 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 239 | 85 | 42.5 | 65.2 | 0 | 0 | 0.0 | 0.0 | 1,521 | 536 | 2.2 | 0.8 |
| 6 | Jaridih | 203 | 1,091 | 68.7 | 41.7 | 0 | | 0.0 | 0.0 | 584 | 2,211 | 1.0 | 3.8 |
| 7 | Kasmar | 62 | 0 | 0.0 | | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |
| 8 | Nawadih | 0 | 0 | | | 0 | 0 | | | 365 | 287 | 0.7 | 0.5 |
| 9 | Peterwar | 0 | 0 | | | 0 | 0 | | | 590 | 0 | 1.3 | 0.0 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|---------------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bokaro | 1,943 | 6,239 | 0.3 | 1.2 | 4,856 | 5,923 | 2.4 | 2.0 | 1.3 | 2.3 | 0.5 | 0.8 |
| 1 | Bermo | 0 | 0 | 0.0 | 0.0 | 58 | 0 | 6.3 | 4.0 | 1.8 | 13.6 | 1.9 | 5.4 |
| 2 | Chandankiyari | 0 | 0 | 0.0 | 0.0 | 0 | 280 | 0.1 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Chas | 1,943 | 6,239 | 1.0 | 3.7 | 1,180 | 701 | 2.6 | 1.4 | 1.9 | 3.1 | 0.4 | 0.3 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | | 0 | 0.0 | 0.0 | 1,377 | 2,118 | 2.5 | 4.3 | 0.4 | 0.4 | 0.1 | 0.2 |
| 6 | Jaridih | 0 | | 0.0 | 0.0 | 1,100 | 1,181 | 4.5 | 3.3 | 1.4 | 0.4 | 0.2 | 0.3 |
| 7 | Kasmar | 0 | 0 | 0.0 | 0.0 | 469 | 789 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Nawadih | 0 | 0 | 0.0 | 0.0 | 408 | 456 | 1.9 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | Peterwar | 0 | 0 | 0.0 | 0.0 | 264 | 398 | 2.9 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | 154 Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
|------------|---------------|---|---------|---|-----|--|-----|---|-----|--|------|--|------|
| | | | | | | | | | | | | | |
| | | | _Bokaro | 0.7 | 1.2 | 0.4 | 2.5 | 0.4 | 1.1 | 62 | 56 | 0.0 | 2.0 |
| 1 | Bermo | 1.9 | 7.2 | 0.2 | 7.6 | 0.0 | 0.0 | 7 | | 0.0 | | 14.3 | |
| 2 | Chandankiyari | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1 | 1 | 0.0 | | 0.0 | |
| 3 | Chas | 0.8 | 0.8 | 0.1 | 1.4 | 0.3 | 0.4 | 20 | 29 | 0.0 | 0.0 | 10.0 | 7.7 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 0.2 | 0.3 | 0.5 | 1.5 | 1.0 | 3.7 | 1 | 7 | 0.0 | 16.7 | 0.0 | 16.7 |
| 6 | Jaridih | 0.3 | 0.4 | 0.4 | 0.9 | 0.3 | 1.7 | 29 | 8 | 0.0 | 0.0 | 7.1 | 0.0 |
| 7 | Kasmar | 0.0 | 0.0 | 1.4 | 3.6 | 0.6 | 8.2 | 1 | | 0.0 | | 0.0 | |
| 8 | Nawadih | 0.0 | 0.0 | 0.7 | 1.0 | 0.4 | 0.5 | 1 | | 0.0 | | 0.0 | |
| 9 | Peterwar | 0.0 | 0.0 | 0.5 | 0.7 | 1.1 | 1.6 | 2 | 11 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
|------------|---------------|---|---------|---|------|---|------|---|-----|---|-----|--|------|
| | | | | | | | | | | | | | |
| | | | _Bokaro | 23.0 | 18.0 | 9.8 | 6.0 | 0.0 | 2.0 | 8.2 | 0.0 | 0.0 | 0.0 |
| 1 | Bermo | 0.0 | | 14.3 | | 0.0 | | 28.6 | | 0.0 | | 42.9 | |
| 2 | Chandankiyari | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 | |
| 3 | Chas | 30.0 | 23.1 | 0.0 | 11.5 | 0.0 | 0.0 | 5.0 | 0.0 | 0.0 | 0.0 | 55.0 | 57.7 |
| 4 | DHQ | | | | | | | | | | | | |
| 5 | Gomia | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.7 |
| 6 | Jaridih | 14.3 | 25.0 | 17.9 | 0.0 | 0.0 | 0.0 | 7.1 | 0.0 | 0.0 | 0.0 | 53.6 | 75.0 |
| 7 | Kasmar | 100.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 8 | Nawadih | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 | |
| 9 | Peterwar | 100.0 | 10.0 | 0.0 | 0.0 | 0.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 80.0 |