		1	1	7	2	:	3	4	1	!	5	(6
	Indicators	Total nu pregnant Registered	t women	Number of women re within first	egistered	Number o		1st Trii registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	women r ANC ch 2016-17 58,980 6,982	f pregnant eceived 3 eck ups
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	56,592	57,450	36,880	39,210	47,555	46,972	65.1	68.2	84.0	81.8	58,980	55,921
1	Berasia	9,062	7,915	4,980	4,361	9,056	7,912	55.0	55.1	99.9	100.0	6,982	5,706
2	Phanda (Bhopal)	47,530	49,535	31,900	34,849	38,499	39,060	67.1	70.4	81.0	78.9	51,998	50,215

	Indicators _Bhopal Berasia	7	7	8	3	Ç	9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num	nt women	Pregnant received 3 ups to To Registr	ANC check otal ANC	Pregnant received Booster to Regist	TT2 or Total ANC	Number of women give	en 100 IFA	Pregnant given 100 I ANC Reg	FA to Total	Number he level (tested 2016-17 27,780 6,069 21,711	l<11
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	46,993	45,182	104.2	97.3	83.0	78.6	70,165	68,519	123.9	119.2	27,780	25,374
1	Berasia	5,759	5,445	77.0	72.1	63.6	68.8	8,713	8,073	96.1	102.0	6,069	4,792
2	Phanda (Bhopal)	41,234	39,737	109.4	101.4	86.8	80.2	61,452	60,446	129.3	122.0	21,711	20,582

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	anae (Hb	emia <7)	Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	detected ution for on to Total	Number deliv	of Home eries	Number deliveries a SBA tr (Doctor/Ni	ttended by ained	Number deliveries a Non SBA (trained	ttended by trained
	anaemia (Hb<7) treated at institution 2016-17 2015-1		2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	2,987	2,416	10.8	9.5	8.7	10.3	1,364	1,675	386	459	978	1,216
1	Berasia	30	71	0.5	1.5	10.2	16.0	299	402	52	108	247	294
2	Phanda (Bhopal)	2,957	2,345	13.6	11.4	8.4	9.4	1,065	1,273	334	351	731	922

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	SBA attend deliveries Reporte Deliv	ded home s to Total d Home	Mothers incentive deliv	for home	Mothers incentive deliveries Reporte Deliv	for home to Total d Home	Deliveries at Public Ir		Number of Discharged hours of d public f	l under 48 lelivery in	Women dis less than 4 delivery Reported at public in	8 hours of to Total Deliveries
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	28.2	27.4	0	9	0.0	0.5	34,492	33,607	1,177	459	3.4	1.3
1	Berasia	17.4	26.9	0	2	0.0	0.5	4,321	4,181	774	260	17.9	6.2
2	Phanda (Bhopal)	31.4	27.6	0	7	0.0	0.5	30,171	29,426	403	199	1.3	0.7

	Indicators _Bhopal Berasia	2	5	2	6	2	.7	2	8	2	9	3	0
	Indicators	Institu deliv (Public In Inst	eries sts.+Pvt.	Institu Deliverie ANC regi	s to total		eported veries	Institu deliveries Reported	s to Total	Safe deli Total Re Deliv	eported	9 Home del Total Re Deliv	eported
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	48,549	46,904	85.7	81.6	49,913	48,579	97.3	96.6	98.0	97.5	2.7	3.4
1	Berasia	4,321	4,181	47.7	52.8	4,620	4,583	93.5	91.2	94.7	93.6	6.5	8.8
2	Phanda (Bhopal)	44,228	42,723	93.1	86.2	45,293	43,996	97.6	97.1	98.4	97.9	2.4	2.9

	deliveri at pub 2016-17 _Bhopal 7,30	3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	deliveries	conducted	Number of deliveries at private	conducted	% C-section (Public to rep institu (Public deliv	+ Pvt.) orted itional + Pvt.)	C-sections at public for Deliveries at public	acilities to	C-sections at Private f Deliveries at private	acilities to conducted	Deliveries at Public to Total II Deli 2016-17 71.0	6 conducted nstitutions stitutional eries
		Number of C-section deliveries conducted at public facilities		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	7,300	7,084	7,418	7,444	30.3	30.9	21.2	21.1	52.8	56.0	71.0	71.7
1	Berasia	167	99			3.9	2.4	3.9	2.4			100.0	100.0
2	Phanda (Bhopal)	7,133	6,985	7,418	7,444	32.9	33.8	23.6	23.7	52.8	56.0	68.2	68.9

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive for at Public in to Total	or Delivery nstitution I Public	of cases w Incentive ASHA for D Public inst Total Public	e paid to Delivery at	Deliveries at Private I to Total In: Deliv	nstitutions stitutional	Women rec partum o within 48 deli	heck-up hours of	Post - Care / Wor post partur between 48	men got a n check up	Women rec partum o within 48 delivery Reported	theck-up hours of to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	86.5	91.6	26.3	30.0	29.0	28.3	49,315	47,920	46,585	45,936	98.8	98.6
1	Berasia	104.2	101.5	87.9	78.7	0.0	0.0	4,481	4,437	3,981	4,190	97.0	96.8
2	Phanda (Bhopal)	84.0	90.2	17.5	23.1	31.8	31.1	44,834	43,483	42,604	41,746	99.0	98.8

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum (between 48 14 days Deliv	tting Post Checkup B hours and to Total	Total Nu reported l		7 Total Repo Births t Deliv	orted Live o Total	Total Nu reported S		live birth to	6 D Reported th	Number of weighed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	93.3	94.6	49,026	47,741	98.2	98.3	1,245	1,165	97.5	97.6	48,506	47,352
1	Berasia	86.2	91.4	4,561	4,537	98.7	99.0	92	101	98.0	97.8	4,461	4,410
2	Phanda (Bhopal)	94.1	94.9	44,465	43,204	98.2	98.2	1,153	1,064	97.5	97.6	44,045	42,942

	Indicators _Bhopal	4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	% Newborns v birth to l	weighed at	Number of having we than 2	eight less	Newborr weight les kg to Ne weighed	s than 2.5 wborns	Number of Breast Fed		Newborns within 1 ho to Total l	our of birth	Number of visited wit of Home	hin 24 hrs
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	98.9	99.2	6,443	5,676	13.2	11.9	45,347	44,901	92.4	94.0	1,081	1,244
1	Berasia	97.8	97.2	606	534	13.6	12.1	4,436	4,196	97.3	92.5	190	201
2	Phanda (Bhopal)	99.1	99.4	5,837	5,142	13.3	12.0	40,911	40,705	92.0	94.2	891	1,043

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	9 newborn within 24h delivery reporte deliv	s visited rs of home to total	Sex Ra birth (Fe Bitr Male Birtl	male Live ths/	cases of women with Complica attended to deliv	Pregnant h Obstetric tions and	Magsulph ii Total Wo Obst Compli	icated es treated n IV rtensive/ njection to	Compl Pregnancie witl antihype Magsulph ii Total Ne detecte	es treated h IV rtensive/ njection to ew cases	Compl Pregnanci with Transfusio Wome Obst Compli atter	icated es treated Blood n to Total n with etric cations
	Indicators _Bhopal	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	79.2	74.2	923	932	30.1	23.1	10.7	14.3	31.9	26.1	28.4	26.2
1	Berasia	63.5	50.0	929	936	37.1	24.0	15.6	12.7	27.3	10.0	0.2	0.7
2	Phanda (Bhopal)	83.7	81.9	923	932	29.4	23.0	10.1	14.4	33.0	30.5	31.9	28.8

	Indicators _Bhopal Berasia	6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC compli attended Deliv	Natal C maternal cations to Total	Total Nu Abort (Sponta Induced)	ions aneous/	Total Nu MTPs (repo	Public)	% <i>N</i> (Public) to		% MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	e than 12 Pregnancy MTPs at
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	0.5	0.7	7,398	7,883	1,764	1,878	23.8	23.8	98.6	99.1	1.4	0.9
1	Berasia	0.4	0.0	458	629	426	564	93.0	89.7	99.5	99.6	0.5	0.4
2	Phanda (Bhopal)	0.5	0.8	6,940	7,254	1,338	1,314	19.3	18.1	98.3	98.9	1.7	1.1

		6	7	6	8	6	9	7	0	7	1	7	'2
	Indicators	% MTPs Cond Public Instit Total	ducted at tutions to	% MTPs Cond Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	olic) to Total	Number of Tests cond Number of STI female which tr initi	ducted to f new RTI/ e cases for	Condi	tomies	Tubect Condu	per of tomies ucted + Pvt.)
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	26.0	27.3	74.0	72.7	3.1	3.3	0.8	2.0	2,287	1,113	10,383	14,113
1	Berasia	100.0	100.0	0.0	0.0	4.7	7.1	0.0	4.0	50	24	1,171	1,115
2	Phanda (Bhopal)	21.1	20.8	78.9	79.2	2.8	2.7	0.8	1.9	2,237	1,089	9,212	12,998

		7	3	7-	4	7	5	7	6	7	7	7	8
	Indicators	Total Ster		% Male St (Vasect to Total st	omies)	7 Tubector Total ste		Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducted 2016-17 4,388	mies and omies)
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	12,670	15,226	18.0	7.3	81.9	92.7	0	0	1,736	1,797	4,388	4,886
1	Berasia	1,221	1,139	4.1	2.1	95.9	97.9	0	0	1,221	1,139		
2	Phanda (Bhopal)	11,449	14,087	19.5	7.7	80.5	92.3	0	0	515	658	4,388	4,886

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	conducted	mies and omies) I at Other	Total Ste (Tubector Vasector conducted institu	mies and omies) at Private	% Total Sto (Tubecto Vasecto conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasecti conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total St (Tubecto Vasect conducted public Instit Total Ste 2016-17 0.0	mies and omies) I at Other tutions to
		vasectomies) conducted at Other public Institutions 2016-17 2015-1		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal			1,712	732	0.0	0.0	13.7	11.8	34.6	32.1	0.0	0.0
1	Berasia	·				0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)			1,712	732	0.0	0.0	4.5	4.7	38.3	34.7	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Ste (Tubector Vasector conducted institutions Sterlis	mies and omies) at Private s to Total	% Laparo sterlisation Female Ste	scopic s to Total	% Mini Lap St to Total Sterilis	Female	Post P Sterlisation Female Ste	s to Total	Laparo sterlisation Institutions Laparo Sterilis	s at Public to Total scopic	Mini Lap st at Public In to Total Sterilis	stitutions Mini Lap
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	51.7	56.1	62.2	45.6	13.2	21.9	24.6	32.4	52.4	60.8	17.9	15.6
1	Berasia	0.0	0.0	89.5	89.4	2.0	3.7	8.5	6.9	100.0	100.0	100.0	100.0
2	Phanda (Bhopal)	57.2	60.6	58.7	41.9	14.6	23.5	26.7	34.6	43.2	53.6	16.4	14.5

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution Post P Sterili	artum s at Public s to Total artum	Total cases follo Sterlisatio Fem	wing	IUCD Inseri (public f		IUCD insert		Total IUCD done(publi		PP IUCD I done (publi	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	75.0	41.5	0	0	9,241	9,249	3,917	4,905	13,158	14,154	6,491	6,387
1	Berasia	100.0	100.0	0	0	837	717			837	717	379	107
2	Phanda (Bhopal)	74.0	40.5	0	0	8,404	8,532	3,917	4,905	12,321	13,437	6,112	6,280

		9	7	9	8	9	9	10	00	10)1	10	02
	Indicators	% PP IUCD (pul to Tota Insertions	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	institutio	ertions in us private ons to all planning IUCD plus	Oral Pills d	listributed	Condom distrik	•	Centchro distril	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	70.2	69.0	18.8	19.0	50.9	48.1	107,500	123,516	630,767	546,436	0	0
1	Berasia	45.3	14.9	8.8	2.6	40.7	38.6	9,334	10,406	15,213	16,541	0	0
2	Phanda (Bhopal)	72.7	73.6	20.3	21.3	51.8	48.8	98,166	113,110	615,554	529,895	0	0

		10)3	10)4	10)5	10	06	10	07	10	08
	Indicators	Number o given (Birth	OPV 0	Number o		Newborns g at birth to live	Reported	Newborns to Repo		Number o		Number of given 2016-17 1,756 50 1,706	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	42,974	42,399	48,579	47,553	87.7	88.8	99.1	99.6	2,324	2,830	1,756	2,472
1	Berasia	4,078	3,868	4,474	4,334	89.4	85.3	98.1	95.5	53	226	50	228
2	Phanda (Bhopal)	38,896	38,531	44,105	43,219	87.5	89.2	99.2	100.0	2,271	2,604	1,706	2,244

		10)9	11	10	11	11	1	12	11	13	11	14
	Indicators	Number o		Infants months received vaccine to live b	0 to 11 old who Measles reported								
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	1,850	2,728	38,913	38,556	38,032	37,240	37,791	36,624	45,867	40,737	93.5	85.3
1	Berasia	82	273	5,432	4,851	5,163	4,728	4,885	4,625	5,483	4,796	120.2	105.7
2	Phanda (Bhopal)	1,768	2,455	33,481	33,705	32,869	32,512	32,906	31,999	40,384	35,941	90.8	83.2

		11	15	11	16	1	17	11	18	1	19	12	20
	Indicators	Number immunized (9-11 m	d children	9 Drop Out BCG & 1	between	Vitamin -	A dose 1	Children g dose1 to live	Reported	Childre Vitamin A Children g dos	n given Dose 9 to iven Vit A	Adverse Following I	munisation
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	42,533	39,644	5.6	14.3	47,191	40,850	96.3	85.6	35.5	44.7	1,053	116
1	Berasia	3,364	3,111	-22.6	-10.7	5,995	4,770	131.4	105.1	69.0	121.7	202	65
2	Phanda (Bhopal)	39,169	36,533	8.4	16.8	41,196	36,080	92.6	83.5	30.7	34.5	851	51

		12	21	12	22	12	23	12	24	12	25	12	26
	Indicators	immunisation Held to Imr Sessions	on Sessions nunisation	Immunisatio where ASI preser Immunisatio	HAs were	Diptheria i 0-5 Years Total Re Childhood	of Age to eported I Diseases	Pertusis ir 0-5 Years Total Re Childhood	of Age to eported I Diseases	Tetanus Ne in Children of Age t Reported (Diseases (n 0-5 Years to Total Childhood	Tetanus (Children 0- Age to Tota Childhood	-5 Years of I Reported I Diseases
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	98.4	97.0	81.2	76.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Berasia	97.5	94.8	79.2	81.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	98.5	97.4	81.6	75.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported (Diseases (ildren 0-5 ge to Total Childhood	Measles in 0-5 Years Total Re Childhood	of Age to eported I Diseases	Diarrho dehydra Children 0- Age to Tota Childhood 0-5 Y	bea and ation in -5 Years of I Reported I Diseases	Malaria in C Years of Ag Reported C Diseases	Childhood	9 Adult F Inpatients Adult In	emale to Total	% Children In _I Total In	patient to
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	0.0	0.0	0.2	0.1	95.9	95.5	3.8	4.4	59.5	60.0	19.9	17.8
1	Berasia	0.0	0.0	8.4	0.2	86.0	93.8	5.6	6.0	95.8	95.2	4.0	7.7
2	Phanda (Bhopal)	0.0	0.0	0.1	0.1	96.1	95.5	3.8	4.4	58.6	59.2	20.2	18.0

		13	33	13	34	1:	35	13	36	13	37	13	38
	Indicators	Female I Deaths t Inpatien	npatient to Total	% Inpatient [Tota	Deaths to	IPD (Nu	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera 2016-17 56,853 382	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	40.0	38.2	0.9	1.2	333,180	306,504	5,307,254	5,192,873	6.3	5.9	56,853	54,024
1	Berasia	0.0	0.0	0.0	0.0	6,076	5,720	145,626	146,481	4.2	3.9	382	97
2	Phanda (Bhopal)	40.0	38.2	1.0	1.2	327,104	300,784	5,161,628	5,046,392	6.3	6.0	56,471	53,927

		13	39	14	10	14	41	14	42	14	43	14	14
	Indicators	Number Opera		% Major Ope Total Op	rations to	Numb Hystere Surge	ectomy	Hystere Surgeries Major Op		Ayush OPD	(Number)	AYUSH OP OF	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	65,427	59,066	46.5	47.8	3,692	3,860	6.4	7.1	96,324	70,466	1.8	1.3
1	Berasia	1,214	1,638	23.9	5.6	25	8	6.5	8.2	26,165	18,438	18.0	12.6
2	Phanda (Bhopal)	64,213	57,428	46.8	48.4	3,667	3,852	6.5	7.1	70,159	52,028	1.4	1.0

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	57,078	48,737	1.1	0.9	1,825	11,652	4.3	3.9	0.2	0.3	0.0	0.1
1	Berasia	0	0	0.0	0.0	121	467	1.9	2.5	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	57,078	48,737	1.1	1.0	1,704	11,185	4.4	3.9	0.2	0.3	0.0	0.1

		151		152		153		154		155		156	
Indicators		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	0.1	0.1	1.3	1.6	0.7	0.5	1,398	1,286	19.7	23.1	16.1	18.3
1	Berasia	0.0	0.0	1.0	0.7	0.0	0.0	43	84	0.0	0.0	0.0	1.6
2	Phanda (Bhopal)	0.1	0.1	1.4	2.2	0.9	0.8	1,355	1,202	20.6	25.3	16.8	19.8

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhopal	7.0	8.1	4.8	4.5	0.6	0.9	1.9	1.4	0.0	0.0	49.7	43.6
1	Berasia	31.3	9.4	3.1	3.1	0.0	0.0	9.4	6.3	0.0	0.0	56.3	79.7
2	Phanda (Bhopal)	6.0	8.0	4.9	4.6	0.7	1.0	1.6	1.0	0.0	0.0	49.5	40.3