

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to September

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	17,321	17,637	14,829	14,641	15,384	12,379	85.6	83.0	88.8	70.2	16,151	17,012
1	Gangavati	5,138	5,599	4,331	4,589	4,144	4,043	84.3	82.0	80.7	72.2	4,808	5,232
2	Koppal	4,617	4,472	3,996	3,782	4,017	3,129	86.5	84.6	87.0	70.0	4,289	4,147
3	Kushtagi	3,973	3,893	3,382	3,151	3,800	2,669	85.1	80.9	95.6	68.6	4,251	4,481
4	Yelburga	3,593	3,673	3,120	3,119	3,423	2,538	86.8	84.9	95.3	69.1	2,803	3,152

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	16,471	16,329	93.2	96.4	95.0	92.5	10,426	15,959	60.1	90.4	23,093	16,985
1	Gangavati	4,973	4,982	93.6	93.4	96.8	89.0	2,204	5,146	42.9	91.9	7,453	5,987
2	Koppal	4,481	4,091	92.9	92.7	97.1	91.5	5,553	3,221	120.3	72.0	5,603	3,709
3	Kushtagi	3,926	3,854	107.0	115.1	98.8	99.0	1,341	4,524	33.8	116.2	5,922	3,787
4	Yelburga	3,091	3,402	78.0	85.8	86.0	92.6	1,328	3,068	37.0	83.5	4,115	3,502

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	734	626	3.2	3.7	4.2	2.6	858	803	201	245	657	558
1	Gangavati	207	311	2.8	5.2	3.2	2.4	241	215	97	105	144	110
2	Koppal	339	131	6.1	3.5	7.5	1.4	105	205	28	60	77	145
3	Kushtagi	108	105	1.8	2.8	4.2	4.5	300	192	36	49	264	143
4	Yelburga	80	79	1.9	2.3	1.6	2.5	212	191	40	31	172	160

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	23.4	30.5	19	60	2.2	7.5	10,581	9,917	768	739	7.2	7.4
1	Gangavati	40.2	48.8	17	0	7.1	0.0	3,014	3,006	175	94	5.8	3.1
2	Koppal	26.7	29.3	0	4	0.0	2.0	2,584	2,114	366	341	14.2	16.1
3	Kushtagi	12.0	25.5	0	56	0.0	29.2	3,023	2,626	96	225	3.2	8.6
4	Yelburga	18.9	16.2	2	0	0.9	0.0	1,960	2,171	131	79	6.7	3.6

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to September

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	11,398	10,680	65.8	60.5	12,256	11,483	93.0	93.0	94.6	95.1	7.0	7.0
1	Gangavati	3,622	3,461	70.5	61.8	3,863	3,676	93.8	94.2	96.3	97.0	6.2	5.8
2	Koppal	2,776	2,418	60.1	54.1	2,881	2,623	96.4	92.2	97.3	94.5	3.6	7.8
3	Kushtagi	3,040	2,630	76.5	67.6	3,340	2,822	91.0	93.2	92.1	94.9	9.0	6.8
4	Yelburga	1,960	2,171	54.6	59.1	2,172	2,362	90.2	91.9	92.1	93.2	9.8	8.1

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1,219	757	241	167	12.8	8.6	11.5	7.6	29.5	21.9	92.8	92.9
1	Gangavati	249	175	183	115	11.9	8.4	8.3	5.8	30.1	25.3	83.2	86.9
2	Koppal	353	28	48	52	14.4	3.3	13.7	1.3	25.0	17.1	93.1	87.4
3	Kushtagi	533	301	10	0	17.9	11.4	17.6	11.5	58.8	0.0	99.4	99.8
4	Yelburga	84	253			4.3	11.7	4.3	11.7			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	65.2	18.7	0.0	0.2	7.2	7.1	11,241	9,739	14,680	12,911	91.7	84.8
1	Gangavati	75.1	23.4	0.0	0.0	16.8	13.1	3,144	2,823	4,390	3,921	81.4	76.8
2	Koppal	58.2	13.0	0.0	0.0	6.9	12.6	2,770	1,968	3,807	2,783	96.1	75.0
3	Kushtagi	73.9	18.1	0.0	0.0	0.6	0.2	3,247	2,590	3,666	3,335	97.2	91.8
4	Yelburga	45.8	18.4	0.0	0.7	0.0	0.0	2,080	2,358	2,817	2,872	95.8	99.8

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	119.8	112.4	12,103	11,246	98.8	97.9	265	266	97.9	97.7	11,833	10,784
1	Gangavati	113.6	106.7	3,842	3,588	99.5	97.6	36	75	99.1	98.0	3,602	3,182
2	Koppal	132.1	106.1	2,892	2,590	100.4	98.7	81	40	97.3	98.5	2,870	2,583
3	Kushtagi	109.8	118.2	3,234	2,744	96.8	97.2	106	101	96.8	96.4	3,243	2,722
4	Yelburga	129.7	121.6	2,135	2,324	98.3	98.4	42	50	98.1	97.9	2,118	2,297

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	97.8	95.9	2,158	1,551	18.2	14.3	11,550	10,269	95.4	91.3	745	523
1	Gangavati	93.8	88.7	428	449	11.9	14.1	3,552	3,038	92.5	84.7	188	146
2	Koppal	99.2	99.7	652	347	22.7	13.4	2,781	2,544	96.2	98.2	105	123
3	Kushtagi	100.3	99.2	848	425	26.1	15.6	3,234	2,724	100.0	99.3	286	165
4	Yelburga	99.2	98.8	230	330	10.9	14.4	1,983	1,963	92.9	84.5	166	89

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	86.8	65.1	934	948	10.8	7.8	13.0	22.4	22.0	40.6	38.7	87.9
1	Gangavati	78.0	67.9	939	920	4.1	6.4	37.3	19.0	34.4	30.7	94.7	77.8
2	Koppal	100.0	60.0	932	909	14.4	1.4	8.3	115.2	9.6	62.3	22.6	215.2
3	Kushtagi	95.3	85.9	899	981	19.1	11.2	9.1	22.4	31.7	37.5	34.2	160.5
4	Yelburga	78.3	46.6	981	1,000	5.6	13.5	17.4	14.6	33.9	47.3	45.0	8.5

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to September

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1.8	0.9	312	321	88	79	28.2	24.6	64.8	62.0	35.2	38.0
1	Gangavati	0.8	0.7	83	89	21	36	25.3	40.4	57.1	55.6	42.9	44.4
2	Koppal	4.7	1.0	115	99	25	17	21.7	17.2	48.0	52.9	52.0	47.1
3	Kushtagi	1.5	1.3	52	55	42	25	80.8	45.5	78.6	76.0	21.4	24.0
4	Yelburga	0.2	0.5	62	78	0	1	0.0	1.3		100.0		0.0

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	100.0	100.0	0.0	0.0	0.5	0.4	0.0	0.1	31	10	4,979	4,794
1	Gangavati	100.0	100.0	0.0	0.0	0.4	0.6	0.0	0.3	1	2	1,530	1,508
2	Koppal	100.0	100.0	0.0	0.0	0.5	0.4	0.0	0.0	30	7	1,213	1,176
3	Kushtagi	100.0	100.0	0.0	0.0	1.1	0.6	0.0	0.0	0	1	1,308	1,196
4	Yelburga		100.0		0.0	0.0	0.0	0.0	0.0	0	0	928	914

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to September

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	5,010	4,804	0.6	0.2	99.4	99.8	1,676	1,707	1,596	1,645	1,738	1,427
1	Gangavati	1,531	1,510	0.1	0.1	99.9	99.9	158	214	636	673	737	623
2	Koppal	1,243	1,183	2.4	0.6	97.6	99.4	754	735	265	264	224	159
3	Kushtagi	1,308	1,197	0.0	0.1	100.0	99.9	501	553	216	198	591	446
4	Yelburga	928	914	0.0	0.0	100.0	100.0	263	205	479	510	186	199

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal			0	0	33.5	35.5	31.9	34.2	34.7	29.7	0.0	0.0
1	Gangavati			0	0	10.3	14.2	41.5	44.6	48.1	41.3	0.0	0.0
2	Koppal			0	0	60.7	62.1	21.3	22.3	18.0	13.4	0.0	0.0
3	Kushtagi			0	0	38.3	46.2	16.5	16.5	45.2	37.3	0.0	0.0
4	Yelburga					28.3	22.4	51.6	55.8	20.0	21.8	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	0.0	0.5	74.3	75.2	20.3	20.2	5.3	4.6	100.0	100.0	100.0	97.4
1	Gangavati	0.0	0.0	76.9	76.4	15.9	18.4	7.3	5.2	100.0	100.0	100.0	100.0
2	Koppal	0.0	2.1	68.1	66.4	31.7	32.2	0.2	1.4	100.0	100.0	100.0	93.4
3	Kushtagi	0.0	0.0	80.3	85.1	9.6	9.7	10.2	5.2	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	69.8	71.3	28.0	21.6	2.2	7.1	100.0	100.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	100.0	100.0	0	0	1,517	1,669	3	4	1,520	1,673	852	0
1	Gangavati	100.0	100.0	0	0	281	316	0	0	281	316	0	0
2	Koppal	100.0	100.0	0	0	672	598	0	0	672	598	66	0
3	Kushtagi	100.0	100.0	0	0	245	314	3	4	248	318	81	0
4	Yelburga	100.0	100.0	0	0	319	441			319	441	705	0

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	56.1	0.0	8.0	0.0	23.2	25.8	9,260	19,014	191,616	155,990	0	474
1	Gangavati	0.0	0.0	0.0	0.0	15.5	17.3	2,132	4,767	56,592	37,671	0	0
2	Koppal	9.8	0.0	2.6	0.0	35.1	33.6	3,225	8,314	52,799	50,965	0	365
3	Kushtagi	33.1	0.0	2.7	0.0	15.9	21.0	2,124	2,303	46,627	43,652	0	9
4	Yelburga	221.0	0.0	36.0	0.0	25.6	32.5	1,779	3,630	35,598	23,702	0	100

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to September

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	14,883	13,443	17,964	16,427	123.0	119.5	148.4	146.1	169	4,940	184	6,152
1	Gangavati	4,630	4,627	5,222	4,976	120.5	129.0	135.9	138.7	63	2,300	72	2,542
2	Koppal	4,322	3,338	4,933	4,321	149.4	128.9	170.6	166.8	102	740	108	1,365
3	Kushtagi	3,517	3,083	4,627	4,008	108.8	112.4	143.1	146.1	4	1,398	4	1,390
4	Yelburga	2,414	2,395	3,182	3,122	113.1	103.1	149.0	134.3	0	502	0	855

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to September

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	232	7,526	15,530	13,285	15,230	11,872	15,339	10,379	15,036	13,847	124.2	123.1
1	Gangavati	78	3,013	4,900	4,251	4,921	3,741	4,900	3,388	4,864	4,130	126.6	115.1
2	Koppal	151	1,840	4,182	3,610	4,053	3,224	4,190	2,580	4,320	3,972	149.4	153.4
3	Kushtagi	3	1,499	3,446	3,100	3,287	2,803	3,275	2,506	3,066	2,956	94.8	107.7
4	Yelburga	0	1,174	3,002	2,324	2,969	2,104	2,974	1,905	2,786	2,789	130.5	120.0

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	14,527	13,353	16.3	15.7	13,297	14,339	109.9	127.5	111.1	121.5	400	438
1	Gangavati	4,698	3,998	6.9	17.0	4,265	4,108	111.0	114.5	123.4	123.1	126	159
2	Koppal	4,100	3,848	12.4	8.1	3,485	3,980	120.5	153.7	120.9	186.1	240	245
3	Kushtagi	2,971	2,832	33.7	26.2	2,851	3,378	88.2	123.1	90.3	35.7	4	4
4	Yelburga	2,758	2,675	12.4	10.7	2,696	2,873	126.3	123.6	101.0	130.7	30	30

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	97.2	98.9	69.6	66.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	99.2	97.5	69.3	62.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	92.7	100.9	71.0	64.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	98.9	99.2	68.3	69.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	98.4	98.0	69.8	70.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	0.0	0.0	4.0	4.0	94.9	95.0	1.0	1.0	68.2	64.5	10.2	10.2
1	Gangavati	0.0	0.0	1.0	2.6	99.0	96.2	0.0	1.2	74.2	68.8	7.7	9.2
2	Koppal	0.0	0.0	8.4	1.2	91.6	97.5	0.0	1.3	63.3	61.9	11.0	9.1
3	Kushtagi	0.0	0.0	2.1	8.5	94.9	91.0	3.0	0.5	73.2	66.4	9.6	9.8
4	Yelburga	0.0	0.0	2.3	2.8	97.2	96.5	0.5	0.8	63.1	60.6	12.4	12.7

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	38.8	40.2	0.5	0.5	49,504	43,194	600,650	588,068	8.2	7.3	1,144	814
1	Gangavati	32.2	46.9	0.5	0.5	13,049	11,840	160,211	163,379	8.1	7.2	45	75
2	Koppal	39.7	39.3	0.9	0.8	14,425	10,771	172,676	150,709	8.4	7.1	409	92
3	Kushtagi	40.0	33.3	0.4	0.3	9,934	9,579	111,336	105,917	8.9	9.0	604	394
4	Yelburga	60.0	30.8	0.1	0.1	12,096	11,004	156,427	168,063	7.7	6.5	86	253

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	5,437	4,599	17.4	15.0	120	0	10.4	0.0	61,315	62,734	10.2	10.6
1	Gangavati	944	928	4.6	7.5	22	0	48.9	0.0	21,199	17,124	13.2	10.5
2	Koppal	2,816	2,005	12.7	4.4	37		9.0	0.0	15,640	16,476	9.1	10.9
3	Kushtagi	1,158	1,231	34.3	24.2	61	0	10.1	0.0	16,306	16,023	14.6	15.1
4	Yelburga	519	435	14.2	36.8	0		0.0	0.0	8,170	13,111	5.2	7.8

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	451	958	0.1	0.2	4,647	5,057	8.4	7.2	2.7	4.4	0.9	1.2
1	Gangavati	53	115	0.0	0.1	1,248	1,212	12.6	8.0	3.7	6.3	1.3	1.5
2	Koppal	110	16	0.1	0.0	961	956	10.1	10.5	2.5	5.0	0.8	1.0
3	Kushtagi	2	0	0.0	0.0	1,594	1,921	3.4	4.5	2.7	2.8	0.8	0.9
4	Yelburga	286	827	0.2	0.5	844	968	4.7	4.7	1.6	2.7	0.4	1.1

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1.3	1.9	1.5	0.4	0.0	0.0	85	90	1.3	2.3	22.8	24.1
1	Gangavati	1.9	2.5	0.2	0.3	0.0	0.0	36	50	3.2	4.0	22.6	32.0
2	Koppal	1.3	2.0	1.8	0.8	0.0	0.0	17	8	0.0	0.0	23.5	16.7
3	Kushtagi	1.3	1.4	2.8	0.3	0.0	0.0	17	21	0.0	0.0	31.3	15.0
4	Yelburga	0.7	1.4	0.3	0.3	0.0	0.1	15	11	0.0	0.0	13.3	9.1

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	30.4	25.3	5.1	5.7	1.3	0.0	1.3	0.0	0.0	0.0	38.0	42.5
1	Gangavati	22.6	24.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	51.6	38.0
2	Koppal	52.9	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.5	66.7
3	Kushtagi	18.8	30.0	6.3	15.0	0.0	0.0	6.3	0.0	0.0	0.0	37.5	40.0
4	Yelburga	33.3	27.3	20.0	9.1	6.7	0.0	0.0	0.0	0.0	0.0	26.7	54.5