

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	8,417	10,772	6,224	8,167	6,321	5,652	73.9	75.8	75.1	52.5	8,405	18,849
1	Devanahalli	1,901	2,620	1,544	1,854	1,517	1,395	81.2	70.8	79.8	53.2	1,903	2,640
2	Doddaballapur	2,332	2,540	1,798	1,774	1,796	1,718	77.1	69.8	77.0	67.6	2,377	4,785
3	Hosakote	2,404	2,091	1,589	1,490	1,652	1,308	66.1	71.3	68.7	62.6	2,165	5,649
4	Nelamanagala	1,780	3,521	1,293	3,049	1,356	1,231	72.6	86.6	76.2	35.0	1,960	5,775

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	8,825	13,355	99.8	174.9	104.8	123.9	8,930	15,434	106.0	143.2	7,075	6,422
1	Devanahalli	2,044	2,908	100.1	100.8	107.5	111.0	2,081	2,296	109.5	87.6	1,755	663
2	Doddaballapur	2,575	2,765	101.9	188.4	110.4	108.9	2,472	2,014	106.0	79.3	1,117	1,022
3	Hosakote	3,038	4,446	90.1	270.2	126.4	212.6	2,328	6,357	96.8	304.0	2,740	4,090
4	Nelamanagala	1,168	3,236	110.1	164.0	65.6	91.9	2,049	4,767	115.1	135.4	1,463	647

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	369	1,518	5.2	23.6	6.8	6.1	7	18	5	13	2	5
1	Devanahalli	16	25	0.9	3.8	2.0	1.6	3	4	2	4	1	0
2	Doddaballapur	18	52	1.6	5.1	0.4	1.0	0	2	0	1	0	1
3	Hosakote	316	1,418	11.5	34.7	20.3	27.2	1	4	1	3	0	1
4	Nelamanagala	19	23	1.3	3.6	2.1	0.6	3	8	2	5	1	3

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	71.4	72.2	0	2	0.0	11.1	2,570	2,940	1,065	1,195	41.4	40.6
1	Devanahalli	66.7	100.0	0	0	0.0	0.0	327	344	181	187	55.4	54.4
2	Doddaballapur		50.0	0	1		50.0	1,118	1,354	183	151	16.4	11.2
3	Hosakote	100.0	75.0	0	1	0.0	25.0	578	610	447	396	77.3	64.9
4	Nelamanagala	66.7	62.5	0	0	0.0	0.0	547	632	254	461	46.4	72.9

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	4,532	5,086	53.8	47.2	4,539	5,104	99.8	99.6	100.0	99.9	0.2	0.4
1	Devanahalli	420	451	22.1	17.2	423	455	99.3	99.1	99.8	100.0	0.7	0.9
2	Doddaballapur	1,257	1,448	53.9	57.0	1,257	1,450	100.0	99.9	100.0	99.9	0.0	0.1
3	Hosakote	1,970	2,149	81.9	102.8	1,971	2,153	99.9	99.8	100.0	100.0	0.1	0.2
4	Nelamanagala	885	1,038	49.7	29.5	888	1,046	99.7	99.2	99.9	99.7	0.3	0.8

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	304	241	1,020	911	29.2	22.6	11.8	8.2	52.0	42.5	56.7	57.8
1	Devanahalli	20	10	52	49	17.1	13.1	6.1	2.9	55.9	45.8	77.9	76.3
2	Doddaballapur	162	164	80	52	19.3	14.9	14.5	12.1	57.6	55.3	88.9	93.5
3	Hosakote	27	2	661	514	34.9	24.0	4.7	0.3	47.5	33.4	29.3	28.4
4	Nelamanagala	95	65	227	296	36.4	34.8	17.4	10.3	67.2	72.9	61.8	60.9

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	41.2	41.1	1.9	3.9	43.3	42.2	2,929	3,260	4,809	3,601	64.5	63.9
1	Devanahalli	56.0	57.8	0.0	0.0	22.1	23.7	277	230	1,185	959	65.5	50.5
2	Doddaballapur	26.0	21.5	0.4	0.0	11.1	6.5	834	990	1,224	1,094	66.3	68.3
3	Hosakote	61.8	88.7	4.0	18.0	70.7	71.6	1,121	1,469	1,062	786	56.9	68.2
4	Nelamanagala	41.7	27.8	4.0	0.9	38.2	39.1	697	571	1,338	762	78.5	54.6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	105.9	70.6	4,526	5,075	99.7	99.4	26	36	99.4	99.3	4,243	4,571
1	Devanahalli	280.1	210.8	421	453	99.5	99.6	2	2	99.5	99.6	384	322
2	Doddaballapur	97.4	75.4	1,254	1,430	99.8	98.6	3	21	99.8	98.6	1,210	1,198
3	Hosakote	53.9	36.5	1,959	2,147	99.4	99.7	12	10	99.4	99.5	1,761	2,147
4	Nelamanagala	150.7	72.8	892	1,045	100.5	99.9	9	3	99.0	99.7	888	904

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	93.7	90.1	492	512	11.5	11.2	4,239	4,734	93.6	93.2	3	17
1	Devanahalli	91.2	71.1	59	69	15.4	21.4	372	342	88.4	75.5	1	3
2	Doddaballapur	96.5	83.8	80	85	6.6	7.1	1,210	1,415	96.5	99.0	0	1
3	Hosakote	89.9	100.0	309	305	17.5	14.2	1,810	2,049	92.4	95.4	1	7
4	Nelamanagala	99.6	86.5	44	53	5.0	5.9	847	928	95.0	88.8	1	6

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	42.8	94.4	906	959	0.0	8.4	3100.0	33.6	10.8	22.0	7050.0	77.6
1	Devanahalli	33.3	75.0	940	798	0.5	0.0	0.0		0.0	4.8	0.0	
2	Doddaballapur		50.0	947	943	0.0	0.0			0.0	0.0		
3	Hosakote	100.0	175.0	848	982	0.0	19.0		31.9	11.3	22.9		80.9
4	Nelamanagala	33.3	75.0	965	1,010	0.0	2.0		57.1	18.9	57.1		0.0

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	4.7	4.3	546	275	124	110	22.7	40.0	91.9	92.7	8.1	7.3
1	Devanahalli	0.5	0.0	19	13	9	11	47.4	84.6	100.0	90.9	0.0	9.1
2	Doddaballapur	0.0	0.1	57	5	57	47	100.0	940.0	91.2	85.1	8.8	14.9
3	Hosakote	10.2	9.8	381	224	35	33	9.2	14.7	100.0	100.0	0.0	0.0
4	Nelamanagala	1.2	0.7	89	33	23	19	25.8	57.6	78.3	100.0	21.7	0.0

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	24.5	21.4	75.5	78.6	1.5	1.0	0.0	9.6	6	4	2,159	2,306
1	Devanahalli	81.8	100.0	18.2	0.0	0.5	0.4	0.0	0.0	0	1	342	313
2	Doddaballapur	100.0	100.0	0.0	0.0	2.4	1.9	0.0	20.7	4	0	548	540
3	Hosakote	9.8	7.9	90.2	92.1	1.5	1.6	0.0	0.4	0	0	653	810
4	Nelamanagala	28.0	48.7	72.0	51.3	1.3	0.5	0.0	0.0	2	3	616	643

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	2,165	2,310	0.2	0.1	99.7	99.8	0	3	118	0	1,704	1,854
1	Devanahalli	342	314	0.0	0.3	100.0	99.7	0	0	118	0	218	314
2	Doddaballapur	552	540	0.7	0.0	99.3	100.0	0	0			529	524
3	Hosakote	653	810	0.0	0.0	100.0	100.0	0	3			377	415
4	Nelamanagala	618	646	0.3	0.5	99.7	99.5	0	0	0	0	580	601

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural			2	0	0.0	0.1	5.5	0.0	78.7	80.3	0.0	0.0
1	Devanahalli			0	0	0.0	0.0	34.5	0.0	63.7	100.0	0.0	0.0
2	Doddaballapur			2	0	0.0	0.0	0.0	0.0	95.8	97.0	0.0	0.0
3	Hosakote			0	0	0.0	0.4	0.0	0.0	57.7	51.2	0.0	0.0
4	Nelamanagala			0	0	0.0	0.0	0.0	0.0	93.9	93.0	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	15.8	19.6	72.8	76.9	15.4	12.7	11.7	10.3	95.2	93.2	64.3	43.2
1	Devanahalli	1.8	0.0	87.7	98.7	10.8	0.3	1.5	1.0	100.0	100.0	97.3	100.0
2	Doddaballapur	4.2	3.0	60.2	67.0	26.3	21.1	13.5	11.9	99.7	99.7	99.3	98.2
3	Hosakote	42.3	48.4	63.6	64.1	20.2	16.8	16.2	19.1	82.2	77.5	20.5	9.6
4	Nelamanagala	6.1	7.0	85.6	90.7	3.2	6.7	11.2	2.6	100.0	99.5	40.0	2.3

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	42.1	31.0	0	0	1,119	1,231	425	665	1,544	1,896	0	
1	Devanahalli	0.0	100.0	0	0	253	323	4	0	257	323	0	
2	Doddaballapur	74.3	79.7	0	0	366	487	28	27	394	514	0	
3	Hosakote	8.5	1.9	0	0	357	267	333	587	690	854	0	
4	Nelamanagala	62.3	100.0	0	0	143	154	60	51	203	205	0	

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	0.0	0.0	0.0	0.0	41.6	45.0	16,242	15,480	137,174	102,621	670	892
1	Devanahalli	0.0	0.0	0.0	0.0	42.9	50.7	2,934	2,518	24,694	18,426	0	4
2	Doddaballapur	0.0	0.0	0.0	0.0	41.6	48.8	6,231	7,016	44,181	32,301	50	127
3	Hosakote	0.0	0.0	0.0	0.0	51.4	51.3	4,366	3,536	36,452	22,833	300	461
4	Nelamanagala	0.0	0.0	0.0	0.0	24.7	24.1	2,711	2,410	31,847	29,061	320	300

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	4,111	5,034	7,097	8,011	90.8	99.2	156.8	157.9	1,359	9,523	2,348	9,527
1	Devanahalli	316	497	986	1,228	75.1	109.7	234.2	271.1	12	2,076	367	2,043
2	Doddaballapur	1,256	1,395	2,459	2,763	100.2	97.6	196.1	193.2	349	2,729	457	2,713
3	Hosakote	1,568	2,144	2,428	2,744	80.0	99.9	123.9	127.8	894	3,192	1,189	3,187
4	Nelamanagala	971	998	1,224	1,276	108.9	95.5	137.2	122.1	104	1,526	335	1,584

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	3,433	9,861	7,648		6,576		5,943		6,895	9,527	152.3	187.7
1	Devanahalli	696	2,191	1,853		1,436		1,310		1,287	2,124	305.7	468.9
2	Doddaballapur	599	2,898	2,148		1,966		2,037		1,982	2,816	158.1	196.9
3	Hosakote	1,635	3,198	1,881		1,612		1,278		2,283	2,983	116.5	138.9
4	Nelamanagala	503	1,574	1,766		1,562		1,318		1,343	1,604	150.6	153.5

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	6,942	8,576	2.8	-18.9	7,065	6,583	156.1	129.7	169.5	68.1	0	0
1	Devanahalli	1,256	1,800	-30.5	-73.0	1,512	1,295	359.1	285.9	311.5	108.1	0	0
2	Doddaballapur	1,972	1,841	19.4	-1.9	2,181	1,776	173.9	124.2	184.7	105.6	0	0
3	Hosakote	2,369	3,342	6.0	-8.7	2,075	2,034	105.9	94.7	96.9	33.1	0	0
4	Nelamanagala	1,345	1,593	-9.7	-25.7	1,297	1,478	145.4	141.4	94.4	36.3	0	0

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	94.6	89.9	64.2	64.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Devanahalli	97.5	97.8	70.2	70.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Doddaballapur	94.8	93.9	68.0	68.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Hosakote	96.8	95.2	76.4	79.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Nelamanagala	89.3	72.2	39.6	39.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	0.0	0.0	0.5	2.1	94.9	97.5	4.5	0.5	56.0	58.3	13.7	12.5
1	Devanahalli	0.0	0.0	0.0	7.4	55.0	92.6	45.0	0.0	77.5	86.7	14.4	6.7
2	Doddaballapur	0.0	0.0	6.8	3.0	93.2	88.1	0.0	9.0	54.7	62.8	6.4	5.1
3	Hosakote	0.0	0.0	0.0	2.8	100.0	97.2	0.0	0.0	55.8	57.9	14.5	13.8
4	Nelamanagala	0.0	0.0	0.3	0.8	99.4	99.2	0.3	0.0	52.3	43.2	9.6	6.5

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	43.5	34.1	0.7	0.7	28,351	25,368	631,638	545,726	4.5	4.6	5,003	4,101
1	Devanahalli	93.3	16.7	2.3	1.6	665	387	82,010	66,941	0.8	0.6	48	17
2	Doddaballapur	60.7	25.0	1.4	1.3	1,961	2,817	144,314	122,042	1.4	2.3	228	176
3	Hosakote	39.9	40.7	0.6	0.5	24,442	21,206	314,074	271,883	7.8	7.8	4,700	3,850
4	Nelamanagala	13.0	23.1	1.8	2.7	1,283	958	91,240	84,860	1.4	1.1	27	58

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	12,922	12,560	27.9	24.6	0		0.0	0.0	2,008	1,902	0.3	0.3
1	Devanahalli	60	14	44.4	54.8			0.0	0.0	788	251	1.0	0.4
2	Doddaballapur	989	1,071	18.7	14.1	0		0.0	0.0	405	1,080	0.3	0.9
3	Hosakote	11,867	11,463	28.4	25.1			0.0	0.0	695	571	0.2	0.2
4	Nelamanagala	6	12	81.8	82.9			0.0	0.0	120	0	0.1	0.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	1,600	1,441	0.3	0.3	1,276	853	4.5	4.4	1.4	65.8	3.4	64.7
1	Devanahalli	491	81	0.6	0.1	474	463	1.7	1.2	1.0	14.0	8.2	12.2
2	Doddaballapur	405	349	0.3	0.3	86	46	6.1	6.9	0.8	78.2	1.4	128.3
3	Hosakote	584	871	0.2	0.3	703	206	5.1	4.1	2.1	148.3	3.3	95.5
4	Nelamanagala	120	140	0.1	0.2	13	138	1.3	6.1	1.0	40.9	0.6	34.4

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	2.5	65.1	0.0	0.1	0.0	0.0	47	1	15.2	0.0	13.0	0.0
1	Devanahalli	5.2	13.0	0.0	0.3	0.0	0.0	16	1	18.8	0.0	12.5	0.0
2	Doddaballapur	1.2	107.3	0.0	0.0	0.0	0.0	13		23.1		23.1	
3	Hosakote	2.8	112.6	0.0	0.1	0.0	0.0	5		0.0		0.0	
4	Nelamanagala	0.8	37.2	0.0	0.0	0.0	0.0	13		8.3		8.3	

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	8.7	100.0	15.2	0.0	0.0	0.0	2.2	0.0	0.0	0.0	45.7	0.0
1	Devanahalli	12.5	100.0	18.8	0.0	0.0	0.0	6.3	0.0	0.0	0.0	31.3	0.0
2	Doddaballapur	7.7		7.7		0.0		0.0		0.0		38.5	
3	Hosakote	0.0		0.0		0.0		0.0		0.0		100.0	
4	Nelamanagala	8.3		25.0		0.0		0.0		0.0		50.0	