

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to June

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	9,930	8,754	8,319	7,477	8,743	7,495	83.7	85.4	88.0	85.6	8,143	7,933
1	Gangavati	3,322	2,557	2,749	2,131	2,646	2,054	82.8	83.3	79.7	80.3	2,416	2,391
2	Koppal	2,483	2,398	2,143	2,065	2,242	2,085	86.3	86.1	90.3	86.9	2,816	1,870
3	Kushtagi	2,122	1,977	1,748	1,699	1,916	1,689	82.4	85.9	90.3	85.4	1,814	2,240
4	Yelburga	2,003	1,822	1,679	1,582	1,939	1,667	83.8	86.8	96.8	91.5	1,097	1,432

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	8,344	8,246	82.0	90.6	84.0	94.1	1,808	4,226	18.2	48.2	11,275	11,393
1	Gangavati	2,583	2,403	72.7	93.5	77.8	94.0	220	1,252	6.6	49.0	3,771	3,802
2	Koppal	2,166	2,349	113.4	78.0	87.2	98.0	542	1,647	21.8	68.7	2,548	2,674
3	Kushtagi	2,007	1,923	85.5	113.3	94.6	97.3	805	820	37.9	41.5	2,717	2,968
4	Yelburga	1,588	1,571	54.8	78.6	79.3	86.2	241	507	12.0	27.8	2,239	1,949

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	428	219	3.8	1.9	3.2	2.6	457	409	87	102	370	307
1	Gangavati	155	111	4.1	2.9	2.1	2.7	102	116	42	49	60	67
2	Koppal	152	25	6.0	0.9	3.9	2.8	70	40	18	9	52	31
3	Kushtagi	47	50	1.7	1.7	5.7	3.1	188	149	10	27	178	122
4	Yelburga	74	33	3.3	1.7	1.6	1.6	97	104	17	17	80	87

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	19.0	24.9	11	3	2.4	0.7	5,505	5,243	428	379	7.7	7.2
1	Gangavati	41.2	42.2	9	1	8.8	0.9	1,494	1,528	15	34	1.0	2.2
2	Koppal	25.7	22.5	0	0	0.0	0.0	1,567	1,240	210	246	13.4	19.8
3	Kushtagi	5.3	18.1	0	0	0.0	0.0	1,522	1,448	73	39	4.8	2.7
4	Yelburga	17.5	16.3	2	2	2.1	1.9	922	1,027	130	60	14.1	5.8

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to June

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	5,852	5,673	58.9	64.8	6,309	6,082	92.8	93.3	94.1	95.0	7.2	6.7
1	Gangavati	1,777	1,860	53.5	72.7	1,879	1,976	94.6	94.1	96.8	96.6	5.4	5.9
2	Koppal	1,621	1,330	65.3	55.5	1,691	1,370	95.9	97.1	96.9	97.7	4.1	2.9
3	Kushtagi	1,532	1,456	72.2	73.6	1,720	1,605	89.1	90.7	89.7	92.4	10.9	9.3
4	Yelburga	922	1,027	46.0	56.4	1,019	1,131	90.5	90.8	92.1	92.3	9.5	9.2

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	610	533	96	132	12.0	11.7	11.1	10.2	27.7	30.7	94.1	92.4
1	Gangavati	147	119	94	107	13.6	12.2	9.8	7.8	33.2	32.2	84.1	82.2
2	Koppal	250	117	0	21	15.4	10.4	16.0	9.4	0.0	23.3	96.7	93.2
3	Kushtagi	167	224	2	4	11.0	15.7	11.0	15.5	20.0	50.0	99.3	99.5
4	Yelburga	46	73			5.0	7.1	5.0	7.1			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	50.7	61.6	0.1	0.0	5.9	7.6	5,763	5,529	7,361	6,995	91.3	90.9
1	Gangavati	68.3	67.8	0.0	0.0	15.9	17.8	1,560	1,563	2,294	2,083	83.0	79.1
2	Koppal	23.5	56.2	0.3	0.0	3.3	6.8	1,613	1,326	2,014	1,698	95.4	96.8
3	Kushtagi	77.4	65.9	0.0	0.0	0.7	0.5	1,594	1,564	1,768	1,744	92.7	97.4
4	Yelburga	24.1	52.7	0.0	0.0	0.0	0.0	996	1,076	1,285	1,470	97.7	95.1

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	116.7	115.0	6,199	6,014	98.3	98.9	115	103	98.2	98.3	6,173	5,846
1	Gangavati	122.1	105.4	1,858	1,961	98.9	99.2	23	18	98.8	99.1	1,872	1,820
2	Koppal	119.1	123.9	1,675	1,384	99.1	101.0	25	18	98.5	98.7	1,651	1,370
3	Kushtagi	102.8	108.7	1,681	1,552	97.7	96.7	44	52	97.4	96.8	1,671	1,546
4	Yelburga	126.1	130.0	985	1,117	96.7	98.8	23	15	97.7	98.7	979	1,110

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	99.6	97.2	974	944	15.7	16.1	6,085	5,681	98.1	94.4	443	343
1	Gangavati	100.8	92.8	443	165	23.7	9.1	1,846	1,806	99.4	92.1	83	94
2	Koppal	98.6	99.0	261	416	15.8	30.4	1,642	1,317	98.0	95.2	71	40
3	Kushtagi	99.4	99.6	170	232	10.2	15.0	1,680	1,540	99.9	99.2	193	135
4	Yelburga	99.4	99.4	100	131	10.2	11.8	917	1,018	93.1	91.1	96	74

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	96.9	83.8	929	925	10.1	7.9	16.5	15.5	30.5	31.0	33.4	52.1
1	Gangavati	81.4	81.0	900	953	6.9	3.7	26.8	36.8	47.8	35.7	38.2	57.4
2	Koppal	101.4	100.0	925	883	19.9	10.6	5.0	13.5	16.3	28.8	13.3	39.7
3	Kushtagi	102.7	90.6	950	921	5.9	11.1	41.1	8.1	30.3	21.3	108.9	67.7
4	Yelburga	99.0	71.2	958	936	6.4	8.1	20.3	15.7	37.5	44.8	18.6	38.6

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	0.8	2.6	253	143	41	34	16.2	23.8	63.4	64.7	36.6	35.3
1	Gangavati	0.9	0.6	46	42	20	12	43.5	28.6	60.0	50.0	40.0	50.0
2	Koppal	1.8	7.2	77	54	17	9	22.1	16.7	58.8	77.8	41.2	22.2
3	Kushtagi	0.3	2.9	75	21	3	13	4.0	61.9	100.0	69.2	0.0	30.8
4	Yelburga	0.0	0.1	55	26	1	0	1.8	0.0	100.0		0.0	

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	95.3	100.0	4.7	0.0	0.4	0.4	0.1	0.0	1	0	2,521	2,469
1	Gangavati	100.0	100.0	0.0	0.0	0.6	0.5	0.0	0.0	0	0	793	745
2	Koppal	100.0	100.0	0.0	0.0	0.7	0.4	0.0	0.0	1	0	577	647
3	Kushtagi	60.0	100.0	40.0	0.0	0.1	0.7	0.0	0.0	0	0	716	592
4	Yelburga	100.0		0.0		0.0	0.0	0.5	0.0	0	0	435	485

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	2,522	2,469	0.0	0.0	100.0	100.0	806	918	946	773	764	778
1	Gangavati	793	745	0.0	0.0	100.0	100.0	39	102	420	290	328	353
2	Koppal	578	647	0.2	0.0	99.8	100.0	311	414	187	139	80	94
3	Kushtagi	716	592	0.0	0.0	100.0	100.0	320	272	104	83	292	237
4	Yelburga	435	485	0.0	0.0	100.0	100.0	136	130	235	261	64	94

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal			0	0	32.0	37.2	37.5	31.3	30.3	31.5	0.0	0.0
1	Gangavati			0	0	4.9	13.7	53.0	38.9	41.4	47.4	0.0	0.0
2	Koppal			0	0	53.8	64.0	32.4	21.5	13.8	14.5	0.0	0.0
3	Kushtagi			0	0	44.7	45.9	14.5	14.0	40.8	40.0	0.0	0.0
4	Yelburga					31.3	26.8	54.0	53.8	14.7	19.4	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	0.2	0.0	80.1	74.3	14.3	20.4	5.5	5.3	100.0	100.0	100.0	100.0
1	Gangavati	0.8	0.0	76.7	76.1	15.4	16.6	7.9	7.2	100.0	100.0	100.0	100.0
2	Koppal	0.0	0.0	80.2	69.2	19.8	30.4	0.0	0.3	100.0	100.0	100.0	100.0
3	Kushtagi	0.0	0.0	82.3	84.0	8.7	6.1	9.1	10.0	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	82.8	66.4	14.3	30.1	3.0	3.5	100.0	100.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	95.7	100.0	0	0	543	707	12	0	555	707	28	39
1	Gangavati	90.5	100.0	0	0	143	123	11	0	154	123	0	0
2	Koppal		100.0	0	0	236	300	0	0	236	300	23	21
3	Kushtagi	100.0	100.0	0	0	61	124	1	0	62	124	4	13
4	Yelburga	100.0	100.0	0	0	103	160			103	160	1	5

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to June

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	5.1	5.5	0.5	0.7	18.0	22.2	5,763	6,280	90,388	86,899	0	0
1	Gangavati	0.0	0.0	0.0	0.0	16.3	14.2	2,085	1,204	24,829	26,759	0	0
2	Koppal	9.7	7.0	1.5	1.7	29.0	31.7	1,494	2,328	23,572	19,043	0	0
3	Kushtagi	6.6	10.5	0.3	0.9	8.0	17.3	950	1,832	22,782	22,682	0	0
4	Yelburga	1.0	3.1	0.1	0.5	19.1	24.8	1,234	916	19,205	18,415	0	0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to June

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	7,011	7,350	9,200	9,062	113.1	122.2	148.4	150.7	68	119	41	124
1	Gangavati	2,379	2,258	2,823	2,613	128.0	115.1	151.9	133.2	22	19	28	18
2	Koppal	1,971	2,147	2,594	2,472	117.7	155.1	154.9	178.6	29	97	9	102
3	Kushtagi	1,631	1,687	2,325	2,260	97.0	108.7	138.3	145.6	17	3	2	4
4	Yelburga	1,030	1,258	1,458	1,717	104.6	112.6	148.0	153.7	0	0	2	0

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	26	159	8,292	7,578	7,939	7,333	7,809	7,315	8,235	7,009	132.8	116.5
1	Gangavati	20	25	2,442	2,349	2,329	2,331	2,377	2,264	2,332	2,221	125.5	113.3
2	Koppal	2	131	2,274	2,014	2,180	1,929	2,204	1,970	2,351	2,062	140.4	149.0
3	Kushtagi	3	3	1,919	1,696	1,762	1,603	1,681	1,596	1,679	1,420	99.9	91.5
4	Yelburga	1	0	1,657	1,519	1,668	1,470	1,547	1,485	1,873	1,306	190.2	116.9

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	8,123	6,748	10.5	22.7	7,660	6,274	123.6	104.3	13.2	7.3	189	215
1	Gangavati	2,231	2,145	17.4	15.0	2,360	2,038	127.0	103.9	10.2	4.3	46	57
2	Koppal	2,381	1,942	9.4	16.6	1,795	1,681	107.2	121.5	15.8	19.3	127	131
3	Kushtagi	1,650	1,370	27.8	37.2	1,651	1,303	98.2	84.0	6.7	3.1	0	4
4	Yelburga	1,861	1,291	-28.5	23.9	1,854	1,252	188.2	112.1	20.3	0.2	16	23

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	98.5	98.3	66.1	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	96.5	98.0	63.1	66.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	102.3	97.8	68.7	77.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	98.2	98.8	65.0	65.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	97.2	98.9	68.0	70.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	0.0	0.0	1.3	4.4	98.7	94.6	0.0	1.0	67.9	69.9	9.4	10.3
1	Gangavati	0.0	0.0	0.6	1.7	99.4	98.3	0.0	0.0	74.2	74.0	6.2	8.8
2	Koppal	0.0	0.0	2.3	7.6	97.7	92.4	0.0	0.0	65.4	65.0	7.9	12.8
3	Kushtagi	0.0	0.0	0.8	3.1	99.2	94.1	0.0	2.8	74.2	74.7	9.5	9.0
4	Yelburga	0.0	0.0	1.4	4.2	98.6	94.9	0.0	0.8	61.0	66.6	13.4	9.9

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to June

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	36.2	37.8	0.4	0.5	29,324	24,184	306,541	292,817	9.6	8.3	866	410
1	Gangavati	37.5	35.7	0.4	0.4	6,706	6,561	82,759	77,860	8.1	8.4	252	16
2	Koppal	40.6	32.9	0.8	1.0	8,596	6,957	90,178	83,285	9.5	8.4	361	109
3	Kushtagi	34.8	64.3	0.4	0.3	5,441	4,949	54,483	56,121	10.0	8.8	207	210
4	Yelburga	14.3	50.0	0.2	0.1	8,581	5,717	79,121	75,551	10.8	7.6	46	75

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to June

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	3,255	2,504	21.0	14.1	65	58	7.5	14.1	36,215	30,273	11.8	10.3
1	Gangavati	341	437	42.5	3.5	19	13	7.5	81.3	10,758	10,615	13.0	13.6
2	Koppal	1,843	1,113	16.4	8.9	10	17	2.8	15.6	9,387	7,535	10.4	9.0
3	Kushtagi	797	674	20.6	23.8	32	28	15.5	13.3	10,854	8,329	19.9	14.8
4	Yelburga	274	280	14.4	21.1	4	0	8.7	0.0	5,216	3,794	6.6	5.0

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	385	282	0.1	0.1	2,053	2,280	7.9	8.7	2.5	2.9	0.7	1.0
1	Gangavati	0	50	0.0	0.1	614	684	12.7	12.7	3.3	4.0	0.7	1.4
2	Koppal	385	0	0.4	0.0	367	437	8.5	9.6	1.8	3.1	0.5	1.1
3	Kushtagi	0	0	0.0	0.0	566	772	3.1	3.9	2.6	2.1	1.2	0.8
4	Yelburga	0	232	0.0	0.3	506	387	4.0	4.9	2.5	2.2	0.5	0.5

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1.1	1.5	0.2	1.9	0.0	0.0	52	54	2.0	2.1	32.0	20.8
1	Gangavati	1.2	1.9	0.1	0.2	0.0	0.0	15	22	0.0	5.9	26.7	23.5
2	Koppal	0.9	1.7	0.0	0.0	0.0	0.0	17	7	6.3	0.0	43.8	28.6
3	Kushtagi	1.5	1.1	0.3	5.7	0.0	0.0	14	11	0.0	0.0	38.5	30.0
4	Yelburga	1.0	0.9	0.2	0.3	0.0	0.0	6	14	0.0	0.0	0.0	7.1

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	20.0	33.3	4.0	6.3	0.0	2.1	0.0	2.1	0.0	0.0	42.0	33.3
1	Gangavati	26.7	29.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.7	41.2
2	Koppal	12.5	71.4	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0
3	Kushtagi	15.4	10.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	46.2	50.0
4	Yelburga	33.3	35.7	0.0	21.4	0.0	7.1	0.0	0.0	0.0	0.0	66.7	28.6