

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	8,751	7,948	7,236	6,452	6,135	5,447	82.6	81.1	70.1	68.5	8,580	9,065
1	Gangavati	2,722	2,559	2,212	1,867	1,973	1,783	81.3	73.0	72.5	69.7	2,587	2,638
2	Koppal	2,264	2,119	1,926	1,877	1,572	1,398	85.1	88.6	69.4	66.0	2,063	2,110
3	Kushtagi	1,909	1,724	1,530	1,404	1,323	1,167	80.1	81.4	69.3	67.7	2,259	2,216
4	Yelburga	1,856	1,546	1,568	1,304	1,267	1,099	84.5	84.3	68.3	71.1	1,671	2,101

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	8,095	7,721	98.0	114.0	92.5	97.1	7,535	8,163	86.1	102.7	8,138	7,204
1	Gangavati	2,436	2,547	95.0	103.1	89.5	99.5	2,332	2,273	85.7	88.8	2,783	2,236
2	Koppal	2,011	1,826	91.1	99.6	88.8	86.2	1,567	2,422	69.2	114.3	1,832	1,649
3	Kushtagi	1,851	1,573	118.3	128.5	97.0	91.2	2,281	1,876	119.5	108.8	1,759	1,820
4	Yelburga	1,797	1,775	90.0	135.9	96.8	114.8	1,355	1,592	73.0	103.0	1,764	1,499

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	327	321	4.0	4.5	2.5	4.5	387	656	120	164	267	492
1	Gangavati	146	127	5.2	5.7	2.5	6.1	114	211	57	75	57	136
2	Koppal	85	80	4.6	4.9	1.5	5.2	102	146	30	34	72	112
3	Kushtagi	51	75	2.9	4.1	4.0	2.0	81	176	18	19	63	157
4	Yelburga	45	39	2.6	2.6	2.4	3.9	90	123	15	36	75	87

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	31.0	25.0	10	16	2.6	2.4	4,977	5,641	424	676	8.5	11.9
1	Gangavati	50.0	35.5	0	0	0.0	0.0	1,485	1,727	58	100	3.9	5.8
2	Koppal	29.4	23.3	2	11	2.0	7.5	1,083	1,139	156	113	14.4	9.9
3	Kushtagi	22.2	10.8	8	1	9.9	0.6	1,304	1,415	167	183	12.8	12.9
4	Yelburga	16.7	29.3	0	4	0.0	3.3	1,105	1,360	43	280	3.9	20.6

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	5,309	6,290	60.6	79.1	5,696	6,946	93.2	90.6	95.3	92.9	6.8	9.4
1	Gangavati	1,679	2,239	61.7	87.5	1,793	2,450	93.6	91.4	96.8	94.4	6.4	8.6
2	Koppal	1,220	1,272	53.9	60.0	1,322	1,418	92.3	89.7	94.6	92.1	7.7	10.3
3	Kushtagi	1,305	1,419	68.4	82.3	1,386	1,595	94.2	89.0	95.5	90.2	5.8	11.0
4	Yelburga	1,105	1,360	59.5	88.0	1,195	1,483	92.5	91.7	93.7	94.1	7.5	8.3

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	414	378	90	253	9.4	10.0	8.3	6.7	27.1	39.0	93.7	89.7
1	Gangavati	95	81	52	253	8.8	14.9	6.4	4.7	26.8	49.4	88.4	77.1
2	Koppal	23	47	38	0	5.0	3.7	2.1	4.1	27.7	0.0	88.8	89.5
3	Kushtagi	139	69	0	0	10.7	4.9	10.7	4.9	0.0	0.0	99.9	99.7
4	Yelburga	157	181			14.2	13.3	14.2	13.3			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	10.0	46.2	0.3	1.2	6.3	10.3	4,678	5,992	6,554	6,804	82.1	86.3
1	Gangavati	17.5	61.8	0.0	0.0	11.6	22.9	1,365	1,922	1,998	2,018	76.1	78.4
2	Koppal	9.1	38.6	0.0	0.0	11.2	10.5	940	1,289	1,374	1,653	71.1	90.9
3	Kushtagi	5.1	45.9	0.0	0.0	0.1	0.3	1,162	1,343	1,743	1,632	83.8	84.2
4	Yelburga	6.7	32.8	1.4	4.9	0.0	0.0	1,211	1,438	1,439	1,501	101.3	97.0

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	115.1	98.0	5,585	6,906	98.1	99.4	130	179	97.7	97.5	5,397	6,781
1	Gangavati	111.4	82.4	1,754	2,413	97.8	98.5	39	59	97.8	97.6	1,596	2,406
2	Koppal	103.9	116.6	1,308	1,468	98.9	103.5	16	29	98.8	98.1	1,301	1,392
3	Kushtagi	125.8	102.3	1,357	1,565	97.9	98.1	45	30	96.8	98.1	1,348	1,552
4	Yelburga	120.4	101.2	1,166	1,460	97.6	98.4	30	61	97.5	96.0	1,152	1,431

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	96.6	98.2	707	782	13.0	11.5	5,106	6,240	91.4	90.3	234	448
1	Gangavati	91.0	99.7	217	260	13.6	10.8	1,531	2,050	87.3	85.0	75	141
2	Koppal	99.5	94.8	182	180	14.0	12.9	1,254	1,381	95.9	94.1	57	85
3	Kushtagi	99.3	99.2	161	170	11.9	11.0	1,338	1,537	98.6	98.2	65	133
4	Yelburga	98.8	98.0	147	172	12.8	12.0	983	1,272	84.3	87.1	37	89

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	60.4	68.2	940	906	7.8	8.1	23.4	20.5	44.1	29.1	67.8	53.5
1	Gangavati	65.8	66.8	909	901	6.1	5.0	20.4	38.1	31.3	27.4	72.8	92.0
2	Koppal	55.9	58.2	921	921	0.5	6.5	383.3	26.5	67.6	20.0	450.0	88.0
3	Kushtagi	80.2	75.6	1,013	916	11.1	5.9	26.2	11.9	50.0	29.4	116.6	73.8
4	Yelburga	41.1	72.4	927	889	14.9	17.1	9.7	12.9	35.6	50.0	7.9	15.1

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	0.6	1.1	155	130	37	35	23.9	26.9	78.4	57.1	21.6	42.9
1	Gangavati	0.7	0.5	43	34	17	14	39.5	41.2	70.6	14.3	29.4	85.7
2	Koppal	0.8	2.3	50	33	9	5	18.0	15.2	77.8	40.0	22.2	60.0
3	Kushtagi	0.4	1.2	28	23	10	15	35.7	65.2	90.0	100.0	10.0	0.0
4	Yelburga	0.5	0.7	34	40	1	1	2.9	2.5	100.0	100.0	0.0	0.0

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	100.0	71.4	0.0	28.6	0.4	0.4	0.0	1.3	1	1	2,353	2,571
1	Gangavati	100.0	51.9	0.0	48.1	0.6	0.5	0.0	0.0	0	0	768	842
2	Koppal	100.0	100.0	0.0	0.0	0.4	0.2	0.0	0.0	0	1	559	639
3	Kushtagi	100.0	93.8	0.0	6.3	0.5	0.9	0.0	0.0	1	0	597	598
4	Yelburga	100.0	100.0	0.0	0.0	0.1	0.1	0.0	6.8	0	0	429	492

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	2,354	2,572	0.0	0.0	100.0	100.0	871	900	790	865	672	711
1	Gangavati	768	842	0.0	0.0	100.0	100.0	124	119	342	331	302	337
2	Koppal	559	640	0.0	0.2	100.0	99.8	364	361	126	160	48	78
3	Kushtagi	598	598	0.2	0.0	99.8	100.0	276	267	95	136	227	195
4	Yelburga	429	492	0.0	0.0	100.0	100.0	107	153	227	238	95	101

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal			0	0	37.0	35.0	33.6	33.6	28.5	27.6	0.0	0.0
1	Gangavati			0	0	16.1	14.1	44.5	39.3	39.3	40.0	0.0	0.0
2	Koppal			0	0	65.1	56.4	22.5	25.0	8.6	12.2	0.0	0.0
3	Kushtagi			0	0	46.2	44.6	15.9	22.7	38.0	32.6	0.0	0.0
4	Yelburga					24.9	31.1	52.9	48.4	22.1	20.5	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	0.9	3.7	75.5	74.1	19.3	21.4	5.1	4.5	100.0	98.9	95.4	89.8
1	Gangavati	0.0	6.5	73.7	68.3	20.3	26.0	6.0	5.7	100.0	97.7	100.0	84.9
2	Koppal	3.8	6.4	71.7	70.3	25.6	27.4	2.7	2.3	100.0	98.2	85.3	86.9
3	Kushtagi	0.0	0.0	86.8	91.6	9.4	6.5	3.9	1.8	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	67.8	67.5	23.3	24.0	8.9	8.5	100.0	100.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	100.0	83.6	0	0	864	616	2	88	866	704	0	
1	Gangavati	100.0	81.3	0	0	159	136	0	5	159	141	0	
2	Koppal	100.0	33.3	0	0	327	141	0	70	327	211	0	
3	Kushtagi	100.0	100.0	0	0	172	96	2	13	174	109	0	
4	Yelburga	100.0	100.0	0	0	206	243			206	243	0	

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	0.0	0.0	0.0	0.0	26.8	21.4	9,453	7,327	75,669	63,108	189	290
1	Gangavati	0.0	0.0	0.0	0.0	17.2	14.3	2,279	1,307	16,285	23,954	0	10
2	Koppal	0.0	0.0	0.0	0.0	36.9	24.8	4,212	2,834	24,902	14,165	85	60
3	Kushtagi	0.0	0.0	0.0	0.0	22.5	15.4	1,100	1,059	22,742	12,626	5	220
4	Yelburga	0.0	0.0	0.0	0.0	32.4	33.1	1,862	2,127	11,740	12,363	99	0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	6,490	7,464	8,152	9,536	116.2	108.1	146.0	138.1	2,574	8,211	3,679	7,722
1	Gangavati	2,198	2,691	2,433	3,040	125.3	111.5	138.7	126.0	1,197	2,782	1,420	2,631
2	Koppal	1,587	1,861	2,149	2,451	121.3	126.8	164.3	167.0	337	2,156	902	2,069
3	Kushtagi	1,562	1,484	2,019	2,213	115.1	94.8	148.8	141.4	790	1,728	803	1,646
4	Yelburga	1,143	1,428	1,551	1,832	98.0	97.8	133.0	125.5	250	1,545	554	1,376

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	4,790	7,653	6,118		4,697		3,446		6,978	7,597	124.9	110.0
1	Gangavati	1,817	2,608	2,065		1,562		1,237		2,105	2,596	120.0	107.6
2	Koppal	1,222	2,078	1,580		1,167		597		1,925	2,099	147.2	143.0
3	Kushtagi	939	1,616	1,516		1,213		1,040		1,567	1,604	115.5	102.5
4	Yelburga	812	1,351	957		755		572		1,381	1,298	118.4	88.9

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	6,749	6,861	14.4	20.3	6,488	7,074	116.2	102.4	1.9	5.1	170	199
1	Gangavati	2,053	1,903	13.5	14.6	1,890	2,414	107.8	100.0	3.1	0.4	65	63
2	Koppal	1,858	2,121	10.4	14.4	1,803	2,098	137.8	142.9	0.0	0.0	91	121
3	Kushtagi	1,517	1,595	22.4	27.5	1,477	1,396	108.8	89.2	4.3	25.1	0	1
4	Yelburga	1,321	1,242	11.0	29.1	1,318	1,166	113.0	79.9	0.0	0.0	14	14

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	97.5	97.3	66.4	65.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	96.4	95.9	62.2	55.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	98.8	98.2	64.5	64.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	98.7	98.8	71.4	72.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	96.1	96.9	69.3	73.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	0.0	0.0	6.1	3.2	93.3	95.1	0.6	1.7	62.5	63.9	11.0	10.6
1	Gangavati	0.0	0.0	4.6	2.7	93.8	97.3	1.6	0.0	66.9	72.8	9.2	8.3
2	Koppal	0.0	0.0	1.2	0.9	98.8	96.7	0.0	2.4	61.0	63.7	10.4	7.2
3	Kushtagi	0.0	0.0	13.2	7.5	86.3	89.8	0.6	2.7	61.6	67.2	12.3	11.5
4	Yelburga	0.0	0.0	3.3	2.7	96.3	96.5	0.4	0.8	60.0	57.0	12.6	13.7

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	40.9	38.3	0.4	0.5	21,336	26,422	287,850	289,153	7.4	9.1	461	4,107
1	Gangavati	41.9	38.5	0.5	0.9	5,968	5,496	79,320	77,196	7.5	7.1	35	81
2	Koppal	42.5	42.1	0.7	0.9	5,421	6,506	75,997	93,995	7.1	6.9	79	63
3	Kushtagi	33.3	36.4	0.3	0.2	4,559	4,819	51,640	45,964	8.8	10.5	190	3,783
4	Yelburga	50.0	12.5	0.0	0.1	5,388	9,601	80,893	71,998	6.7	13.3	157	180

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	2,147	1,724	17.7	70.4	0		0.0	0.0	28,628	22,429	9.9	7.7
1	Gangavati	493	481	6.6	14.4	0		0.0	0.0	7,280	6,101	9.2	7.9
2	Koppal	872	723	8.3	8.0			0.0	0.0	6,781	5,959	8.9	6.3
3	Kushtagi	538	328	26.1	92.0	0		0.0	0.0	8,087	4,909	15.7	10.7
4	Yelburga	244	192	39.2	48.4			0.0	0.0	6,480	5,460	8.0	7.6

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	277	456	0.1	0.2	2,233	1,816	7.0	7.6	4.3	13.3	1.3	6.7
1	Gangavati	44	71	0.1	0.1	521	471	7.0	7.5	6.1	8.2	1.8	2.5
2	Koppal	16	42	0.0	0.0	516	662	11.0	11.5	5.0	6.8	1.1	4.0
3	Kushtagi	0	0	0.0	0.0	811	174	4.8	6.7	3.0	31.1	0.9	14.0
4	Yelburga	217	343	0.3	0.5	385	509	4.8	4.4	2.6	13.5	1.1	10.1

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	2.0	8.0	0.6	1.3	0.0	0.0	44	30	4.7	12.5	23.3	20.8
1	Gangavati	2.7	3.6	0.2	4.5	0.0	0.0	26	8	7.7	0.0	30.8	16.7
2	Koppal	2.0	4.6	1.6	0.1	0.0	0.0	2	7	0.0	40.0	0.0	20.0
3	Kushtagi	1.4	17.5	0.3	0.6	0.0	0.0	10	10	0.0	10.0	10.0	20.0
4	Yelburga	1.5	10.8	0.4	0.4	0.0	0.0	6	5	0.0	0.0	16.7	33.3

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	25.6	20.8	2.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0	44.2	29.2
1	Gangavati	26.9	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.6	50.0
2	Koppal	0.0	20.0	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0
3	Kushtagi	30.0	20.0	10.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	50.0	30.0
4	Yelburga	16.7	0.0	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	66.7	33.3