| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|--------------|--|--|--|--|--|--|---|--|--|---|---|--|--|
| 1 | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 24,223 | 15,984 | 65.9 | 3,100 | 11,422 | 10,471 | 12.7 | 90.3 | 12,500 | 51.6 | 18,736 | 100 | 18.8 |
| 1 | Bandikui | 4,781 | 3,365 | 70.4 | 901 | 2,221 | 2,241 | 18.8 | 93.3 | 3,345 | 70.0 | 5,734 | 27 | 13.6 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 6,430 | 3,873 | 60.2 | 747 | 2,889 | 2,614 | 11.6 | 85.6 | 2,779 | 43.2 | 5,001 | 19 | 44.2 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 5,019 | 3,335 | 66.4 | 328 | 2,098 | 2,386 | 6.5 | 89.3 | 2,130 | 42.4 | 3,936 | 34 | 21.0 |
| 6 | Mahwa | 4,055 | 2,726 | 67.2 | 927 | 2,487 | 1,366 | 22.9 | 95.0 | 2,194 | 54.1 | 2,681 | 11 | 25.6 |
| 7 | Sikrai | 3,938 | 2,685 | 68.2 | 197 | 1,727 | 1,864 | 5.0 | 91.2 | 2,052 | 52.1 | 1,384 | 9 | 10.6 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|---|--------------|--|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| | Indicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt , Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 1.4 | 71 | 30 | 41 | 42.2 | 17,282 | 84 | 0.4 | 7,894 | 2,194 | 27.7 | 25,176 | 103.9 |
| 1 | Bandikui | 1.5 | 18 | 13 | 5 | 72.2 | 1,722 | 61 | 3.5 | 2,765 | 2,186 | 79.1 | 4,487 | 93.9 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 1.1 | 21 | 9 | 12 | 42.9 | 9,046 | 0 | 0.0 | 822 | 0 | 0.0 | 9,868 | 153.5 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 2.2 | 4 | 1 | 3 | 25.0 | 2,270 | 0 | 0.0 | 163 | 8 | 4.9 | 2,433 | 48.5 |
| 6 | Mahwa | 0.6 | 7 | 0 | 7 | 0.0 | 2,778 | 0 | 0.0 | 3,689 | 0 | 0.0 | 6,467 | 159.5 |
| 7 | Sikrai | 1.8 | 21 | 7 | 14 | 33.3 | 1,466 | 23 | 1.6 | 455 | 0 | 0.0 | 1,921 | 48.8 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|---|--------------|---------------------------------|--|--|---|---|--|--|---|---|--|---|--|--|
| | Indicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 25,247 | 99.7 | 99.8 | 0.3 | 448 | 374 | 3.2 | 2.6 | 4.7 | 68.6 | 31.4 | 148 | 11,457 |
| 1 | Bandikui | 4,505 | 99.6 | 99.9 | 0.4 | 1 | 170 | 3.8 | 0.1 | 6.1 | 38.4 | 61.6 | 7 | 638 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 9,889 | 99.8 | 99.9 | 0.2 | 443 | 183 | 6.3 | 4.9 | 22.3 | 91.7 | 8.3 | 63 | 9,248 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 2,437 | 99.8 | 99.9 | 0.2 | 0 | 0 | 0.0 | 0.0 | 0.0 | 93.3 | 6.7 | 7 | 270 |
| 6 | Mahwa | 6,474 | 99.9 | 99.9 | 0.1 | 4 | 0 | 0.1 | 0.1 | 0.0 | 43.0 | 57.0 | 64 | 904 |
| 7 | Sikrai | 1,942 | 98.9 | 99.3 | 1.1 | 0 | 21 | 1.1 | 0.0 | 4.6 | 76.3 | 23.7 | 7 | 397 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|---|--------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| | Indicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 208.5 | 45.4 | 25,043 | 99.2 | 320 | 98.7 | 25,001 | 99.8 | 2,688 | 10.7 | 23,585 | 94.1 | 919 |
| 1 | Bandikui | 38.9 | 14.2 | 4,496 | 99.8 | 21 | 99.5 | 4,428 | 98.5 | 153 | 3.5 | 4,028 | 89.6 | 921 |
| 2 | Baswa | | | | | | | | | | | | | 0 |
| 3 | Dausa | 300.0 | 93.5 | 9,791 | 99.0 | 191 | 98.1 | 9,813 | 100.2 | 1,647 | 16.8 | 8,803 | 89.9 | 878 |
| 4 | Dausa *Urban | | | | | | | | | | | | | 0 |
| 5 | Lalsot | 175.0 | 11.1 | 2,398 | 98.4 | 29 | 98.8 | 2,406 | 100.3 | 396 | 16.5 | 2,400 | 100.1 | 958 |
| 6 | Mahwa | 914.3 | 14.0 | 6,424 | 99.2 | 71 | 98.9 | 6,419 | 99.9 | 456 | 7.1 | 6,419 | 99.9 | 969 |
| 7 | Sikrai | 33.3 | 20.4 | 1,934 | 99.6 | 8 | 99.6 | 1,935 | 100.1 | 36 | 1.9 | 1,935 | 100.1 | 915 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|---|--------------|---|---|--|---|--|---|---|---|--|---|--|---|---|
| | Indicators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 2.2 | 96.3 | 4,656 | 19.2 | 3,915 | 16.2 | 295 | 1.2 | 0 | 0.0 | 1,812 | 0 | 7.5 |
| 1 | Bandikui | 0.2 | 0.0 | 1,832 | 38.3 | 1,522 | 31.8 | 22 | 0.5 | 0 | 0.0 | 5 | 0 | 0.1 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 5.6 | 99.1 | 595 | 9.3 | 915 | 14.2 | 6 | 0.1 | 0 | 0.0 | 1,585 | 0 | 24.7 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 0.0 | | 362 | 7.2 | 206 | 4.1 | 75 | 1.5 | 0 | 0.0 | 128 | 0 | 2.6 |
| 6 | Mahwa | 0.0 | | 1,590 | 39.2 | 926 | 22.8 | 143 | 3.5 | 0 | 0.0 | 4 | 0 | 0.1 |
| 7 | Sikrai | 0.5 | 0.0 | 277 | 7.0 | 346 | 8.8 | 49 | 1.2 | 0 | 0.0 | 90 | 0 | 2.3 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|---|--------------|--|--|---------------------------------|---|--|---|------------------------------------|---|---|---|--|---|--|
| 1 | Indicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 0.0 | | 18 | 0 | 437 | 172 | 28.2 | 87.8 | 12.2 | 100.0 | 0.0 | 0.7 | 9 |
| 1 | Bandikui | 0.0 | | 4 | 0 | 15 | 0 | 0.0 | | | | | 0.0 | 3 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 0.0 | | 5 | 0 | 193 | 10 | 4.9 | 100.0 | 0.0 | 100.0 | 0.0 | 0.2 | 4 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 0.0 | | 5 | 0 | 140 | 151 | 51.9 | 86.1 | 13.9 | 100.0 | 0.0 | 3.0 | 2 |
| 6 | Mahwa | 0.0 | | 2 | 0 | 68 | 9 | 11.7 | 100.0 | 0.0 | 100.0 | 0.0 | 0.2 | 0 |
| 7 | Sikrai | 0.0 | | 2 | 0 | 21 | 2 | 8.7 | 100.0 | 0.0 | 100.0 | 0.0 | 0.1 | 0 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|---|--------------|--|---|---|--|---|---|---|--|--|---|---|--|--|
| | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 3,866 | 3,875 | 0.2 | 99.8 | | | | | 2,209 | 1,666 | 57.0 | 43.0 | 56.1 |
| 1 | Bandikui | 1,052 | 1,055 | 0.3 | 99.7 | | | | | 992 | 63 | 94.0 | 6.0 | 59.0 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 1,343 | 1,347 | 0.3 | 99.7 | | | | | 1,160 | 187 | 86.1 | 13.9 | 10.9 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 405 | 407 | 0.5 | 99.5 | | | | | 0 | 407 | 0.0 | 100.0 | 100.0 |
| 6 | Mahwa | 719 | 719 | 0.0 | 100.0 | | | | | 35 | 684 | 4.9 | 95.1 | 93.0 |
| 7 | Sikrai | 347 | 347 | 0.0 | 100.0 | | | | | 22 | 325 | 6.3 | 93.7 | 93.7 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|---|--------------|--|--|--|---|---|--|--|---|--|--|---|---|---|
| ı | ndicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 41.8 | 2.1 | 0.0 | 74.2 | 0.3 | 57.3 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Bandikui | 41.0 | 0.0 | 0.0 | 9.8 | 0.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 86.3 | 2.8 | 0.0 | 100.0 | 0.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Mahwa | 0.7 | 6.3 | 0.0 | 100.0 | 100.0 | 22.2 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Sikrai | 6.3 | 0.0 | 0.0 | 100.0 | 0.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|---|--------------|--|--|--|---|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|
| | Indicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 1 | 5,096 | 53 | 68.1 | 20.0 | 57.0 | 1,675 | 3,473 | 1 | 42,970 | 1,062 | 427,726 | 1,512 |
| 1 | Bandikui | 1 | 602 | 1 | 60.3 | 21.1 | 36.4 | 240 | 363 | 0 | 8,033 | 177 | 135,300 | 43 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 0 | 2,071 | 52 | 87.4 | 20.0 | 61.2 | 313 | 1,810 | 0 | 11,578 | 405 | 112,306 | 658 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 0 | 683 | 0 | 88.7 | 26.7 | 62.7 | 77 | 606 | 0 | 11,901 | 204 | 136,457 | 75 |
| 6 | Mahwa | 0 | 739 | 0 | 57.9 | 15.4 | 50.7 | 311 | 428 | 0 | 6,453 | 222 | 25,309 | 103 |
| 7 | Sikrai | 0 | 1,001 | 0 | 26.6 | 18.1 | 74.3 | 734 | 266 | 1 | 5,005 | 54 | 18,354 | 633 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|---|--------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| 1 | Indicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 19 | 0 | 0 | 0 | 3,031 | 17,076 | 24,651 | 15,912 | 68.2 | 98.4 | 63.5 | 0 | 0 |
| 1 | Bandikui | 0 | 0 | 0 | 0 | 457 | 1,702 | 5,330 | 1,647 | 37.9 | 118.5 | 36.6 | 0 | 0 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 14 | 0 | 0 | 0 | 227 | 7,818 | 8,112 | 6,897 | 79.8 | 82.9 | 70.4 | 0 | 0 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 2 | 0 | 0 | 0 | 1,003 | 2,976 | 3,123 | 2,893 | 124.1 | 130.2 | 120.6 | 0 | 0 |
| 6 | Mahwa | 0 | 0 | 0 | 0 | 755 | 2,749 | 6,149 | 2,749 | 42.8 | 95.7 | 42.8 | 0 | 0 |
| 7 | Sikrai | 3 | 0 | 0 | 0 | 589 | 1,831 | 1,937 | 1,726 | 94.7 | 100.2 | 89.2 | 0 | 0 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|---|--------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|---|--|---|
| 1 | Indicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 0 | 23,007 | 20,864 | 19,656 | 22,137 | 0 | 88.3 | 22,122 | 10.2 | 87.7 | 45.7 | 6 | 0 |
| 1 | Bandikui | 0 | 4,452 | 4,077 | 3,753 | 4,437 | 0 | 98.7 | 4,437 | 16.8 | 93.9 | 62.4 | 0 | 0 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 0 | 5,856 | 5,298 | 5,073 | 5,452 | 0 | 55.7 | 5,452 | 32.8 | 53.9 | 14.1 | 0 | 0 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 0 | 5,361 | 4,735 | 4,392 | 4,869 | 0 | 203.0 | 4,854 | -55.9 | 207.1 | 107.7 | 6 | 0 |
| 6 | Mahwa | 0 | 3,737 | 3,313 | 3,088 | 3,713 | 0 | 57.8 | 3,713 | 39.6 | 62.5 | 19.7 | 0 | 0 |
| 7 | Sikrai | 0 | 3,601 | 3,441 | 3,350 | 3,666 | 0 | 189.6 | 3,666 | -89.3 | 180.8 | 15.1 | 0 | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|---|--------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| | Indicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 0 | 96.7 | 80.9 | 452 | 92 | 27 | 10 | 0 | 0 | 0 | 0 | 112 | 452 |
| 1 | Bandikui | 0 | 96.6 | 85.1 | 73 | 85 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 73 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 0 | 97.7 | 90.1 | 263 | 0 | 24 | 6 | 0 | 0 | 0 | 0 | 96 | 263 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 0 | 94.6 | 73.0 | 85 | 7 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 85 |
| 6 | Mahwa | 0 | 98.4 | 74.0 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| 7 | Sikrai | 0 | 96.6 | 78.3 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 | 15 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|--------------|--|--|---|---|---|---|--|--|---|---|---|---------------------------------|-----------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 5,444 | 22 | 0 | 15,491 | 13,115 | 13,115 | 17,722 | 0 | 53.7 | 25.7 | 44.0 | 0.1 | 126,219 |
| 1 | Bandikui | 4,220 | 4 | 0 | 3,296 | 2,832 | 2,832 | 3,829 | 0 | 42.2 | 36.5 | 33.3 | 0.1 | 19,104 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 666 | 13 | 0 | 5,215 | 4,149 | 4,149 | 4,433 | 0 | 58.5 | 17.1 | 46.2 | 0.2 | 50,927 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 329 | 5 | 0 | 1,373 | 1,249 | 1,249 | 3,875 | 0 | 60.6 | 10.0 | | 0.0 | 13,329 |
| 6 | Mahwa | 103 | 0 | 0 | 2,874 | 2,412 | 2,412 | 3,016 | 0 | 44.5 | 30.8 | | 0.0 | 23,774 |
| 7 | Sikrai | 126 | 0 | 0 | 2,733 | 2,473 | 2,473 | 2,569 | 0 | 54.1 | 42.4 | | 0.0 | 19,085 |

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|--------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| | | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 1,860,177 | 61,558 | 1,921,735 | 6.6 | 1,019 | 702 | 59.2 | 91 | 8.9 | 3.2 | 14,701 | 0.8 | 2.1 |
| 1 | Bandikui | 254,920 | 12,815 | 267,735 | 7.1 | 0 | 14 | 0.0 | 0 | | 4.8 | 7,660 | 2.9 | 2.8 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 614,349 | 17,619 | 631,968 | 8.1 | 1,019 | 688 | 59.7 | 91 | 8.9 | 2.8 | 3,238 | 0.5 | 1.2 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 393,618 | 19,719 | 413,337 | 3.2 | 0 | 0 | | 0 | | 4.8 | 1,394 | 0.3 | 1.4 |
| 6 | Mahwa | 387,955 | 1,125 | 389,080 | 6.1 | 0 | 0 | | 0 | | 0.3 | 452 | 0.1 | 1.3 |
| 7 | Sikrai | 209,335 | 10,280 | 219,615 | 8.7 | 0 | 0 | | 0 | | 4.7 | 1,957 | 0.9 | 3.9 |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|--------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 0.2 | 15.7 | 0.2 | 0.2 | 0.2 | 0.0 | 81 | 6.2 | 0.0 | 8.6 | 1.2 | 1.2 | 0.0 |
| 1 | Bandikui | 0.0 | 6.8 | 0.0 | 0.0 | 0.4 | 0.0 | 19 | 0.0 | 0.0 | 5.3 | 0.0 | 5.3 | 0.0 |
| 2 | Baswa | | | | | | | | | | | | | |
| 3 | Dausa | 0.3 | 36.7 | 0.2 | 0.2 | 0.5 | 0.0 | 14 | 7.1 | 0.0 | 21.4 | 0.0 | 0.0 | 0.0 |
| 4 | Dausa *Urban | | | | | | | | | | | | | |
| 5 | Lalsot | 0.2 | 7.1 | 0.3 | 0.2 | 0.0 | 0.0 | 11 | 0.0 | 0.0 | 9.1 | 0.0 | 0.0 | 0.0 |
| 6 | Mahwa | 0.0 | 10.2 | 0.0 | 0.0 | 0.0 | 0.0 | 16 | 6.3 | 0.0 | 0.0 | 6.3 | 0.0 | 0.0 |
| 7 | Sikrai | 0.0 | 9.1 | 0.3 | 0.1 | 0.0 | 0.0 | 21 | 14.3 | 0.0 | 9.5 | 0.0 | 0.0 | 0.0 |

| | | 196 | 197 | 198 |
|---|--------------|--|--|---|
| l | ndicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH |
| | | 2017-18 | 2017-18 | 2017-18 |
| | _Dausa | 7,072 | | |
| 1 | Bandikui | 2,765 | | |
| 2 | Baswa | | | |
| 3 | Dausa | 0 | | |
| 4 | Dausa *Urban | · | | |
| 5 | Lalsot | 163 | | |
| 6 | Mahwa | 3,689 | | |
| 7 | Sikrai | 455 | | |