

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to March

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	34,148	33,203	28,451	26,908	25,229	23,217	83.3	81.0	73.9	69.9	32,832	36,747
1	Gangavati	10,813	10,331	8,921	7,812	8,124	7,611	82.5	75.6	75.1	73.7	10,207	9,783
2	Koppal	8,775	8,851	7,439	7,497	6,370	6,126	84.8	84.7	72.6	69.2	7,717	8,608
3	Kushtagi	7,510	7,428	6,110	6,013	5,512	4,923	81.4	81.0	73.4	66.3	8,693	9,582
4	Yelburga	7,050	6,593	5,981	5,586	5,223	4,557	84.8	84.7	74.1	69.1	6,215	8,774

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	32,289	30,759	96.1	110.6	94.5	92.6	28,121	31,306	82.3	94.2	35,359	28,048
1	Gangavati	10,215	9,710	94.4	94.7	94.5	94.0	9,093	9,372	84.1	90.7	12,188	9,484
2	Koppal	8,001	7,777	87.9	97.3	91.2	87.9	6,106	8,420	69.6	95.1	7,900	6,630
3	Kushtagi	7,424	6,876	115.8	129.0	98.9	92.6	7,578	7,412	100.9	99.8	8,409	6,285
4	Yelburga	6,649	6,396	88.2	133.1	94.3	97.0	5,344	6,102	75.8	92.6	6,862	5,649

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	1,297	926	3.7	3.3	2.6	3.5	1,735	2,211	533	614	1,202	1,597
1	Gangavati	568	454	4.7	4.8	2.5	4.7	449	670	223	277	226	393
2	Koppal	330	136	4.2	2.1	1.9	3.7	383	476	108	117	275	359
3	Kushtagi	251	195	3.0	3.1	4.2	2.4	488	626	114	106	374	520
4	Yelburga	148	141	2.2	2.5	2.1	2.6	415	439	88	114	327	325

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	30.7	27.7	86	28	5.0	1.3	20,343	20,458	1,556	2,232	7.6	10.9
1	Gangavati	49.7	41.3	11	0	2.4	0.0	6,092	6,118	176	309	2.9	5.1
2	Koppal	28.2	24.6	7	15	1.8	3.2	4,462	4,497	757	598	17.0	13.3
3	Kushtagi	23.4	16.9	68	4	13.9	0.6	5,614	5,027	369	681	6.6	13.5
4	Yelburga	21.2	26.0	0	9	0.0	2.1	4,175	4,816	254	644	6.1	13.4

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	21,812	22,596	63.8	68.0	23,547	24,807	92.6	91.1	94.9	93.6	7.4	8.9
1	Gangavati	6,994	7,672	64.7	74.3	7,443	8,342	94.0	92.0	97.0	95.3	6.0	8.0
2	Koppal	5,012	5,072	57.1	57.3	5,395	5,548	92.9	91.4	94.9	93.5	7.1	8.6
3	Kushtagi	5,631	5,036	75.0	67.8	6,119	5,662	92.0	88.9	93.9	90.8	8.0	11.1
4	Yelburga	4,175	4,816	59.2	73.0	4,590	5,255	91.0	91.6	92.9	93.8	9.0	8.4

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	1,663	1,602	292	774	8.9	10.5	8.2	7.8	19.9	36.2	93.3	90.5
1	Gangavati	410	378	191	660	8.6	13.5	6.7	6.2	21.2	42.5	87.1	79.7
2	Koppal	145	204	101	114	4.9	6.3	3.2	4.5	18.4	19.8	89.0	88.7
3	Kushtagi	699	343	0	0	12.4	6.8	12.5	6.8	0.0	0.0	99.7	99.8
4	Yelburga	409	677			9.8	14.1	9.8	14.1			100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to March

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	31.7	44.5	0.2	0.6	6.7	9.5	20,241	21,618	26,532	26,036	86.0	87.1
1	Gangavati	39.1	54.2	0.0	0.0	12.9	20.3	5,963	6,207	7,996	7,579	80.1	74.4
2	Koppal	23.8	45.6	0.0	0.0	11.0	11.3	4,103	5,414	5,991	6,238	76.1	97.6
3	Kushtagi	35.3	41.1	0.0	0.0	0.3	0.2	5,727	4,750	6,817	6,325	93.6	83.9
4	Yelburga	24.7	34.5	0.7	2.7	0.0	0.0	4,448	5,247	5,728	5,894	96.9	99.8

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	112.7	105.0	23,265	24,535	98.8	98.9	561	648	97.6	97.4	22,082	24,066
1	Gangavati	107.4	90.9	7,298	8,313	98.1	99.7	154	202	97.9	97.6	6,547	8,086
2	Koppal	111.0	112.4	5,377	5,588	99.7	100.7	106	143	98.1	97.5	5,179	5,353
3	Kushtagi	111.4	111.7	5,968	5,388	97.5	95.2	203	138	96.7	97.5	5,820	5,459
4	Yelburga	124.8	112.2	4,622	5,246	100.7	99.8	98	165	97.9	97.0	4,536	5,168



Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	94.9	98.1	3,079	3,139	13.9	13.0	20,953	22,444	90.0	91.4	1,190	1,484
1	Gangavati	89.7	97.3	825	904	12.6	11.2	6,274	7,211	86.0	86.7	316	386
2	Koppal	96.3	95.8	728	737	14.1	13.8	5,077	5,234	94.4	93.7	251	286
3	Kushtagi	97.5	101.3	820	787	14.1	14.4	5,642	5,453	94.5	101.2	398	498
4	Yelburga	98.1	98.5	706	711	15.6	13.8	3,960	4,546	85.7	86.7	225	314

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth ( Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	68.5	67.1	932	935	8.8	8.6	19.1	33.5	40.9	55.9	81.3	71.7
1	Gangavati	70.4	57.6	933	935	5.4	7.2	22.0	40.9	30.5	46.4	81.7	60.4
2	Koppal	65.5	60.1	896	916	5.8	4.6	41.1	67.2	72.7	47.9	62.7	51.1
3	Kushtagi	81.6	79.6	937	946	13.8	6.9	13.7	42.1	33.5	82.6	127.4	220.1
4	Yelburga	54.2	71.5	965	945	11.5	16.8	12.2	14.9	40.4	70.8	17.8	21.5

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to March

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions ( Spontaneous/ Induced) Reported		Total Number of MTPs ( Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	1.1	1.0	637	571	143	160	22.4	28.0	60.1	77.5	39.9	22.5
1	Gangavati	0.6	0.7	168	169	70	80	41.7	47.3	52.9	61.3	47.1	38.8
2	Koppal	2.4	1.5	227	158	33	23	14.5	14.6	60.6	87.0	39.4	13.0
3	Kushtagi	0.7	1.3	102	106	39	53	38.2	50.0	71.8	96.2	28.2	3.8
4	Yelburga	0.7	0.7	140	138	1	4	0.7	2.9	100.0	100.0	0.0	0.0

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	99.3	78.0	0.7	22.0	0.4	0.5	0.2	2.7	10	95	9,767	9,435
1	Gangavati	100.0	64.5	0.0	35.5	0.6	0.8	0.3	0.7	2	7	3,179	2,948
2	Koppal	100.0	100.0	0.0	0.0	0.4	0.3	0.0	7.0	7	82	2,338	2,324
3	Kushtagi	100.0	98.1	0.0	1.9	0.5	0.7	0.0	0.0	1	6	2,494	2,285
4	Yelburga	50.0	100.0	50.0	0.0	0.0	0.1	0.5	1.9	0	0	1,756	1,878

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to March

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	9,777	9,530	0.1	0.9	99.9	99.0	3,352	3,478	3,321	3,121	3,079	2,598
1	Gangavati	3,181	2,955	0.1	0.2	99.9	99.8	434	492	1,407	1,169	1,340	1,132
2	Koppal	2,345	2,406	0.3	3.4	99.7	96.6	1,445	1,417	543	525	332	293
3	Kushtagi	2,495	2,291	0.0	0.3	100.0	99.7	1,083	1,063	417	430	995	798
4	Yelburga	1,756	1,878	0.0	0.0	100.0	100.0	390	506	954	997	412	375

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal			0	0	34.3	36.5	34.0	32.7	31.5	27.3	0.0	0.0
1	Gangavati			0	0	13.6	16.6	44.2	39.6	42.1	38.3	0.0	0.0
2	Koppal			0	0	61.6	58.9	23.2	21.8	14.2	12.2	0.0	0.0
3	Kushtagi			0	0	43.4	46.4	16.7	18.8	39.9	34.8	0.0	0.0
4	Yelburga					22.2	26.9	54.3	53.1	23.5	20.0	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	0.3	3.5	72.9	74.2	21.8	20.4	5.2	5.3	100.0	99.4	98.8	88.3
1	Gangavati	0.0	5.5	71.7	70.8	22.3	22.7	6.0	6.4	100.0	98.4	100.0	87.6
2	Koppal	1.1	7.1	68.2	70.4	30.6	27.3	1.2	2.3	100.0	99.5	96.5	77.6
3	Kushtagi	0.0	0.0	82.5	87.4	10.5	8.4	7.0	4.2	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	67.9	68.2	25.3	22.9	6.7	8.8	100.0	100.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation ( Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	100.0	87.0	0	1	3,357	3,634	6	278	3,363	3,912	134	
1	Gangavati	100.0	76.3	0	0	677	635	0	32	677	667	19	
2	Koppal	100.0	60.4	0	0	1,238	1,389	0	210	1,238	1,599	38	
3	Kushtagi	100.0	100.0	0	0	565	687	6	36	571	723	41	
4	Yelburga	100.0	100.0	0	1	877	923			877	923	36	



Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods ( IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	3.9	0.0	0.6	0.0	25.5	29.1	36,386	34,233	325,079	286,289	964	1,365
1	Gangavati	2.8	0.0	0.3	0.0	17.5	18.4	9,005	6,435	85,917	85,176	4	106
2	Koppal	3.1	0.0	0.9	0.0	34.6	39.9	15,651	12,987	96,665	74,392	370	231
3	Kushtagi	7.3	0.0	0.7	0.0	18.6	24.0	4,903	6,362	90,015	83,296	406	833
4	Yelburga	4.1	0.0	0.9	0.0	33.3	33.0	6,827	8,449	52,482	43,425	184	195

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to March

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	28,036	28,599	33,973	34,795	120.5	116.6	146.0	141.8	7,005	30,519	8,156	29,914
1	Gangavati	9,525	9,630	10,300	10,504	130.5	115.8	141.1	126.4	3,164	9,306	3,409	9,278
2	Koppal	7,280	6,716	8,908	9,076	135.4	120.2	165.7	162.4	1,118	8,344	1,766	8,197
3	Kushtagi	6,405	6,282	8,518	8,390	107.3	116.6	142.7	155.7	2,041	6,773	1,964	6,618
4	Yelburga	4,826	5,971	6,247	6,825	104.4	113.8	135.2	130.1	682	6,096	1,017	5,821

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to March

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	9,558	31,458	28,136		26,565		24,986		27,953	29,073	120.1	118.4
1	Gangavati	3,867	9,512	8,784		8,359		8,075		8,470	8,883	116.1	106.9
2	Koppal	2,315	9,445	7,604		7,275		6,643		7,949	8,166	147.8	146.1
3	Kushtagi	2,059	6,506	6,378		5,937		5,666		6,132	6,360	102.7	118.0
4	Yelburga	1,317	5,995	5,370		4,994		4,602		5,402	5,664	116.9	108.0

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	26,744	27,302	17.7	16.4	27,328	28,980	117.5	118.1	121.6	51.0	845	803
1	Gangavati	8,041	7,622	17.8	15.4	8,147	8,799	111.6	105.8	128.8	76.7	286	223
2	Koppal	7,697	7,815	10.8	10.0	7,274	8,070	135.3	144.4	194.5	64.2	487	515
3	Kushtagi	5,759	6,359	28.0	24.2	6,578	6,828	110.2	126.7	37.3	16.3	6	12
4	Yelburga	5,247	5,506	13.5	17.0	5,329	5,283	115.3	100.7	115.3	33.0	66	53

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	98.8	94.1	67.5	63.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	97.4	97.0	64.2	59.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	100.5	96.3	67.0	65.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	99.5	99.4	69.2	70.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	97.9	84.8	70.7	61.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	0.0	0.0	3.1	2.7	94.8	96.1	2.1	1.2	66.0	64.7	10.1	12.3
1	Gangavati	0.0	0.0	1.7	3.1	97.2	96.8	1.1	0.1	70.4	70.2	8.6	9.1
2	Koppal	0.0	0.0	1.0	1.1	94.4	97.7	4.6	1.2	63.3	62.5	8.0	10.4
3	Kushtagi	0.0	0.0	6.8	5.0	92.7	92.7	0.5	2.3	69.4	65.5	8.9	12.8
4	Yelburga	0.0	0.0	2.0	1.6	97.5	97.7	0.5	0.8	61.1	61.0	14.6	16.1

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to March

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	38.3	37.5	0.5	0.5	87,243	88,138	1,158,554	1,113,030	7.5	7.9	1,742	8,577
1	Gangavati	42.7	38.1	0.6	0.7	23,464	22,227	327,221	314,030	7.2	7.1	112	205
2	Koppal	36.9	45.1	0.9	0.8	21,470	20,919	300,559	309,956	7.1	6.7	262	195
3	Kushtagi	31.3	30.2	0.4	0.3	18,459	17,193	203,871	194,193	9.1	8.9	953	5,202
4	Yelburga	41.9	22.2	0.1	0.2	23,850	27,799	326,903	294,851	7.3	9.4	415	2,975

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to March

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	8,913	7,224	16.3	54.3	71		4.0	0.0	122,490	98,648	10.5	8.8
1	Gangavati	1,840	1,855	5.7	10.0	3		2.7	0.0	36,141	26,749	11.0	8.5
2	Koppal	3,801	3,384	6.4	5.4	1		0.4	0.0	32,768	25,475	10.9	8.2
3	Kushtagi	2,672	1,250	26.3	80.6	53		5.6	0.0	31,500	27,640	15.5	14.2
4	Yelburga	600	735	40.9	80.2	14		3.4	0.0	22,081	18,784	6.8	6.4



Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to March

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	1,566	1,870	0.1	0.2	9,871	7,991	7.5	6.9	3.8	8.8	1.3	5.4
1	Gangavati	231	464	0.1	0.1	2,395	2,069	9.3	7.4	5.8	7.0	1.5	2.7
2	Koppal	16	156	0.0	0.1	1,980	2,474	9.0	9.4	3.7	4.3	1.9	2.4
3	Kushtagi	0	2	0.0	0.0	3,730	1,542	4.8	5.4	2.8	7.8	0.9	6.0
4	Yelburga	1,319	1,248	0.4	0.4	1,766	1,906	4.6	4.3	2.2	22.0	0.9	13.9

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	1.9	6.2	0.5	1.0	0.0	0.0	164	166	5.7	4.7	20.1	20.1
1	Gangavati	2.4	3.5	0.2	1.7	0.0	0.0	79	65	5.1	1.8	26.9	28.6
2	Koppal	2.4	2.9	1.3	1.0	0.0	0.0	23	26	15.0	13.0	20.0	8.7
3	Kushtagi	1.3	6.6	0.2	0.4	0.0	0.0	36	52	0.0	4.0	14.3	18.0
4	Yelburga	1.1	15.6	0.3	0.9	0.0	0.0	26	23	7.7	5.0	7.7	15.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Koppal	28.3	30.2	5.7	6.0	0.0	1.3	0.0	3.4	0.0	0.0	40.3	34.2
1	Gangavati	21.8	37.5	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.6	32.1
2	Koppal	25.0	21.7	5.0	8.7	0.0	4.3	0.0	0.0	0.0	0.0	35.0	43.5
3	Kushtagi	37.1	32.0	11.4	10.0	0.0	0.0	0.0	6.0	0.0	0.0	37.1	30.0
4	Yelburga	38.5	15.0	7.7	10.0	0.0	5.0	0.0	10.0	0.0	0.0	38.5	40.0