			1	2	2	2	3	4	1	!	5	(5
	Indicators	Total nu pregnant Registered	women	Number of women re within first	egistered	Number o		1st Trii registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	women re	f pregnant eceived 3 eck ups
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	57,450	59,303	39,210	38,165	46,972	49,468	68.2	64.3	81.8	83.4	55,921	54,865
1	Berasia	7,915	8,109	4,361	4,334	7,912	8,042	55.1	53.4	100.0	99.2	5,706	5,507
2	Phanda (Bhopal)	49,535	51,194	34,849	33,831	39,060	41,426	70.4	66.1	78.9	80.9	50,215	49,358

	Indicators _Bhopal	7	7	8	3	Ç	9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num	nt women	Pregnant received 3 ups to To Registr	ANC check otal ANC	Pregnant received Booster to Regist	TT2 or Total ANC	Number of women give	en 100 IFA	Pregnant given 100 I ANC Reg	FA to Total	Number h leve (tested	l<11
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	45,182	48,831	97.3	92.5	78.6	82.3	68,519	70,837	119.2	119.4	25,374	51,555
1	Berasia	5,445	5,554	72.1	67.9	68.8	68.5	8,073	7,584	102.0	93.5	4,792	10,044
2	Phanda (Bhopal)	39,737	43,277	101.4	96.4	80.2	84.5	60,446	63,253	122.0	123.6	20,582	41,511

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	(Hb	emia <7)	Pregnant having seve (Hb treated at to women leve	re anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	ition for on to Total	Number deliv	of Home eries	Number deliveries a SBA tr (Doctor/No	ttended by ained	Number deliveries a Non SBA (trained	ttended by trained
	(Hb<7) treated at institution 2015-16 2014-1		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	2,416	2,480	9.5	4.8	10.3	10.2	1,675	1,737	459	624	1,216	1,113
1	Berasia	71	85	1.5	0.8	16.0	12.1	402	514	108	190	294	324
2	Phanda (Bhopal)	2,345	2,395	11.4	5.8	9.4	9.9	1,273	1,223	351	434	922	789

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	SBA attend deliveries Reporte Deliv	ded home s to Total d Home	Mothers incentive deliv	for home	Mothers incentive deliveries Reporte Deliv	for home to Total d Home	Deliveries at Public Ir	-	Number of Discharged hours of o	d under 48 lelivery in	Women dis less than 4 delivery Reported at public in	8 hours of to Total Deliveries
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	27.4	35.9	9	44	0.5	2.5	33,607	33,656	459	6,721	1.3	19.9
1	Berasia	26.9	37.0	2	2	0.5	0.4	4,181	4,420	260	387	6.2	8.8
2	Phanda (Bhopal)	27.6	35.5	7	42	0.5	3.4	29,426	29,236	199	6,334	0.7	21.7

	Indicators _Bhopal	2	5	2	6	2	7	2	8	2	9	3	0
	Indicators	Institu deliv (Public In Inst	eries sts.+Pvt.	Institu Deliveries ANC regi	s to total	Total re deliv	eported eries	Institu deliveries Reported	s to Total	Safe deli Total Re Deliv	eported	9 Home del Total Re Deliv	eported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	46,904	45,664	81.6	77.0	48,579	47,401	96.6	96.3	97.5	97.7	3.4	3.7
1	Berasia	4,181	4,420	52.8	54.5	4,583	4,934	91.2	89.6	93.6	93.4	8.8	10.4
2	Phanda (Bhopal)	42,723	41,244	86.2	80.6	43,996	42,467	97.1	97.1	97.9	98.1	2.9	2.9

	Indicators _Bhopal Berasia	3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	Number of deliveries at private	conducted	% C-section (Public to rep institu (Public deliv	+ Pvt.) orted itional + Pvt.)	C-sections at public f Deliveries at public	acilities to	C-sections at Private f Deliveries at private	acilities to conducted	Deliveries at Public In to Total In: Deliv	nstitutions stitutional
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	7,084	6,789	7,444	6,098	30.9	28.2	21.1	20.2	56.0	50.8	71.7	73.7
1	Berasia	99	124			2.4	2.8	2.4	2.8			100.0	100.0
2	Phanda (Bhopal)	6,985	6,665	7,444	6,098	33.8	30.9	23.7	22.8	56.0	50.8	68.9	70.9

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Tota Deliv	or Delivery nstitution I Public	of cases w Incentive ASHA for D Public inst Total Public	e paid to Delivery at	Deliveries at Private I to Total In Deliv	nstitutions	Women rec partum o within 48 deli	heck-up hours of	Care / Wo post partur between 48	n check up	Women reconstruction partum of within 48 delivery Reported I	heck-up hours of to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	91.6	92.4	30.0	38.2	28.3	26.3	47,920	45,818	45,936	33,137	98.6	96.7
1	Berasia	101.5	101.0	78.7	83.1	0.0	0.0	4,437	4,410	4,190	3,907	96.8	89.4
2	Phanda (Bhopal)	90.2	91.1	23.1	31.5	31.1	29.1	43,483	41,408	41,746	29,230	98.8	97.5

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum (between 48 14 days Deliv	tting Post Checkup I hours and to Total	Total Nu reported I		7 Total Repo Births t Deliv	orted Live o Total	Total Nu reported S		9 live birth to Bir	_	Number of weighed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	94.6	69.9	47,741	46,670	98.3	98.5	1,165	1,105	97.6	97.7	47,352	45,819
1	Berasia	91.4	79.2	4,537	4,899	99.0	99.3	101	106	97.8	97.9	4,410	4,604
2	Phanda (Bhopal)	94.9	68.8	43,204	41,771	98.2	98.4	1,064	999	97.6	97.7	42,942	41,215

	Indicators _Bhopal	4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	% Newborns v birth to l	weighed at	Number of having we than 2	eight less	Newborr weight les kg to Ne weighed	ns having s than 2.5 wborns	Number of Breast Fed	within 1	Newborns within 1 ho to Total I	our of birth	Number of visited wit of Home	hin 24 hrs
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	99.2	98.2	5,676	5,895	11.9	12.8	44,901	44,425	94.0	95.1	1,244	1,350
1	Berasia	97.2	94.0	534	657	12.1	14.3	4,196	4,514	92.5	92.1	201	342
2	Phanda (Bhopal)	99.4	98.7	5,142	5,238	12.0	12.7	40,705	39,911	94.2	95.5	1,043	1,008

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte deliv	s visited rs of home to total d home	Sex Ra birth (Fe Bitr Male Birtl	male Live ths/	women wit Complica attended to	Pregnant h Obstetric tions and	Pregnanci with antihype Magsulph in Total Wo Obst	icated es treated IV rtensive/ njection to men with etric cations	Compl Pregnanci witl antihype Magsulph i Total No detecte	rtensive/ njection to ew cases	Compl Pregnanci with Transfusio Wome Obst Compli atter	icated es treated Blood n to Total n with etric cations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	74.2	77.7	932	921	23.1	25.7	14.3	11.9	26.1	23.0	26.2	18.1
1	Berasia	50.0	66.5	936	906	24.0	25.6	12.7	18.5	10.0	21.2	0.7	0.1
2	Phanda (Bhopal)	81.9	82.4	932	923	23.0	25.7	14.4	11.1	30.5	23.3	28.8	20.1

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC compli attended Deliv	Natal maternal cations to Total	Total Nu Abort (Sponta Induced)	ions aneous/	Total Nu MTPs (repo	Public)	% <i>N</i> (Public) to		MTPs up to of Pregn	ancy to s at Public	MTPs mor weeks of F to Total Public Ins	Pregnancy MTPs at
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	0.7	0.4	7,883	7,329	1,878	1,924	23.8	26.3	99.1	97.6	0.9	2.4
1	Berasia	0.0	0.2	629	620	564	506	89.7	81.6	99.6	99.4	0.4	0.6
2	Phanda (Bhopal)	0.8	0.5	7,254	6,709	1,314	1,418	18.1	21.1	98.9	97.0	1.1	3.0

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	% MTPs Cond Public Instit Total	ducted at tutions to	% MTPs Cond Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	olic) to Total	Number of Tests cond Number of STI female which tr	ducted to f new RTI/ e cases for eatment	Numb Vasect Condi (Public	comies ucted	Numb Tubect Condu (Public	comies
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	27.3	30.4	72.7	69.6	3.3	3.2	2.0	4.2	1,113	464	14,113	13,474
1	Berasia	100.0	100.0	0.0	0.0	7.1	6.2	4.0	0.0	24	7	1,115	889
2	Phanda (Bhopal)	20.8	24.4	79.2	75.6	2.7	2.8	1.9	4.3	1,089	457	12,998	12,585

		7	3	7	4	7	5	7	6	7	7	7	8
	Indicators	Total Ster		% Male St (Vasect to Total st	omies)	7 Tubector Total ste	mies to	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	Total St (Tubect: Vasec conducted 2015-16 4,886	2014-15
	_Bhopal	15,226	13,938	7.3	3.3	92.7	96.7	0	18	1,797	1,625	4,886	5,341
1	Berasia	1,139	896	2.1	0.8	97.9	99.2	0	18	1,139	878		
2	Phanda (Bhopal)	14,087	13,042	7.7	3.5	92.3	96.5	0	0	658	747	4,886	5,341

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubector Vasector conducted public Ins	mies and omies) I at Other	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	% Total Sto (Tubecto Vasecto conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Sto (Tubecto Vasecto conducted public Institution Total Ste	mies and omies) I at Other tutions to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal			732	167	0.0	0.1	11.8	11.7	32.1	38.3	0.0	0.0
1	Berasia					0.0	2.0	100.0	98.0	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)			732	167	0.0	0.0	4.7	5.7	34.7	41.0	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Ste (Tubector Vasector conducted institutions Sterlis	mies and omies) at Private s to Total	% Laparo sterlisation Female Ste	scopic s to Total	% Mini Lap St to Total Sterilis	Female	Post P Sterlisation Female Ste	s to Total	Laparo sterlisation Institutions Laparo Sterilis	ns at Public s to Total oscopic	% Mini Lap st at Public In to Total Sterilis	stitutions Mini Lap
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	56.1	49.9	45.6	52.3	21.9	25.0	32.4	22.6	60.8	59.0	15.6	26.4
1	Berasia	0.0	0.0	89.4	92.7	3.7	4.0	6.9	3.3	100.0	100.0	100.0	100.0
2	Phanda (Bhopal)	60.6	53.3	41.9	49.5	23.5	26.5	34.6	24.0	53.6	53.6	14.5	25.6

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution: Post P Sterili	artum is at Public s to Total artum	Sterlisatio	wing	IUCD Inser (public f		IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi		PP IUCD I done (publi	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	41.5	53.7	0	0	9,249	5,947	4,905	1,762	14,154	7,709	6,387	2,888
1	Berasia	100.0	100.0	0	0	717	645			717	645	107	56
2	Phanda (Bhopal)	40.5	53.3	0	0	8,532	5,302	4,905	1,762	13,437	7,064	6,280	2,832

		9	7	9	8	9	9	10	00	10	01	10	02
	Indicators	% PP IUCD (pub to Tota Insertions	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie:	olic) stitutional	lUCD inse public plu institutic family p methods (perma	ertions in us private ons to all planning IUCD plus	Oral Pills c	distributed	Condom distril	•	Centchro distril	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	69.0	48.5	19.0	8.5	48.1	35.6	123,516	81,433	546,436	677,142	0	0
1	Berasia	14.9	8.7	2.6	1.3	38.6	41.9	10,406	10,959	16,541	27,017	0	0
2	Phanda (Bhopal)	73.6	53.4	21.3	9.7	48.8	35.1	113,110	70,474	529,895	650,125	0	0

		10)3	10)4	10)5	10	06	10	07	10	08
	Indicators	Number o given (Birth	OPV 0	Number o		Newborns g at birth to live	Reported	Newborns to Repo		Number o		Number o	
	Indicators _Bhopal Berasia	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	42,399	42,699	47,553	46,225	88.8	91.5	99.6	99.0	2,830	25,207	2,472	29,506
1	Berasia	3,868	4,204	4,334	4,726	85.3	85.8	95.5	96.5	226	2,993	228	3,674
2	Phanda (Bhopal)	38,531	38,495	43,219	41,499	89.2	92.2	100.0	99.3	2,604	22,214	2,244	25,832

		10)9	11	10	11	11	11	12	11	13	11	14
	Indicators	Number o		Infants months received vaccine to live b	0 to 11 old who Measles reported								
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	2,728	32,348	38,556	15,954	37,240	11,261	36,624	7,864	40,737	41,884	85.3	89.7
1	Berasia	273	4,181	4,851	1,879	4,728	1,293	4,625	937	4,796	4,816	105.7	98.3
2	Phanda (Bhopal)	2,455	28,167	33,705	14,075	32,512	9,968	31,999	6,927	35,941	37,068	83.2	88.7

		11	15	11	16	11	17	11	18	1	19	12	20
	Indicators	Number immunized (9-11 m	d children	9 Drop Out BCG & <i>I</i>	between	Vitamin -	A dose 1	Children g dose1 to live	Reported	Childre Vitamin A	iven Vit A	Adverse Following I	munisation
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	39,644	40,337	14.3	9.4	40,850	42,225	85.6	90.5	44.7	37.0	116	66
1	Berasia	3,111	4,060	-10.7	-1.9	4,770	4,945	105.1	100.9	121.7	98.1	65	15
2	Phanda (Bhopal)	36,533	36,277	16.8	10.7	36,080	37,280	83.5	89.2	34.5	28.9	51	51

	Indicators _Bhopal Berasia	12	21	12	22	12	23	12	24	12	25	12	26
	Indicators	immunisatio Held to Imr Sessions	munisation	Immunisatio where ASI preser Immunisatio Plan	HAs were	Diptheria i 0-5 Years Total Re Childhood	of Age to eported I Diseases	Pertusis ir 0-5 Years Total Re Childhood 0-5 Y	of Age to eported I Diseases	Tetanus Ne in Children of Age t Reported Diseases	n 0-5 Years to Total Childhood	Tetanus (Children 0- Age to Tota Childhood 0-5 Y 2015-16 0.0 0.0	-5 Years of al Reported d Diseases
	_Bhopal Berasia	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	97.0	97.3	76.9	65.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Berasia	94.8	96.3	81.8	80.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	97.4	97.5	75.8	62.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	1:	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported (Diseases (ildren 0-5 ge to Total Childhood	% Measles ir 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Diarrho dehydra Children 0- Age to Tota Childhood	bea and ation in -5 Years of I Reported I Diseases	Malaria in C Years of A Reported Diseases	Children 0-5 ge to Total Childhood	9 Adult F Inpatients Adult In	emale to Total	9 Children In _l Total In	patient to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	0.0	0.0	0.1	0.0	95.5	94.9	4.4	5.1	60.0	59.9	17.8	17.4
1	Berasia	0.0	0.0	0.2	0.0	93.8	94.4	6.0	5.6	95.2	94.2	7.7	4.4
2	Phanda (Bhopal)	0.0	0.0	0.1	0.0	95.5	94.9	4.4	5.1	59.2	58.9	18.0	17.8

		13	33	13	34	13	35	13	36	1:	37	13	38
	Indicators	Female I Deaths t Inpatien	npatient to Total	% Inpatient [Tota	eaths to	IPD (Nu	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	38.2	39.0	1.2	1.1	306,504	244,371	5,192,873	4,276,994	5.9	5.7	54,024	48,430
1	Berasia	0.0	66.7	0.0	0.0	5,720	6,184	146,481	143,169	3.9	4.3	97	504
2	Phanda (Bhopal)	38.2	39.0	1.2	1.2	300,784	238,187	5,046,392	4,133,825	6.0	5.8	53,927	47,926

		13	39	14	10	14	41	14	42	14	43	14	14
	Indicators	Number Opera		% Major Ope Total Op	rations to	Numb Hystere Surg		Hystere Surgeries Major Op		Ayush OPD	(Number)	AYUSH OP OF	D to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	59,066	44,916	47.8	51.9	3,860	3,001	7.1	6.1	70,466	56,787	1.3	1.3
1	Berasia	1,638	773	5.6	39.5	8	22	8.2	4.4	18,438	18,463	12.6	12.9
2	Phanda (Bhopal)	57,428	44,143	48.4	52.1	3,852	2,979	7.1	6.2	52,028	38,324	1.0	0.9

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	48,737	33,273	0.9	0.8	11,652	9,144	3.9	4.3	0.3	0.5	0.1	0.1
1	Berasia	0	0	0.0	0.0	467	246	2.5	2.5	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	48,737	33,273	1.0	0.8	11,185	8,898	3.9	4.3	0.3	0.5	0.1	0.1

		151		152		153		154		155		156	
Indicators		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	0.1	0.2	1.6	1.5	0.5	0.6	1,286	449	23.1	23.1	18.3	20.1
1	Berasia	0.0	0.0	0.7	0.3	0.0	0.0	84	65	0.0	0.0	1.6	1.7
2	Phanda (Bhopal)	0.1	0.2	2.2	2.1	0.8	1.0	1,202	384	25.3	26.9	19.8	23.2

		157		158		159		160		161		162	
Indicators		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	8.1	14.1	4.5	3.2	0.9	0.5	1.4	1.2	0.0	0.0	43.6	37.9
1	Berasia	9.4	15.3	3.1	0.0	0.0	0.0	6.3	3.4	0.0	0.0	79.7	79.7
2	Phanda (Bhopal)	8.0	13.9	4.6	3.7	1.0	0.6	1.0	0.8	0.0	0.0	40.3	30.9