

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	37,881	37,823	24,886	25,230	27,379	22,811	65.6	66.7	72.3	60.3	45,382	44,805
1	Aurad	6,704	7,234	4,465	4,575	5,402	4,472	66.6	63.2	80.6	61.8	5,721	6,329
2	Basavakalyan	8,069	7,545	5,915	5,716	5,197	4,259	73.3	75.8	64.4	56.4	9,100	8,054
3	Bhalki	6,525	6,753	4,320	4,431	4,493	4,177	66.2	65.6	68.9	61.9	8,610	7,643
4	Bidar	7,390	6,527	4,616	4,639	6,415	4,303	62.5	71.1	86.8	65.9	13,066	12,978
5	Humnabad	9,193	9,764	5,570	5,869	5,872	5,600	60.6	60.1	63.9	57.4	8,885	9,801

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	43,657	41,242	119.8	118.4	115.2	109.0	34,013	49,324	89.7	130.4	41,997	49,288
1	Aurad	6,445	6,522	85.3	87.5	96.1	90.2	4,255	6,999	63.5	96.8	6,905	6,703
2	Basavakalyan	9,412	8,022	112.8	106.7	116.6	106.3	7,786	7,758	96.5	102.8	4,371	4,416
3	Bhalki	6,215	5,977	132.0	113.2	95.2	88.5	7,805	7,033	119.6	104.1	6,772	5,914
4	Bidar	13,105	11,559	176.8	198.8	177.3	177.1	10,807	14,251	146.2	218.3	16,691	25,601
5	Humnabad	8,480	9,162	96.6	100.4	92.2	93.8	3,360	13,283	36.5	136.0	7,258	6,654

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	2,334	2,690	5.6	5.5	4.2	4.8	340	414	203	296	137	118
1	Aurad	224	394	3.2	5.9	1.6	1.5	48	49	27	32	21	17
2	Basavakalyan	34	26	0.8	0.6	4.4	9.1	77	111	47	75	30	36
3	Bhalki	125	407	1.8	6.9	2.7	3.2	36	58	26	48	10	10
4	Bidar	1,657	1,711	9.9	6.7	10.9	9.5	151	141	86	100	65	41
5	Humnabad	294	152	4.1	2.3	1.5	1.9	28	55	17	41	11	14

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	59.7	71.4	14	24	4.1	5.8	27,859	25,663	5,965	5,956	21.4	23.2
1	Aurad	56.3	65.3	1	3	2.1	6.1	4,242	3,989	691	509	16.3	12.8
2	Basavakalyan	61.0	67.6	4	8	5.2	7.2	4,923	4,471	191	541	3.9	12.1
3	Bhalki	72.2	82.8	1	2	2.8	3.4	3,037	3,197	330	187	10.9	5.8
4	Bidar	57.0	70.9	8	10	5.3	7.1	8,815	7,982	4,027	3,778	45.7	47.3
5	Humnabad	60.7	74.5	0	1	0.0	1.8	6,842	6,024	726	941	10.6	15.6

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)

Financial Year: 2013-14

Provisional Figures for the Period April to March

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	33,257	30,639	87.7	81.0	33,597	31,053	99.0	98.7	99.6	99.6	1.0	1.3
1	Aurad	4,242	3,989	63.3	55.1	4,290	4,038	98.9	98.8	99.5	99.6	1.1	1.2
2	Basavakalyan	5,710	5,481	70.8	72.6	5,787	5,592	98.7	98.0	99.5	99.4	1.3	2.0
3	Bhalki	4,418	3,956	67.7	58.6	4,454	4,014	99.2	98.6	99.8	99.8	0.8	1.4
4	Bidar	11,882	10,973	160.8	168.1	12,033	11,114	98.7	98.7	99.5	99.6	1.3	1.3
5	Humnabad	7,005	6,240	76.2	63.9	7,033	6,295	99.6	99.1	99.8	99.8	0.4	0.9

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	2,429	2,014	1,354	1,294	11.3	10.7	8.7	7.8	25.1	26.0	83.8	83.8
1	Aurad	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Basavakalyan	79	65	65	119	2.5	3.4	1.6	1.5	8.3	11.8	86.2	81.6
3	Bhalki	14	2	247	264	5.9	6.7	0.5	0.1	17.9	34.8	68.7	80.8
4	Bidar	2,253	1,893	1,038	904	27.7	25.5	25.6	23.7	33.8	30.2	74.2	72.7
5	Humnabad	83	54	4	7	1.2	1.0	1.2	0.9	2.5	3.2	97.7	96.5

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	50.3	48.8	4.6	5.4	16.2	16.2	24,319	22,770	24,302	23,026	72.4	73.3
1	Aurad	50.7	50.9	4.3	11.0	0.0	0.0	3,063	2,948	3,772	3,722	71.4	73.0
2	Basavakalyan	57.0	57.3	2.6	5.2	13.8	18.4	5,467	4,993	4,102	3,960	94.5	89.3
3	Bhalki	82.0	70.9	20.7	13.3	31.3	19.2	3,421	2,925	3,552	3,475	76.8	72.9
4	Bidar	38.6	43.2	3.9	2.6	25.8	27.3	6,558	6,515	8,779	7,839	54.5	58.6
5	Humnabad	46.3	36.8	0.1	1.4	2.3	3.5	5,810	5,389	4,097	4,030	82.6	85.6

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	72.3	74.2	33,679	32,070	100.2	103.3	458	690	98.7	97.9	33,359	31,368
1	Aurad	87.9	92.2	4,318	4,138	100.7	102.5	46	35	98.9	99.2	4,255	4,005
2	Basavakalyan	70.9	70.8	5,718	5,715	98.8	102.2	105	91	98.2	98.4	5,696	5,482
3	Bhalki	79.7	86.6	4,415	4,776	99.1	119.0	42	46	99.1	99.0	4,450	4,569
4	Bidar	73.0	70.5	12,248	11,068	101.8	99.6	154	301	98.8	97.4	12,001	11,189
5	Humnabad	58.3	64.0	6,980	6,373	99.2	101.2	111	217	98.4	96.7	6,957	6,123

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	99.0	97.8	2,257	2,334	6.7	7.4	32,844	28,651	97.5	89.3	279	340
1	Aurad	98.5	96.8	244	311	5.7	7.8	4,264	3,947	98.7	95.4	43	39
2	Basavakalyan	99.6	95.9	501	567	8.8	10.3	5,612	5,451	98.1	95.4	75	91
3	Bhalki	100.8	95.7	360	440	8.1	9.6	4,423	4,282	100.2	89.7	42	69
4	Bidar	98.0	101.1	762	646	6.3	5.8	11,798	9,008	96.3	81.4	102	126
5	Humnabad	99.7	96.1	390	370	5.6	6.0	6,747	5,963	96.7	93.6	17	15

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	82.0	82.1	924	937	2.6	7.0	546.6	30.0	299.8	35.5	141.4	60.6
1	Aurad	89.6	79.6	1,050	993	1.0	1.3	2.4	11.5	0.9	5.6	22.0	0.0
2	Basavakalyan	97.4	82.0	982	957	8.4	9.0	32.2	39.6	43.2	28.5	7.7	6.9
3	Bhalki	116.7	119.0	974	948	0.2	0.4	100.0	33.3	5.1	2.3	344.4	20.0
4	Bidar	67.5	89.4	829	891	1.6	13.1	2441.5	30.0	572.3	69.6	613.3	87.8
5	Humnabad	60.7	27.3	951	957	2.2	2.4	0.0	4.1	0.0	3.2	0.0	0.0

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	0.9	1.2	774	545	204	213	26.4	39.1	50.5	38.0	49.5	62.0
1	Aurad	0.0	0.0	58	38	14	8	24.1	21.1	35.7	50.0	64.3	50.0
2	Basavakalyan	3.1	3.3	55	69	1	1	1.8	1.4	100.0	100.0	0.0	0.0
3	Bhalki	0.1	0.2	24	15	0	6	0.0	40.0		50.0		50.0
4	Bidar	0.2	1.2	488	288	160	163	32.8	56.6	53.8	31.3	46.3	68.7
5	Humnabad	1.4	0.7	149	135	29	35	19.5	25.9	37.9	62.9	62.1	37.1

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	22.9	15.8	77.1	84.2	0.5	0.6	1.8	2.0	127	97	6,512	6,459
1	Aurad	100.0	100.0	0.0	0.0	0.2	0.1	0.0	0.0	56	15	604	719
2	Basavakalyan	3.1	1.3	96.9	98.7	0.0	0.0	4.4	6.5	24	40	1,180	1,434
3	Bhalki	0.0	60.0	100.0	40.0	0.0	0.1	5.0	7.2	30	21	977	882
4	Bidar	23.5	15.0	76.5	85.0	2.2	2.5	1.2	0.4	12	15	2,403	2,599
5	Humnabad	17.9	20.7	82.1	79.3	0.3	0.4	0.8	3.1	5	6	1,348	825

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	6,639	6,556	1.9	1.4	98.1	98.5	198	377	1,137	1,002	2,904	2,567
1	Aurad	660	734	8.5	2.0	91.5	98.0	23	49	362	540	275	145
2	Basavakalyan	1,204	1,474	2.0	2.7	98.0	97.3	13	101	98	101	934	1,004
3	Bhalki	1,007	903	3.0	2.3	97.0	97.7	2	34	108	120	770	670
4	Bidar	2,415	2,614	0.5	0.6	99.5	99.4	95	177			241	201
5	Humnabad	1,353	831	0.4	0.7	99.6	99.3	65	16	569	241	684	547

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar			1	15	3.0	5.8	17.1	15.3	43.7	39.2	0.0	0.0
1	Aurad					3.5	6.7	54.8	73.6	41.7	19.8	0.0	0.0
2	Basavakalyan			0	0	1.1	6.9	8.1	6.9	77.6	68.1	0.0	0.0
3	Bhalki			0	0	0.2	3.8	10.7	13.3	76.5	74.2	0.0	0.0
4	Bidar			1	15	3.9	6.8	0.0	0.0	10.0	7.7	0.0	0.0
5	Humnabad			0	0	4.8	1.9	42.1	29.0	50.6	65.8	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	36.2	39.8	7.6	10.6	82.5	78.9	9.9	10.5	21.9	19.0	65.7	63.9
1	Aurad	0.0	0.0	0.0	14.7	97.4	85.3	2.6	0.0		100.0	100.0	100.0
2	Basavakalyan	13.2	18.2	1.1	0.6	62.5	74.9	36.4	24.5	100.0	100.0	87.3	84.1
3	Bhalki	12.6	8.7	0.9	1.6	94.8	96.8	4.3	1.6	0.0	50.0	87.7	91.6
4	Bidar	86.1	85.5	19.0	21.4	74.6	66.6	6.4	12.1	17.5	1.6	10.4	9.2
5	Humnabad	2.6	3.2	1.1	0.0	98.5	99.9	0.4	0.1	100.0		97.7	96.7

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	73.7	70.3	1	0	1,835	1,951	625	870	2,460	2,821	115	
1	Aurad	100.0		0	0	339	468			339	468	24	
2	Basavakalyan	84.8	72.4	0	0	206	192	155	176	361	368	12	
3	Bhalki	90.5	100.0	0	0	449	421	3	8	452	429	41	
4	Bidar	37.7	66.6	1	0	302	229	407	595	709	824	29	
5	Humnabad	0.0	100.0	0	0	539	641	60	91	599	732	9	

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	6.2	0.0	0.4	0.0	27.0	30.0	38,547	25,863	257,825	205,645	620	1,204
1	Aurad	7.1	0.0	0.6	0.0	33.9	38.9	11,217	2,511	69,906	42,199	35	111
2	Basavakalyan	5.8	0.0	0.2	0.0	23.1	20.0	10,254	5,713	61,683	45,484	20	37
3	Bhalki	9.1	0.0	1.4	0.0	31.0	32.2	4,371	3,365	27,708	22,901	226	570
4	Bidar	9.6	0.0	0.3	0.0	22.7	24.0	5,962	7,130	56,130	45,643	157	218
5	Humnabad	1.7	0.0	0.1	0.0	30.7	46.8	6,743	7,144	42,398	49,418	182	268

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	31,411	29,107	44,000	38,551	93.3	90.8	130.6	120.2	3,837	35,415	4,576	33,567
1	Aurad	4,953	4,720	7,522	6,998	114.7	114.1	174.2	169.1	82	6,489	89	5,843
2	Basavakalyan	6,190	5,912	9,414	7,714	108.3	103.4	164.6	135.0	106	7,398	681	7,429
3	Bhalki	4,225	5,024	6,205	5,867	95.7	105.2	140.5	122.8	832	6,329	951	5,973
4	Bidar	9,338	7,499	12,587	10,349	76.2	67.8	102.8	93.5	2,023	8,189	1,637	7,606
5	Humnabad	6,705	5,952	8,272	7,623	96.1	93.4	118.5	119.6	794	7,010	1,218	6,716

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	5,622	34,768	30,683		28,078		27,641		31,686	31,746	94.0	98.9
1	Aurad	105	6,331	5,546		5,190		5,399		5,453	5,945	126.3	143.7
2	Basavakalyan	1,222	7,702	8,079		7,455		7,167		7,451	7,133	130.3	124.8
3	Bhalki	1,059	6,125	5,369		4,791		4,670		4,977	5,368	112.7	112.4
4	Bidar	1,672	7,614	5,125		4,947		5,184		6,578	6,800	53.7	61.4
5	Humnabad	1,564	6,996	6,564		5,695		5,221		7,227	6,500	103.5	102.0

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	29,805	28,924	28.0	17.7	28,764	27,670	85.4	86.3	53.0	44.5	77	122
1	Aurad	5,316	5,676	27.5	15.0	4,719	4,727	109.3	114.2	10.6	13.9	2	5
2	Basavakalyan	6,771	5,881	20.9	7.5	7,329	6,633	128.2	116.1	22.7	83.8	0	0
3	Bhalki	4,836	4,714	19.8	8.5	5,086	4,498	115.2	94.2	78.2	46.8	0	8
4	Bidar	6,926	6,374	47.7	34.3	5,845	5,406	47.7	48.8	50.7	27.5	36	52
5	Humnabad	5,956	6,279	12.6	14.7	5,785	6,406	82.9	100.5	105.9	39.0	39	57

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	96.4	94.6	67.2	69.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Aurad	97.0	95.8	71.1	71.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Basavakalyan	98.1	96.0	60.4	72.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Bhalki	93.8	91.5	66.6	71.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Bidar	97.9	92.5	73.2	64.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Humnabad	95.1	97.4	66.0	67.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	0.0	0.0	1.3	2.3	98.3	96.4	0.3	1.3	62.8	60.4	13.1	21.0
1	Aurad	0.0	0.0	0.1	0.8	99.7	99.2	0.2	0.1	56.8	57.2	7.0	7.4
2	Basavakalyan	0.0	0.0	0.2	0.8	99.8	96.5	0.0	2.7	64.7	56.1	14.2	24.2
3	Bhalki	0.0	0.0	2.7	4.5	96.6	90.3	0.7	5.2	78.9	76.3	14.2	22.4
4	Bidar	0.0	0.0	1.5	1.5	98.3	97.4	0.2	1.0	58.9	58.9	15.6	24.8
5	Humnabad	0.0	0.0	3.1	3.8	96.0	96.0	0.9	0.2	70.9	61.7	12.0	17.9

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	36.0	36.0	1.0	1.2	109,978	96,427	1,638,582	1,777,360	6.7	5.4	6,308	7,263
1	Aurad	21.4	28.6	0.1	0.1	20,944	12,945	252,804	232,530	8.3	5.6	0	0
2	Basavakalyan	47.4	38.5	0.1	0.2	16,358	15,664	329,796	361,780	5.0	4.3	657	1,134
3	Bhalki	50.0	12.5	0.1	0.4	10,378	10,068	231,957	263,024	4.5	3.8	80	96
4	Bidar	36.1	37.4	2.1	2.5	47,251	42,253	521,113	555,900	9.1	7.6	5,456	5,985
5	Humnabad	15.4	16.0	0.1	0.2	15,047	15,497	302,912	364,126	5.0	4.3	115	48

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	4,557	9,006	58.1	44.6	205		3.2	0.0	15,075	13,001	0.9	0.7
1	Aurad	15	4	0.0	0.0	0				302	54	0.1	0.0
2	Basavakalyan	899	580	42.2	66.2	101		15.4	0.0	5,195	3,066	1.6	0.8
3	Bhalki	903	875	8.1	9.9	0		0.0	0.0	5,324	4,768	2.3	1.8
4	Bidar	2,013	7,354	73.0	44.9	94		1.7	0.0	4,129	4,450	0.8	0.8
5	Humnabad	727	193	13.7	19.9	10		8.7	0.0	125	663	0.0	0.2

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	8,698	8,493	0.5	0.5	3,160	4,983	5.3	5.4	1.7	4.6	0.4	4.1
1	Aurad	1,255	1,377	0.5	0.6	76	52	7.2	7.9	0.6	2.8	0.2	3.3
2	Basavakalyan	4,906	4,616	1.5	1.3	2,110	4,546	0.9	1.4	1.9	8.8	0.4	3.6
3	Bhalki	1,114	520	0.5	0.2	313	194	3.5	4.5	0.7	15.5	0.3	24.7
4	Bidar	1,400	1,838	0.3	0.3	554	100	7.4	6.7	2.3	2.5	0.6	0.6
5	Humnabad	23	142	0.0	0.0	107	91	3.3	3.4	1.6	2.1	0.4	0.5

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	0.7	4.2	0.1	0.1	0.0	0.0	135	66	3.9	6.5	35.9	14.5
1	Aurad	0.3	3.2	0.1	0.1	0.0	0.0	6	8	0.0	0.0	20.0	12.5
2	Basavakalyan	0.7	4.7	0.1	0.1	0.0	0.0	11	12	0.0	0.0	10.0	9.1
3	Bhalki	0.4	23.0	0.2	0.1	0.0	0.0	7	7	0.0	0.0	14.3	0.0
4	Bidar	1.0	1.0	0.1	0.1	0.0	0.0	102	35	5.1	12.1	41.8	18.2
5	Humnabad	0.7	0.9	0.2	0.2	0.0	0.0	9	4	0.0	0.0	25.0	33.3

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bidar	19.5	19.4	1.6	6.5	0.8	3.2	3.1	6.5	0.0	0.0	35.2	43.5
1	Aurad	20.0	12.5	0.0	12.5	0.0	12.5	20.0	0.0	0.0	0.0	40.0	50.0
2	Basavakalyan	20.0	18.2	10.0	9.1	0.0	0.0	10.0	9.1	0.0	0.0	50.0	54.5
3	Bhalki	0.0	14.3	14.3	0.0	14.3	0.0	14.3	28.6	0.0	0.0	42.9	57.1
4	Bidar	21.4	21.2	0.0	3.0	0.0	3.0	0.0	3.0	0.0	0.0	31.6	39.4
5	Humnabad	12.5	33.3	0.0	33.3	0.0	0.0	12.5	0.0	0.0	0.0	50.0	0.0