

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

| Indicators | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|------------|-----------|---|---------|--|---------|--------------------------------------|---------|---|---------|--|---------|---|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | Number of Women registered under JSY | | % 1st Trimester registration to Total ANC Registrations | | % JSY registration to Total ANC Registration | | Number of pregnant women received 3 ANC check ups | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 24,180 | 21,380 | 17,692 | 12,793 | 24,180 | 21,380 | 73.1 | 59.8 | 100.0 | 100.0 | 18,882 | 15,412 |
| 1 | BARAUT | 5,012 | 4,482 | 3,515 | 2,165 | 5,012 | 4,482 | 70.1 | 48.3 | 100.0 | 100.0 | 4,291 | 2,977 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 3,661 | 3,444 | 2,631 | 1,688 | 3,661 | 3,444 | 71.9 | 49.0 | 100.0 | 100.0 | 2,923 | 2,533 |
| 4 | Binauli | 4,452 | 3,966 | 3,850 | 2,562 | 4,452 | 3,966 | 86.5 | 64.6 | 100.0 | 100.0 | 3,251 | 2,759 |
| 5 | Chaprauli | 3,497 | 2,862 | 1,919 | 1,690 | 3,497 | 2,862 | 54.9 | 59.0 | 100.0 | 100.0 | 2,262 | 2,002 |
| 6 | Khekra | 2,975 | 2,734 | 2,515 | 2,296 | 2,975 | 2,734 | 84.5 | 84.0 | 100.0 | 100.0 | 2,521 | 2,383 |
| 7 | PILANA | 3,604 | 3,208 | 2,630 | 2,052 | 3,604 | 3,208 | 73.0 | 64.0 | 100.0 | 100.0 | 3,000 | 2,283 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 979 | 684 | 632 | 340 | 979 | 684 | 64.6 | 49.7 | 100.0 | 100.0 | 634 | 475 |

| Indicators | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|------------|-----------|--|---------|--|---------|--|---------|--|---------|--|---------|--|---------|
| | | TT2 or Booster given to Pregnant women (numbers) | | % Pregnant Woman received 3 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2 or Booster to Total ANC Registration | | Number of Pregnant women given 100 IFA tablets | | % Pregnant women given 100 IFA to Total ANC Registration | | Number having Hb level<11 (tested cases) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 19,501 | 18,846 | 78.0 | 72.0 | 80.6 | 88.1 | 23,033 | 20,284 | 95.2 | 94.8 | 8,899 | 6,300 |
| 1 | BARAUT | 3,794 | 4,379 | 85.6 | 66.4 | 75.7 | 97.7 | 4,600 | 4,300 | 91.8 | 95.9 | 1,754 | 990 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 2,949 | 3,011 | 79.8 | 73.5 | 80.6 | 87.4 | 3,603 | 3,444 | 98.4 | 100.0 | 1,531 | 539 |
| 4 | Binauli | 3,370 | 3,485 | 73.0 | 69.6 | 75.7 | 87.9 | 4,141 | 3,282 | 93.0 | 82.8 | 2,578 | 984 |
| 5 | Chaprauli | 2,908 | 2,682 | 64.7 | 70.0 | 83.2 | 93.7 | 3,377 | 2,759 | 96.6 | 96.4 | 788 | 412 |
| 6 | Khekra | 2,540 | 2,418 | 84.7 | 87.2 | 85.4 | 88.4 | 2,894 | 2,725 | 97.3 | 99.7 | 778 | 577 |
| 7 | PILANA | 3,320 | 2,313 | 83.2 | 71.2 | 92.1 | 72.1 | 3,569 | 3,102 | 99.0 | 96.7 | 1,225 | 289 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 620 | 558 | 64.8 | 69.4 | 63.3 | 81.6 | 849 | 672 | 86.7 | 98.2 | 245 | 2,509 |

| Indicators | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|------------|-----------|--|---------|--|---------|---|---------|---------------------------|---------|--|---------|--|---------|
| | | Number having severe anaemia (Hb<7) treated at institution | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11 | | % New cases detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 547 | 882 | 6.1 | 14.0 | 6.5 | 7.1 | 3,289 | 3,859 | 0 | 1 | 3,289 | 3,858 |
| 1 | BARAUT | 107 | 92 | 6.1 | 9.3 | 5.6 | 8.3 | 517 | 582 | 0 | 1 | 517 | 581 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 89 | 80 | 5.8 | 14.8 | 3.0 | 6.6 | 397 | 452 | 0 | 0 | 397 | 452 |
| 4 | Binauli | 91 | 50 | 3.5 | 5.1 | 2.9 | 3.4 | 806 | 800 | 0 | 0 | 806 | 800 |
| 5 | Chaprauli | 68 | 70 | 8.6 | 17.0 | 5.4 | 9.1 | 957 | 1,011 | 0 | 0 | 957 | 1,011 |
| 6 | Khekra | 67 | 62 | 8.6 | 10.7 | 21.3 | 12.3 | 307 | 583 | 0 | 0 | 307 | 583 |
| 7 | PILANA | 124 | 93 | 10.1 | 32.2 | 5.5 | 4.7 | 305 | 431 | 0 | 0 | 305 | 431 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 1 | 435 | 0.4 | 17.3 | 3.0 | 6.3 | | | | | | |

| Indicators | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|------------|-----------|--|---------|--|---------|--|---------|---|---------|--|---------|--|---------|
| | | % SBA attended home deliveries to Total Reported Home Deliveries | | Mothers paid JSY incentive for home deliveries | | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 9,101 | 9,240 | 646 | 1,101 | 7.0 | 11.9 |
| 1 | BARAUT | 0.0 | 0.2 | 0 | 0 | 0.0 | 0.0 | 2,673 | 2,884 | 30 | 85 | 1.1 | 2.9 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 989 | 1,089 | 106 | 167 | 10.7 | 15.3 |
| 4 | Binauli | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 1,174 | 1,184 | 433 | 525 | 36.9 | 44.3 |
| 5 | Chaprauli | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 678 | 647 | 0 | 0 | 0.0 | 0.0 |
| 6 | Khekra | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 590 | 505 | 18 | 40 | 3.1 | 7.9 |
| 7 | PILANA | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 1,655 | 1,557 | 47 | 263 | 2.8 | 16.9 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | | | | | | | 1,342 | 1,374 | 12 | 21 | 0.9 | 1.5 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

| Indicators | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|------------|-----------|---|---------|--|---------|---------------------------|---------|---|---------|--|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 13,367 | 24,617 | 55.2 | 115.1 | 16,656 | 28,476 | 80.3 | 86.4 | 80.3 | 86.5 | 19.7 | 13.6 |
| 1 | BARAUT | 5,162 | 8,080 | 103.0 | 180.3 | 5,679 | 8,662 | 90.9 | 93.3 | 90.9 | 93.3 | 9.1 | 6.7 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 1,157 | 1,089 | 31.6 | 31.6 | 1,554 | 1,541 | 74.5 | 70.7 | 74.5 | 70.7 | 25.5 | 29.3 |
| 4 | Binauli | 1,174 | 1,184 | 26.4 | 29.9 | 1,980 | 1,984 | 59.3 | 59.7 | 59.3 | 59.7 | 40.7 | 40.3 |
| 5 | Chaprauli | 959 | 1,045 | 27.4 | 36.5 | 1,916 | 2,056 | 50.1 | 50.8 | 50.1 | 50.8 | 49.9 | 49.2 |
| 6 | Khekra | 1,101 | 1,327 | 37.0 | 48.5 | 1,408 | 1,910 | 78.2 | 69.5 | 78.2 | 69.5 | 21.8 | 30.5 |
| 7 | PILANA | 2,472 | 2,195 | 68.6 | 68.4 | 2,777 | 2,626 | 89.0 | 83.6 | 89.0 | 83.6 | 11.0 | 16.4 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 1,342 | 9,697 | 137.1 | 1417.7 | 1,342 | 9,697 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |

| Indicators | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|------------|-----------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 151 | 155 | 0 | 0 | 1.1 | 0.6 | 1.7 | 1.7 | 0.0 | 0.0 | 68.1 | 37.5 |
| 1 | BARAUT | 6 | 9 | 0 | 0 | 0.1 | 0.1 | 0.2 | 0.3 | 0.0 | 0.0 | 51.8 | 35.7 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 0 | 2 | 0 | 0 | 0.0 | 0.2 | 0.0 | 0.2 | 0.0 | | 85.5 | 100.0 |
| 4 | Binauli | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 5 | Chaprauli | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 70.7 | 61.9 |
| 6 | Khekra | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.6 | 38.1 |
| 7 | PILANA | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.9 | 70.9 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 145 | 144 | | 0 | 10.8 | 1.5 | 10.8 | 10.5 | | 0.0 | 100.0 | 14.2 |

| Indicators | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|------------|-----------|--|---------|---|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries | | % of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received post partum check-up within 48 hours of delivery | | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 98.8 | 91.1 | 67.8 | 68.2 | 31.9 | 62.5 | 10,186 | 9,402 | 8,126 | 7,553 | 61.2 | 33.0 |
| 1 | BARAUT | 97.0 | 100.0 | 63.5 | 60.5 | 48.2 | 64.3 | 3,012 | 3,372 | 2,525 | 2,833 | 53.0 | 38.9 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 99.7 | 99.3 | 70.9 | 74.4 | 14.5 | 0.0 | 1,248 | 1,439 | 1,131 | 1,162 | 80.3 | 93.4 |
| 4 | Binauli | 99.9 | 100.0 | 98.4 | 109.1 | 0.0 | 0.0 | 1,131 | 787 | 1,012 | 530 | 57.1 | 39.7 |
| 5 | Chaprauli | 98.7 | 100.0 | 85.1 | 77.3 | 29.3 | 38.1 | 1,243 | 727 | 1,121 | 500 | 64.9 | 35.4 |
| 6 | Khekra | 98.1 | 83.4 | 72.4 | 88.1 | 46.4 | 61.9 | 495 | 533 | 384 | 457 | 35.2 | 27.9 |
| 7 | PILANA | 99.9 | 99.9 | 97.2 | 96.6 | 33.1 | 29.1 | 1,726 | 1,193 | 1,789 | 1,509 | 62.2 | 45.4 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 99.8 | 46.9 | 0.1 | 0.1 | 0.0 | 85.8 | 1,331 | 1,351 | 164 | 562 | 99.2 | 13.9 |

| Indicators | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|------------|-----------|--|---------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|
| | | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 48.8 | 26.5 | 16,613 | 28,311 | 99.7 | 99.4 | 128 | 187 | 99.2 | 99.3 | 16,107 | 21,857 |
| 1 | BARAUT | 44.5 | 32.7 | 5,664 | 8,608 | 99.7 | 99.4 | 26 | 66 | 99.5 | 99.2 | 5,419 | 6,182 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 72.8 | 75.4 | 1,555 | 1,534 | 100.1 | 99.5 | 4 | 7 | 99.7 | 99.5 | 1,551 | 1,389 |
| 4 | Binauli | 51.1 | 26.7 | 1,967 | 1,957 | 99.3 | 98.6 | 29 | 29 | 98.5 | 98.5 | 1,958 | 1,946 |
| 5 | Chaprauli | 58.5 | 24.3 | 1,915 | 2,046 | 99.9 | 99.5 | 28 | 11 | 98.6 | 99.5 | 1,849 | 1,795 |
| 6 | Khekra | 27.3 | 23.9 | 1,408 | 1,907 | 100.0 | 99.8 | 3 | 3 | 99.8 | 99.8 | 1,284 | 1,615 |
| 7 | PILANA | 64.4 | 57.5 | 2,779 | 2,621 | 100.1 | 99.8 | 11 | 7 | 99.6 | 99.7 | 2,722 | 2,312 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 12.2 | 5.8 | 1,325 | 9,638 | 98.7 | 99.4 | 27 | 64 | 98.0 | 99.3 | 1,324 | 6,618 |

| Indicators | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|------------|-----------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Number of New Borns visited within 24 hrs of Home Delivery | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 97.0 | 77.2 | 1,822 | 1,574 | 11.3 | 7.2 | 16,344 | 26,652 | 98.3 | 94.1 | 3,204 | 3,043 |
| 1 | BARAUT | 95.7 | 71.8 | 428 | 774 | 7.9 | 12.5 | 5,580 | 8,548 | 98.5 | 99.3 | 513 | 553 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 99.7 | 90.5 | 90 | 28 | 5.8 | 2.0 | 1,552 | 1,512 | 99.8 | 98.6 | 395 | 421 |
| 4 | Binauli | 99.5 | 99.4 | 174 | 113 | 8.9 | 5.8 | 1,958 | 1,945 | 99.5 | 99.4 | 756 | 587 |
| 5 | Chaprauli | 96.6 | 87.7 | 215 | 167 | 11.6 | 9.3 | 1,882 | 1,973 | 98.3 | 96.4 | 957 | 695 |
| 6 | Khekra | 91.2 | 84.7 | 181 | 121 | 14.1 | 7.5 | 1,367 | 1,856 | 97.1 | 97.3 | 295 | 361 |
| 7 | PILANA | 97.9 | 88.2 | 490 | 140 | 18.0 | 6.1 | 2,725 | 2,596 | 98.1 | 99.0 | 288 | 426 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 99.9 | 68.7 | 244 | 231 | 18.4 | 3.5 | 1,280 | 8,222 | 96.6 | 85.3 | | |

| Indicators | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|------------|-----------|--|---------|---|---------|--|---------|---|---------|--|---------|---|---------|
| | | % newborns visited within 24hrs of home delivery to total reported home deliveries | | Sex Ratio at birth (Female Live Births/ Male Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 97.4 | 78.8 | 877 | 911 | 1.4 | 0.8 | 0.0 | 1.0 | 0.0 | 0.1 | 80.7 | 82.4 |
| 1 | BARAUT | 99.2 | 95.0 | 891 | 854 | 0.0 | 0.2 | | 0.0 | 0.0 | 0.0 | | 0.0 |
| 2 | Badauth | | | 0 | 0 | | | | | | | | |
| 3 | Baghpat | 99.5 | 93.1 | 713 | 831 | 0.0 | 1.2 | | 0.0 | 0.0 | 0.0 | | 0.0 |
| 4 | Binauli | 93.8 | 73.4 | 919 | 943 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 5 | Chaprauli | 100.0 | 68.7 | 889 | 903 | 0.0 | 0.2 | | 0.0 | 0.0 | 0.0 | | 0.0 |
| 6 | Khekra | 96.1 | 61.9 | 937 | 956 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 7 | PILANA | 94.4 | 98.8 | 911 | 955 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 8 | Pinalli | | | 0 | 0 | | | | | | | | |
| 9 | dhq | | | 825 | 954 | 14.3 | 1.8 | 0.0 | 1.2 | 0.0 | 4.7 | 80.7 | 97.1 |

| Indicators | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|------------|-----------|---|---------|--|---------|---|---------|------------------------------|---------|---|---------|---|---------|
| | | % Post - Natal Care / PNC maternal complications attended to Total Deliveries | | Total Number of Abortions (Spontaneous/ Induced) Reported | | Total Number of MTPs (Public) reported | | % MTPs (Public) to Abortions | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 0.0 | 0.0 | 508 | 152 | 0 | 44 | 0.0 | 28.9 | | 100.0 | | 0.0 |
| 1 | BARAUT | 0.0 | 0.0 | 126 | 24 | 0 | 0 | 0.0 | 0.0 | | | | |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 0.0 | 0.0 | 88 | 1 | 0 | 0 | 0.0 | 0.0 | | | | |
| 4 | Binauli | 0.0 | 0.0 | 90 | 27 | 0 | 0 | 0.0 | 0.0 | | | | |
| 5 | Chaprauli | 0.0 | 0.0 | 169 | 21 | 0 | 0 | 0.0 | 0.0 | | | | |
| 6 | Khekra | 0.0 | 0.0 | 8 | 5 | 0 | 0 | 0.0 | 0.0 | | | | |
| 7 | PILANA | 0.0 | 0.0 | 13 | 15 | 0 | 0 | 0.0 | 0.0 | | | | |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 0.0 | 0.0 | 14 | 59 | 0 | 44 | 0.0 | 74.6 | | 100.0 | | 0.0 |

| Indicators | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|------------|-----------|--|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | % Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated | | Number of Vasectomies Conducted (Public + Pvt.) | | Number of Tubectomies Conducted (Public + Pvt.) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | | 100.0 | | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 177 | 3 | 669 | 519 |
| 1 | BARAUT | | | | | 0.0 | 0.0 | | | 3 | 0 | 236 | 193 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | | | | | 0.0 | 0.0 | | | 0 | 0 | 277 | 164 |
| 4 | Binauli | | | | | 0.0 | 0.0 | | | 0 | 0 | 0 | 32 |
| 5 | Chaprauli | | | | | 0.0 | 0.0 | | 0.0 | 0 | 0 | 0 | 20 |
| 6 | Khekra | | | | | 0.0 | 0.0 | | | 0 | 0 | 0 | 26 |
| 7 | PILANA | | | | | 0.0 | 0.0 | | | 0 | 0 | 14 | 43 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | | 100.0 | | 0.0 | 0.0 | 6.4 | 0.0 | 0.0 | 174 | 3 | 142 | 41 |

| Indicators | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|------------|-----------|-------------------------------|---------|---|---------|--------------------------------------|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Tubectomies to Total sterilisation | | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 846 | 522 | 20.9 | 0.5 | 79.1 | 99.4 | 0 | 13 | 467 | 465 | 316 | 44 |
| 1 | BARAUT | 239 | 193 | 1.3 | 0.0 | 98.7 | 100.0 | 0 | 0 | 208 | 193 | | |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 277 | 164 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | 259 | 164 | | |
| 4 | Binauli | 0 | 32 | | 0.0 | | 100.0 | 0 | 0 | 0 | 32 | | |
| 5 | Chaprauli | 0 | 20 | | 0.0 | | 100.0 | 0 | 0 | 0 | 20 | | |
| 6 | Khekra | 0 | 26 | | 0.0 | | 100.0 | 0 | 0 | 0 | 26 | | |
| 7 | PILANA | 14 | 43 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 13 | 0 | 30 | | |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 316 | 44 | 55.1 | 6.8 | 44.9 | 93.2 | 0 | 0 | | | 316 | 44 |

| Indicators | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|------------|-----------|--|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | | | 3 | 0 | 0.0 | 2.5 | 55.2 | 89.1 | 37.4 | 8.4 | 0.0 | 0.0 |
| 1 | BARAUT | | | 3 | 0 | 0.0 | 0.0 | 87.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | | | 0 | 0 | 0.0 | 0.0 | 93.5 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Binauli | | | | | | 0.0 | | 100.0 | | 0.0 | | 0.0 |
| 5 | Chaprauli | | | 0 | 0 | | 0.0 | | 100.0 | | 0.0 | | 0.0 |
| 6 | Khekra | | | 0 | 0 | | 0.0 | | 100.0 | | 0.0 | | 0.0 |
| 7 | PILANA | | | 0 | 0 | 0.0 | 30.2 | 0.0 | 69.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | | | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 |

| Indicators | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|------------|-----------|--|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterilisations to Total Female Sterilisations | | % Post Partum Sterilisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 7.4 | 0.0 | 96.4 | 100.0 | 0.0 | 0.0 | 3.5 | 0.0 | 91.0 | 100.0 | | |
| 1 | BARAUT | 13.0 | 0.0 | 99.2 | 100.0 | 0.0 | 0.0 | 0.8 | 0.0 | 88.9 | 100.0 | | |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 6.5 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 93.5 | 100.0 | | |
| 4 | Binauli | | 0.0 | | 100.0 | | 0.0 | | 0.0 | | 100.0 | | |
| 5 | Chaprauli | | 0.0 | | 100.0 | | 0.0 | | 0.0 | | 100.0 | | |
| 6 | Khekra | | 0.0 | | 100.0 | | 0.0 | | 0.0 | | 100.0 | | |
| 7 | PILANA | 100.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | | |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 0.0 | 0.0 | 84.5 | 100.0 | 0.0 | 0.0 | 15.5 | 0.0 | 100.0 | 100.0 | | |

| Indicators | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|------------|-----------|--|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | Total IUCD Insertions done(public+private) | | PP IUCD Insertions done (public facilities) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 91.7 | | 0 | 0 | 6,353 | 4,353 | 179 | 0 | 6,532 | 4,353 | 2,036 | 877 |
| 1 | BARAUT | 0.0 | | 0 | 0 | 1,656 | 1,105 | 57 | 0 | 1,713 | 1,105 | 881 | 320 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | | | 0 | 0 | 1,047 | 752 | 28 | 0 | 1,075 | 752 | 224 | 267 |
| 4 | Binauli | | | 0 | 0 | 661 | 773 | | | 661 | 773 | 5 | 3 |
| 5 | Chaprauli | | | 0 | 0 | 788 | 545 | 0 | 0 | 788 | 545 | 0 | 0 |
| 6 | Khekra | | | 0 | 0 | 692 | 200 | 0 | 0 | 692 | 200 | 140 | 0 |
| 7 | PILANA | | | 0 | 0 | 928 | 650 | 94 | 0 | 1,022 | 650 | 315 | 88 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 100.0 | | 0 | 0 | 581 | 328 | | 0 | 581 | 328 | 471 | 199 |

| Indicators | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|------------|-----------|---|---------|--|---------|---|---------|------------------------|---------|---------------------------|---------|-------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent) | | Oral Pills distributed | | Condom pieces distributed | | Centchroman Pills distributed | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 32.0 | 20.1 | 22.3 | 9.4 | 88.5 | 89.2 | 50,958 | 18,716 | 406,691 | 251,202 | 0 | 275 |
| 1 | BARAUT | 53.2 | 29.0 | 33.0 | 11.1 | 87.8 | 85.1 | 9,166 | 5,672 | 119,611 | 59,610 | 0 | 260 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 21.4 | 35.5 | 22.6 | 24.5 | 79.5 | 82.1 | 3,212 | 1,343 | 57,338 | 30,745 | 0 | 0 |
| 4 | Binauli | 0.8 | 0.4 | 0.4 | 0.3 | 100.0 | 96.0 | 2,522 | 1,681 | 37,041 | 46,543 | 0 | 0 |
| 5 | Chaprauli | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 96.5 | 28,971 | 4,852 | 68,821 | 29,119 | 0 | 0 |
| 6 | Khekra | 20.2 | 0.0 | 23.7 | 0.0 | 100.0 | 88.5 | 4,077 | 1,325 | 87,161 | 51,017 | 0 | 15 |
| 7 | PILANA | 33.9 | 13.5 | 19.0 | 5.7 | 98.6 | 93.8 | 2,065 | 1,314 | 18,430 | 25,356 | 0 | 0 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 81.1 | 60.7 | 35.1 | 14.5 | 64.8 | 88.2 | 945 | 2,529 | 18,289 | 8,812 | 0 | 0 |

| Indicators | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|------------|-----------|--|---------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 13,630 | 12,915 | 21,700 | 21,412 | 82.0 | 45.6 | 130.6 | 75.6 | 69 | 21,301 | 426 | 20,893 |
| 1 | BARAUT | 3,016 | 3,169 | 5,424 | 5,316 | 53.2 | 36.8 | 95.8 | 61.8 | 46 | 5,180 | 148 | 5,389 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 1,576 | 1,430 | 2,576 | 3,085 | 101.4 | 93.2 | 165.7 | 201.1 | 14 | 3,168 | 73 | 3,185 |
| 4 | Binauli | 2,228 | 1,564 | 3,479 | 3,664 | 113.3 | 79.9 | 176.9 | 187.2 | 0 | 3,621 | 64 | 3,420 |
| 5 | Chaprauli | 2,117 | 2,778 | 3,445 | 3,446 | 110.5 | 135.8 | 179.9 | 168.4 | 0 | 3,032 | 6 | 2,826 |
| 6 | Khekra | 1,119 | 2,064 | 2,336 | 2,428 | 79.5 | 108.2 | 165.9 | 127.3 | 0 | 2,811 | 67 | 2,721 |
| 7 | PILANA | 2,554 | 1,824 | 3,140 | 2,884 | 91.9 | 69.6 | 113.0 | 110.0 | 5 | 2,631 | 34 | 2,570 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 1,020 | 86 | 1,300 | 589 | 77.0 | 0.9 | 98.1 | 6.1 | 4 | 858 | 34 | 782 |

| Indicators | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|------------|-----------|------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|
| | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 1,390 | 20,890 | 19,674 | 87 | 18,056 | 0 | 16,794 | 0 | 20,999 | 22,715 | 126.4 | 80.2 |
| 1 | BARAUT | 374 | 5,264 | 4,776 | 0 | 4,389 | 0 | 4,088 | 0 | 5,132 | 5,629 | 90.6 | 65.4 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 185 | 3,200 | 3,157 | 87 | 2,866 | 0 | 2,719 | 0 | 3,232 | 3,327 | 207.8 | 216.9 |
| 4 | Binauli | 225 | 3,311 | 3,348 | 0 | 3,107 | 0 | 2,867 | 0 | 3,401 | 3,504 | 172.9 | 179.0 |
| 5 | Chaprauli | 112 | 2,910 | 2,211 | 0 | 2,105 | 0 | 1,939 | 0 | 2,697 | 3,086 | 140.8 | 150.8 |
| 6 | Khekra | 217 | 2,779 | 2,736 | 0 | 2,433 | 0 | 2,226 | 0 | 2,792 | 3,105 | 198.3 | 162.8 |
| 7 | PILANA | 198 | 2,624 | 2,712 | 0 | 2,474 | 0 | 2,329 | 0 | 2,982 | 3,072 | 107.3 | 117.2 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 79 | 802 | 734 | 0 | 682 | 0 | 626 | 0 | 763 | 992 | 57.6 | 10.3 |

| Indicators | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|------------|-----------|--|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|
| | | Number of fully immunized children (9-11 months) | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 20,989 | 22,713 | 3.2 | -6.1 | 20,986 | 22,681 | 126.3 | 80.1 | 192.0 | 135.5 | 0 | 0 |
| 1 | BARAUT | 5,128 | 5,629 | 5.4 | -5.9 | 5,116 | 5,629 | 90.3 | 65.4 | 28.8 | 5.6 | 0 | 0 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 3,229 | 3,327 | -25.5 | -7.8 | 3,232 | 3,327 | 207.8 | 216.9 | 143.8 | 179.2 | 0 | 0 |
| 4 | Binauli | 3,401 | 3,504 | 2.2 | 4.4 | 3,401 | 3,501 | 172.9 | 178.9 | 381.5 | 377.4 | 0 | 0 |
| 5 | Chaprauli | 2,697 | 3,085 | 21.7 | 10.4 | 2,697 | 3,086 | 140.8 | 150.8 | 167.0 | 70.7 | 0 | 0 |
| 6 | Khekra | 2,792 | 3,104 | -19.5 | -27.9 | 2,809 | 3,094 | 199.5 | 162.2 | 39.0 | 40.0 | 0 | 0 |
| 7 | PILANA | 2,979 | 3,072 | 5.0 | -6.5 | 2,967 | 3,052 | 106.8 | 116.4 | 510.8 | 228.8 | 0 | 0 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 763 | 992 | 41.3 | -68.4 | 764 | 992 | 57.7 | 10.3 | 58.9 | 84.7 | 0 | 0 |

| Indicators | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|------------|-----------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 98.8 | 99.8 | 78.0 | 84.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | BARAUT | 97.3 | 99.4 | 62.1 | 74.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 100.0 | 101.9 | 87.2 | 90.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Binauli | 99.9 | 99.3 | 90.4 | 87.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Chaprauli | 97.3 | 99.9 | 86.5 | 91.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Khekra | 99.4 | 98.4 | 85.6 | 89.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | PILANA | 99.8 | 100.2 | 96.3 | 97.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 99.1 | 100.3 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|------------|-----------|---|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 0.0 | 0.0 | 1.6 | 0.0 | 95.8 | 98.3 | 2.7 | 1.7 | 71.8 | 84.5 | 26.0 | 19.7 |
| 1 | BARAUT | 0.0 | 0.0 | 0.0 | 0.0 | 99.7 | 100.0 | 0.3 | 0.0 | 78.3 | 97.1 | 18.3 | 22.5 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 0.0 | 0.0 | 0.1 | 0.0 | 99.9 | 96.0 | 0.0 | 4.0 | 62.3 | 77.3 | 31.4 | 20.5 |
| 4 | Binauli | 0.0 | 0.0 | 9.7 | 0.0 | 90.3 | 100.0 | 0.0 | 0.0 | 68.2 | 63.1 | 22.1 | 27.7 |
| 5 | Chaprauli | 0.0 | 0.0 | 3.1 | 0.0 | 88.9 | 99.0 | 8.1 | 1.0 | 86.4 | 72.6 | 35.0 | 27.8 |
| 6 | Khekra | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 60.9 | 68.0 | 23.9 | 14.2 |
| 7 | PILANA | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 74.7 | 76.1 | 25.4 | 25.4 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 74.2 | 91.5 | 32.6 | 14.0 |

| Indicators | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|------------|-----------|---|---------|---------------------------------|---------|--------------|---------|--------------|---------|--------------|---------|----------------------------|---------|
| | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | | IPD (Number) | | OPD (Number) | | % IPD to OPD | | Number of Major Operations | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | | | 0.0 | 0.0 | 35,540 | 43,418 | 973,473 | 930,340 | 3.7 | 4.7 | 1,230 | 338 |
| 1 | BARAUT | | | 0.0 | 0.0 | 9,419 | 11,597 | 168,574 | 151,346 | 5.6 | 7.7 | 0 | 0 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | | | 0.0 | 0.0 | 6,421 | 3,636 | 170,355 | 153,223 | 3.8 | 2.4 | 0 | 34 |
| 4 | Binauli | | | 0.0 | 0.0 | 2,677 | 2,891 | 118,632 | 110,803 | 2.3 | 2.6 | 0 | 0 |
| 5 | Chaprauli | | | 0.0 | 0.0 | 2,248 | 2,611 | 103,653 | 77,918 | 2.2 | 3.4 | 0 | 0 |
| 6 | Khekra | | | 0.0 | 0.0 | 4,841 | 5,525 | 109,532 | 100,988 | 4.4 | 5.5 | 0 | 0 |
| 7 | PILANA | | | 0.0 | 0.0 | 3,723 | 4,086 | 98,244 | 97,389 | 3.8 | 4.2 | 0 | 0 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | | | 0.0 | 0.0 | 6,211 | 13,072 | 204,483 | 238,673 | 3.0 | 5.5 | 1,230 | 304 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

| Indicators | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|------------|-----------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------|---------|--------------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | Ayush OPD (Number) | | % AYUSH OPD to Total OPD | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 1,552 | 1,038 | 44.2 | 24.6 | 63 | 3 | 5.1 | 0.8 | 140,047 | 157,532 | 14.3 | 16.9 |
| 1 | BARAUT | 208 | 146 | 0.0 | 0.0 | 0 | 0 | | | 7,072 | 14,766 | 4.2 | 9.8 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 240 | 182 | 0.0 | 15.7 | 0 | 0 | | 0.0 | 16,155 | 24,912 | 9.5 | 16.3 |
| 4 | Binauli | 0 | 34 | | 0.0 | 0 | 0 | | | 40,437 | 34,316 | 34.1 | 31.0 |
| 5 | Chaprauli | 0 | 18 | | 0.0 | 0 | 0 | | | 550 | 1,440 | 0.5 | 1.8 |
| 6 | Khekra | 0 | 26 | | 0.0 | 0 | 0 | | | 34,543 | 31,830 | 31.5 | 31.5 |
| 7 | PILANA | 0 | 32 | | 0.0 | 0 | 0 | | | 18,714 | 18,841 | 19.0 | 19.3 |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 1,104 | 600 | 52.7 | 33.6 | 63 | 3 | 5.1 | 1.0 | 22,576 | 31,427 | 11.0 | 13.2 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to December

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|-----------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 688 | 5,695 | 0.1 | 0.6 | 0 | 0 | 5.2 | 6.0 | 1.1 | 1.0 | 0.7 | 0.2 |
| 1 | BARAUT | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0.6 | 1.5 | 1.5 | 0.7 | 0.2 | 0.5 |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 303 | 2,473 | 0.2 | 1.6 | 0 | 0 | 3.6 | 1.6 | | | 0.0 | |
| 4 | Binauli | 0 | 2,952 | 0.0 | 2.7 | 0 | 0 | 1.0 | 1.3 | | | 0.3 | |
| 5 | Chaprauli | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0.0 | 10.8 | | | | |
| 6 | Khekra | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 5.6 | 6.2 | | | | |
| 7 | PILANA | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 1.4 | 4.8 | | | | |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 385 | 270 | 0.2 | 0.1 | 0 | 0 | 11.0 | 12.6 | 1.0 | 1.1 | 1.1 | 0.2 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|-----------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | 0.7 | 0.4 | 0.9 | 0.8 | 0.0 | 0.1 | | | | | | |
| 1 | BARAUT | 0.4 | 0.6 | 1.3 | 1.0 | 0.0 | 0.0 | | | | | | |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | 0.0 | | 0.9 | 0.8 | 0.0 | 0.0 | | | | | | |
| 4 | Binauli | 0.3 | | 1.2 | 0.9 | 0.0 | 0.0 | | | | | | |
| 5 | Chaprauli | | | 0.0 | 0.0 | 0.0 | 0.3 | | | | | | |
| 6 | Khekra | | | 1.4 | 0.5 | 0.0 | 0.3 | | | | | | |
| 7 | PILANA | | | 0.0 | 0.0 | 0.0 | 0.0 | | | | | | |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | 1.1 | 0.4 | 1.3 | 1.8 | 0.0 | 0.0 | | | | | | |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|-----------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Bagpat | | | | | | | | | | | | |
| 1 | BARAUT | | | | | | | | | | | | |
| 2 | Badauth | | | | | | | | | | | | |
| 3 | Baghpat | | | | | | | | | | | | |
| 4 | Binauli | | | | | | | | | | | | |
| 5 | Chaprauli | | | | | | | | | | | | |
| 6 | Khekra | | | | | | | | | | | | |
| 7 | PILANA | | | | | | | | | | | | |
| 8 | Pinalli | | | | | | | | | | | | |
| 9 | dhq | | | | | | | | | | | | |