

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		% 1st Trimester registration to Total ANC Registrations		Number of pregnant women received 4 or more ANC check ups		TT2 given to Pregnant women (numbers)		TT Booster given to Pregnant women (numbers)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	14,724	15,238	11,202	11,438	76.0	75.0	13,985	12,412	12,459	10,286	6,725	5,349
1	Aurad	2,454	2,654	1,876	2,043	76.4	77.0	2,137	1,784	1,960	2,098	897	778
2	Basavakalyan	2,982	3,066	2,246	2,247	75.3	73.3	2,443	1,895	2,423	2,476	1,497	1,291
3	Bhalki	2,270	2,381	1,869	1,854	82.3	77.9	2,465	1,780	2,106	1,836	992	868
4	Bidar	4,190	4,134	2,915	2,997	69.6	72.5	3,891	4,738	3,935	2,387	1,805	1,242
5	Humnabad	2,828	3,003	2,296	2,297	81.2	76.5	3,049	2,215	2,035	1,489	1,534	1,170

Indicators		7		8		9		10		11		12	
		% Pregnant Woman received 4 ANC check ups to Total ANC Registrations		% Pregnant women received TT2+ TT Booster to Total ANC Registration		Number of Pregnant women given 180 IFA tablets		% Pregnant women given 180 IFA to Total ANC Registration		Number of Pregnant Women having Hb level<11 (tested cases)		Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	94.9	81.4	130.2	102.6	21,088	10,933	143.2	71.7	21,961	17,900	648	186
1	Aurad	87.1	67.2	116.4	108.4	3,875	1,757	157.9	66.2	2,560	2,947	28	12
2	Basavakalyan	81.9	61.8	131.5	122.9	4,656	3,214	156.1	104.8	3,151	2,155	133	28
3	Bhalki	108.6	74.8	136.5	113.6	3,160	1,508	139.2	63.3	3,520	2,773	26	28
4	Bidar	92.9	114.6	137.0	87.8	5,836	2,717	139.3	65.7	10,229	6,813	442	81
5	Humnabad	107.8	73.8	126.2	88.5	3,561	1,737	125.9	57.8	2,501	3,212	19	37

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		13		14		15		16		17		18	
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)		% SBA attended home deliveries to Total Reported Home Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	34.4	18.4	2.9	6.1	54	48	39	21	15	27	72.2	43.7
1	Aurad	32.2	7.5	1.5	0.7	6	14	1	5	5	9	16.7	35.7
2	Basavakalyan	369.4	7.8	1.6	3.4	3	5	2	4	1	1	66.7	80.0
3	Bhalki	25.7	23.1	1.6	3.2	0	2	0	0	0	2		0.0
4	Bidar	30.0	25.2	6.3	12.0	43	21	36	11	7	10	83.7	52.4
5	Humnabad	10.2	72.5	1.4	8.0	2	6	0	1	2	5	0.0	16.7

Indicators		19		20		21		22		23		24	
		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions		Deliveries Conducted at Private Institutions		Number of Women Discharged under 48 hours of delivery in private institutions		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	8,880	9,676	1,823	2,814	20.5	29.0	2,704	2,998	373	316	13.7	10.5
1	Aurad	1,169	1,216	79	130	6.8	10.7						
2	Basavakalyan	1,677	1,672	302	226	18.0	13.5	125	274	10	140	8.0	51.1
3	Bhalki	893	976	72	63	8.1	6.5	749	873	75	176	10.0	20.2
4	Bidar	3,288	3,596	958	2,161	29.1	60.1	1,606	1,700	288	0	17.9	0.0
5	Humnabad	1,853	2,216	412	234	22.2	10.6	224	151	0	0	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	11,584	12,674	78.6	83.1	11,638	12,722	99.5	99.6	99.9	99.8	0.5	0.4
1	Aurad	1,169	1,216	47.6	45.8	1,175	1,230	99.5	98.9	99.6	99.3	0.5	1.1
2	Basavakalyan	1,802	1,946	60.4	63.5	1,805	1,951	99.8	99.7	99.9	99.9	0.2	0.3
3	Bhalki	1,642	1,849	72.3	77.7	1,642	1,851	100.0	99.9	100.0	99.9	0.0	0.1
4	Bidar	4,894	5,296	116.8	128.1	4,937	5,317	99.1	99.6	99.9	99.8	0.9	0.4
5	Humnabad	2,077	2,367	73.4	78.8	2,079	2,373	99.9	99.7	99.9	99.8	0.1	0.3

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	1,215	1,088	1,377	845	22.3	15.2	13.7	11.2	50.9	28.2	76.7	76.3
1	Aurad	11	0			0.9	0.0	0.9	0.0			100.0	100.0
2	Basavakalyan	90	45	36	0	7.0	2.3	5.4	2.7	28.8	0.0	93.1	85.9
3	Bhalki	0	0	265	317	16.1	17.1	0.0	0.0	35.4	36.3	54.4	52.8
4	Bidar	1,077	1,034	938	476	41.2	28.5	32.8	28.8	58.4	28.0	67.2	67.9
5	Humnabad	37	9	138	52	8.4	2.6	2.0	0.4	61.6	34.4	89.2	93.6

Indicators		37		38		39		40		41		42	
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received 1st post partum check-up within 48 hours of home delivery		Women received 1st post partum check up between 48 hours and 14 days		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries		% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries		Total Number of reported live births	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	23.3	23.7	3,833	4,765	10,794	10,111	7098.1	9927.1	92.7	79.5	11,710	13,174
1	Aurad	0.0	0.0	150	420	1,724	1,877	2500.0	3000.0	146.7	152.6	1,161	1,265
2	Basavakalyan	6.9	14.1	1,317	1,486	1,418	1,342	3900.0	9720.0	78.6	68.8	1,843	2,151
3	Bhalki	45.6	47.2	638	665	1,111	1,199		3250.0	67.7	64.8	1,663	1,996
4	Bidar	32.8	32.1	1,634	1,601	4,531	4,233	3800.0	7623.8	91.8	79.6	4,938	5,356
5	Humnabad	10.8	6.4	94	593	2,010	1,460	4700.0	9883.3	96.7	61.5	2,105	2,406

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		43		44		45		46		47		48	
		% Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	100.6	103.6	72	75	99.4	99.4	11,268	12,718	96.2	96.5	1,087	1,188
1	Aurad	98.8	102.8	10	22	99.1	98.3	1,140	1,244	98.2	98.3	81	99
2	Basavakalyan	102.1	110.3	16	11	99.1	99.5	1,787	2,141	97.0	99.5	195	292
3	Bhalki	101.3	107.8	5	14	99.7	99.3	1,406	1,810	84.5	90.7	106	154
4	Bidar	100.0	100.7	7	15	99.9	99.7	4,824	5,243	97.7	97.9	536	529
5	Humnabad	101.3	101.4	34	13	98.4	99.5	2,111	2,280	100.3	94.8	169	114

Indicators		49		50		51		52		53		54	
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Sex Ratio at birth (Female Live Births/ Male Live Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	9.6	9.3	10,781	11,886	92.0	90.2	898	863	10.2	9.4	39.0	52.0
1	Aurad	7.1	8.0	1,103	1,213	95.0	95.9	955	934	2.1	1.3	40.0	50.0
2	Basavakalyan	10.9	13.6	1,748	2,099	94.8	97.6	990	933	1.4	5.5	42.3	0.9
3	Bhalki	7.5	8.5	1,350	1,754	81.2	87.9	858	936	0.1	0.1	3100.0	4000.0
4	Bidar	11.1	10.1	4,557	4,571	92.3	85.3	833	764	22.3	19.7	37.1	54.4
5	Humnabad	8.0	5.0	2,023	2,249	96.1	93.5	982	943	1.6	1.5	6.1	27.8

Indicators		55		56		57		58		59		60	
		Number of PW given 360 Calcium tablets		% Pregnant women given 360 Calcium to Total ANC Registration		Number of PW given one Albendazole tablet after 1st trimester		% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration		Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)		% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	16,475	3,237	111.9	21.2	9,797	4,459	66.5	29.3	2,866	1,894	19.5	12.4
1	Aurad	2,541	292	103.5	11.0	1,150	535	46.9	20.2	1,144	594	46.6	22.4
2	Basavakalyan	3,471	680	116.4	22.2	2,108	735	70.7	24.0	314	825	10.5	26.9
3	Bhalki	2,544	492	112.1	20.7	1,930	1,006	85.0	42.3	539	138	23.7	5.8
4	Bidar	5,630	1,664	134.4	40.3	2,503	1,544	59.7	37.3	549	337	13.1	8.2
5	Humnabad	2,289	109	80.9	3.6	2,106	639	74.5	21.3	320	0	11.3	0.0

Indicators		61		62		63		64		65		66	
		Number of PW tested positive for GDM		% Pregnant women tested positive for GDM to Total ANC Registration		Number of pregnant women tested for Syphilis		Number of pregnant women tested found sero positive for Syphilis		% Pregnant women tested for Syphilis to Total ANC Registration		% Pregnant women treated for Syphilis to Total sero positive for Syphilis	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	188	66	1.3	0.4	7,829	4,673	59	105	53.2	30.7	0.4	0.7
1	Aurad	65	0	2.6	0.0	2,252	1,451	6	0	91.8	54.7	0.0	0.0
2	Basavakalyan	70	4	2.3	0.1	2,376	1,654	0	0	79.7	53.9	0.0	0.0
3	Bhalki	8	0	0.4	0.0	1,622	845	18	0	71.5	35.5	0.0	0.0
4	Bidar	45	62	1.1	1.5	534	174	34	63	12.7	4.2	3.7	19.0
5	Humnabad	0	0	0.0	0.0	1,045	549	1	42	37.0	18.3	1.0	0.0

Indicators		67		68		69		70		71		72	
		% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis		Total no. maternal deaths		Total Facility Based Maternal Death Reviews (FBMDR) done		Total Number of Abortions (Spontaneous) Reported		Total Number of MTPs (Public) conducted		% MTPs to total Abortions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar		566.7	9	10	0	0	135	278	60	122	61.5	46.9
1	Aurad			1	0	0	0	22	22	8	0	26.7	0.0
2	Basavakalyan			2	1	0	0	5	2	17	0	77.3	0.0
3	Bhalki			2	1	0	0	5	3	1	3	92.1	70.0
4	Bidar		566.7	4	7	0	0	70	221	29	118	54.2	48.1
5	Humnabad			0	1	0	0	33	30	5	1	60.2	53.1

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		73		74		75		76		77		78	
		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		Number of Vasectomies Conducted	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	70.0	57.4	30.0	42.6	27.8	49.6	72.2	50.4	0.4	0.8	28	17
1	Aurad	87.5		12.5		100.0		0.0		0.3	0.0	15	0
2	Basavakalyan	88.2		11.8		100.0		0.0		0.6	0.0	11	11
3	Bhalki	0.0	100.0	100.0	0.0	1.7	42.9	98.3	57.1	0.0	0.1	1	0
4	Bidar	62.1	55.9	37.9	44.1	34.9	57.6	65.1	42.4	0.7	2.9	1	6
5	Humnabad	40.0	100.0	60.0	0.0	10.0	2.9	90.0	97.1	0.2	0.0	0	0

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		79		80		81		82		83		84	
		Number of Tubectomies Conducted		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Female Serlisation (Tubectomies) to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	2,923	4,214	2,951	4,231	0.9	0.4	99.1	99.6				
1	Aurad	427	288	442	288	3.4	0.0	96.6	100.0				
2	Basavakalyan	386	808	397	819	2.8	1.3	97.2	98.7				
3	Bhalki	207	179	208	179	0.5	0.0	99.5	100.0				
4	Bidar	1,631	2,356	1,632	2,362	0.1	0.3	99.9	99.7				
5	Humnabad	272	583	272	583	0.0	0.0	100.0	100.0				

Indicators		85		86		87		88		89		90	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH		Total Sterilisation (Tubectomies and Vasectomies) conducted at DH		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar					1,367	2,727	1,584	1,504	46.3	64.5	53.7	35.5
1	Aurad							442	288	0.0	0.0	100.0	100.0
2	Basavakalyan					9	301	388	518	2.3	36.8	97.7	63.2
3	Bhalki					88	149	120	30	42.3	83.2	57.7	16.8
4	Bidar					1,215	1,990	417	372	74.4	84.3	25.6	15.7
5	Humnabad					55	287	217	296	20.2	49.2	79.8	50.8

Indicators		91		92		93		94		95		96	
		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Post Abortion Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	18.7	16.8	63.7	76.2	16.5	5.5	1.0	1.4	41.7	26.5	48.1	33.6
1	Aurad	18.3	0.0	79.9	99.0	0.2	1.0	1.6	0.0	100.0		100.0	100.0
2	Basavakalyan	23.1	15.8	72.3	72.9	4.7	5.7	0.0	5.6	97.8	100.0	97.5	50.6
3	Bhalki	5.8	0.6	63.3	87.2	30.9	8.4	0.0	3.9	0.0	0.0	42.7	15.4
4	Bidar	22.6	23.8	52.7	68.5	23.2	7.3	1.5	0.4	17.1	7.7	3.6	12.0
5	Humnabad	0.0	2.7	92.3	97.3	7.7	0.0	0.0	0.0		100.0	78.1	49.4

Indicators		97		98		99		100		101		102	
		% Post Partum sterlisations at Public Institutions to Total Post Partum Sterilisation		% Post Abortion sterlisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		Total cases of deaths following Male Sterilisation		Total cases of deaths following Female Sterilisation		Total cases of failure following Male Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	87.6	74.5	28.1	80.6	0	1	0	0	0	1	1	1
1	Aurad	100.0	100.0	100.0		0	0	0	0	0	0	0	1
2	Basavakalyan	100.0	87.0		95.6	0	0	0	0	0	0	0	0
3	Bhalki	98.4	0.0		85.7	0	0	0	0	0	0	0	0
4	Bidar	84.4	77.2	8.0	10.0	0	1	0	0	0	1	1	0
5	Humnabad	100.0				0	0	0	0	0	0	0	0

Indicators		103		104		105		106		107		108	
		Total cases of failure following Female Sterilisation		Total cases of complication following Male Sterilisation		Total cases of complication following Female Sterilisation		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		% PP IUCD Insertions (public) to Total IUCD Insertions (public)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	0	3	0	0	2	0	3,229	3,674	64	116	77.3	67.3
1	Aurad	0	0	0	0	0	0	589	764			62.0	76.2
2	Basavakalyan	0	0	0	0	0	0	687	925	12	61	83.7	77.9
3	Bhalki	0	0	0	0	0	0	462	699	1	10	48.1	50.9
4	Bidar	0	2	0	0	0	0	912	523	36	40	95.2	69.4
5	Humnabad	0	1	0	0	2	0	579	763	15	5	80.7	59.1

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		109		110		111		112		113		114	
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions to all family planning methods (IUCD plus permanent)		Total Interval IUCD Insertions done		Total PP IUCD Insertions done		Total PAIUCD insertions done		Combined Oral Pills distributed	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	28.1	25.5	52.7	47.2	578	1,269	2,525	2,509	190	12	14,661	11,825
1	Aurad	31.2	47.9	57.1	72.6	204	182	365	582	20	0	2,695	3,556
2	Basavakalyan	34.3	43.1	63.8	54.6	90	236	587	745	22	5	1,811	817
3	Bhalki	24.9	36.5	69.0	79.8	124	353	222	356	117	0	3,490	1,900
4	Bidar	26.4	10.1	36.7	19.2	54	184	880	375	14	4	3,639	2,391
5	Humnabad	25.2	20.4	68.6	56.8	106	314	471	451	17	3	3,026	3,161

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to August

These indicators are under compilation (83,84,85,86,197,198)

Indicators		115		116		117		118		119		120	
		Emergency pills distributed		Condom pieces distributed		Centchroman (weekly pills) distributed		Number of beneficiaries given 1st dose of Injectable (Antara Program)		Number of beneficiaries given 2nd dose of Injectable (Antara Program)		Number of beneficiaries given 3rd dose of Injectable (Antara Program)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	484	253	96,388	71,461	1,660	707	216	136	117	6	62	14
1	Aurad	7	2	19,954	18,339	104	92	8	1	3	0	4	0
2	Basavakalyan	0	4	19,310	14,161	20	100	44	0	14	0	4	0
3	Bhalki	50	32	18,728	15,426	303	93	54	2	8	2	2	7
4	Bidar	367	200	22,634	9,894	865	14	95	132	90	4	51	7
5	Humnabad	60	15	15,762	13,641	368	408	15	1	2	0	1	0

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		121		122		123		124		125		126	
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)		Pregnancy testing kits used		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		Number of Infants given Hep- B0 (birth dose)		% Newborns given OPV0 at birth to Reported live birth	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	42	0	9,918	8,611	9,905	11,811	13,288	13,905	7,428	11,174	84.6	89.7
1	Aurad	0	0	2,607	2,526	1,156	1,130	1,910	1,625	1,117	1,128	99.6	89.3
2	Basavakalyan	2	0	1,830	950	1,516	2,308	2,084	2,184	1,370	2,104	82.3	107.3
3	Bhalki	5	0	1,845	1,664	1,270	1,725	1,931	1,933	946	1,513	76.4	86.4
4	Bidar	28	0	2,075	1,936	3,920	4,468	4,810	5,284	2,504	4,243	79.4	83.4
5	Humnabad	7	0	1,561	1,535	2,043	2,180	2,553	2,879	1,491	2,186	97.1	90.6

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		127		128		129		130		131		132	
		% Newborns given BCG to Reported live birth		% Newborns given Hep-B0(Birth Dose)at birth to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3		Number of Infants given Pentavalent 1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	113.5	105.5	63.4	84.8	109	237	68	162	74	133	16,495	14,774
1	Aurad	164.5	128.5	96.2	89.2	60	129	32	96	22	78	2,829	2,545
2	Basavakalyan	113.1	101.5	74.3	97.8	6	8	1	0	23	0	3,319	3,128
3	Bhalki	116.1	96.8	56.9	75.8	24	16	16	7	15	4	2,605	2,344
4	Bidar	97.4	98.7	50.7	79.2	12	56	0	29	14	19	4,691	3,971
5	Humnabad	121.3	119.7	70.8	90.9	7	28	19	30	0	32	3,051	2,786

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		133		134		135		136		137		138	
		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		Number of Infants given MR		% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	15,537	13,961	15,761	13,984	1,023	1,266	14,471	12,416	132.3	103.8	14,940	12,355
1	Aurad	2,648	2,396	2,737	2,429	24	88	2,678	2,291	232.7	188.1	2,622	2,270
2	Basavakalyan	3,096	3,082	2,909	2,967	153	52	2,779	2,063	159.1	98.3	2,741	2,016
3	Bhalki	2,391	2,242	2,614	2,291	56	490	2,125	1,850	131.1	117.2	2,127	1,957
4	Bidar	4,627	3,892	4,690	3,988	677	383	4,089	4,178	96.5	85.2	4,613	3,978
5	Humnabad	2,775	2,349	2,811	2,309	113	253	2,800	2,034	138.4	95.1	2,837	2,134

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		139		140		141		142		143		144	
		% Drop Out between BCG & Measles/ MR		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Abcess)		Adverse Events Following Imunisation (Deaths)		Adverse Events Following Imunisation (Others)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	92.3	90.9	113.7	104.7	3.4	123.8	13	16	2	0	2	0
1	Aurad	98.7	94.6	222.8	162.1	2.2	61.7	2	0	0	0	0	0
2	Basavakalyan	92.7	97.6	144.8	128.7	2.6	156.8	0	0	0	0	0	0
3	Bhalki	97.1	74.7	115.0	157.8	0.1	178.2	2	0	0	0	0	0
4	Bidar	85.9	92.8	71.3	66.5	8.3	124.9	6	16	2	0	2	0
5	Humnabad	95.6	91.2	124.8	94.1	1.2	62.4	3	0	0	0	0	0

Indicators		145		146		147		148		149		150	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	93.6	88.3	77.4	84.1	551	113	419	81	79	55	0	0
1	Aurad	95.0	92.1	85.6	88.2	63	1	73	21	4	0	0	0
2	Basavakalyan	95.1	93.6	78.9	72.7	475	72	334	39	67	10	0	0
3	Bhalki	95.9	91.5	90.0	84.1	9	21	8	15	4	45	0	0
4	Bidar	87.2	79.9	62.5	83.0	1	18	4	1	4	0	0	0
5	Humnabad	99.5	88.2	79.5	96.7	3	1	0	5	0	0	0	0

Indicators		151		152		153		154		155		156	
		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	0	0	0	0	2	8	2	8	12	18	551	113
1	Aurad	0	0	0	0	0	2	0	2	0	6	63	1
2	Basavakalyan	0	0	0	0	0	0	0	0	4	0	475	72
3	Bhalki	0	0	0	0	0	2	0	2	4	0	9	21
4	Bidar	0	0	0	0	2	3	2	3	4	2	1	18
5	Humnabad	0	0	0	0	0	1	0	1	0	10	3	1

Indicators		157		158		159		160		161		162	
		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3rd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	3,988	3,437	749	720	14,471	12,416	59	16	18	12	18	12
1	Aurad	861	732	40	32	2,678	2,291	0	0	0	0	0	0
2	Basavakalyan	1,124	638	375	364	2,779	2,063	0	2	0	0	0	0
3	Bhalki	459	375	17	69	2,125	1,850	0	6	0	4	0	4
4	Bidar	1,210	1,406	285	225	4,089	4,178	59	1	18	1	18	1
5	Humnabad	334	286	32	30	2,800	2,034	0	7	0	7	0	7

Indicators		163		164		165		166		167		168	
		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	1,250	944	12,017	8,878	63.5	61.1	13.3	10.4	40.7	42.5	0.7	0.5
1	Aurad	38	154	2,268	1,855	65.6	69.1	11.5	15.3	16.7	45.5	0.0	0.1
2	Basavakalyan	118	37	2,455	1,444	53.3	59.7	17.5	27.6	66.7		0.0	0.0
3	Bhalki	44	369	1,792	1,356	73.9	78.5	11.5	8.7	50.0	0.0	0.1	0.1
4	Bidar	726	91	3,380	2,552	61.1	55.2	15.3	6.1	40.7	43.3	2.0	0.9
5	Humnabad	324	293	2,122	1,671	67.2	70.7	9.2	11.1	40.0	12.5	0.0	0.1

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to August
These indicators are under compilation (83,84,85,86,197,198)

Indicators		169		170		171		172		173		174	
		IPD (Number)		OPD (Allopathic)		Ayush OPD (Number)		OPD (Ayush+Allopathic)		% IPD to OPD		Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	67,401	80,008	1,247,443	769,325	54,483	29,451	1,301,926	798,776	5.2	10.0	3,289	2,982
1	Aurad	14,389	8,642	133,028	123,841	6,020	8,173	139,048	132,014	10.3	6.5	0	25
2	Basavakalyan	11,424	8,857	208,972	115,926	18,306	5,293	227,278	121,219	5.0	7.3	72	86
3	Bhalki	7,361	5,142	131,996	90,378	12,751	2,199	144,747	92,577	5.1	5.6	290	258
4	Bidar	21,310	44,387	459,567	244,905	10,091	6,760	469,658	251,665	4.5	17.6	2,915	2,566
5	Humnabad	12,917	12,980	313,880	194,275	7,315	7,026	321,195	201,301	4.0	6.4	12	47

Indicators		175		176		177		178		179		180	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		% AYUSH OPD to Total OPD		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	1,275	999	72.1	74.9	322	309	9.7	10.3	4.1	3.6	13,179	7,471
1	Aurad	238	88	0.0	22.1	0	10		40.0	4.3	6.2	3,203	1,999
2	Basavakalyan	165	144	30.4	37.4	5	2	6.9	2.3	8.1	4.4	2,453	1,987
3	Bhalki	119	19	70.9	93.1	28	30	9.7	11.6	8.8	2.4	1,669	475
4	Bidar	606	455	82.8	84.9	265	262	9.1	10.2	2.1	2.7	2,457	1,791
5	Humnabad	147	293	7.5	13.8	24	5	200.0	10.6	2.3	3.5	3,397	1,219

Indicators		181		182		183		184		185		186	
		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested (Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	1.0	0.9	4.4	4.7	1.0	2.1	90.4	62.7	0.6	1.2	0.8	1.6
1	Aurad	2.3	1.5	3.7	4.8	0.4	0.5	91.9	45.4	0.8	0.5	0.6	0.5
2	Basavakalyan	1.1	1.6	7.1	2.1	2.7	1.0	62.3	42.0	0.4	1.2	1.6	1.1
3	Bhalki	1.2	0.5	2.3	3.4	0.2	1.0	85.0	43.4	0.3	0.4	0.3	0.7
4	Bidar	0.5	0.7	4.6	6.3	1.0	3.9	121.6	97.1	0.8	1.8	0.9	2.9
5	Humnabad	1.1	0.6	3.0	2.1	0.4	0.7	76.6	66.8	0.5	0.5	0.5	0.6

Indicators		187		188		189		190		191		192	
		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	3.3	0.8	1.1	0.8	181	201	3.9	1.0	22.7	30.8	4.4	2.0
1	Aurad	0.0	0.0	0.0	0.0	9	14	11.1	7.1	11.1	14.3	11.1	14.3
2	Basavakalyan	6.0	3.2	4.7	3.2	9	4	0.0	0.0	11.1	0.0	22.2	50.0
3	Bhalki	0.0	0.0	0.0	0.0	45	6	13.3	0.0	11.1	16.7	11.1	0.0
4	Bidar	7.3	0.0	0.0	0.0	112	171	0.0	0.6	30.4	33.9	0.0	0.0
5	Humnabad	0.4	0.0	0.0	0.0	6	6	0.0	0.0	0.0	16.7	0.0	0.0

Indicators		193		194		195		196		197		198	
		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	3.3	0.0	6.1	0.0	0.0	0.0	2,704	3,014				
1	Aurad	0.0	0.0	0.0	0.0	0.0	0.0						
2	Basavakalyan	0.0	0.0	0.0	0.0	0.0	0.0	125	274				
3	Bhalki	13.3	0.0	22.2	0.0	0.0	0.0	749	873				
4	Bidar	0.0	0.0	0.0	0.0	0.0	0.0	1,606	1,716				
5	Humnabad	0.0	0.0	16.7	0.0	0.0	0.0	224	151				