| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|----|-------------|--|--|--|--|--|---|---|--|--|---|---|--|--|
| 1 | ndicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 37,548 | 17,675 | 47.0 | 4,543 | 19,296 | 16,453 | 12.0 | 95.2 | 17,307 | 46.0 | 22,381 | 551 | 48.3 |
| 1 | Ahore | 3,718 | 1,704 | 45.8 | 431 | 2,093 | 1,404 | 11.6 | 94.1 | 1,323 | 35.6 | 3,106 | 11 | 10.4 |
| 2 | Bhinmal | 6,306 | 2,993 | 47.5 | 895 | 3,244 | 3,106 | 14.2 | 100.7 | 2,731 | 43.3 | 3,796 | 149 | 46.9 |
| 3 | Chitalwana | 4,410 | 2,224 | 50.4 | 462 | 2,531 | 1,642 | 10.5 | 94.6 | 2,191 | 49.7 | 1,908 | 4 | 30.8 |
| 4 | Jalor | 4,471 | 2,175 | 48.6 | 887 | 2,026 | 1,889 | 19.8 | 87.6 | 1,376 | 30.8 | 3,570 | 309 | 82.2 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 3,334 | 1,395 | 41.8 | 115 | 1,724 | 1,429 | 3.4 | 94.6 | 2,361 | 70.8 | 745 | 6 | 66.7 |
| 8 | Raniwara | 4,305 | 2,198 | 51.1 | 242 | 1,920 | 2,181 | 5.6 | 95.3 | 2,278 | 52.9 | 2,271 | 0 | 0.0 |
| 9 | Sanchore | 5,538 | 2,868 | 51.8 | 1,344 | 3,062 | 2,345 | 24.3 | 97.6 | 3,465 | 62.6 | 2,890 | 51 | 27.1 |
| 10 | Sayla | 5,466 | 2,118 | 38.7 | 167 | 2,696 | 2,457 | 3.1 | 94.3 | 1,582 | 28.9 | 4,095 | 21 | 19.3 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|----|-------------|---|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| 1 | ndicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 0.5 | 925 | 144 | 781 | 15.5 | 16,766 | 1,381 | 8.2 | 17,897 | 735 | 4.1 | 34,663 | 92.3 |
| 1 | Ahore | 0.7 | 173 | 34 | 139 | 19.7 | 1,417 | 168 | 11.9 | 782 | 0 | 0.0 | 2,199 | 59.1 |
| 2 | Bhinmal | 0.9 | 194 | 33 | 161 | 17.0 | 4,076 | 100 | 2.5 | 7,350 | 0 | 0.0 | 11,426 | 181.2 |
| 3 | Chitalwana | 0.1 | 146 | 14 | 132 | 9.6 | 2,061 | 94 | 4.6 | 0 | 0 | | 2,061 | 46.7 |
| 4 | Jalor | 0.9 | 48 | 6 | 42 | 12.5 | 2,853 | 362 | 12.7 | 193 | 25 | 13.0 | 3,046 | 68.1 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 0.2 | 6 | 5 | 1 | 83.3 | 2,040 | 13 | 0.6 | 140 | 0 | 0.0 | 2,180 | 65.4 |
| 8 | Raniwara | 0.3 | 10 | 4 | 6 | 40.0 | 1,320 | 77 | 5.8 | 217 | 0 | 0.0 | 1,537 | 35.7 |
| 9 | Sanchore | 0.4 | 89 | 23 | 66 | 25.8 | 1,550 | 516 | 33.3 | 7,490 | 710 | 9.5 | 9,040 | 163.2 |
| 10 | Sayla | 0.1 | 259 | 25 | 234 | 9.7 | 1,449 | 51 | 3.5 | 1,725 | 0 | 0.0 | 3,174 | 58.1 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|----|-------------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
| 1 | ndicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deleveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 35,588 | 97.4 | 97.8 | 2.6 | 150 | 1,393 | 4.4 | 0.9 | 7.8 | 48.4 | 51.6 | 467 | 6,557 |
| 1 | Ahore | 2,372 | 92.7 | 94.1 | 7.3 | 0 | 48 | 2.2 | 0.0 | 6.1 | 64.4 | 35.6 | 25 | 495 |
| 2 | Bhinmal | 11,620 | 98.3 | 98.6 | 1.7 | 76 | 732 | 7.1 | 1.9 | 10.0 | 35.7 | 64.3 | 54 | 1,114 |
| 3 | Chitalwana | 2,207 | 93.4 | 94.0 | 6.6 | 0 | 0 | 0.0 | 0.0 | | 100.0 | 0.0 | 94 | 648 |
| 4 | Jalor | 3,094 | 98.4 | 98.6 | 1.6 | 74 | 18 | 3.0 | 2.6 | 9.3 | 93.7 | 6.3 | 204 | 1,199 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 2,186 | 99.7 | 100.0 | 0.3 | 0 | 0 | 0.0 | 0.0 | 0.0 | 93.6 | 6.4 | 3 | 387 |
| 8 | Raniwara | 1,547 | 99.4 | 99.6 | 0.6 | 0 | 0 | 0.0 | 0.0 | 0.0 | 85.9 | 14.1 | 13 | 416 |
| 9 | Sanchore | 9,129 | 99.0 | 99.3 | 1.0 | 0 | 592 | 6.5 | 0.0 | 7.9 | 17.1 | 82.9 | 50 | 1,288 |
| 10 | Sayla | 3,433 | 92.5 | 93.2 | 7.5 | 0 | 3 | 0.1 | 0.0 | 0.2 | 45.7 | 54.3 | 24 | 1,010 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|----|-------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| ı | ndicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 50.5 | 18.4 | 34,893 | 98.0 | 868 | 97.6 | 35,042 | 100.4 | 3,110 | 8.8 | 33,394 | 95.7 | 956 |
| 1 | Ahore | 14.5 | 20.9 | 2,350 | 99.1 | 38 | 98.4 | 2,659 | 113.1 | 267 | 10.0 | 2,489 | 105.9 | 1,056 |
| 2 | Bhinmal | 27.8 | 9.6 | 11,326 | 97.5 | 338 | 97.1 | 11,323 | 100.0 | 998 | 8.8 | 10,862 | 95.9 | 926 |
| 3 | Chitalwana | 64.4 | 29.4 | 2,196 | 99.5 | 20 | 99.1 | 2,228 | 101.5 | 13 | 0.6 | 2,135 | 97.2 | 1,076 |
| 4 | Jalor | 425.0 | 38.8 | 3,054 | 98.7 | 67 | 97.9 | 3,052 | 99.9 | 564 | 18.5 | 2,803 | 91.8 | 886 |
| 5 | Jalor Urban | | | | | | | | | | | | | 0 |
| 6 | Jalore | | | | | | | | | | | | | 0 |
| 7 | Jaswantpura | 50.0 | 17.7 | 2,169 | 99.2 | 29 | 98.7 | 2,161 | 99.6 | 49 | 2.3 | 2,163 | 99.7 | 1,088 |
| 8 | Raniwara | 130.0 | 26.9 | 1,536 | 99.3 | 13 | 99.2 | 1,523 | 99.2 | 36 | 2.4 | 1,524 | 99.2 | 1,018 |
| 9 | Sanchore | 56.2 | 14.1 | 8,921 | 97.7 | 286 | 96.9 | 8,858 | 99.3 | 787 | 8.9 | 8,102 | 90.8 | 923 |
| 10 | Sayla | 9.3 | 29.4 | 3,341 | 97.3 | 77 | 97.7 | 3,238 | 96.9 | 396 | 12.2 | 3,316 | 99.3 | 966 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|----|-------------|---|---|--|---|--|---|---|---|--|---|--|---|---|
| 1 | ndicators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 3.0 | 5.4 | 6,247 | 16.6 | 5,096 | 13.6 | 2,697 | 7.2 | 16 | 0.0 | 3,586 | 0 | 9.6 |
| 1 | Ahore | 1.9 | 0.0 | 289 | 7.8 | 394 | 10.6 | 49 | 1.3 | 0 | 0.0 | 67 | 0 | 1.8 |
| 2 | Bhinmal | 5.6 | 0.0 | 769 | 12.2 | 836 | 13.3 | 1,093 | 17.3 | 0 | 0.0 | 1,002 | 0 | 15.9 |
| 3 | Chitalwana | 0.0 | | 800 | 18.1 | 829 | 18.8 | 34 | 0.8 | 16 | 0.4 | 155 | 0 | 3.5 |
| 4 | Jalor | 6.1 | 30.9 | 1,667 | 37.3 | 818 | 18.3 | 1,412 | 31.6 | 0 | 0.0 | 1,910 | 0 | 42.7 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 6.3 | 0.0 | 57 | 1.7 | 132 | 4.0 | 9 | 0.3 | 0 | 0.0 | 35 | 0 | 1.0 |
| 8 | Raniwara | 0.1 | 0.0 | 1,245 | 28.9 | 479 | 11.1 | 24 | 0.6 | 0 | 0.0 | 131 | 0 | 3.0 |
| 9 | Sanchore | 0.0 | 0.0 | 918 | 16.6 | 1,384 | 25.0 | 51 | 0.9 | 0 | 0.0 | 286 | 0 | 5.2 |
| 10 | Sayla | 1.4 | 0.0 | 502 | 9.2 | 224 | 4.1 | 25 | 0.5 | 0 | 0.0 | 0 | 0 | 0.0 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|----|-------------|--|--|---------------------------------|---|---|---|------------------------------------|---|---|---|--|---|--|
| ı | Indicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 0.0 | | 20 | 0 | 552 | 77 | 12.2 | 50.6 | 49.4 | 100.0 | 0.0 | 0.2 | 9 |
| 1 | Ahore | 0.0 | | 3 | 0 | 57 | 21 | 26.9 | 0.0 | 100.0 | 100.0 | 0.0 | 0.6 | 0 |
| 2 | Bhinmal | 0.0 | | 3 | 0 | 83 | 6 | 6.7 | 33.3 | 66.7 | 100.0 | 0.0 | 0.1 | 4 |
| 3 | Chitalwana | 0.0 | | 4 | 0 | 30 | 1 | 3.2 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | 1 |
| 4 | Jalor | 0.0 | | 5 | 0 | 260 | 40 | 13.3 | 77.5 | 22.5 | 100.0 | 0.0 | 0.9 | 1 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 0.0 | | 1 | 0 | 1 | 0 | 0.0 | | | | | 0.0 | 0 |
| 8 | Raniwara | 0.0 | | 1 | 0 | 28 | 4 | 12.5 | 75.0 | 25.0 | 100.0 | 0.0 | 0.1 | 1 |
| 9 | Sanchore | 0.0 | | 0 | 0 | 63 | 3 | 4.5 | 0.0 | 100.0 | 100.0 | 0.0 | 0.1 | 0 |
| 10 | Sayla | | | 3 | 0 | 30 | 2 | 6.3 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | 2 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|----|-------------|--|---|---|--|---|---|---|--|--|---|---|--|--|
| 1 | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 5,051 | 5,060 | 0.1 | 99.8 | | | | | 1,523 | 3,537 | 30.1 | 69.9 | 72.4 |
| 1 | Ahore | 521 | 521 | 0.0 | 100.0 | | | | | 74 | 447 | 14.2 | 85.8 | 98.8 |
| 2 | Bhinmal | 1,790 | 1,794 | 0.2 | 99.8 | | | | | 1,111 | 683 | 61.9 | 38.1 | 39.7 |
| 3 | Chitalwana | 518 | 519 | 0.2 | 99.8 | | | | | 67 | 452 | 12.9 | 87.1 | 87.1 |
| 4 | Jalor | 323 | 324 | 0.3 | 99.7 | | | | | 86 | 238 | 26.5 | 73.5 | 82.0 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 63 | 63 | 0.0 | 100.0 | | | | | 0 | 63 | 0.0 | 100.0 | 100.0 |
| 8 | Raniwara | 457 | 458 | 0.2 | 99.8 | | | | | 0 | 458 | 0.0 | 100.0 | 100.0 |
| 9 | Sanchore | 829 | 829 | 0.0 | 100.0 | | | | | 172 | 657 | 20.7 | 79.3 | 79.3 |
| 10 | Sayla | 550 | 552 | 0.4 | 99.6 | | | | | 13 | 539 | 2.4 | 97.6 | 98.0 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|----|-------------|--|--|--|---|---|--|--|---|--|--|---|---|--|
| | ndicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 26.5 | 1.1 | 0.0 | 93.0 | 5.2 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 3 | 0 |
| 1 | Ahore | 0.8 | 0.4 | 0.0 | 86.0 | 50.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Bhinmal | 57.7 | 2.6 | 0.0 | 79.6 | 6.4 | 100.0 | | 0 | 0 | 0 | 0 | 1 | 0 |
| 3 | Chitalwana | 12.9 | 0.0 | 0.0 | 100.0 | 0.0 | | | 0 | 0 | 0 | 0 | 1 | 0 |
| 4 | Jalor | 15.5 | 2.2 | 0.3 | 86.0 | 2.0 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 5 | Jalor Urban | | | | | | | | | _ | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | Raniwara | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | Sanchore | 20.7 | 0.0 | 0.0 | 100.0 | 0.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | Sayla | 2.0 | 0.0 | 0.0 | 99.6 | 0.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|----|-------------|--|--|--|---|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|
| ı | ndicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 11 | 6,719 | 70 | 21.1 | 8.4 | 57.2 | 5,369 | 1,418 | 2 | 54,794 | 903 | 580,850 | 1,055 |
| 1 | Ahore | 2 | 476 | 0 | 31.3 | 10.5 | 47.7 | 327 | 149 | 0 | 7,803 | 187 | 71,560 | 310 |
| 2 | Bhinmal | 0 | 898 | 70 | 6.9 | 1.5 | 35.0 | 906 | 62 | 0 | 4,995 | 56 | 31,222 | 23 |
| 3 | Chitalwana | 0 | 1,023 | 0 | 13.2 | 6.6 | 66.3 | 888 | 135 | 0 | 9,425 | 36 | 153,177 | 18 |
| 4 | Jalor | 0 | 935 | 0 | 49.4 | 16.2 | 74.3 | 471 | 462 | 2 | 7,885 | 122 | 61,416 | 347 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 6 | 875 | 0 | 18.3 | 7.8 | 93.3 | 715 | 160 | 0 | 4,294 | 180 | 47,348 | 4 |
| 8 | Raniwara | 0 | 663 | 0 | 14.0 | 7.0 | 59.1 | 570 | 93 | 0 | 5,805 | 62 | 59,034 | 140 |
| 9 | Sanchore | 3 | 1,257 | 0 | 18.0 | 14.6 | 60.3 | 1,031 | 226 | 0 | 6,827 | 110 | 100,403 | 126 |
| 10 | Sayla | 0 | 592 | 0 | 22.1 | 9.0 | 51.7 | 461 | 131 | 0 | 7,760 | 150 | 56,690 | 87 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|----|-------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| ı | ndicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 90 | 55 | 0 | 4 | 12,169 | 19,402 | 37,184 | 15,229 | 55.6 | 106.6 | 43.6 | 11 | 0 |
| 1 | Ahore | 18 | 19 | 0 | 0 | 1,176 | 1,693 | 3,157 | 1,587 | 72.0 | 134.3 | 67.5 | 0 | 0 |
| 2 | Bhinmal | 7 | 0 | 0 | 2 | 2,673 | 6,697 | 7,465 | 3,839 | 59.1 | 65.9 | 33.9 | 0 | 0 |
| 3 | Chitalwana | 0 | 0 | 0 | 0 | 2,164 | 1,538 | 4,692 | 1,102 | 70.0 | 213.7 | 50.2 | 0 | 0 |
| 4 | Jalor | 33 | 27 | 0 | 0 | 1,348 | 2,513 | 4,370 | 2,256 | 82.3 | 143.1 | 73.9 | 11 | 0 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 6 | 0 | 0 | 0 | 728 | 1,047 | 3,523 | 1,027 | 48.3 | 162.4 | 47.3 | 0 | 0 |
| 8 | Raniwara | 16 | 4 | 0 | 0 | 446 | 705 | 4,268 | 679 | 45.9 | 277.9 | 44.2 | 0 | 0 |
| 9 | Sanchore | 9 | 0 | 0 | 2 | 1,586 | 2,909 | 5,325 | 2,574 | 32.6 | 59.7 | 28.9 | 0 | 0 |
| 10 | Sayla | 1 | 5 | 0 | 0 | 2,048 | 2,300 | 4,384 | 2,165 | 68.8 | 131.2 | 64.8 | 0 | 0 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 4.44 | 142 | 143 |
|----|-------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|---|---|---|
| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
| ı | ndicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 0 | 34,218 | 31,674 | 30,966 | 32,867 | 0 | 94.1 | 32,236 | 11.6 | 88.4 | 46.1 | 20 | 0 |
| 1 | Ahore | 0 | 3,228 | 2,901 | 2,974 | 3,615 | 0 | 153.8 | 3,196 | -14.5 | 133.2 | 34.1 | 3 | 0 |
| 2 | Bhinmal | 0 | 5,876 | 5,709 | 5,714 | 5,526 | 0 | 48.8 | 5,515 | 26.0 | 48.5 | 52.8 | 0 | 0 |
| 3 | Chitalwana | 0 | 4,157 | 3,839 | 3,816 | 4,145 | 0 | 188.8 | 4,102 | 11.7 | 188.8 | 75.9 | 5 | 0 |
| 4 | Jalor | 0 | 3,822 | 3,326 | 3,292 | 3,254 | 0 | 106.5 | 3,241 | 25.5 | 103.0 | 16.7 | 0 | 0 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 0 | 2,998 | 2,844 | 2,742 | 2,721 | 0 | 125.4 | 2,678 | 22.8 | 119.0 | 38.1 | 6 | 0 |
| 8 | Raniwara | 0 | 4,323 | 3,984 | 3,807 | 3,985 | 0 | 259.4 | 3,941 | 6.6 | 214.4 | 26.8 | 0 | 0 |
| 9 | Sanchore | 0 | 5,228 | 4,842 | 4,646 | 5,043 | 0 | 56.5 | 5,072 | 5.3 | 54.9 | 72.4 | 5 | 0 |
| 10 | Sayla | 0 | 4,586 | 4,229 | 3,975 | 4,578 | 0 | 137.0 | 4,491 | -4.4 | 124.5 | 28.0 | 1 | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|----|-------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| ı | ndicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 0 | 97.3 | 57.8 | 608 | 67 | 44 | 1 | 1 | 0 | 17 | 17 | 12 | 608 |
| 1 | Ahore | 0 | 97.6 | 66.0 | 72 | 1 | 0 | 0 | 0 | 0 | 4 | 4 | 1 | 72 |
| 2 | Bhinmal | 0 | 98.0 | 42.9 | 62 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 62 |
| 3 | Chitalwana | 0 | 97.5 | 58.7 | 38 | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 38 |
| 4 | Jalor | 0 | 96.7 | 60.0 | 237 | 0 | 40 | 0 | 1 | 0 | 0 | 0 | 1 | 237 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 0 | 99.7 | 45.6 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 8 | Raniwara | 0 | 93.8 | 42.2 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 |
| 9 | Sanchore | 0 | 97.1 | 72.9 | 102 | 3 | 0 | 0 | 0 | 0 | 11 | 11 | 2 | 102 |
| 10 | Sayla | 0 | 98.3 | 67.0 | 68 | 17 | 4 | 1 | 0 | 0 | 2 | 2 | 8 | 68 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|-------------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 5,912 | 132 | 0 | 26,521 | 23,330 | 23,330 | 24,428 | 0 | 66.1 | 21.1 | 36.1 | 0.2 | 71,363 |
| 1 | Ahore | 1,273 | 21 | 0 | 2,323 | 2,037 | 2,037 | 1,995 | 0 | 68.3 | 32.3 | 50.0 | 0.1 | 5,703 |
| 2 | Bhinmal | 794 | 0 | 0 | 4,650 | 4,374 | 4,374 | 4,112 | 0 | 82.0 | 10.8 | 0.0 | 0.0 | 8,619 |
| 3 | Chitalwana | 351 | 0 | 0 | 3,332 | 2,943 | 2,943 | 3,792 | 0 | 72.9 | 18.7 | | 0.0 | 3,091 |
| 4 | Jalor | 737 | 104 | 0 | 3,023 | 2,574 | 2,574 | 2,420 | 0 | 53.9 | 20.4 | 35.3 | 0.5 | 22,201 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 196 | 0 | 0 | 2,084 | 1,777 | 1,777 | 2,159 | 0 | 65.2 | 34.3 | | 0.0 | 4,114 |
| 8 | Raniwara | 510 | 0 | 0 | 3,955 | 3,538 | 3,538 | 2,677 | 0 | 62.3 | 20.3 | | 0.0 | 4,345 |
| 9 | Sanchore | 804 | 0 | 0 | 4,286 | 3,565 | 3,565 | 4,218 | 0 | 63.3 | 20.6 | | 0.0 | 11,719 |
| 10 | Sayla | 1,247 | 7 | 0 | 2,868 | 2,522 | 2,522 | 3,055 | 0 | 78.4 | 21.5 | 100.0 | 0.0 | 11,571 |

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|-------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| | | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 1,293,303 | 34,582 | 1,327,885 | 5.4 | 1,310 | 1,198 | 52.2 | 97 | 7.4 | 2.6 | 9,938 | 0.7 | 5.0 |
| 1 | Ahore | 170,207 | 5,475 | 175,682 | 3.2 | 584 | 163 | 78.2 | 11 | 1.9 | 3.1 | 1,216 | 0.7 | 5.8 |
| 2 | Bhinmal | 160,907 | 4,859 | 165,766 | 5.2 | 97 | 38 | 71.9 | 74 | 76.3 | 2.9 | 2,927 | 1.8 | 8.8 |
| 3 | Chitalwana | 133,559 | 3,427 | 136,986 | 2.3 | 0 | 0 | | 0 | | 2.5 | 1,299 | 0.9 | 1.4 |
| 4 | Jalor | 257,516 | 5,685 | 263,201 | 8.4 | 223 | 759 | 22.7 | 12 | 5.4 | 2.2 | 3,072 | 1.2 | 6.0 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 94,873 | 6,287 | 101,160 | 4.1 | 0 | 0 | | 0 | | 6.2 | 164 | 0.2 | 5.6 |
| 8 | Raniwara | 194,600 | 1,382 | 195,982 | 2.2 | 0 | 0 | | 0 | | 0.7 | 578 | 0.3 | 1.2 |
| 9 | Sanchore | 130,471 | 4,859 | 135,330 | 8.7 | 3 | 60 | 4.8 | 0 | 0.0 | 3.6 | 292 | 0.2 | 3.7 |
| 10 | Sayla | 151,170 | 2,608 | 153,778 | 7.5 | 403 | 178 | 69.4 | 0 | 0.0 | 1.7 | 390 | 0.3 | 7.3 |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|-------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jalor | 3.8 | 9.6 | 1.5 | 2.8 | 0.4 | 0.0 | 184 | 6.0 | 1.1 | 2.7 | 0.0 | 1.6 | 0.0 |
| 1 | Ahore | 0.0 | 11.2 | 0.0 | 0.0 | 0.3 | 0.0 | 32 | 3.1 | 0.0 | 3.1 | 0.0 | 0.0 | 0.0 |
| 2 | Bhinmal | 0.8 | 5.3 | 0.3 | 0.5 | 1.0 | 0.0 | 21 | 9.5 | 0.0 | 14.3 | 0.0 | 0.0 | 0.0 |
| 3 | Chitalwana | 8.2 | 6.1 | 0.0 | 2.9 | 0.0 | 0.0 | 19 | 5.3 | 0.0 | 0.0 | 0.0 | 5.3 | 0.0 |
| 4 | Jalor | 3.8 | 33.7 | 3.6 | 3.7 | 0.2 | 0.0 | 60 | 3.3 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Jalor Urban | | | | | | | | | | | | | |
| 6 | Jalore | | | | | | | | | | | | | |
| 7 | Jaswantpura | 0.0 | 8.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Raniwara | 0.0 | 2.8 | 0.8 | 0.5 | 3.3 | 0.0 | 11 | 18.2 | 0.0 | 0.0 | 0.0 | 9.1 | 0.0 |
| 9 | Sanchore | 0.0 | 10.9 | 0.0 | 0.0 | 0.3 | 0.0 | 11 | 27.3 | 9.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Sayla | 46.6 | 1.8 | 0.0 | 25.2 | 0.0 | 0.0 | 23 | 0.0 | 0.0 | 4.3 | 0.0 | 4.3 | 0.0 |

| | | 196 | 197 | 198 | | |
|----|-------------|--|--|---|--|--|
| lı | ndicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH | | |
| | | 2017-18 | 2017-18 | 2017-18 | | |
| | _Jalor | 8,132 | | | | |
| 1 | Ahore | 782 | | | | |
| 2 | Bhinmal | 7,350 | | | | |
| 3 | Chitalwana | 0 | | | | |
| 4 | Jalor | 0 | | | | |
| 5 | Jalor Urban | | | | | |
| 6 | Jalore | | | | | |
| 7 | Jaswantpura | | | | | |
| 8 | Raniwara | | | | | |
| 9 | Sanchore | | | | | |
| 10 | Sayla | | | | | |