

## Performance of Key HMIS Indicators for Karnataka-&gt; Bidar ( Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1	2	3	4	5	6	7	8	9	10	11	12	13
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	% 1st Trimester registration to Total ANC Registrations	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers)	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrations	% Pregnant women received TT2+ TT Booster to Total ANC Registration	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registration	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	27,176	20,050	73.7	22,922	20,354	10,097	84.3	112.0	26,482	97.4	33,413	819	18.8
1	Aurad	4,471	3,437	76.9	3,470	3,734	1,317	77.6	113.0	3,570	79.8	5,113	55	12.3
2	Basavakalyan	5,481	4,128	75.3	3,400	4,398	2,262	62.0	121.5	6,265	114.3	4,090	47	8.4
3	Bhalki	4,326	3,358	77.6	3,450	3,505	1,546	79.8	116.8	4,199	97.1	4,959	100	29.9
4	Bidar	7,221	5,175	71.7	8,337	5,657	2,902	115.5	118.5	8,082	111.9	14,113	551	20.8
5	Humnabad	5,677	3,952	69.6	4,265	3,060	2,070	75.1	90.4	4,366	76.9	5,138	66	18.1

Indicators		14	15	16	17	18	19	20	21	22	23	24	25	26
		% New cases of Pregnant Women detected at instituti on for hyperten sion to Total ANC Registrati ons	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducte d at Public Institutio ns	Number of Women Discharge d under 48 hours of delivery in public facilities	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns	Deliveries Conducte d at Private Institutio ns	Number of Women Discharge d under 48 hours of delivery in private institutio ns	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns	Institutio nal deliveries (Public Insts.+Pvt . Insts.)	% Institutio nal Deliveries to total ANC registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	5.7	88	36	52	40.9	19,265	5,494	28.5	5,618	740	13.1	24,883	91.5
1	Aurad	0.7	19	7	12	36.8	2,437	221	9.1				2,437	54.5
2	Basavakalyan	2.8	13	9	4	69.2	3,376	478	14.2	417	140	33.6	3,793	69.2
3	Bhalki	5.3	5	1	4	20.0	2,071	147	7.1	1,638	335	20.5	3,709	85.7
4	Bidar	12.0	38	17	21	44.7	6,905	4,014	58.1	3,269	265	8.1	10,174	140.9
5	Humnabad	4.5	13	2	11	15.4	4,476	634	14.2	294	0	0.0	4,770	84.0

Indicators		27	28	29	30	31	32	33	34	35	36	37	38	39
		Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries	% Deliveries conducted at Private Institutions to Total Institutional Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	24,971	99.6	99.8	0.4	2,053	2,176	16.9	10.7	38.7	77.4	22.6	9,389	20,131
1	Aurad	2,456	99.2	99.5	0.8	0		0.0	0.0		100.0	0.0	771	3,578
2	Basavakalyan	3,806	99.7	99.9	0.3	117	0	3.1	3.5	0.0	89.0	11.0	1,807	2,470
3	Bhalki	3,714	99.9	99.9	0.1	0	602	16.2	0.0	36.8	55.8	44.2	1,731	2,281
4	Bidar	10,212	99.6	99.8	0.4	1,913	1,463	33.2	27.7	44.8	67.9	32.1	4,235	8,894
5	Humnabad	4,783	99.7	99.8	0.3	23	111	2.8	0.5	37.8	93.8	6.2	845	2,908

Indicators		40	41	42	43	44	45	46	47	48	49	50	51	52
		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth ( Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	669.3	80.6	25,392	101.7	189	99.3	24,524	96.6	2,194	8.9	23,475	92.4	887
1	Aurad	4057.9	145.7	2,486	101.2	38	98.5	2,459	98.9	183	7.4	2,368	95.3	973
2	Basavakalyan	3900.0	64.9	4,174	109.7	62	98.5	3,912	93.7	501	12.8	3,791	90.8	885
3	Bhalki	4620.0	61.4	3,906	105.2	27	99.3	3,496	89.5	322	9.2	3,396	86.9	946
4	Bidar	1144.7	87.1	10,213	100.0	21	99.8	10,021	98.1	938	9.4	9,342	91.5	775
5	Humnabad	6500.0	60.8	4,613	96.4	41	99.1	4,636	100.5	250	5.4	4,578	99.2	1,077

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2017-18  
Provisional Figures for the Period April to December  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		53	54	55	56	57	58	59	60	61	62	63	64	65
		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registration	Number of PW given one Albendazole tablet after 1st trimester	% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration	Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registration	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registration
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	8.6	46.6	11,294	41.6	9,837	36.2	3,798	14.0	176	0.6	8,309	1,107	30.6
1	Aurad	1.1	30.8	834	18.7	1,161	26.0	1,067	23.9	40	0.9	2,418	13	54.1
2	Basavakalyan	2.9	2.7	2,594	47.3	1,805	32.9	1,443	26.3	4	0.1	2,775	575	50.6
3	Bhalki	0.0	7900.0	1,669	38.6	2,140	49.5	138	3.2	0	0.0	1,957	0	45.2
4	Bidar	19.3	46.0	5,630	78.0	3,317	45.9	1,150	15.9	131	1.8	422	230	5.8
5	Humnabad	1.2	22.8	567	10.0	1,414	24.9	0	0.0	1	0.0	737	289	13.0

## Performance of Key HMIS Indicators for Karnataka-&gt; Bidar ( Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

Indicators		66	67	68	69	70	71	72	73	74	75	76	77	78
		% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions ( Spontaneous) Reported	Total Number of MTPs ( Public) conducted	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs Conducted at Public Institutions to Total MTPs	% MTPs Conducted at Private Institutions to Total MTPs	% Total MTPs (Public) Conducted to Total ANC Registrati on	Number of Vasectomies Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	2.9	566.7	14	0	522	239	49.6	58.2	41.8	46.6	53.4	0.9	37
1	Aurad	0.0		0	0	26	0	0.0					0.0	14
2	Basavakalyan	6.7		1	0	3	4	57.1	50.0	50.0	100.0	0.0	0.1	13
3	Bhalki	0.0		1	0	8	4	57.9	100.0	0.0	36.4	63.6	0.1	2
4	Bidar	7.8	566.7	10	0	433	229	50.1	57.2	42.8	52.8	47.2	3.2	6
5	Humnabad	2.8		2	0	52	2	55.2	100.0	0.0	3.1	96.9	0.0	2

Indicators		79	80	81	82	83	84	85	86	87	88	89	90	91
		Number of Tubectomies Conducted	Total Sterilisation Conducted	% Male Sterilisation (Vasectomies) to Total sterilisation	% Female Sterilisation (Tubectomies) to Total sterilisation	Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH	Total Sterilisation (Tubectomies and Vasectomies) conducted at DH	Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions	Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	% Laparoscopic sterilisations to Total Female Sterilisations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	6,956	6,993	0.5	99.5					4,293	2,700	61.4	38.6	11.5
1	Aurad	650	664	2.1	97.9						664	0.0	100.0	0.0
2	Basavakalyan	1,169	1,182	1.1	98.9					494	688	41.8	58.2	12.0
3	Bhalki	318	320	0.6	99.4					247	73	77.2	22.8	1.6
4	Bidar	3,668	3,674	0.2	99.8					3,098	576	84.3	15.7	17.1
5	Humnabad	1,151	1,153	0.2	99.8					454	699	39.4	60.6	2.2

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2017-18  
Provisional Figures for the Period April to December  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		92	93	94	95	96	97	98	99	100	101	102	103	104
		% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Post Abortion Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterilisati on ( Male + Female)	Total cases of deaths following Male Sterilisati on	Total cases of deaths following Female Sterilisati on	Total cases of failure following Male Sterilisati on	Total cases of failure following Female Sterilisati on	Total cases of complicat ion following Male Sterilisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	<u>Bidar</u>	80.6	5.9	1.9	31.5	36.1	66.2	85.5	1	0	1	1	4	0
1	<u>Aurad</u>	99.5	0.5	0.0		100.0	100.0		0	0	0	1	1	0
2	<u>Basavakalyan</u>	79.6	4.6	3.8	93.6	49.5	79.6	95.6	0	0	0	0	0	0
3	<u>Bhalki</u>	89.6	5.3	3.5	0.0	22.8	0.0	54.5	0	0	0	0	0	0
4	<u>Bidar</u>	73.8	8.2	0.8	15.1	10.0	63.1	58.1	1	0	1	0	2	0
5	<u>Humnabad</u>	90.3	3.1	4.4	100.0	56.3	100.0	100.0	0	0	0	0	1	0



Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2017-18  
Provisional Figures for the Period April to December  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		105	106	107	108	109	110	111	112	113	114	115	116	117
		Total cases of complication following Female Sterilisation	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions to all family planning methods ( IUCD plus permanent)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combined Oral Pills distributed	Emergency pills distributed	Condom pieces distributed	Centchroman ( weekly pills) distributed
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	0	6,907	185	66.6	23.8	50.3	2,409	4,655	28	22,077	576	135,305	815
1	Aurad	0	1,454		74.3	44.4	68.6	365	1,081	8	5,968	25	33,473	129
2	Basavakalyan	0	1,786	91	77.6	41.1	61.4	459	1,410	8	1,600	4	26,059	102
3	Bhalki	0	1,309	18	50.8	32.1	80.6	661	666	0	4,190	86	28,688	100
4	Bidar	0	992	67	69.1	9.9	22.4	348	707	4	4,559	242	20,363	69
5	Humnabad	0	1,366	9	57.6	17.6	54.4	576	791	8	5,760	219	26,722	415

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2017-18  
Provisional Figures for the Period April to December  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		118	119	120	121	122	123	124	125	126	127	128	129	130
		Number of beneficiaries given 1st dose of Injectable (Antara Program)	Number of beneficiaries given 2nd dose of Injectable (Antara Program)	Number of beneficiaries given 3rd dose of Injectable (Antara Program)	Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)	Pregnancy testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	268	49	29	0	16,163	22,149	27,577	20,764	87.2	108.6	81.8	490	333
1	Aurad	16	0	0	0	4,374	2,317	3,349	2,307	93.2	134.7	92.8	238	174
2	Basavakalyan	8	0	0	0	1,984	4,148	4,498	3,890	99.4	107.8	93.2	8	0
3	Bhalki	2	2	7	0	2,530	3,065	3,841	2,832	78.5	98.3	72.5	73	53
4	Bidar	239	47	22	0	4,081	8,206	9,948	7,368	80.3	97.4	72.1	76	46
5	Humnabad	3	0	0	0	3,194	4,413	5,941	4,367	95.7	128.8	94.7	95	60

Indicators		131	132	133	134	135	136	137	138	139	140	141	142	143
		Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Immunisation (Abcess )	Adverse Events Following Immunisation (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	236	29,852	27,065	26,352	2,010	23,411	100.1	23,460	92.7	94.6	126.4	32	0
1	Aurad	78	5,222	4,775	4,718	144	4,180	173.9	4,153	95.7	153.0	67.5	0	0
2	Basavakalyan	0	6,054	5,596	5,326	71	4,393	106.9	4,334	98.4	122.5	201.9	0	0
3	Bhalki	62	4,712	4,365	4,327	759	3,417	106.9	3,680	80.2	118.5	182.6	10	0
4	Bidar	41	8,015	7,495	7,460	689	7,893	84.0	7,669	93.1	64.8	100.2	22	0
5	Humnabad	55	5,849	4,834	4,521	347	3,528	84.0	3,624	94.2	83.5	62.4	0	0

Indicators		144	145	146	147	148	149	150	151	152	153	154	155	156
		Adverse Events Following Immunisation (Others)	% immunisation Sessions Held to Immunisation Sessions Planned	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned	Pneumonia in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheria in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonatorum in Children 0-5 Years of Age	Tuberculosis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	0	89.6	83.0	302	258	88	0	0	0	14	14	22	302
1	Aurad	0	95.0	85.0	54	145	5	0	0	0	2	2	9	54
2	Basavakalyan	0	96.4	75.4	144	83	21	0	0	0	5	5	0	144
3	Bhalki	0	92.2	81.7	74	21	59	0	0	0	2	2	0	74
4	Bidar	0	78.7	83.4	22	4	0	0	0	0	3	3	2	22
5	Humnabad	0	91.2	91.5	8	5	3	0	0	0	2	2	11	8

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3rd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	6,254	1,028	23,411	43	35	35	2,107	17,779	60.0	10.5	74.5	1.3	131,631
1	Aurad	1,538	95	4,180	0	0	0	180	3,653	70.6	12.7	55.8	0.3	15,061
2	Basavakalyan	1,162	463	4,393	2	0	0	278	2,893	62.0	21.3	99.4	6.1	15,531
3	Bhalki	762	92	3,417	6	4	4	452	2,752	80.1	7.6	0.0	0.1	9,850
4	Bidar	2,341	335	7,893	28	24	24	692	5,690	51.4	7.6	45.1	1.1	69,251
5	Humnabad	451	43	3,528	7	7	7	505	2,791	70.6	12.2	30.8	0.1	21,938

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2017-18  
Provisional Figures for the Period April to December  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathic)	Ayush OPD (Number)	OPD (Ayush+Allopathic)	% IPD to OPD	Number of Major Operations	Number of Minor Operations	% Major Operations to Total Operation	Number of Hysterectomy Surgeries	% Hysterectomy Surgeries to Total Major Operations	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	1,522,434	64,239	1,586,673	8.3	5,426	1,823	74.9	3,622	66.7	4.0	13,498	0.9	4.5
1	Aurad	224,869	14,211	239,080	6.3	29	127	18.6	10	34.5	5.9	3,632	1.5	4.3
2	Basavakalyan	268,169	11,541	279,710	5.6	127	175	42.1	5	3.9	4.1	3,637	1.3	4.3
3	Bhalki	190,131	7,926	198,057	5.0	442	62	87.7	54	12.2	4.0	1,013	0.5	4.0
4	Bidar	476,634	15,964	492,598	14.1	4,694	910	83.8	3,540	75.4	3.2	2,999	0.6	5.5
5	Humnabad	362,631	14,597	377,228	5.8	134	549	19.6	13	9.7	3.9	2,217	0.6	1.6

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested ( Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	1.8	70.8	1.1	1.5	1.5	0.8	331	1.2	30.8	2.1	0.0	0.0	0.0
1	Aurad	0.5	77.2	0.3	0.4	0.0	0.0	23	4.3	8.7	13.0	0.0	0.0	0.0
2	Basavakalyan	0.8	44.5	1.0	0.9	5.0	3.8	10	0.0	0.0	30.0	0.0	0.0	0.0
3	Bhalki	0.9	51.5	0.3	0.6	0.0	0.0	8	0.0	12.5	0.0	0.0	0.0	0.0
4	Bidar	3.7	104.5	1.9	2.8	1.2	0.0	282	1.1	34.8	0.4	0.0	0.0	0.0
5	Humnabad	0.7	62.7	0.5	0.6	0.0	0.0	8	0.0	12.5	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
 Financial Year: 2017-18  
 Provisional Figures for the Period April to December  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		196	197	198
		Institutio nal Deliveries at Urban Heath Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH
		2017-18	2017-18	2017-18
	_Bidar	5,673		
1	Aurad			
2	Basavakalyan	417		
3	Bhalki	1,638		
4	Bidar	3,324		
5	Humnabad	294		