

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	32,135	34,154	28,359	29,270	31,009	31,589	88.2	85.7	96.5	92.5	28,196	28,061
1	Gangavati	10,104	10,876	8,961	9,213	9,802	9,687	88.7	84.7	97.0	89.1	6,370	7,199
2	Koppal	8,342	8,937	7,411	7,840	7,937	8,285	88.8	87.7	95.1	92.7	10,402	9,792
3	Kushtagi	7,348	7,483	6,382	6,352	6,967	7,010	86.9	84.9	94.8	93.7	6,724	6,800
4	Yelburga	6,341	6,858	5,605	5,865	6,303	6,607	88.4	85.5	99.4	96.3	4,700	4,270

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	30,567	30,382	87.7	82.1	95.1	88.9	18,240	8,814	56.7	25.8	48,870	46,046
1	Gangavati	9,943	9,865	63.0	66.2	98.4	90.7	5,328	1,538	52.7	14.1	14,762	12,986
2	Koppal	8,425	7,723	124.7	109.6	101.0	86.4	6,957	2,521	83.4	28.2	12,254	11,616
3	Kushtagi	6,945	7,160	91.5	90.9	94.5	95.7	3,834	3,954	52.2	52.8	12,840	12,607
4	Yelburga	5,254	5,634	74.1	62.3	82.9	82.2	2,121	801	33.4	11.7	9,014	8,837

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	2,058	1,824	4.2	4.0	4.0	3.8	610	1,276	94	217	516	1,059
1	Gangavati	834	483	5.6	3.7	3.8	3.1	123	265	43	91	80	174
2	Koppal	738	798	6.0	6.9	5.4	5.4	70	167	12	47	58	120
3	Kushtagi	254	284	2.0	2.3	4.5	5.1	231	513	12	23	219	490
4	Yelburga	232	259	2.6	2.9	2.0	1.1	186	331	27	56	159	275

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	15.4	17.0	8	22	1.3	1.7	22,387	22,469	1,698	1,571	7.5	6.9
1	Gangavati	35.0	34.3	0	13	0.0	4.9	6,756	6,240	67	84	1.0	1.3
2	Koppal	17.1	28.1	0	1	0.0	0.6	6,618	6,165	441	705	6.7	11.4
3	Kushtagi	5.2	4.5	8	2	3.5	0.4	5,515	6,303	356	298	6.5	4.7
4	Yelburga	14.5	16.9	0	6	0.0	1.8	3,498	3,761	834	484	23.8	12.9

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	25,122	23,962	78.1	70.1	25,732	25,238	97.6	94.9	98.0	95.8	2.4	5.1
1	Gangavati	9,008	7,402	89.2	68.1	9,131	7,667	98.7	96.5	99.1	97.7	1.3	3.5
2	Koppal	7,074	6,469	84.8	72.4	7,144	6,636	99.0	97.5	99.2	98.2	1.0	2.5
3	Kushtagi	5,542	6,330	75.4	84.6	5,773	6,843	96.0	92.5	96.2	92.8	4.0	7.5
4	Yelburga	3,498	3,761	55.2	54.8	3,684	4,092	95.0	91.9	95.7	93.3	5.0	8.1

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	2,946	2,810	1,055	484	15.9	13.7	13.2	12.5	38.6	32.4	89.1	93.8
1	Gangavati	773	644	901	444	18.6	14.7	11.4	10.3	40.0	38.2	75.0	84.3
2	Koppal	1,383	1,061	150	38	21.7	17.0	20.9	17.2	32.9	12.5	93.6	95.3
3	Kushtagi	563	893	4	2	10.2	14.1	10.2	14.2	14.8	7.4	99.5	99.6
4	Yelburga	227	212			6.5	5.6	6.5	5.6			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	67.3	55.4	0.0	0.1	10.9	6.2	21,636	23,190	28,646	29,397	84.1	91.9
1	Gangavati	95.9	83.5	0.0	0.0	25.0	15.7	7,302	6,392	8,824	9,007	80.0	83.4
2	Koppal	31.8	27.8	0.0	0.4	6.4	4.7	5,667	6,206	8,374	7,967	79.3	93.5
3	Kushtagi	88.4	68.5	0.1	0.0	0.5	0.4	5,525	6,573	5,998	6,845	95.7	96.1
4	Yelburga	46.0	32.1	0.0	0.2	0.0	0.0	3,142	4,019	5,450	5,578	85.3	98.2

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	111.3	116.5	25,460	25,134	98.9	99.6	406	497	98.4	98.1	25,387	25,147
1	Gangavati	96.6	117.5	9,041	7,564	99.0	98.7	117	119	98.7	98.5	9,039	7,563
2	Koppal	117.2	120.1	7,030	6,570	98.4	99.0	187	120	97.4	98.2	7,036	6,632
3	Kushtagi	103.9	100.0	5,716	6,940	99.0	101.4	55	187	99.0	97.4	5,682	6,929
4	Yelburga	147.9	136.3	3,673	4,060	99.7	99.2	47	71	98.7	98.3	3,630	4,023

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	99.7	100.1	3,976	3,951	15.6	15.7	23,439	23,938	92.0	95.2	582	1,219
1	Gangavati	100.0	100.0	1,181	1,344	13.1	17.8	8,341	7,052	92.3	93.2	97	222
2	Koppal	100.1	100.9	1,565	1,165	22.2	17.6	6,055	6,238	86.1	94.9	74	168
3	Kushtagi	99.4	99.8	779	927	13.7	13.4	5,650	6,893	98.8	99.3	232	527
4	Yelburga	98.8	99.1	451	515	12.4	12.8	3,393	3,755	92.4	92.5	179	302

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	95.4	95.5	979	954	12.1	9.7	18.3	15.7	43.8	28.8	44.6	44.1
1	Gangavati	78.9	83.8	980	988	14.9	7.7	23.6	19.5	82.9	32.6	39.3	41.1
2	Koppal	105.7	100.6	956	922	19.1	18.8	5.7	3.4	17.2	8.4	36.8	18.3
3	Kushtagi	100.4	102.7	1,005	939	1.9	5.5	99.0	50.1	31.8	45.8	213.3	131.3
4	Yelburga	96.2	91.2	983	972	7.7	5.7	23.7	20.6	51.6	57.1	44.8	57.9

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	1.5	1.2	765	722	301	179	39.3	24.8	69.1	57.0	30.9	43.0
1	Gangavati	1.7	0.9	230	171	142	87	61.7	50.9	68.3	55.2	31.7	44.8
2	Koppal	2.2	2.5	198	220	59	48	29.8	21.8	55.9	52.1	44.1	47.9
3	Kushtagi	0.6	1.2	158	161	57	42	36.1	26.1	71.9	66.7	28.1	33.3
4	Yelburga	0.7	0.0	179	170	43	2	24.0	1.2	86.0	50.0	14.0	50.0

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	99.0	95.7	1.0	4.3	0.9	0.5	0.1	0.1	8	5	9,989	10,496
1	Gangavati	97.9	97.8	2.1	2.2	1.4	0.8	0.0	0.0	1	2	3,235	3,149
2	Koppal	100.0	100.0	0.0	0.0	0.7	0.5	0.1	0.0	4	1	2,397	2,179
3	Kushtagi	100.0	87.5	0.0	12.5	0.8	0.6	0.3	0.0	3	2	3,060	3,233
4	Yelburga	100.0	100.0	0.0	0.0	0.7	0.0	0.0	0.5	0	0	1,297	1,935

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	9,997	10,501	0.0	0.0	99.9	100.0	1,395	3,091	3,871	3,812	4,475	3,534
1	Gangavati	3,236	3,151	0.0	0.1	100.0	99.9	21	161	1,650	1,619	1,309	1,307
2	Koppal	2,401	2,180	0.2	0.0	99.8	100.0	597	1,077	1,103	746	701	357
3	Kushtagi	3,063	3,235	0.1	0.1	99.9	99.9	676	1,274	494	464	1,893	1,497
4	Yelburga	1,297	1,935	0.0	0.0	100.0	100.0	101	579	624	983	572	373

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal			0	0	14.0	29.4	38.7	36.3	44.8	33.7	0.0	0.0
1	Gangavati			0	0	0.6	5.1	51.0	51.4	40.5	41.5	0.0	0.0
2	Koppal			0	0	24.9	49.4	45.9	34.2	29.2	16.4	0.0	0.0
3	Kushtagi			0	0	22.1	39.4	16.1	14.3	61.8	46.3	0.0	0.0
4	Yelburga					7.8	29.9	48.1	50.8	44.1	19.3	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	2.6	0.6	74.4	77.2	14.9	15.0	10.7	7.7	99.3	99.7	92.6	98.9
1	Gangavati	7.9	2.0	62.6	72.0	24.4	19.0	13.0	9.0	97.5	98.9	86.1	97.0
2	Koppal	0.0	0.0	72.3	81.0	13.6	16.6	14.1	2.3	100.0	100.0	100.0	100.0
3	Kushtagi	0.0	0.0	87.4	75.3	5.3	11.8	7.4	12.9	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	76.7	84.4	16.2	12.1	7.1	3.5	100.0	100.0	100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	91.2	97.3	1	0	2,800	2,330	57	64	2,857	2,394	1,298	482
1	Gangavati	77.3	92.2	0	0	571	440	55	61	626	501	413	91
2	Koppal	100.0	100.0	0	0	1,179	1,033	0	0	1,179	1,033	540	318
3	Kushtagi	100.0	100.0	0	0	340	289	2	3	342	292	148	34
4	Yelburga	100.0	100.0	1	0	710	568			710	568	197	39

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	46.3	20.6	5.7	2.1	22.2	18.5	33,363	27,705	336,201	360,161	21	0
1	Gangavati	72.3	20.7	6.1	1.5	16.2	13.7	9,769	9,857	89,600	100,556	4	0
2	Koppal	45.8	30.8	8.2	5.2	32.9	32.2	10,426	8,097	104,520	94,136	17	0
3	Kushtagi	43.5	11.8	2.7	0.5	10.0	8.3	5,368	3,949	69,564	94,475	0	0
4	Yelburga	27.7	6.9	5.6	1.0	35.4	22.7	7,800	5,802	72,517	70,994	0	0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	28,382	28,734	34,843	35,396	111.5	114.3	136.9	140.8	350	193	320	163
1	Gangavati	9,806	9,404	12,200	10,858	108.5	124.3	134.9	143.5	298	115	300	112
2	Koppal	8,543	7,770	9,901	9,668	121.5	118.3	140.8	147.2	18	31	0	12
3	Kushtagi	6,380	7,358	7,497	9,072	111.6	106.0	131.2	130.7	32	25	20	9
4	Yelburga	3,653	4,202	5,245	5,798	99.5	103.5	142.8	142.8	2	22	0	30

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	345	119	30,865	31,891	29,733	31,127	29,441	31,313	25,851	30,291	101.5	120.5
1	Gangavati	319	72	9,836	9,667	9,626	9,490	9,514	9,655	8,199	9,212	90.7	121.8
2	Koppal	13	9	8,218	8,667	7,904	8,465	8,061	8,658	7,084	8,547	100.8	130.1
3	Kushtagi	10	12	6,935	7,247	6,486	6,918	6,228	6,745	5,515	6,329	96.5	91.2
4	Yelburga	3	26	5,876	6,310	5,717	6,254	5,638	6,255	5,053	6,203	137.6	152.8

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	25,916	29,848	25.8	14.4	24,239	29,444	95.2	117.1	42.4	16.9	1,691	1,448
1	Gangavati	7,975	8,968	32.8	15.2	8,230	10,572	91.0	139.8	23.5	22.4	100	190
2	Koppal	7,038	8,457	28.5	11.6	5,681	7,186	80.8	109.4	100.5	3.9	1,396	1,139
3	Kushtagi	5,755	6,255	26.4	30.2	5,466	5,909	95.6	85.1	30.7	8.5	119	64
4	Yelburga	5,148	6,168	3.7	-7.0	4,862	5,777	132.4	142.3	20.0	31.6	76	55

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	96.3	97.4	72.2	66.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	96.5	96.4	79.5	70.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	94.7	98.9	60.5	62.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	97.9	97.4	72.8	67.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	96.5	96.7	76.1	66.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	0.0	0.0	0.6	1.3	99.1	98.5	0.3	0.2	70.0	68.1	10.9	10.4
1	Gangavati	0.0	0.0	0.0	0.2	99.9	99.8	0.1	0.0	76.1	74.6	5.9	6.6
2	Koppal	0.0	0.0	0.2	1.2	99.8	98.8	0.0	0.0	67.6	63.7	14.9	7.7
3	Kushtagi	0.0	0.0	1.5	0.8	97.6	98.7	0.9	0.5	69.4	74.4	11.1	13.8
4	Yelburga	0.0	0.0	0.8	6.0	99.2	93.6	0.0	0.4	65.2	62.8	11.8	15.0

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	36.4	35.1	0.5	0.5	111,860	113,562	1,338,305	1,251,334	8.4	9.1	5,442	3,349
1	Gangavati	33.3	36.4	0.4	0.4	32,028	26,408	390,449	338,427	8.2	7.8	1,859	1,146
2	Koppal	37.9	34.5	1.0	0.8	34,102	36,824	399,509	382,334	8.5	9.6	1,829	1,254
3	Kushtagi	41.8	41.1	0.3	0.4	20,515	21,816	228,357	223,576	9.0	9.8	847	655
4	Yelburga	25.0	23.9	0.2	0.2	25,215	28,514	319,990	306,997	7.9	9.3	907	294

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	9,161	11,775	37.3	22.1	346	297	6.3	8.8	170,590	159,604	12.7	12.7
1	Gangavati	2,150	1,748	46.4	39.6	135	104	7.3	9.1	51,358	41,959	13.2	12.4
2	Koppal	3,670	6,238	33.3	16.7	120	31	6.6	2.5	40,522	46,217	10.1	12.1
3	Kushtagi	2,808	2,717	23.2	19.4	28	158	3.3	24.1	49,108	46,442	21.5	20.8
4	Yelburga	533	1,072	63.0	21.5	63	4	6.9	1.4	29,602	24,986	9.3	8.1

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	7,378	2,421	0.6	0.2	13,808	8,597	7.7	7.0	1.8	2.4	0.7	0.7
1	Gangavati	4,106	379	1.1	0.1	3,009	2,472	5.4	8.3	2.3	3.5	0.8	0.8
2	Koppal	690	1,782	0.2	0.5	4,497	1,458	13.2	10.2	2.0	2.3	0.6	0.8
3	Kushtagi	2,227	241	1.0	0.1	2,725	2,757	3.1	3.6	1.4	2.5	0.6	0.9
4	Yelburga	355	19	0.1	0.0	3,577	1,910	3.8	4.6	1.3	1.1	0.5	0.5

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	0.9	1.1	0.2	0.1	0.0	0.0	89	146	6.0	4.3	21.4	29.5
1	Gangavati	1.1	1.3	0.5	0.0	0.0	0.0	22	38	5.0	0.0	40.0	35.1
2	Koppal	1.0	1.2	0.0	0.0	0.0	0.0	26	36	4.0	11.4	24.0	25.7
3	Kushtagi	0.8	1.3	0.2	0.3	0.0	0.0	16	36	13.3	6.1	6.7	39.4
4	Yelburga	0.7	0.6	0.1	0.1	0.0	0.0	25	36	4.2	0.0	12.5	17.6

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Koppal	11.9	19.4	10.7	2.2	1.2	0.7	1.2	0.0	0.0	0.0	47.6	43.9
1	Gangavati	10.0	16.2	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40.0	48.6
2	Koppal	8.0	25.7	16.0	5.7	0.0	2.9	0.0	0.0	0.0	0.0	48.0	28.6
3	Kushtagi	13.3	12.1	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	60.0	42.4
4	Yelburga	16.7	23.5	16.7	2.9	4.2	0.0	0.0	0.0	0.0	0.0	45.8	55.9