

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		1	2	3	4	5	6	7	8	9	10	11	12
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	% 1st Trimester registration to Total ANC Registrations	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers)	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrations	% Pregnant women received TT2+ TT Booster to Total ANC Registration	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registration	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institution
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	29,216	24,711	84.5	27,886	28,201	3,366	95.4	108.0	27,418	93.8	19,278	805
1	Heggadadevankote	2,701	2,469	91.4	1,714	2,541	177	63.5	100.6	2,149	79.6	1,692	45
2	Hunsur	2,979	2,789	93.6	2,535	2,593	943	85.1	118.7	2,684	90.1	1,913	5
3	Krishnarajanagara	2,298	2,009	87.4	2,105	2,174	630	91.6	122.0	2,423	105.4	1,178	42
4	Mysore	12,516	9,335	74.6	13,053	12,514	935	104.3	107.5	11,435	91.4	8,122	585
5	Nanjangudu	3,741	3,494	93.4	3,655	3,478	249	97.7	99.6	3,671	98.1	2,144	88
6	Periyapatna	2,312	2,104	91.0	2,201	2,014	404	95.2	104.6	2,175	94.1	1,367	29
7	Tirumakudal Narsipur	2,669	2,511	94.1	2,623	2,887	28	98.3	109.2	2,881	107.9	2,862	11

Indicators		13	14	15	16	17	18	19	20	21	22	23	24
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7	% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducted at Public Institutions	Number of Women Discharged under 48 hours of delivery in public facilities	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	Deliveries Conducted at Private Institutions	Number of Women Discharged under 48 hours of delivery in private institutions	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	59.9	5.5	3	3	0	100.0	18,356	77	0.4	12,867	0	0.0
1	Heggadadevankote	49.5	3.1	1	1	0	100.0	1,289	21	1.6	1,378	0	0.0
2	Hunsur	8.8	1.2	1	1	0	100.0	920	7	0.8	88	0	0.0
3	Krishnarajanagara	37.5	4.2	0	0	0		1,112	5	0.4	90	0	0.0
4	Mysore	72.5	9.2	0	0	0		12,140	31	0.3	11,192		0.0
5	Nanjangudu	64.7	3.3	0	0	0		1,276	0	0.0	116	0	0.0
6	Periyapatna	60.4	4.8	1	1	0	100.0	639	13	2.0	3	0	0.0
7	Tirumakudal Narsipur	11.7	0.1	0	0	0		980	0	0.0			

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		25	26	27	28	29	30	31	32	33	34	35	36
		Institutional deliveries (Public Insts.+Pvt. Insts.)	% Institutional Deliveries to total ANC registration	Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	31,223	106.8	31,226	100.0	100.0	0.0	3,564	7,756	36.2	19.4	60.3	58.8
1	Heggadadevankote	2,667	98.7	2,668	100.0	100.0	0.0	71	408	18.0	5.5	29.6	48.3
2	Hunsur	1,008	33.8	1,009	99.9	100.0	0.1	2	23	2.5	0.2	26.1	91.3
3	Krishnarajanagara	1,202	52.3	1,202	100.0	100.0	0.0	201	68	22.4	18.1	75.6	92.5
4	Mysore	23,332	186.4	23,332	100.0	100.0	0.0	3,140	7,179	44.2	25.9	64.1	52.0
5	Nanjangudu	1,392	37.2	1,392	100.0	100.0	0.0	36	78	8.2	2.8	67.2	91.7
6	Periyapatna	642	27.8	643	99.8	100.0	0.2	12	0	1.9	1.9	0.0	99.5
7	Tirumakudal Narsipur	980	36.7	980	100.0	100.0	0.0	102		10.4	10.4		100.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		37	38	39	40	41	42	43	44	45	46	47	48
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days	% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	41.2	21	45,652	700.0	146.2	30,969	99.2	369	98.8	31,189	100.7	2,472
1	Heggadadevankote	51.7	1	3,637	100.0	136.3	2,652	99.4	26	99.0	2,654	100.1	514
2	Hunsur	8.7	1	3,110	100.0	308.2	1,004	99.5	6	99.4	1,000	99.6	115
3	Krishnarajanagara	7.5	0	2,475		205.9	1,205	100.2	10	99.2	1,210	100.4	111
4	Mysore	48.0	17	28,902		123.9	23,083	98.9	310	98.7	23,309	101.0	1,414
5	Nanjangudu	8.3	0	2,527		181.5	1,393	100.1	8	99.4	1,392	99.9	175
6	Periyapatna	0.5	2	2,039	200.0	317.1	661	102.8	0	100.0	651	98.5	72
7	Tirumakudal Narsipur	0.0	0	2,962		302.2	971	99.1	9	99.1	973	100.2	71

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		49	50	51	52	53	54	55	56	57	58	59	60
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)	% cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries	% Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registrati on	Number of PW given one Albendaz ole tablet after 1st trimester	% Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on	Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	7.9	30,592	98.7	945	6.2	27.5	18,810	64.4	16,017	54.8	8,992	30.8
1	Heggadadevankote	19.4	2,594	97.8	959	0.6	105.9	1,263	46.8	827	30.6	1,205	44.6
2	Hunsur	11.5	983	97.9	961	0.0		1,298	43.6	1,386	46.5	110	3.7
3	Krishnarajanagara	9.2	1,179	97.8	988	0.9	263.6	1,075	46.8	934	40.6	419	18.2
4	Mysore	6.1	22,832	98.9	938	7.8	26.7	8,384	67.0	6,894	55.1	6,720	53.7
5	Nanjangudu	12.6	1,384	99.4	968	7.0	0.0	3,140	83.9	3,103	82.9	232	6.2
6	Periyapatna	11.1	649	98.2	1,053	0.0		1,302	56.3	679	29.4	286	12.4
7	Tirumakudal Narsipur	7.3	971	100.0	911	0.0		2,348	88.0	2,194	82.2	20	0.7

Indicators		61	62	63	64	65	66	67	68	69	70	71	72
		Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registrati on	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registrati on	% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenita l Syphilis to babies total diagnosed with Congenit al Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontan eous) Reported	Total Number of MTPs (Public) conducte d	% MTPs to total Abortions
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	366	1.3	11,173	102	38.2	0.2	0.0	21	15	904	506	52.0
1	Heggadadevankote	19	0.7	611	0	22.6	0.0		1	0	124	48	32.2
2	Hunsur	5	0.2	1,291	1	43.3	0.0		0	0	60	3	4.8
3	Krishnarajanagara	3	0.1	339	22	14.8	0.0		0	0	116	113	49.3
4	Mysore	332	2.7	5,076	52	40.6	0.3	0.0	18	15	438	228	61.2
5	Nanjangudu	6	0.2	2,046	2	54.7	0.1		1	0	79	40	33.6
6	Periyapatna	1	0.0	1,149	23	49.7	0.1		1	0	48	23	32.4
7	Tirumakudal Narsipur	0	0.0	661	2	24.8	0.0		0	0	39	51	56.7

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		73	74	75	76	77	78	79	80	81	82	83	84
		% MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs Conducte d at Public Institutio ns to Total MTPs	% MTPs Conducte d at Private Institutio ns to Total MTPs	% Total MTPs (Public) Conducte d to Total ANC Registrati on	Number of Vasectom ies Conducte d	Number of Tubecto mies Conducte d	Total Sterilisati on Conducte d	% Male Sterilisati on (Vasecto mies) to Total sterilisati on	% Female Serlisatio n (Tubecto mies) to Total sterilisati on	Total Sterlisati on (Tubecto mies and Vasectom ies) conduce d at PHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conduce d at CHC
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	85.4	14.6	51.7	48.3	1.7	24	11,900	11,924	0.2	99.8		
1	Heggadadevankote	87.5	12.5	81.4	18.6	1.8	2	1,384	1,386	0.1	99.9		
2	Hunsur	66.7	33.3	100.0	0.0	0.1	2	900	902	0.2	99.8		
3	Krishnarajanagara	92.0	8.0	100.0	0.0	4.9	0	534	534	0.0	100.0		
4	Mysore	85.5	14.5	33.0	67.0	1.8	20	7,205	7,225	0.3	99.7		
5	Nanjangudu	72.5	27.5	100.0	0.0	1.1	0	691	691	0.0	100.0		
6	Periyapatna	95.7	4.3	100.0	0.0	1.0	0	324	324	0.0	100.0		
7	Tirumakudal Narsipur	74.5	25.5	100.0	0.0	1.9	0	862	862	0.0	100.0		

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		85	86	87	88	89	90	91	92	93	94	95	96
		Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at SDH	Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at DH	Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns	Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterilisati on	% Laparosc opic sterilisati ons to Total Female Sterilisati ons	% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Post Abortion Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterilisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterilisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore			5,793	6,131	48.6	51.4	42.4	29.3	21.9	6.3	72.5	52.0
1	Heggadadevankote			534	852	38.5	61.5	65.0	18.6	15.5	0.9	84.6	25.2
2	Hunsur			0	902	0.0	100.0	77.3	21.4	0.0	1.2	100.0	100.0
3	Krishnarajanagara			143	391	26.8	73.2	62.4	20.4	17.0	0.2	89.5	15.6
4	Mysore			5,099	2,126	70.6	29.4	27.6	30.6	31.6	10.2	39.0	37.3
5	Nanjangudu			17	674	2.5	97.5	56.9	39.1	4.1	0.0	100.0	99.3
6	Periyapatna			0	324	0.0	100.0	92.0	6.2	1.9	0.0	100.0	100.0
7	Tirumakudal Narsipur				862	0.0	100.0	50.3	49.5	0.1	0.0	100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		97	98	99	100	101	102	103	104	105	106	107	108
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation	% Post Abortion sterilisations at Public Institutions to Total Post Partum Sterilisation	Total cases of deaths following Sterilisation (Male + Female)	Total cases of deaths following Male Sterilisation	Total cases of deaths following Female Sterilisation	Total cases of failure following Male Sterilisation	Total cases of failure following Female Sterilisation	Total cases of complication following Male Sterilisation	Total cases of complication following Female Sterilisation	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	24.3	1.6	0	0	0	0	3	0	0	2,918	3,001	22.4
1	Heggadadevankote	11.2	0.0	0	0	0	0	0	0	0	298	225	23.2
2	Hunsur		100.0	0	0	0	0	0	0	0	291	9	2.4
3	Krishnarajanagara	83.5	0.0	0	0	0	0	0	0	0	478	98	52.3
4	Mysore	22.7	0.1	0	0	0	0	1	0	0	1,107	2,669	19.2
5	Nanjangudu	46.4		0	0	0	0	1	0	0	361		26.3
6	Periyapatna	100.0		0	0	0	0	0	0	0	153	0	11.1
7	Tirumakudal Narsipur	100.0		0	0	0	0	1	0	0	230		1.3

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		109	110	111	112	113	114	115	116	117	118	119	120
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus perman ent)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combine d Oral Pills distribute d	Emergenc y pills distribute d	Condom pieces distribute d	Centchro man (weekly pills) distribute d	Number of beneficia ries given 1st dose of Injectabl e (Antara Program)	Number of beneficia ries given 2nd dose of Injectabl e (Antara Program)	Number of beneficia ries given 3rd dose of Injectabl e (Antara Program)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	3.5	33.1	4,179	1,693	47	70,520	1,621	485,845	1,257	187	23	0
1	Heggadadevankote	5.4	27.4	451	69	3	11,204	280	74,965	128	0	0	0
2	Hunsur	0.8	25.0	293	7	0	6,411	8	48,181	240	0	0	0
3	Krishnarajanagara	22.5	51.9	313	250	13	6,085	3	39,868	326	0	0	0
4	Mysore	1.8	34.3	2,498	1,252	26	21,186	1,293	147,105	407	187	23	0
5	Nanjangudu	7.4	34.3	263	95	3	12,414	21	63,966	1	0	0	0
6	Periyapatna	2.7	32.1	135	17	1	5,127	12	36,333	155	0	0	0
7	Tirumakudal Narsipur	0.3	21.1	226	3	1	8,093	4	75,427	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		121	122	123	124	125	126	127	128	129	130	131	132
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)	Pregnancy testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2	Number of Infants given DPT3	Number of Infants given Pentavalent 1
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	0	21,070	31,820	29,384	30,148	102.7	94.9	97.3	2	1	12	31,836
1	Heggadadevankote	0	1,470	2,431	2,259	2,395	91.7	85.2	90.3	2	1	6	2,987
2	Hunsur	0	1,807	1,059	1,259	979	105.5	125.4	97.5	0	0	0	3,263
3	Krishnarajanagara	0	981	1,317	1,599	1,175	109.3	132.7	97.5	0	0	3	2,518
4	Mysore	0	10,256	23,912	19,637	22,503	103.6	85.1	97.5	0	0	3	13,725
5	Nanjangudu	0	4,060	1,388	2,274	1,391	99.6	163.2	99.9	0	0	0	3,660
6	Periyapatna	0	584	739	1,191	731	111.8	180.2	110.6	0	0	0	2,673
7	Tirumakudal Narsipur	0	1,912	974	1,165	974	100.3	120.0	100.3	0	0	0	3,010

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		133	134	135	136	137	138	139	140	141	142	143	144
		Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisati on (Abcess)	Adverse Events Following Imunisati on (Deaths)	Adverse Events Following Imunisati on (Others)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	31,162	31,128	847	30,178	100.1	30,070	97.1	97.4	119.5	0	0	0
1	Heggadadevankote	2,878	2,773	205	2,679	108.7	2,911	90.9	99.6	97.0	0	0	0
2	Hunsur	3,436	3,503	166	3,185	333.8	3,321	86.8	333.7	138.7	0	0	0
3	Krishnarajanagara	2,535	2,543	19	2,384	199.4	2,158	98.8	205.0	178.2	0	0	0
4	Mysore	13,084	13,174	399	12,901	57.6	12,881	98.0	56.4	98.8	0	0	0
5	Nanjangudu	3,590	3,597	7	3,563	256.3	3,435	99.7	250.4	60.2	0	0	0
6	Periyapatna	2,673	2,586	51	2,440	376.9	2,352	95.7	363.7	223.0	0	0	0
7	Tirumakudal Narsipur	2,966	2,952	0	3,026	311.6	3,012	100.0	285.7	147.0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		145	146	147	148	149	150	151	152	153	154	155	156
		% immunisa tion Sessions Held to Immunisa tion Sessions Planned	% Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned	Pneumoni a in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheri a in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonator um in Children 0-5 Years of Age	Tubercul osis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	93.2	90.2	973	781	255	0	0	0	38	38	16	973
1	Heggadadevankote	93.3	92.6	140	118	67	0	0	0	16	16	0	140
2	Hunsur	99.9	96.6	4	0	0	0	0	0	0	0	2	4
3	Krishnarajanagara	98.9	98.1	167	124	33	0	0	0	2	2	2	167
4	Mysore	92.1	72.8	483	309	146	0	0	0	14	14	10	483
5	Nanjangudu	97.4	100.0	152	212	6	0	0	0	2	2	0	152
6	Periyapatna	98.7	92.5	6	3	0	0	0	0	2	2	2	6
7	Tirumakudal Narsipur	80.2	93.8	21	15	3	0	0	0	2	2	0	21

Indicators		157	158	159	160	161	162	163	164	165	166	167	168
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3rd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	4,391	1,105	30,178	256	113	113	590	28,751	55.8	19.9	37.5	0.6
1	Heggadadevankote	768	155	2,679	0	0	0	180	2,034	55.0	28.8	24.3	0.2
2	Hunsur	580	48	3,185	0	0	0	51	3,100	57.0	14.3	23.8	0.2
3	Krishnarajanagara	369	187	2,384	0	0	0	34	2,365	39.5	13.7	29.2	0.2
4	Mysore	1,671	629	12,901	256	113	113	201	12,617	56.5	20.7	38.4	0.7
5	Nanjangudu	428	57	3,563	0	0	0	42	3,556	60.0	9.9	54.5	0.1
6	Periyapatna	353	23	2,440	0	0	0	69	2,246	55.8	6.2	21.7	0.4
7	Tirumakudal Narsipur	222	6	3,026	0	0	0	13	2,833	56.0	18.5	26.2	0.4

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		169	170	171	172	173	174	175	176	177	178	179	180
		IPD (Number)	OPD (Allopathic)	Ayush OPD (Number)	OPD (Ayush+Allopathic)	% IPD to OPD	Number of Major Operations	Number of Minor Operations	% Major Operations to Total Operation	Number of Hysterectomy Surgeries	% Hysterectomy Surgeries to Total Major Operations	% AYUSH OPD to Total OPD	Dental OPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	317,441	5,052,556	80,717	5,133,273	6.2	57,885	19,606	74.7	2,781	4.8	1.5	74,066
1	Heggadadevankote	20,742	394,508	3,526	398,034	5.2	655	593	52.5	72	11.0	0.9	5,532
2	Hunsur	8,606	332,475	4,200	336,675	2.6	65	310	17.3	2	3.1	1.2	4,072
3	Krishnarajanagara	13,570	329,349	25,518	354,867	3.8	379	331	53.4	30	7.9	7.2	17,884
4	Mysore	241,253	2,697,612	212	2,697,824	8.9	56,398	15,966	77.9	2,560	4.5	0.0	16,925
5	Nanjangudu	15,671	481,239	29,776	511,015	3.1	148	1,792	7.6	12	8.1	5.8	9,386
6	Periyapatna	5,708	305,174	1	305,175	1.9	38	168	18.4	14	36.8	0.0	3,537
7	Tirumakudal Narsipur	11,891	512,199	17,484	529,683	2.2	202	446	31.2	91	45.0	3.3	16,730

Indicators		181	182	183	184	185	186	187	188	189	190	191	192
		% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducted	% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registration	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodium Vivax test positive to Total Blood Smears Examined	% Plasmodium Falciparum test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumonia to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	1.4	2.8	0.8	126.6	0.9	0.8	0.1	0.0	680	14.4	7.5	11.3
1	Heggadadevankote	1.4	3.0	1.3	57.8	1.3	1.3	0.0	0.0	16	18.8	6.3	0.0
2	Hunsur	1.2	2.6	0.7	39.6	1.2	0.8	0.0	0.0	4	0.0	0.0	0.0
3	Krishnarajanagara	5.0	6.8	0.5	68.7	0.6	0.5	0.4	0.0	8	0.0	25.0	0.0
4	Mysore	0.6	2.8	0.8	197.3	0.9	0.9	0.1	0.0	630	14.8	7.5	11.6
5	Nanjangudu	1.8	2.9	0.6	67.1	0.9	0.7	0.0	0.0	11	0.0	0.0	0.0
6	Periyapatna	1.2	2.0	0.8	49.7	0.7	0.8	0.0	0.0	5	20.0	0.0	20.0
7	Tirumakudal Narsipur	3.2	1.7	0.5	161.7	0.4	0.4	0.0	0.0	6	16.7	16.7	50.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

Indicators		193	194	195	196	197	198
		% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths	Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH	Institutional Deliveries at District Hospitals	Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	0.3	0.4	0.0	16,218		
1	Heggadadevankote	0.0	0.0	0.0	1,378		
2	Hunsur	0.0	0.0	0.0	468		
3	Krishnarajanagara	0.0	0.0	0.0	90		
4	Mysore	0.2	0.5	0.0	13,304		
5	Nanjangudu	9.1	0.0	0.0	975		
6	Periyapatna	0.0	0.0	0.0	3		
7	Tirumakudal Narsipur	0.0	0.0	0.0			