

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to September

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	18,372	17,321	15,560	14,829	16,647	15,384	84.6	85.6	90.6	88.8	15,147	16,151
1	Gangavati	5,912	5,138	4,896	4,331	4,982	4,144	82.8	84.3	84.3	80.7	4,203	4,808
2	Koppal	4,747	4,617	4,156	3,996	4,389	4,017	87.6	86.5	92.5	87.0	5,219	4,289
3	Kushtagi	3,967	3,973	3,319	3,382	3,671	3,800	83.7	85.1	92.5	95.6	3,599	4,251
4	Yelburga	3,746	3,593	3,189	3,120	3,605	3,423	85.1	86.8	96.2	95.3	2,126	2,803

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	15,828	16,471	82.4	93.2	86.1	95.0	2,817	10,426	15.3	60.1	23,867	23,093
1	Gangavati	5,043	4,973	71.1	93.6	85.3	96.8	355	2,204	6.0	42.9	7,499	7,453
2	Koppal	4,024	4,481	109.9	92.9	84.8	97.1	944	5,553	19.9	120.3	5,948	5,603
3	Kushtagi	3,753	3,926	90.7	107.0	94.6	98.8	1,147	1,341	28.9	33.8	6,109	5,922
4	Yelburga	3,008	3,091	56.8	78.0	80.3	86.0	371	1,328	9.9	37.0	4,311	4,115

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1,013	734	4.2	3.2	3.4	4.2	723	858	131	201	592	657
1	Gangavati	283	207	3.8	2.8	2.8	3.2	149	241	55	97	94	144
2	Koppal	446	339	7.5	6.1	3.9	7.5	111	105	29	28	82	77
3	Kushtagi	154	108	2.5	1.8	5.8	4.2	293	300	17	36	276	264
4	Yelburga	130	80	3.0	1.9	1.3	1.6	170	212	30	40	140	172

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	18.1	23.4	13	19	1.8	2.2	10,922	10,581	856	768	7.8	7.2
1	Gangavati	36.9	40.2	11	17	7.4	7.1	2,982	3,014	34	175	1.1	5.8
2	Koppal	26.1	26.7	0	0	0.0	0.0	2,996	2,584	451	366	15.1	14.2
3	Kushtagi	5.8	12.0	0	0	0.0	0.0	3,058	3,023	124	96	4.1	3.2
4	Yelburga	17.6	18.9	2	2	1.2	0.9	1,886	1,960	247	131	13.1	6.7

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to September

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	11,622	11,398	63.2	65.8	12,345	12,256	94.1	93.0	95.2	94.6	5.9	7.0
1	Gangavati	3,549	3,622	60.0	70.5	3,698	3,863	96.0	93.8	97.5	96.3	4.0	6.2
2	Koppal	3,112	2,776	65.6	60.1	3,223	2,881	96.6	96.4	97.5	97.3	3.4	3.6
3	Kushtagi	3,075	3,040	77.5	76.5	3,368	3,340	91.3	91.0	91.8	92.1	8.7	9.0
4	Yelburga	1,886	1,960	50.3	54.6	2,056	2,172	91.7	90.2	93.2	92.1	8.3	9.8

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1,282	1,219	173	241	12.5	12.8	11.7	11.5	24.7	29.5	94.0	92.8
1	Gangavati	312	249	156	183	13.2	11.9	10.5	8.3	27.5	30.1	84.0	83.2
2	Koppal	486	353	15	48	16.1	14.4	16.2	13.7	12.9	25.0	96.3	93.1
3	Kushtagi	380	533	2	10	12.4	17.9	12.4	17.6	11.8	58.8	99.4	99.4
4	Yelburga	104	84			5.5	4.3	5.5	4.3			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	48.3	65.2	0.1	0.0	6.0	7.2	11,407	11,241	14,571	14,680	92.4	91.7
1	Gangavati	72.5	75.1	0.0	0.0	16.0	16.8	3,082	3,144	4,467	4,390	83.3	81.4
2	Koppal	26.5	58.2	0.4	0.0	3.7	6.9	3,063	2,770	3,979	3,807	95.0	96.1
3	Kushtagi	60.7	73.9	0.0	0.0	0.6	0.6	3,229	3,247	3,481	3,666	95.9	97.2
4	Yelburga	24.9	45.8	0.0	0.0	0.0	0.0	2,033	2,080	2,644	2,817	98.9	95.8

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	118.0	119.8	12,157	12,103	98.5	98.8	232	265	98.1	97.9	12,169	11,833
1	Gangavati	120.8	113.6	3,651	3,842	98.7	99.5	53	36	98.6	99.1	3,662	3,602
2	Koppal	123.5	132.1	3,202	2,892	99.3	100.4	51	81	98.4	97.3	3,199	2,870
3	Kushtagi	103.4	109.8	3,295	3,234	97.8	96.8	87	106	97.4	96.8	3,310	3,243
4	Yelburga	128.6	129.7	2,009	2,135	97.7	98.3	41	42	98.0	98.1	1,998	2,118

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	100.1	97.8	1,899	2,158	15.6	18.2	11,790	11,550	96.9	95.4	691	745
1	Gangavati	100.3	93.8	833	428	22.7	11.9	3,469	3,552	95.0	92.5	118	188
2	Koppal	99.9	99.2	486	652	15.2	22.7	3,153	2,781	98.5	96.2	112	105
3	Kushtagi	100.5	100.3	362	848	10.9	26.1	3,306	3,234	100.3	100.0	302	286
4	Yelburga	99.5	99.2	218	230	10.9	10.9	1,862	1,983	92.7	92.9	159	166

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	95.5	86.8	938	934	10.1	10.8	15.3	13.0	28.6	22.0	46.0	38.7
1	Gangavati	79.2	78.0	939	939	6.8	4.1	24.0	37.3	34.5	34.4	36.4	94.7
2	Koppal	100.9	100.0	929	932	20.3	14.4	3.3	8.3	11.4	9.6	19.4	22.6
3	Kushtagi	103.1	95.3	934	899	7.0	19.1	36.9	9.1	34.5	31.7	139.3	34.2
4	Yelburga	93.5	78.3	958	981	4.8	5.6	25.3	17.4	46.0	33.9	37.4	45.0

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	0.9	1.8	416	312	83	88	20.0	28.2	62.7	64.8	37.3	35.2
1	Gangavati	0.8	0.8	87	83	33	21	37.9	25.3	51.5	57.1	48.5	42.9
2	Koppal	2.2	4.7	120	115	27	25	22.5	21.7	66.7	48.0	33.3	52.0
3	Kushtagi	0.4	1.5	120	52	22	42	18.3	80.8	72.7	78.6	27.3	21.4
4	Yelburga	0.0	0.2	89	62	1	0	1.1	0.0	100.0		0.0	

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	94.3	100.0	5.7	0.0	0.5	0.5	0.1	0.0	2	31	4,922	4,979
1	Gangavati	94.3	100.0	5.7	0.0	0.6	0.4	0.0	0.0	1	1	1,516	1,530
2	Koppal	100.0	100.0	0.0	0.0	0.6	0.5	0.0	0.0	1	30	1,100	1,213
3	Kushtagi	88.0	100.0	12.0	0.0	0.6	1.1	0.0	0.0	0	0	1,401	1,308
4	Yelburga	100.0		0.0		0.0	0.0	0.9	0.0	0	0	905	928

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	4,924	5,010	0.0	0.6	100.0	99.4	1,568	1,676	1,809	1,596	1,527	1,738
1	Gangavati	1,517	1,531	0.1	0.1	99.9	99.9	101	158	758	636	638	737
2	Koppal	1,101	1,243	0.1	2.4	99.9	97.6	590	754	357	265	154	224
3	Kushtagi	1,401	1,308	0.0	0.0	100.0	100.0	603	501	235	216	563	591
4	Yelburga	905	928	0.0	0.0	100.0	100.0	274	263	459	479	172	186

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal			0	0	31.8	33.5	36.7	31.9	31.0	34.7	0.0	0.0
1	Gangavati			0	0	6.7	10.3	50.0	41.5	42.1	48.1	0.0	0.0
2	Koppal			0	0	53.6	60.7	32.4	21.3	14.0	18.0	0.0	0.0
3	Kushtagi			0	0	43.0	38.3	16.8	16.5	40.2	45.2	0.0	0.0
4	Yelburga					30.3	28.3	50.7	51.6	19.0	20.0	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	0.4	0.0	80.4	74.3	13.4	20.3	6.2	5.3	100.0	100.0	100.0	100.0
1	Gangavati	1.3	0.0	75.6	76.9	14.6	15.9	9.8	7.3	100.0	100.0	100.0	100.0
2	Koppal	0.0	0.0	82.8	68.1	17.2	31.7	0.0	0.2	100.0	100.0	100.0	100.0
3	Kushtagi	0.0	0.0	81.7	80.3	9.1	9.6	9.2	10.2	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	83.4	69.8	13.3	28.0	3.3	2.2	100.0	100.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	93.5	100.0	0	0	1,083	1,517	24	3	1,107	1,520	83	852
1	Gangavati	86.5	100.0	0	0	260	281	21	0	281	281	1	0
2	Koppal		100.0	0	0	470	672	0	0	470	672	73	66
3	Kushtagi	100.0	100.0	0	0	123	245	3	3	126	248	8	81
4	Yelburga	100.0	100.0	0	0	230	319			230	319	1	705

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	7.6	56.1	0.7	8.0	18.3	23.2	12,218	9,260	180,210	191,616	0	0
1	Gangavati	0.4	0.0	0.0	0.0	15.6	15.5	4,617	2,132	50,640	56,592	0	0
2	Koppal	15.5	9.8	2.4	2.6	29.9	35.1	3,458	3,225	47,653	52,799	0	0
3	Kushtagi	6.5	33.1	0.3	2.7	8.3	15.9	1,797	2,124	47,213	46,627	0	0
4	Yelburga	0.4	221.0	0.1	36.0	20.3	25.6	2,346	1,779	34,704	35,598	0	0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to September

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	14,076	14,883	17,991	17,964	115.8	123.0	148.0	148.4	101	169	77	184
1	Gangavati	4,723	4,630	5,542	5,222	129.4	120.5	151.8	135.9	53	63	62	72
2	Koppal	3,831	4,322	4,903	4,933	119.6	149.4	153.1	170.6	31	102	11	108
3	Kushtagi	3,413	3,517	4,623	4,627	103.6	108.8	140.3	143.1	17	4	2	4
4	Yelburga	2,109	2,414	2,923	3,182	105.0	113.1	145.5	149.0	0	0	2	0

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	52	232	15,908	15,530	15,875	15,230	16,045	15,339	15,862	15,036	130.4	124.2
1	Gangavati	40	78	4,696	4,900	4,630	4,921	4,766	4,900	4,501	4,864	123.3	126.6
2	Koppal	7	151	4,403	4,182	4,367	4,053	4,410	4,190	4,564	4,320	142.5	149.4
3	Kushtagi	3	3	3,683	3,446	3,639	3,287	3,571	3,275	3,332	3,066	101.1	94.8
4	Yelburga	2	0	3,126	3,002	3,239	2,969	3,298	2,974	3,465	2,786	172.5	130.5

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	15,676	14,527	11.8	16.3	14,837	13,297	122.0	109.9	7.8	111.1	457	400
1	Gangavati	4,407	4,698	18.8	6.9	4,497	4,265	123.2	111.0	6.2	123.4	110	126
2	Koppal	4,565	4,100	6.9	12.4	3,634	3,485	113.5	120.5	7.8	120.9	293	240
3	Kushtagi	3,275	2,971	27.9	33.7	3,259	2,851	98.9	88.2	6.9	90.3	12	4
4	Yelburga	3,429	2,758	-18.5	12.4	3,447	2,696	171.6	126.3	10.9	101.0	42	30

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	98.4	97.2	65.8	69.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	96.9	99.2	63.7	69.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	99.8	92.7	66.3	71.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	99.0	98.9	63.8	68.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	98.1	98.4	69.6	69.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	0.0	0.0	1.9	4.0	97.8	94.9	0.3	1.0	67.5	68.2	10.2	10.2
1	Gangavati	0.0	0.0	0.3	1.0	99.7	99.0	0.0	0.0	73.3	74.2	7.3	7.7
2	Koppal	0.0	0.0	1.3	8.4	98.7	91.6	0.0	0.0	65.3	63.3	8.4	11.0
3	Kushtagi	0.0	0.0	0.7	2.1	98.8	94.9	0.5	3.0	74.9	73.2	9.3	9.6
4	Yelburga	0.0	0.0	14.2	2.3	84.8	97.2	1.0	0.5	60.4	63.1	14.6	12.4

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	39.2	38.8	0.5	0.5	58,004	49,504	623,410	600,650	9.3	8.2	1,728	1,144
1	Gangavati	41.3	32.2	0.5	0.5	12,909	13,049	167,759	160,211	7.7	8.1	454	45
2	Koppal	40.2	39.7	0.8	0.9	16,797	14,425	190,493	172,676	8.8	8.4	697	409
3	Kushtagi	40.8	40.0	0.5	0.4	10,593	9,934	109,002	111,336	9.7	8.9	473	604
4	Yelburga	23.8	60.0	0.1	0.1	17,705	12,096	156,156	156,427	11.3	7.7	104	86

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to September

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	6,369	5,437	21.3	17.4	155	120	8.9	10.4	76,685	61,315	12.3	10.2
1	Gangavati	748	944	37.8	4.6	39	22	8.6	48.9	20,546	21,199	12.2	13.2
2	Koppal	3,597	2,816	16.2	12.7	15	37	2.2	9.0	20,800	15,640	10.9	9.1
3	Kushtagi	1,491	1,158	24.1	34.3	97	61	20.5	10.1	23,302	16,306	21.4	14.6
4	Yelburga	533	519	16.3	14.2	4	0	3.8	0.0	12,037	8,170	7.7	5.2

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to September

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	822	451	0.1	0.1	4,242	4,647	7.6	8.4	2.5	2.7	0.7	0.9
1	Gangavati	0	53	0.0	0.0	1,276	1,248	11.3	12.6	3.5	3.7	0.6	1.3
2	Koppal	822	110	0.4	0.1	724	961	8.7	10.1	2.5	2.5	0.8	0.8
3	Kushtagi	0	2	0.0	0.0	1,287	1,594	3.9	3.4	2.4	2.7	1.0	0.8
4	Yelburga	0	286	0.0	0.2	955	844	4.2	4.7	1.7	1.6	0.6	0.4

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1.1	1.3	0.2	1.5	0.0	0.0	83	85	3.8	1.3	33.8	22.8
1	Gangavati	1.2	1.9	0.1	0.2	0.0	0.0	27	36	0.0	3.2	38.5	22.6
2	Koppal	1.2	1.3	0.0	1.8	0.0	0.0	23	17	13.6	0.0	31.8	23.5
3	Kushtagi	1.3	1.3	0.3	2.8	0.0	0.0	21	17	0.0	0.0	40.0	31.3
4	Yelburga	0.8	0.7	0.2	0.3	0.0	0.0	12	15	0.0	0.0	16.7	13.3

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	20.0	30.4	2.5	5.1	1.3	1.3	0.0	1.3	0.0	0.0	38.8	38.0
1	Gangavati	19.2	22.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.3	51.6
2	Koppal	22.7	52.9	9.1	0.0	4.5	0.0	0.0	0.0	0.0	0.0	18.2	23.5
3	Kushtagi	20.0	18.8	0.0	6.3	0.0	0.0	0.0	6.3	0.0	0.0	40.0	37.5
4	Yelburga	16.7	33.3	0.0	20.0	0.0	6.7	0.0	0.0	0.0	0.0	66.7	26.7