			1	2	2	:	3		4	!	5		6
	Indicators	Total nu pregnan Registere	t women	Number of women re within first	egistered	Number o		1st Tri registratio ANC Regi	n to Total	JSY regist Total Regist	tration to	Number of women ro	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	31,290	30,283	26,535	26,324	24,101	24,446	84.8	86.9	77.0	80.7	31,544	30,718
1	Heggadadevankote	2,912	3,134	2,730	2,957	2,873	3,059	93.8	94.4	98.7	97.6	2,799	3,566
2	Hunsur	3,285	3,367	3,071	3,106	2,801	2,874	93.5	92.2	85.3	85.4	3,209	3,307
3	Krishnarajanagara	2,472	2,596	2,227	2,250	2,151	2,342	90.1	86.7	87.0	90.2	2,545	3,009
4	Mysore	13,287	10,737	9,631	8,371	7,746	6,758	72.5	78.0	58.3	62.9	13,770	10,661
5	Nanjangudu	3,848	4,284	3,729	4,085	3,607	4,128	96.9	95.4	93.7	96.4	4,070	4,142
6	Periyapatna	2,552	2,891	2,353	2,581	2,112	2,195	92.2	89.3	82.8	75.9	2,397	2,745
7	Tirumakudal Narsipur	2,934	3,274	2,794	2,974	2,811	3,090	95.2	90.8	95.8	94.4	2,754	3,288

			7		8		9	1	0	1	1	1	2
	Indicators		oster given nt women bers)	Pregnant	ANC check otal ANC	Pregnant received Booster to		Number of women give		Pregnant given 100 ll ANC Regi	women FA to Total	Number h leve (tested	l<11
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	31,899	31,101	100.8	101.4	101.9	102.7	28,806	25,543	92.0	84.3	39,136	30,554
1	Heggadadevankote	3,053	3,379	96.1	113.8	104.8	107.8	2,801	2,989	96.2	95.4	2,221	2,416
2	Hunsur	3,472	3,570	97.7	98.2	105.7	106.0	3,002	2,199	91.4	65.3	3,106	2,976
3	Krishnarajanagara	2,663	2,576	103.0	115.9	107.7	99.2	2,373	2,374	96.0	91.4	2,705	1,701
4	Mysore	13,372	10,847	103.6	99.3	100.6	101.0	12,930	10,459	97.3	97.4	22,064	15,418
5	Nanjangudu	3,633	4,588	105.8	96.7	94.4	107.1	3,385	3,478	88.0	81.2	4,026	4,898
6	Periyapatna	2,569	2,875	93.9	94.9	100.7	99.4	1,108	1,091	43.4	37.7	2,338	1,783
7	Tirumakudal Narsipur	3,137	3,266	93.9	100.4	106.9	99.8	3,207	2,953	109.3	90.2	2,676	1,362

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	ana	ving severe emia <7) institution	having seve (Hb treated at	t women ere anaemia e>(7) institution having hb	New cases at institu hypertensi ANC Regi	detected ution for on to Total	Number deliv		Number deliveries a SBA tr (Doctor/No	ttended by ained	Non SBA	ttended by
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	1,244	1,056	3.2	3.5	4.6	5.1	4	4	4	2	0	2
1	Heggadadevankote	82	77	3.7	3.2	2.6	2.9	2	2	2	0	0	2
2	Hunsur	44	94	1.4	3.2	0.3	0.8	1	0	1	0	0	0
3	Krishnarajanagara	172	116	6.4	6.8	4.1	4.5	0	0	0	0	0	0
4	Mysore	811	571	3.7	3.7	8.5	11.1	0	2	0	2	0	0
5	Nanjangudu	31	14	0.8	0.3	3.1	1.5	1	0	1	0	0	0
6	Periyapatna	45	41	1.9	2.3	0.3	0.6	0	0	0	0	0	0
7	Tirumakudal Narsipur	59	143	2.2	10.5	0.1	1.0	0	0	0	0	0	0

		1	9	2	.0	2	:1	2	2	2	3	2	4
	Indicators	SBA atten deliveries Reporte	s to Total		paid JSY for home eries	Mothers incentive deliveries Reporte	paid JSY for home s to Total d Home eries	Deliveries at Public I		Number of Discharged hours of o	d under 48 delivery in	Women dis	18 hours of to Total Deliveries
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	100.0	50.0	0	1	0.0	25.0	19,480	21,649	221	546	1.1	2.5
1	Heggadadevankote	100.0	0.0	0	1	0.0	50.0	1,538	2,152	20	17	1.3	0.8
2	Hunsur	100.0		0	0	0.0		1,220	1,461	8	41	0.7	2.8
3	Krishnarajanagara			0	0			965	1,305	6	4	0.6	0.3
4	Mysore		100.0	0	0		0.0	12,200	12,385	43	465	0.4	3.8
5	Nanjangudu	100.0		0	0	0.0		1,557	1,852	9	4	0.6	0.2
6	Periyapatna			0	0			742	932	135	14	18.2	1.5
7	Tirumakudal Narsipur			0	0			1,258	1,562	0	1	0.0	0.1

		2	.5	2	6	2	7	2	8	2	9	3	0
	Indicators	deliv (Public Ir	utional veries nsts.+Pvt. ts.)	Institu Deliverie ANC regi	itional s to total	Total re deliv	eported eries	Institu deliveries Reported	s to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	29,860	28,810	95.4	95.1	29,864	28,814	100.0	100.0	100.0	100.0	0.0	0.0
1	Heggadadevankote	2,773	2,719	95.2	86.8	2,775	2,721	99.9	99.9	100.0	99.9	0.1	0.1
2	Hunsur	1,310	1,557	39.9	46.2	1,311	1,557	99.9	100.0	100.0	100.0	0.1	0.0
3	Krishnarajanagara	1,116	1,460	45.1	56.2	1,116	1,460	100.0	100.0	100.0	100.0	0.0	0.0
4	Mysore	20,990	18,600	158.0	173.2	20,990	18,602	100.0	100.0	100.0	100.0	0.0	0.0
5	Nanjangudu	1,640	1,852	42.6	43.2	1,641	1,852	99.9	100.0	100.0	100.0	0.1	0.0
6	Periyapatna	773	1,060	30.3	36.7	773	1,060	100.0	100.0	100.0	100.0	0.0	0.0
7	Tirumakudal Narsipur	1,258	1,562	42.9	47.7	1,258	1,562	100.0	100.0	100.0	100.0	0.0	0.0

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators		C-section conducted facilities	Number of deliveries at private		to rep institu (Public	+ Pvt.) orted	C-sections at public f Deliveries at public	conducted acilities to	C-sections at Private f Deliveries at private	conducted facilities to conducted	Deliveries at Public In to Total In Deliv	conducted nstitutions stitutional
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	3,107	3,445	6,347	3,812	31.6	25.1	15.9	15.9	61.1	53.2	65.2	75.1
1	Heggadadevankote	84	271	298	124	13.8	14.5	5.5	12.6	24.1	21.9	55.5	79.1
2	Hunsur	15	7	41	17	4.3	1.5	1.2	0.5	45.6	17.7	93.1	93.8
3	Krishnarajanagara	186	178	138	138	29.0	21.6	19.3	13.6	91.4	89.0	86.5	89.4
4	Mysore	2,738	2,687	5,795	3,453	40.7	33.0	22.4	21.7	65.9	55.6	58.1	66.6
5	Nanjangudu	46	85	61		6.5	4.6	3.0	4.6	73.5		94.9	100.0
6	Periyapatna	4	101	14	80	2.3	17.1	0.5	10.8	45.2	62.5	96.0	87.9
7	Tirumakudal Narsipur	34	116			2.7	7.4	2.7	7.4			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Total Delive	paid JSY or Delivery nstitution I Public	of cases v Incentive ASHA for D Public inst Total Public	where JSY e paid to Delivery at	Deliveries at Private I to Total In: Deliv	conducted nstitutions stitutional	Women red partum o within 48 deli	heck-up hours of	Post - Care / Wor post partur between 48	men got a n check up	Women rec partum c within 48 delivery Reported I	eiving post heck-up hours of to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	15.0	22.0	0.0	0.0	34.8	24.9	29,468	25,655	29,849	29,176	98.7	89.0
1	Heggadadevankote	7.8	13.9	0.0	0.0	44.5	20.9	2,579	2,518	2,191	1,665	92.9	92.5
2	Hunsur	62.5	55.9	0.0	0.0	6.9	6.2	1,247	1,426	2,516	3,062	95.1	91.6
3	Krishnarajanagara	73.9	86.6	0.0	0.0	13.5	10.6	1,047	1,470	2,004	2,123	93.8	100.7
4	Mysore	7.5	15.2	0.0	0.0	41.9	33.4	21,024	15,652	15,376	13,356	100.2	84.1
5	Nanjangudu	3.0	3.0	0.0	0.0	5.1	0.0	1,598	1,913	3,322	3,997	97.4	103.3
6	Periyapatna	35.3	43.0	0.0	0.0	4.0	12.1	814	1,130	1,985	2,247	105.3	106.6
7	Tirumakudal Narsipur	7.9	10.8	0.3	0.0	0.0	0.0	1,159	1,546	2,455	2,726	92.1	99.0

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum (between 48 14 days	Checkup	Total Nu reported I		Total Repo		Total Nu reported S		9 live birth to Bir	Reported	Number of weighed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	99.9	101.3	29,349	28,459	98.3	98.8	507	424	98.3	98.5	29,705	28,435
1	Heggadadevankote	79.0	61.2	2,750	2,695	99.1	99.0	18	33	99.3	98.8	2,761	2,700
2	Hunsur	191.9	196.7	1,311	1,554	100.0	99.8	2	6	99.8	99.6	1,311	1,553
3	Krishnarajanagara	179.6	145.4	1,098	1,457	98.4	99.8	3	7	99.7	99.5	1,097	1,461
4	Mysore	73.3	71.8	20,531	18,269	97.8	98.2	465	351	97.8	98.1	20,865	18,259
5	Nanjangudu	202.4	215.8	1,636	1,844	99.7	99.6	8	10	99.5	99.5	1,647	1,867
6	Periyapatna	256.8	212.0	774	1,087	100.1	102.5	1	6	99.9	99.5	766	1,032
7	Tirumakudal Narsipur	195.2	174.5	1,249	1,553	99.3	99.4	10	11	99.2	99.3	1,258	1,563

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators		% weighed at ive birth	-	Newborns eight less 2.5 kg	Newborr weight les kg to Ne weighed	ns having s than 2.5 wborns	Number of Breast Fed	within 1	% Newborns within 1 ho to Total l	breast fed our of birth	Number of visited wit of Home	hin 24 hrs
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	101.2	99.9	2,199	2,785	7.4	9.7	29,225	27,508	99.5	96.6	5	4
1	Heggadadevankote	100.4	100.2	368	304	13.3	11.3	2,753	2,659	100.1	98.7	3	2
2	Hunsur	100.0	99.9	105	110	8.0	7.1	1,238	1,454	94.4	93.6	1	0
3	Krishnarajanagara	99.9	100.3	83	116	7.6	7.9	1,105	1,448	100.6	99.4	0	0
4	Mysore	101.6	99.9	1,340	1,895	6.4	10.4	20,464	17,472	99.7	95.6	0	2
5	Nanjangudu	100.7	101.2	164	186	10.0	10.0	1,631	1,860	99.7	100.9	1	0
6	Periyapatna	99.0	94.9	76	92	9.9	8.9	785	1,064	101.4	97.9	0	0
7	Tirumakudal Narsipur	100.7	100.6	63	82	5.0	5.2	1,249	1,551	100.0	99.9	0	0

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte	rs of home to total	Sex Ra birth (Fe Bitr Male Birtl	male Live ths/	women wit Complica attended to	Pregnant h Obstetric tions and	Compl Pregnancie with antihype Magsulph in Total Wo Obst Compli	icated es treated h IV rtensive/ njection to men with etric cations	Compl Pregnancie with antihype Magsulph ir Total Ne detecte Hypert	icated es treated h IV rtensive/ njection to ew cases ed with	Compl Pregnanci with Transfusio Wome Obst	Blood on to Total on with cetric cations
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	125.0	100.0	933	952	12.1	18.2	27.1	10.8	67.9	36.8	34.9	7.4
1	Heggadadevankote	150.0	100.0	894	951	8.6	2.6	7.9	20.8	24.7	16.5	2.5	9.7
2	Hunsur	100.0		977	893	0.2	0.3	0.0	0.0	0.0	0.0	0.0	40.0
3	Krishnarajanagara			954	847	20.3	5.3	3.1	16.7	6.9	11.0	5.3	2.6
4	Mysore		100.0	925	975	14.6	27.1	30.8	10.6	83.7	44.8	40.7	7.5
5	Nanjangudu	100.0		1,020	901	3.9	3.6	12.5	0.0	6.7	0.0	0.0	0.0
6	Periyapatna			916	927	0.6	0.6	20.0	100.0	14.3	35.3	0.0	16.7
7	Tirumakudal Narsipur			979	936	1.9	0.0	4.2		50.0	0.0	0.0	

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC				Total Nu MTPs (repo	Public)	% A (Public) to	NTPs Abortions	MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	e than 12 regnancy MTPs at
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	2.3	1.9	1,953	1,307	621	363	31.8	27.8	80.2	68.0	19.8	32.0
1	Heggadadevankote	0.3	0.4	155	135	47	16	30.3	11.9	68.1	75.0	31.9	25.0
2	Hunsur	0.0	0.0	127	125	27	2	21.3	1.6	77.8	50.0	22.2	50.0
3	Krishnarajanagara	0.1	0.6	188	97	135	38	71.8	39.2	85.2	65.8	14.8	34.2
4	Mysore	3.3	2.8	1,249	669	349	242	27.9	36.2	78.2	65.3	21.8	34.7
5	Nanjangudu	0.0	0.0	82	74	42	22	51.2	29.7	95.2	90.9	4.8	9.1
6	Periyapatna	0.0	0.3	91	120	0	25	0.0	20.8		56.0		44.0
7	Tirumakudal Narsipur	0.2	0.0	61	87	21	18	34.4	20.7	81.0	94.4	19.0	5.6

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	MTPs Con Public Insti		MTPs Con- Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	blic) I to Total	Number of Tests cond Number of STI female which tr initi	Wet Mount ducted to f new RTI/ e cases for eatment	Numb Vasect Condi (Public	omies ucted	Numb Tubect Condu (Public	comies acted
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	68.2	55.8	31.8	44.2	2.0	1.2	0.1	0.8	14	28	9,467	12,233
1	Heggadadevankote	88.7	47.1	11.3	52.9	1.6	0.5	0.0	1.1	1	0	1,242	1,239
2	Hunsur	60.0	6.9	40.0	93.1	0.8	0.1	0.4	0.8	2	1	943	949
3	Krishnarajanagara	100.0	100.0	0.0	0.0	5.5	1.5	0.0	0.0	2	3	811	1,080
4	Mysore	56.8	50.4	43.2	49.6	2.6	2.3	0.2	1.3	9	20	4,858	6,275
5	Nanjangudu	100.0	81.5	0.0	18.5	1.1	0.5	0.0	0.0	0	2	651	949
6	Periyapatna		100.0		0.0	0.0	0.9	0.0	0.0	0	1	453	577
7	Tirumakudal Narsipur	100.0	100.0	0.0	0.0	0.7	0.5	0.0	0.0	0	1	509	1,164

		7	'3	7	' 4	7	5	7	6	7	7	7	8
	Indicators	Total Ste Cond	rilisation ucted		terlisation tomies) terilisation	7 Tubector Total ste	-	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducted	mies and omies)
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	9,481	12,261	0.1	0.2	99.9	99.8	1,322	1,275	1,325	1,118	4,099	6,118
1	Heggadadevankote	1,243	1,239	0.1	0.0	99.9	100.0	0	0	0	0	1,072	1,108
2	Hunsur	945	950	0.2	0.1	99.8	99.9	0	0			938	908
3	Krishnarajanagara	813	1,083	0.2	0.3	99.8	99.7	6	1	174	197	630	835
4	Mysore	4,867	6,295	0.2	0.3	99.8	99.7	1,312	1,268	624	647	377	898
5	Nanjangudu	651	951	0.0	0.2	100.0	99.8	4	5	85	2	562	944
6	Periyapatna	453	578	0.0	0.2	100.0	99.8	0	1			453	532
7	Tirumakudal Narsipur	509	1,165	0.0	0.1	100.0	99.9	0	0	442	272	67	893

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasect conducted public Ins	mies and omies)	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Ste (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Sto (Tubecto Vasecto conducted public Instit Total Ste	mies and omies) I at Other tutions to
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore			8	2	13.9	10.4	14.0	9.1	43.2	49.9	0.0	0.0
1	Heggadadevankote			0	0	0.0	0.0	0.0	0.0	86.2	89.4	0.0	0.0
2	Hunsur			0	0	0.0	0.0	0.0	0.0	99.3	95.6	0.0	0.0
3	Krishnarajanagara			1	0	0.7	0.1	21.4	18.2	77.5	77.1	0.0	0.0
4	Mysore			7	2	27.0	20.1	12.8	10.3	7.7	14.3	0.0	0.0
5	Nanjangudu					0.6	0.5	13.1	0.2	86.3	99.3	0.0	0.0
6	Periyapatna			0	0	0.0	0.2	0.0	0.0	100.0	92.0	0.0	0.0
7	Tirumakudal Narsipur					0.0	0.0	86.8	23.3	13.2	76.7	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Sto (Tubecto Vasecto conducted institution Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic	% Mini Lap St to Total Sterilis	Female	Post P Sterlisation Female Ste	artum s to Total	Laparo sterlisation Institutions Laparo Sterilis	oscopic ns at Public s to Total oscopic	Mini Lap st at Public In to Total Sterilis	erlisations estitutions Mini Lap
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	28.8	30.6	50.4	45.6	35.3	42.3	14.2	12.0	85.6	83.9	67.2	61.1
1	Heggadadevankote	13.8	10.6	66.8	64.9	24.3	27.8	8.9	7.3	96.3	95.1	78.1	80.8
2	Hunsur	0.7	4.4	77.8	71.8	21.6	28.2	0.5	0.0	100.0	100.0	99.0	84.3
3	Krishnarajanagara	0.4	4.6	56.8	53.9	35.3	43.4	7.9	2.7	100.0	100.0	99.3	91.3
4	Mysore	52.5	55.3	31.9	31.1	45.0	48.6	23.1	20.3	57.5	56.0	53.0	40.2
5	Nanjangudu	0.0	0.0	45.5	62.7	51.9	33.6	2.6	3.7	100.0	100.0	100.0	100.0
6	Periyapatna	0.0	7.8	100.0	69.5	0.0	22.0	0.0	8.5	100.0	100.0		69.3
7	Tirumakudal Narsipur	0.0	0.0	88.2	48.8	5.5	51.2	6.3	0.0	100.0	100.0	100.0	100.0

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution Post P	s to Total	Sterlisatio	wing	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi		PP IUCD I	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	30.4	43.4	1	0	3,599	4,149	1,595	1,362	5,194	5,511	1,394	87
1	Heggadadevankote	32.7	71.4	0	0	364	345	33	134	397	479	92	8
2	Hunsur	0.0		0	0	416	627	32	52	448	679	3	6
3	Krishnarajanagara	100.0	69.0	0	0	241	284	8	32	249	316	30	7
4	Mysore	23.3	37.5	1	0	1,308	1,401	1,522	1,097	2,830	2,498	1,143	54
5	Nanjangudu	100.0	100.0	0	0	535	669			535	669	86	5
6	Periyapatna		87.8	0	0	255	301	0	47	255	348	10	3
7	Tirumakudal Narsipur	100.0		0	0	480	522			480	522	30	4

		9	7	9	8	9	9	10	00	10	01	10)2
	Indicators	% PP IUCD (pul to Tota Insertion:	blic) al IUCD	to Total In	blic)	IUCD inse public plu institutic family p methods (perma	ertions in us private ons to all olanning IUCD plus	Oral Pills d	listributed	Condom distril		Centchro distrib	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	38.7	2.0	7.1	0.4	35.3	31.0	64,385	58,022	417,793	373,174	0	0
1	Heggadadevankote	25.3	2.3	6.0	0.4	24.2	27.9	9,592	8,096	75,183	74,903	0	0
2	Hunsur	0.7	1.0	0.2	0.4	32.2	41.7	6,761	7,825	27,304	32,976	0	0
3	Krishnarajanagara	12.4	2.5	3.1	0.5	23.4	22.6	5,157	5,094	27,791	19,093	0	0
4	Mysore	87.4	3.9	9.4	0.4	36.8	28.4	17,125	11,322	123,909	82,376	0	0
5	Nanjangudu	16.1	0.7	5.5	0.3	45.1	41.3	12,129	11,559	55,359	54,990	0	0
6	Periyapatna	3.9	1.0	1.3	0.3	36.0	37.6	5,006	5,078	35,488	36,303	0	0
7	Tirumakudal Narsipur	6.3	0.8	2.4	0.3	48.5	30.9	8,615	9,048	72,759	72,533	0	0

		10	03	10	04	10	05	10	06	10	07	10	08
	Indicators		of Infants OPV 0 Dose)	Number o		Newborns g at birth to live	given OPV0 Reported	Newborns to Repo	given BCG rted live	Number o		Number (
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	28,462	29,376	31,093	31,965	97.0	103.2	105.9	112.3	11	0	12	0
1	Heggadadevankote	2,644	2,494	2,697	2,792	96.1	92.5	98.1	103.6	10	0	9	0
2	Hunsur	1,296	1,572	1,775	1,835	98.9	101.2	135.4	118.1	0	0	0	0
3	Krishnarajanagara	1,128	1,462	1,478	1,801	102.7	100.3	134.6	123.6	1	0	3	0
4	Mysore	19,744	19,188	19,716	18,550	96.2	105.0	96.0	101.5	0	0	0	0
5	Nanjangudu	1,555	1,877	2,663	3,497	95.0	101.8	162.8	189.6	0	0	0	0
6	Periyapatna	911	1,195	1,362	1,736	117.7	109.9	176.0	159.7	0	0	0	0
7	Tirumakudal Narsipur	1,184	1,588	1,402	1,754	94.8	102.3	112.2	112.9	0	0	0	0

		10	09	11	10	11	11	11	12	1	13	11	14
	Indicators	Number o		Number o		Number o		Number o		Number o	of Infants Aeasles	Infants months received vaccine to	old who I Measles
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	7	0	32,566	32,773	32,243	32,493	32,376	32,719	31,460	31,828	107.1	111.8
1	Heggadadevankote	4	0	3,230	3,304	3,014	3,272	3,013	3,275	2,898	3,097	105.4	114.9
2	Hunsur	0	0	3,605	3,960	3,599	3,981	3,621	4,081	3,434	3,969	261.9	255.4
3	Krishnarajanagara	3	0	2,607	2,587	2,574	2,627	2,752	2,672	2,495	2,500	227.2	171.6
4	Mysore	0	0	13,721	12,100	13,515	11,808	13,570	11,879	13,211	11,856	64.3	64.9
5	Nanjangudu	0	0	3,691	4,406	3,671	4,305	3,672	4,336	3,716	4,181	227.1	226.7
6	Periyapatna	0	0	2,624	2,919	2,746	2,945	2,659	2,979	2,599	2,809	335.8	258.4
7	Tirumakudal Narsipur	0	0	3,088	3,497	3,124	3,555	3,089	3,497	3,107	3,416	248.8	220.0

		1	15	1	16	1	17	1	18	11	19	12	20
	Indicators	immunize	of fully d children nonths)	Drop Out	% between Measles	Vitamin -	A dose 1	Children g dose1 to live	iven Vit A Reported	Childre Vitamin A Children g dos	n given Dose 9 to iven Vit A	Adverse Following I	munisation
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	30,493	34,430	-1.2	0.4	31,026	29,767	105.7	104.6	107.7	2.7	0	1
1	Heggadadevankote	3,029	3,109	-7.5	-10.9	2,628	2,707	95.6	100.4	127.1	9.2	0	0
2	Hunsur	3,426	3,943	-93.5	-116.3	3,389	3,857	258.5	248.2	68.3	0.3	0	0
3	Krishnarajanagara	2,261	2,326	-68.8	-38.8	2,466	2,375	224.6	163.0	183.0	0.5	0	0
4	Mysore	12,730	14,683	33.0	36.1	12,802	10,929	62.4	59.8	84.8	4.2	0	1
5	Nanjangudu	3,671	4,176	-39.5	-19.6	4,295	3,966	262.5	215.1	101.8	1.7	0	0
6	Periyapatna	2,287	2,808	-90.8	-61.8	2,386	2,535	308.3	233.2	190.4	0.1	0	0
7	Tirumakudal Narsipur	3,089	3,385	-121.6	-94.8	3,060	3,398	245.0	218.8	113.3	0.0	0	0

		12	21	12	22	12	23	12	24	12	25	12	26
	Indicators	immunisation Held to Imm Sessions	on Sessions munisation	Immunisation where ASI presented Immunisation	HAs were nt to	0-5 Years Total Re	n Children of Age to eported I Diseases	Pertusis in 0-5 Years Total Re Childhood 0-5 Y	of Age to eported Diseases	Tetanus Ne in Children of Age t Reported (Diseases (eonatorum n 0-5 Years n Total Childhood	Tetanus (Children 0- Age to Tota Childhood 0-5 \	Others in -5 Years of I Reported
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	92.1	92.3	79.7	71.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Heggadadevankote	93.2	95.7	82.2	79.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Hunsur	97.2	95.3	90.2	84.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Krishnarajanagara	97.4	96.7	91.0	84.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Mysore	95.0	95.9	65.3	46.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Nanjangudu	94.5	94.4	88.5	86.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Periyapatna	98.0	97.7	88.8	75.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Tirumakudal Narsipur	76.2	76.4	71.8	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported Diseases	ildren 0-5 ge to Total Childhood	Measles ir 0-5 Years Total Re	of Age to eported I Diseases	Diarrho dehydra Children O- Age to Tota Childhood	bea and ation in -5 Years of I Reported I Diseases	Malaria in C Years of Ag Reported Diseases	hildren 0-5 ge to Total Childhood	9 Adult F Inpatients Adult In	emale to Total	9 Children In Total In	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	0.0	0.0	1.5	0.5	98.3	97.8	0.2	1.7	54.4	58.4	18.9	13.6
1	Heggadadevankote	0.0	0.0	2.8	0.6	97.2	94.4	0.0	5.0	67.6	66.4	26.2	25.3
2	Hunsur	0.0	0.0	0.8	0.0	99.2	100.0	0.0	0.0	58.2	57.8	14.5	10.2
3	Krishnarajanagara	0.0	0.0	0.0	3.4	100.0	96.6	0.0	0.0	52.3	51.7	17.8	14.2
4	Mysore	0.0	0.0	1.6	0.4	98.1	98.6	0.3	1.0	52.1	55.6	18.7	13.0
5	Nanjangudu	0.0	0.0	1.6	0.0	98.4	100.0	0.0	0.0	62.0	66.8	14.4	10.5
6	Periyapatna	0.0	0.0	0.0	0.0	99.0	100.0	1.0	0.0	53.3	60.1	10.3	5.4
7	Tirumakudal Narsipur	0.0	0.0	7.8	3.2	92.2	96.8	0.0	0.0	57.0	64.0	10.7	4.9

		13	33	13	34	13	35	13	36	13	37	13	38
	Indicators	Female I Deaths t Inpatien	npatient to Total	Inpatient [6 Deaths to I IPD	IPD (Nu	umber)	OPD (N	umber)	% IPD t	to OPD	Number Opera	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	41.0	40.6	0.3	1.7	251,843	155,530	4,084,858	3,995,346	6.2	3.9	42,350	22,256
1	Heggadadevankote	30.2	38.2	0.1	0.2	29,361	22,113	328,700	323,730	8.9	6.8	747	652
2	Hunsur	33.3	15.2	0.5	0.4	7,576	8,421	332,873	295,205	2.3	2.9	168	153
3	Krishnarajanagara	42.1	29.7	0.8	0.7	9,723	9,876	316,689	307,556	3.1	3.2	418	345
4	Mysore	42.6	41.8	0.3	2.7	184,807	87,863	2,101,054	2,055,700	8.8	4.3	40,830	20,583
5	Nanjangudu	29.4	31.8	0.2	0.3	8,438	8,568	355,828	351,654	2.4	2.4	100	101
6	Periyapatna	38.1	33.3	0.4	0.3	5,047	5,822	247,341	241,813	2.0	2.4	53	223
7	Tirumakudal Narsipur	39.5	30.7	0.6	0.6	6,891	12,867	402,373	419,688	1.7	3.1	34	199

		1:	39	14	40	14	41	14	42	14	43	14	14
	Indicators	Number Opera	of Minor ations	Major Ope	% erations to peration	Hystere	per of ectomy eries	Hystero Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	9 AYUSH OP OI	D to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	11,403	15,462	78.8	59.0	1,289	1,335	3.0	5.9	57,508	65,111	1.4	1.6
1	Heggadadevankote	550	794	57.6	45.1	101	101	13.5	15.5	8,335	4,513	2.5	1.4
2	Hunsur	364	369	31.6	29.3	11	6	6.5	3.9	1,848	5,352	0.6	1.8
3	Krishnarajanagara	219	211	65.6	62.1	20	48	4.8	13.9	15,750	22,157	5.0	7.2
4	Mysore	9,577	13,264	81.0	60.8	1,154	1,025	2.8	5.0	0	1,561	0.0	0.1
5	Nanjangudu	189	211	34.6	32.4	0	0	0.0	0.0	23,412	20,051	6.6	5.7
6	Periyapatna	82	109	39.3	67.2	2	126	3.8	56.5	0	0	0.0	0.0
7	Tirumakudal Narsipur	422	504	7.5	28.3	1	29	2.9	14.6	8,163	11,477	2.0	2.7

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	33,311	30,397	0.8	0.8	10,244	6,594	3.4	5.6	0.7	0.9	0.5	0.8
1	Heggadadevankote	3,564	2,177	1.1	0.7	805	709	3.0	3.3	0.7	2.4	0.5	2.9
2	Hunsur	768	832	0.2	0.3	875	933	7.1	3.8	0.4	0.4	0.3	0.4
3	Krishnarajanagara	3,127	5,589	1.0	1.8	2,746	969	5.8	9.9	0.5	0.7	0.4	0.5
4	Mysore	14,848	6,727	0.7	0.3	4,753	3,136	3.2	6.4	0.7	0.6	0.5	0.5
5	Nanjangudu	2,311	1,243	0.6	0.4	117	205	3.2	3.0	0.8	0.9	0.3	0.3
6	Periyapatna	605	76	0.2	0.0	201	24	2.9	5.8	0.4	0.7	0.5	0.9
7	Tirumakudal Narsipur	8,088	13,753	2.0	3.3	747	618	1.8	4.5	0.6	0.9	0.5	0.3

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	0.6	0.8	0.2	0.2	0.0	0.0	493	219	17.5	4.3	21.6	3.4
1	Heggadadevankote	0.6	2.7	0.0	0.0	0.0	0.0	6	12	0.0	20.0	16.7	30.0
2	Hunsur	0.4	0.4	0.0	0.0	0.0	0.0	5	4	0.0	0.0	0.0	0.0
3	Krishnarajanagara	0.4	0.6	0.0	0.0	0.0	0.0	3	2	0.0	0.0	0.0	100.0
4	Mysore	0.6	0.5	0.2	0.6	0.0	0.0	461	195	18.2	3.7	22.3	1.6
5	Nanjangudu	0.5	0.5	0.0	0.6	0.0	0.0	14	3	8.3	0.0	8.3	0.0
6	Periyapatna	0.5	0.8	0.0	0.0	0.0	0.0	2	2	0.0	0.0	0.0	0.0
7	Tirumakudal Narsipur	0.5	0.5	0.6	0.0	0.0	0.0	2	1	50.0		50.0	

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Mysore	5.3	4.3	10.5	20.8	0.2	0.0	0.4	0.5	0.0	0.0	44.4	66.7
1	Heggadadevankote	16.7	10.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	66.7	30.0
2	Hunsur	0.0	50.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80.0	50.0
3	Krishnarajanagara	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0
4	Mysore	4.8	2.1	10.9	22.5	0.2	0.0	0.4	0.5	0.0	0.0	43.1	69.5
5	Nanjangudu	25.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.3	66.7
6	Periyapatna	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	50.0
7	Tirumakudal Narsipur	0.0		0.0		0.0		0.0		0.0		0.0	