

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	11,897	12,183	9,588	9,126	9,342	9,377	80.5	74.9	78.5	77.0	12,221	12,464
1	Devanahalli	2,561	2,606	2,239	2,208	2,105	2,131	87.4	84.7	82.2	81.8	2,574	2,816
2	Doddaballapur	3,337	3,420	2,781	2,759	2,747	2,789	83.3	80.7	82.3	81.5	3,208	2,901
3	Hosakote	3,587	3,720	2,822	2,414	2,693	2,718	78.7	64.9	75.1	73.1	3,549	3,871
4	Nelamanagala	2,412	2,437	1,746	1,745	1,797	1,739	72.4	71.6	74.5	71.4	2,890	2,876

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	11,068	10,235	102.7	102.3	93.0	84.0	11,790	10,769	99.1	88.3	13,007	11,878
1	Devanahalli	2,578	2,482	100.5	108.1	100.7	95.2	2,518	2,359	98.3	90.5	3,260	2,656
2	Doddaballapur	2,802	3,038	96.1	84.8	84.0	88.8	3,336	2,649	100.0	77.5	3,082	2,558
3	Hosakote	3,821	3,347	98.9	104.1	106.5	90.0	3,878	3,843	108.1	103.3	4,039	4,089
4	Nelamanagala	1,867	1,368	119.8	118.0	77.4	56.1	2,058	1,918	85.3	78.7	2,626	2,575

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	282	169	2.2	1.4	3.2	2.9	6	10	2	5	4	5
1	Devanahalli	36	11	1.1	0.4	0.2	0.5	0	0	0	0	0	0
2	Doddaballapur	14	12	0.5	0.5	0.7	0.3	2	5	1	3	1	2
3	Hosakote	175	131	4.3	3.2	7.8	7.4	2	2	0	1	2	1
4	Nelamanagala	57	15	2.2	0.6	2.7	2.1	2	3	1	1	1	2

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	33.3	50.0	6	1	100.0	10.0	3,614	3,371	182	528	5.0	15.6
1	Devanahalli			0	0			557	538	66	175	11.8	32.5
2	Doddaballapur	50.0	60.0	6	0	300.0	0.0	1,700	1,534	13	25	0.8	1.6
3	Hosakote	0.0	50.0	0	1	0.0	50.0	752	726	39	165	5.2	22.7
4	Nelamanagala	50.0	33.3	0	0	0.0	0.0	605	573	64	163	10.6	28.4

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	6,505	6,592	54.6	54.1	6,511	6,602	99.9	99.8	99.9	99.9	0.1	0.2
1	Devanahalli	963	1,054	37.6	40.4	963	1,054	100.0	100.0	100.0	100.0	0.0	0.0
2	Doddaballapur	2,206	1,945	66.1	56.9	2,208	1,950	99.9	99.7	100.0	99.9	0.1	0.3
3	Hosakote	2,344	2,580	65.3	69.4	2,346	2,582	99.9	99.9	99.9	100.0	0.1	0.1
4	Nelamanagala	992	1,013	41.1	41.6	994	1,016	99.8	99.7	99.9	99.8	0.2	0.3

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	<a href="#">_Bangalore Rural</a>	854	546	1,683	1,847	39.0	36.3	23.6	16.2	58.2	57.3	55.6	51.1
1	<a href="#">Devanahalli</a>	52	47	234	277	29.7	30.7	9.3	8.7	57.6	53.7	57.8	51.0
2	<a href="#">Doddaballapur</a>	563	350	290	234	38.7	30.0	33.1	22.8	57.3	56.9	77.1	78.9
3	<a href="#">Hosakote</a>	86	67	846	962	39.8	39.9	11.4	9.2	53.1	51.9	32.1	28.1
4	<a href="#">Nelamanagala</a>	153	82	313	374	47.0	45.0	25.3	14.3	80.9	85.0	61.0	56.6

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	<a href="#">_Bangalore Rural</a>	75.0	57.0	0.2	0.2	44.4	48.9	4,929	5,097	8,337	7,237	75.7	77.2
1	<a href="#">Devanahalli</a>	72.5	62.6	0.0	0.0	42.2	49.0	703	676	1,845	1,917	73.0	64.1
2	<a href="#">Doddaballapur</a>	62.4	39.9	0.0	0.1	22.9	21.1	1,559	1,647	1,964	1,598	70.6	84.5
3	<a href="#">Hosakote</a>	109.4	81.5	0.8	0.0	67.9	71.9	2,012	2,235	2,669	2,053	85.8	86.6
4	<a href="#">Nelamanagala</a>	70.1	66.5	0.0	1.0	39.0	43.4	655	539	1,859	1,669	65.9	53.1

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	<a href="#">_Bangalore Rural</a>	128.0	109.6	6,460	6,517	99.2	98.7	57	90	99.1	98.6	6,414	6,142
1	<a href="#">Devanahalli</a>	191.6	181.9	952	1,049	98.9	99.5	12	6	98.8	99.4	952	993
2	<a href="#">Doddaballapur</a>	88.9	81.9	2,199	1,927	99.6	98.8	9	24	99.6	98.8	2,199	1,908
3	<a href="#">Hosakote</a>	113.8	79.5	2,313	2,529	98.6	97.9	33	54	98.6	97.9	2,312	2,533
4	<a href="#">Nelamanagala</a>	187.0	164.3	996	1,012	100.2	99.6	3	6	99.7	99.4	951	708



Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	99.3	94.2	657	670	10.2	10.9	6,448	6,199	99.8	95.1	6	9
1	Devanahalli	100.0	94.7	111	85	11.7	8.6	950	1,045	99.8	99.6	0	0
2	Doddaballapur	100.0	99.0	190	197	8.6	10.3	2,197	1,926	99.9	99.9	2	4
3	Hosakote	100.0	100.2	306	330	13.2	13.0	2,311	2,528	99.9	100.0	2	2
4	Nelamanagala	95.5	70.0	50	58	5.3	8.2	990	700	99.4	69.2	2	3

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth ( Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	100.0	90.0	958	972	7.0	12.3	17.4	19.3	21.2	44.9	57.1	26.2
1	Devanahalli			992	1,081	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0
2	Doddaballapur	100.0	80.0	927	900	0.0	0.0			0.0	0.0		
3	Hosakote	100.0	100.0	980	970	18.3	31.1	17.9	19.4	27.4	56.5	34.0	16.6
4	Nelamanagala	100.0	100.0	945	1,012	2.9	0.3	10.3	33.3	4.6	2.0	51.7	733.3

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions ( Spontaneous/ Induced) Reported		Total Number of MTPs ( Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	3.0	1.8	1,245	732	472	158	37.9	21.6	75.0	83.5	25.0	16.5
1	Devanahalli	0.3	0.2	234	90	90	61	38.5	67.8	97.8	100.0	2.2	0.0
2	Doddaballapur	0.0	0.0	176	79	125	61	71.0	77.2	77.6	68.9	22.4	31.1
3	Hosakote	6.8	4.5	475	429	25	15	5.3	3.5	100.0	100.0	0.0	0.0
4	Nelamanagala	3.1	0.2	360	134	232	21	64.4	15.7	62.1	66.7	37.9	33.3

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	46.3	20.2	53.7	79.8	4.0	1.3	0.1	0.0	36	25	3,029	2,909
1	Devanahalli	64.7	66.3	35.3	33.7	3.5	2.3	0.6	0.0	4	4	525	604
2	Doddaballapur	81.2	75.3	18.8	24.7	3.7	1.8	0.1	0.0	6	2	1,038	893
3	Hosakote	5.7	2.7	94.3	97.3	0.7	0.4	0.0	0.0	19	15	729	744
4	Nelamanagala	81.7	33.9	18.3	66.1	9.6	0.9	0.0	0.0	7	4	737	668

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	3,065	2,934	1.1	0.8	98.8	99.1	0	0	408	286	2,392	2,380
1	Devanahalli	529	608	0.8	0.7	99.2	99.3	0	0	314	286	147	266
2	Doddaballapur	1,044	895	0.6	0.2	99.4	99.8	0	0			1,016	882
3	Hosakote	748	759	2.5	2.0	97.5	98.0	0	0			645	627
4	Nelamanagala	744	672	0.9	0.6	99.1	99.4	0	0	94	0	584	605

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural			0	0	0.0	0.0	13.3	9.7	78.0	81.1	0.0	0.0
1	Devanahalli			0	0	0.0	0.0	59.4	47.0	27.8	43.8	0.0	0.0
2	Doddaballapur			0	0	0.0	0.0	0.0	0.0	97.3	98.5	0.0	0.0
3	Hosakote			0	0	0.0	0.0	0.0	0.0	86.2	82.6	0.0	0.0
4	Nelamanagala			0	0	0.0	0.0	12.6	0.0	78.5	90.0	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	8.6	9.1	77.2	82.1	8.9	10.6	13.8	7.2	98.0	96.3	54.2	58.3
1	Devanahalli	12.9	9.2	75.6	89.7	14.9	5.3	9.5	5.0	97.7	92.4	74.4	87.5
2	Doddaballapur	2.7	1.5	72.2	77.2	5.6	12.7	22.3	10.2	99.6	99.9	93.1	99.1
3	Hosakote	13.8	17.4	79.4	79.6	10.8	15.2	9.7	5.2	94.1	92.4	35.4	30.1
4	Nelamanagala	8.9	10.0	83.2	84.7	7.6	7.6	9.2	7.6	100.0	99.8	12.5	11.8

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation ( Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	77.4	75.8	0	0	1,756	1,523	384	424	2,140	1,947	706	172
1	Devanahalli	22.0	63.3	0	0	465	451	12	1	477	452	163	40
2	Doddaballapur	90.9	87.9	0	0	463	443	10	4	473	447	249	63
3	Hosakote	74.6	79.5	0	0	562	329	307	380	869	709	81	24
4	Nelamanagala	75.0	58.8	0	0	266	300	55	39	321	339	213	45



Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods ( IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	40.2	11.2	19.5	5.1	41.1	39.8	26,302	20,740	274,838	216,666	0	0
1	Devanahalli	35.1	8.9	29.3	7.4	47.4	42.6	4,294	3,784	40,898	45,566	0	0
2	Doddaballapur	53.8	14.2	14.6	4.1	31.2	33.3	7,544	7,313	75,670	53,871	0	0
3	Hosakote	14.4	7.3	10.8	3.3	53.7	48.3	9,690	6,361	104,763	68,822	0	0
4	Nelamanagala	80.1	15.0	35.2	7.9	30.1	33.5	4,774	3,282	53,507	48,407	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	6,411	6,167	6,756	6,876	99.2	94.6	104.6	105.5	4	16	6	9
1	Devanahalli	904	940	1,028	1,074	95.0	89.6	108.0	102.4	4	16	6	9
2	Doddaballapur	2,195	1,923	2,298	2,045	99.8	99.8	104.5	106.1	0	0	0	0
3	Hosakote	2,318	2,500	2,444	2,788	100.2	98.9	105.7	110.2	0	0	0	0
4	Nelamanagala	994	804	986	969	99.8	79.4	99.0	95.8	0	0	0	0

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	<a href="#">_Bangalore Rural</a>	1	6	10,332	10,295	10,192	10,265	10,148	10,350	10,489	10,872	162.3	166.8
1	<a href="#">Devanahalli</a>	0	6	2,225	2,072	2,187	2,016	2,187	2,168	2,285	2,298	240.0	219.1
2	<a href="#">Doddaballapur</a>	0	0	2,869	2,795	2,752	2,728	2,827	2,737	2,803	2,853	127.5	148.1
3	<a href="#">Hosakote</a>	0	0	3,118	3,649	3,132	3,662	2,953	3,582	3,173	3,559	137.2	140.7
4	<a href="#">Nelamanagala</a>	1	0	2,120	1,779	2,121	1,859	2,181	1,863	2,228	2,162	223.7	213.6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	10,333	10,977	-55.3	-58.1	9,605	7,500	148.7	115.1	85.6	2.9	12	0
1	Devanahalli	2,250	2,378	-122.3	-114.0	2,082	1,580	218.7	150.6	96.8	13.8	0	0
2	Doddaballapur	2,803	2,863	-22.0	-39.5	2,788	2,519	126.8	130.7	170.7	0.0	0	0
3	Hosakote	3,077	3,590	-29.8	-27.7	2,775	2,199	120.0	87.0	37.4	0.1	0	0
4	Nelamanagala	2,203	2,146	-126.0	-123.1	1,960	1,202	196.8	118.8	21.1	0.0	12	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	<a href="#">_Bangalore Rural</a>	96.1	94.1	64.8	58.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	<a href="#">Devanahalli</a>	96.4	95.1	68.4	69.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	<a href="#">Doddaballapur</a>	97.9	94.5	70.3	62.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	<a href="#">Hosakote</a>	96.9	96.7	76.6	67.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	<a href="#">Nelamanagala</a>	92.5	90.2	41.7	31.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	0.0	0.0	0.6	0.7	99.3	99.3	0.0	0.0	60.5	57.0	13.1	15.9
1	Devanahalli	0.0	0.0	0.8	0.7	99.2	99.3	0.0	0.0	62.9	59.5	6.9	7.1
2	Doddaballapur	0.0	0.0	0.4	0.0	99.2	100.0	0.4	0.0	66.7	78.0	23.8	32.1
3	Hosakote	0.0	0.0	0.0	0.2	100.0	99.8	0.0	0.0	59.2	54.3	12.2	15.1
4	Nelamanagala	0.0	0.0	0.9	1.1	99.1	98.9	0.0	0.0	59.8	51.6	11.4	14.9

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	34.0	40.2	0.2	0.5	71,571	55,311	1,159,179	1,103,800	6.2	5.0	9,557	8,500
1	Devanahalli	0.0	33.3	0.1	0.1	7,678	6,857	179,959	170,326	4.3	4.0	374	72
2	Doddaballapur	38.7	42.9	0.3	0.2	9,299	5,923	261,030	251,295	3.6	2.4	914	414
3	Hosakote	34.1	42.9	0.2	0.5	51,058	40,032	566,275	545,447	9.0	7.3	7,781	7,928
4	Nelamanagala	34.6	25.7	0.7	1.4	3,536	2,499	151,915	136,732	2.3	1.8	488	86

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	24,278	24,297	28.2	25.9	216	107	2.2	1.2	6,464	9,217	0.5	0.8
1	Devanahalli	82	125	82.0	36.5	14	0	3.7	0.0	0	0	0.0	0.0
2	Doddaballapur	1,149	467	44.3	47.0	147	61	16.1	14.7	331	2,549	0.1	1.0
3	Hosakote	22,984	23,703	25.3	25.1	1	30	0.0	0.4	2,663	3,022	0.5	0.6
4	Nelamanagala	63	2	88.6	97.7	54	16	11.1	18.6	3,470	3,646	2.3	2.7



Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	7,507	4,923	0.6	0.4	2,836	2,276	2.5	3.0	0.8	0.8	0.4	0.5
1	Devanahalli	4,092	2,748	2.3	1.6	1,095	1,016	1.2	1.1	0.7	0.5	0.4	0.3
2	Doddaballapur	815	292	0.3	0.1	488	239	2.5	2.7	0.6	0.8	0.3	0.5
3	Hosakote	1,623	1,633	0.3	0.3	1,078	923	2.4	3.2	1.2	1.0	0.5	0.5
4	Nelamanagala	977	250	0.6	0.2	175	98	5.5	4.7	0.6	0.7	0.4	0.5

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	0.6	0.6	0.0	0.0	0.0	0.0	27	41	7.4	5.3	33.3	26.3
1	Devanahalli	0.5	0.3	0.0	0.0	0.0	0.0	4	10	0.0	20.0	25.0	0.0
2	Doddaballapur	0.5	0.6	0.0	0.0	0.0	0.0	12	13	8.3	0.0	50.0	15.4
3	Hosakote	0.7	0.7	0.0	0.0	0.0	0.0	7	13	14.3	0.0	28.6	63.6
4	Nelamanagala	0.5	0.6	0.0	0.0	0.0	0.0	4	5	0.0	0.0	0.0	25.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	7.4	7.9	3.7	5.3	0.0	0.0	3.7	2.6	0.0	0.0	44.4	52.6
1	Devanahalli	0.0	20.0	0.0	20.0	0.0	0.0	25.0	0.0	0.0	0.0	50.0	40.0
2	Doddaballapur	8.3	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.3	76.9
3	Hosakote	14.3	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.0	0.0	42.9	27.3
4	Nelamanagala	0.0	0.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.0	75.0