

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	12,672	17,280	9,553	12,753	9,648	8,571	75.3	73.8	76.1	49.6	12,818	28,794
1	Devanahalli	2,866	3,694	2,388	2,669	2,324	2,089	83.3	72.3	81.1	56.6	2,875	4,016
2	Doddaballapur	3,539	3,780	2,793	2,632	2,770	2,653	78.9	69.6	78.3	70.2	3,512	7,318
3	Hosakote	3,536	4,373	2,400	2,773	2,460	2,015	67.9	63.4	69.6	46.1	3,496	8,099
4	Nelamanagala	2,731	5,433	1,972	4,679	2,094	1,814	72.2	86.1	76.7	33.4	2,935	9,361

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	13,268	20,139	101.1	166.6	104.7	116.5	13,348	23,696	105.3	137.1	10,377	9,881
1	Devanahalli	3,096	3,853	100.3	108.7	108.0	104.3	3,101	3,544	108.2	95.9	2,679	862
2	Doddaballapur	3,949	4,304	99.2	193.6	111.6	113.9	3,664	2,864	103.5	75.8	1,868	1,673
3	Hosakote	4,328	6,801	98.9	185.2	122.4	155.5	3,630	9,377	102.7	214.4	3,532	6,006
4	Nelamanagala	1,895	5,181	107.5	172.3	69.4	95.4	2,953	7,911	108.1	145.6	2,298	1,340

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	433	2,426	4.2	24.6	5.1	4.3	11	21	5	14	6	7
1	Devanahalli	26	28	1.0	3.2	1.6	1.3	3	5	2	5	1	0
2	Doddaballapur	24	60	1.3	3.6	0.5	0.7	2	2	0	1	2	1
3	Hosakote	343	2,309	9.7	38.4	15.3	14.4	1	4	1	3	0	1
4	Nelamanagala	40	29	1.7	2.2	1.4	0.9	5	10	2	5	3	5

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	45.4	66.6	0	3	0.0	14.3	3,935	4,348	1,488	1,660	37.8	38.1
1	Devanahalli	66.7	100.0	0	1	0.0	20.0	516	512	292	298	56.6	58.2
2	Doddaballapur	0.0	50.0	0	1	0.0	50.0	1,767	2,025	224	152	12.7	7.5
3	Hosakote	100.0	75.0	0	1	0.0	25.0	864	897	662	508	76.6	56.6
4	Nelamanagala	40.0	50.0	0	0	0.0	0.0	788	914	310	702	39.3	76.8

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	7,032	7,392	55.4	42.7	7,043	7,413	99.8	99.7	99.9	99.9	0.2	0.3
1	Devanahalli	666	664	23.2	18.0	669	669	99.6	99.3	99.9	100.0	0.4	0.7
2	Doddaballapur	1,983	2,163	56.0	57.2	1,985	2,165	99.9	99.9	99.9	100.0	0.1	0.1
3	Hosakote	3,101	3,081	87.7	70.5	3,102	3,085	100.0	99.9	100.0	100.0	0.0	0.1
4	Nelamanagala	1,282	1,484	46.9	27.3	1,287	1,494	99.6	99.3	99.8	99.7	0.4	0.7

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	546	405	1,501	1,385	29.1	24.2	13.9	9.3	48.5	45.5	56.0	58.8
1	Devanahalli	32	15	60	76	13.8	13.7	6.2	2.9	40.0	50.0	77.5	77.1
2	Doddaballapur	296	262	125	77	21.2	15.7	16.8	12.9	57.9	55.8	89.1	93.6
3	Hosakote	44	12	959	807	32.3	26.6	5.1	1.3	42.9	37.0	27.9	29.1
4	Nelamanagala	174	116	357	425	41.4	36.5	22.1	12.7	72.3	74.6	61.5	61.6

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	42.2	39.1	2.4	3.0	44.0	41.2	4,381	4,622	7,179	5,586	62.2	62.3
1	Devanahalli	59.3	74.0	0.0	0.0	22.5	22.9	444	325	1,812	1,442	66.4	48.6
2	Doddaballapur	24.2	17.9	0.5	0.0	10.9	6.4	1,496	1,497	1,863	1,692	75.4	69.1
3	Hosakote	62.5	73.6	6.4	13.7	72.1	70.9	1,558	1,884	1,692	1,195	50.2	61.1
4	Nelamanagala	49.0	32.5	4.2	0.7	38.5	38.4	883	916	1,812	1,257	68.6	61.3

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	101.9	75.4	7,019	7,367	99.7	99.4	37	60	99.5	99.2	6,715	6,714
1	Devanahalli	270.9	215.5	666	667	99.6	99.7	3	2	99.6	99.7	624	514
2	Doddaballapur	93.9	78.2	1,978	2,130	99.6	98.4	7	36	99.6	98.3	1,933	1,890
3	Hosakote	54.5	38.7	3,084	3,076	99.4	99.7	18	17	99.4	99.5	2,871	3,075
4	Nelamanagala	140.8	84.1	1,291	1,494	100.3	100.0	9	5	99.3	99.7	1,287	1,235

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	95.7	91.1	775	698	11.5	10.3	6,726	6,865	95.8	93.1	6	23
1	Devanahalli	93.7	77.1	94	91	15.1	17.7	614	551	92.2	82.6	1	4
2	Doddaballapur	97.7	88.7	156	105	8.1	5.6	1,936	2,107	97.9	98.9	1	1
3	Hosakote	93.1	100.0	464	429	16.2	14.0	2,931	2,941	95.0	95.6	1	9
4	Nelamanagala	99.7	82.7	61	73	4.7	5.9	1,245	1,266	96.4	84.7	3	9

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	54.5	109.5	920	953	0.0	6.4	2400.0	38.6	15.0	24.6	3950.0	86.4
1	Devanahalli	33.3	80.0	959	853	0.3	0.0	0.0		0.0	4.2	0.0	
2	Doddaballapur	50.0	50.0	937	961	0.0	0.0			0.0	0.0		
3	Hosakote	100.0	225.0	890	963	0.1	14.7	3950.0	37.5	14.6	27.1	7750.0	85.2
4	Nelamanagala	60.0	90.0	950	966	0.0	1.6		50.0	43.6	25.0		0.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	4.5	4.9	958	445	171	168	17.8	37.8	90.1	93.5	9.9	6.5
1	Devanahalli	0.3	0.0	35	15	10	18	28.6	120.0	100.0	88.9	0.0	11.1
2	Doddaballapur	0.0	0.0	93	7	81	72	87.1	1028.6	91.4	90.3	8.6	9.7
3	Hosakote	9.7	11.0	695	370	42	47	6.0	12.7	100.0	100.0	0.0	0.0
4	Nelamanagala	1.2	1.5	135	53	38	31	28.1	58.5	73.7	93.5	26.3	6.5

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	21.8	21.8	78.2	78.2	1.3	1.0	0.0	7.3	8	8	3,115	3,240
1	Devanahalli	83.3	100.0	16.7	0.0	0.3	0.5	0.0	0.0	0	1	525	446
2	Doddaballapur	100.0	92.3	0.0	7.7	2.3	1.9	0.0	16.0	4	4	827	923
3	Hosakote	7.3	7.9	92.7	92.1	1.2	1.1	0.0	0.3	0	0	977	1,125
4	Nelamanagala	31.9	40.8	68.1	59.2	1.4	0.6	0.0	0.0	4	3	786	746

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	3,123	3,248	0.2	0.2	99.7	99.8	0	3	182	17	2,390	2,589
1	Devanahalli	525	447	0.0	0.2	100.0	99.8	0	0	182	17	335	430
2	Doddaballapur	831	927	0.5	0.4	99.5	99.6	0	0			797	891
3	Hosakote	977	1,125	0.0	0.0	100.0	100.0	0	3			546	591
4	Nelamanagala	790	749	0.5	0.4	99.5	99.6	0	0	0	0	712	677

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural			2	0	0.0	0.1	5.8	0.5	76.5	79.7	0.0	0.0
1	Devanahalli			0	0	0.0	0.0	34.7	3.8	63.8	96.2	0.0	0.0
2	Doddaballapur			2	0	0.0	0.0	0.0	0.0	95.9	96.1	0.0	0.0
3	Hosakote			0	0	0.0	0.3	0.0	0.0	55.9	52.5	0.0	0.0
4	Nelamanagala			0	0	0.0	0.0	0.0	0.0	90.1	90.4	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	17.6	19.7	71.3	75.3	16.2	13.5	12.4	11.2	94.6	92.9	62.6	45.9
1	Devanahalli	1.5	0.0	85.7	99.1	12.6	0.2	1.7	0.7	99.8	100.0	97.0	100.0
2	Doddaballapur	4.1	3.9	61.4	67.2	25.0	20.3	13.5	12.6	99.8	99.7	99.5	97.3
3	Hosakote	44.1	47.2	63.3	66.1	20.3	15.8	16.5	18.0	81.1	77.3	17.7	9.0
4	Nelamanagala	9.9	9.6	82.1	84.9	4.5	9.4	13.5	5.8	100.0	99.5	34.3	1.4

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	37.9	37.3	0	0	1,562	1,828	686	909	2,248	2,737	32	
1	Devanahalli	44.4	100.0	0	0	327	452	4	0	331	452	26	
2	Doddaballapur	73.2	75.0	0	0	490	721	42	60	532	781	3	
3	Hosakote	6.2	1.5	0	0	526	403	556	763	1,082	1,166	0	
4	Nelamanagala	48.1	100.0	0	0	219	252	84	86	303	338	3	

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	2.0	0.0	0.8	0.0	41.8	45.7	25,259	24,142	212,907	155,880	748	1,018
1	Devanahalli	8.0	0.0	5.0	0.0	38.7	50.3	4,803	3,836	35,095	27,652	0	28
2	Doddaballapur	0.6	0.0	0.2	0.0	39.0	45.7	9,751	10,472	67,399	45,015	124	129
3	Hosakote	0.0	0.0	0.0	0.0	52.5	50.9	6,709	5,553	58,631	34,935	300	461
4	Nelamanagala	1.4	0.0	0.4	0.0	27.7	31.1	3,996	4,281	51,782	48,278	324	400

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	6,233	7,493	10,345	11,957	88.8	101.7	147.4	162.3	1,378	14,374	2,365	14,398
1	Devanahalli	552	708	1,467	1,781	82.9	106.1	220.3	267.0	12	3,177	368	3,112
2	Doddaballapur	1,900	2,217	3,463	4,225	96.1	104.1	175.1	198.4	368	4,056	473	4,065
3	Hosakote	2,408	3,123	3,672	4,121	78.1	101.5	119.1	134.0	894	4,822	1,189	4,811
4	Nelamanagala	1,373	1,445	1,743	1,830	106.4	96.7	135.0	122.5	104	2,319	335	2,410

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	3,454	14,863	12,266		11,138		10,772		10,248	14,345	146.0	194.7
1	Devanahalli	696	3,296	2,849		2,379		2,330		1,981	3,183	297.4	477.2
2	Doddaballapur	619	4,318	3,339		3,130		3,281		2,929	4,208	148.1	197.6
3	Hosakote	1,636	4,825	3,421		3,143		2,862		3,405	4,479	110.4	145.6
4	Nelamanagala	503	2,424	2,657		2,486		2,299		1,933	2,475	149.7	165.7

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	10,283	13,228	0.9	-20.0	10,427	10,601	148.6	143.9	114.9	62.2	0	0
1	Devanahalli	1,894	2,964	-35.0	-78.7	2,726	1,999	409.3	299.7	172.8	70.0	0	0
2	Doddaballapur	2,920	2,701	15.4	0.4	3,172	3,320	160.4	155.9	127.0	113.8	0	0
3	Hosakote	3,542	5,174	7.3	-8.7	2,695	3,058	87.4	99.4	74.8	22.0	0	0
4	Nelamanagala	1,927	2,389	-10.9	-35.2	1,834	2,224	142.1	148.9	66.8	33.5	0	0

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	95.0	88.9	63.1	64.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Devanahalli	97.8	96.4	70.1	69.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Doddaballapur	95.3	93.7	68.6	66.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Hosakote	97.0	91.3	70.5	81.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Nelamanagala	89.8	73.5	39.5	39.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	0.0	0.0	0.7	1.4	94.2	96.4	5.1	2.2	57.4	57.6	13.4	13.3
1	Devanahalli	0.0	0.0	0.0	4.6	55.9	81.1	44.1	14.3	80.9	83.6	11.7	6.6
2	Doddaballapur	0.0	0.0	4.3	1.5	95.7	94.1	0.0	4.4	62.7	65.4	7.4	4.9
3	Hosakote	0.0	0.0	0.2	1.8	99.8	98.2	0.0	0.0	56.0	56.8	14.1	14.8
4	Nelamanagala	0.0	0.0	0.7	0.6	99.0	98.6	0.2	0.8	59.3	41.1	12.7	5.9

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	40.5	33.0	0.7	0.7	41,350	36,844	929,709	811,325	4.4	4.5	7,879	6,627
1	Devanahalli	73.7	14.3	1.8	1.1	1,058	665	121,067	102,305	0.9	0.7	92	26
2	Doddaballapur	48.6	28.1	1.0	1.7	3,548	3,721	219,574	191,190	1.6	1.9	408	332
3	Hosakote	39.8	36.8	0.6	0.5	34,814	31,060	459,506	395,179	7.6	7.9	7,333	6,173
4	Nelamanagala	17.6	29.5	1.8	3.1	1,930	1,398	129,562	122,651	1.5	1.1	46	96

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	20,342	19,504	27.9	25.4	83		1.0	0.0	2,541	3,023	0.2	0.3
1	Devanahalli	64	62	59.0	29.5	4		4.3	0.0	939	572	0.8	0.6
2	Doddaballapur	1,488	1,888	21.5	15.0	79		19.4	0.0	486	1,375	0.2	0.7
3	Hosakote	18,782	17,529	28.1	26.0	0		0.0	0.0	996	1,024	0.2	0.3
4	Nelamanagala	8	25	85.2	79.3	0		0.0	0.0	120	52	0.1	0.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to December

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	2,712	2,088	0.3	0.3	1,692	1,183	4.6	4.0	1.2	58.3	2.4	50.5
1	Devanahalli	1,040	141	0.9	0.1	623	608	1.9	1.5	0.9	9.3	5.4	8.1
2	Doddaballapur	622	636	0.3	0.3	113	161	6.6	6.8	0.8	47.7	1.2	68.3
3	Hosakote	863	1,107	0.2	0.3	939	266	5.1	3.7	1.7	159.2	2.4	84.4
4	Nelamanagala	187	204	0.1	0.2	17	148	1.3	4.8	0.9	37.0	0.4	31.5

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	1.9	53.6	0.0	0.1	0.0	0.0	63	1	17.7	0.0	17.7	0.0
1	Devanahalli	3.6	8.7	0.0	0.2	0.0	0.0	20	1	15.0	0.0	20.0	0.0
2	Doddaballapur	1.0	60.3	0.0	0.0	0.0	0.0	19		21.1		31.6	
3	Hosakote	2.1	107.4	0.0	0.1	0.0	0.1	8		25.0		0.0	
4	Nelamanagala	0.6	33.9	0.0	0.0	0.0	0.0	16		13.3		6.7	

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Bangalore Rural	9.7	100.0	14.5	0.0	0.0	0.0	1.6	0.0	0.0	0.0	38.7	0.0
1	Devanahalli	10.0	100.0	20.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	30.0	0.0
2	Doddaballapur	15.8		5.3		0.0		0.0		0.0		26.3	
3	Hosakote	0.0		0.0		0.0		0.0		0.0		75.0	
4	Nelamanagala	6.7		26.7		0.0		0.0		0.0		46.7	