

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)

Financial Year: 2016-17

Provisional Figures for the Period April to March

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	35,030	33,604	25,980	25,071	29,191	27,249	74.1	74.6	83.3	81.1	36,304	26,374
1	Aurad	6,070	6,035	4,721	4,765	5,214	5,054	77.8	79.0	85.9	83.7	5,027	4,445
2	Basavakalyan	7,370	7,372	5,629	5,647	5,903	5,640	76.4	76.6	80.1	76.5	6,289	5,274
3	Bhalki	5,601	5,697	4,303	4,324	4,676	4,573	76.8	75.9	83.5	80.3	5,843	5,155
4	Bidar	9,353	7,199	6,154	4,870	7,855	6,492	65.8	67.6	84.0	90.2	13,481	5,995
5	Humnabad	6,636	7,301	5,173	5,465	5,543	5,490	78.0	74.9	83.5	75.2	5,664	5,505

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	35,838	41,000	103.6	78.4	102.3	122.0	37,463	18,243	106.9	54.2	44,152	52,336
1	Aurad	6,299	5,839	82.8	73.7	103.8	96.8	6,478	1,626	106.7	26.9	7,103	6,322
2	Basavakalyan	9,426	8,914	85.3	71.5	127.9	120.9	7,829	3,989	106.2	54.1	6,932	11,700
3	Bhalki	5,734	5,993	104.3	90.5	102.4	105.2	5,532	3,065	98.8	53.8	5,504	5,803
4	Bidar	7,637	12,922	144.1	83.3	81.7	179.5	11,210	7,331	119.9	101.8	14,994	18,879
5	Humnabad	6,742	7,332	85.4	75.4	101.6	100.4	6,414	2,232	96.7	30.6	9,619	9,632

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	2,019	1,869	4.6	3.6	4.5	5.5	133	207	62	98	71	109
1	Aurad	260	182	3.7	2.9	0.8	0.1	31	51	12	18	19	33
2	Basavakalyan	35	28	0.5	0.2	5.3	14.5	38	45	23	24	15	21
3	Bhalki	367	221	6.7	3.8	8.5	2.7	11	18	5	8	6	10
4	Bidar	1,252	1,166	8.4	6.2	6.2	7.3	30	64	15	38	15	26
5	Humnabad	105	272	1.1	2.8	1.3	1.4	23	29	7	10	16	19

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	46.6	47.3	13	1	9.8	0.5	25,081	25,056	5,893	6,468	23.4	25.8
1	Aurad	38.7	35.3	0	0	0.0	0.0	3,190	3,292	335	321	10.5	9.8
2	Basavakalyan	60.5	53.3	2	0	5.3	0.0	4,109	4,341	550	254	13.4	5.9
3	Bhalki	45.5	44.4	1	0	9.1	0.0	2,792	2,976	56	118	2.0	4.0
4	Bidar	50.0	59.4	0	0	0.0	0.0	9,354	8,789	4,438	4,915	47.4	55.9
5	Humnabad	30.4	34.5	10	1	43.5	3.4	5,636	5,658	514	860	9.1	15.2

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	32,595	31,828	93.0	94.7	32,728	32,035	99.6	99.4	99.8	99.7	0.4	0.6
1	Aurad	3,190	3,292	52.6	54.5	3,221	3,343	99.0	98.5	99.4	99.0	1.0	1.5
2	Basavakalyan	5,173	5,492	70.2	74.5	5,211	5,537	99.3	99.2	99.7	99.6	0.7	0.8
3	Bhalki	4,930	4,878	88.0	85.6	4,941	4,896	99.8	99.6	99.9	99.8	0.2	0.4
4	Bidar	13,357	12,284	142.8	170.6	13,387	12,348	99.8	99.5	99.9	99.8	0.2	0.5
5	Humnabad	5,945	5,882	89.6	80.6	5,968	5,911	99.6	99.5	99.7	99.7	0.4	0.5

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	2,708	2,334	2,588	2,109	16.2	13.9	10.8	9.3	34.4	31.1	76.9	78.7
1	Aurad	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Basavakalyan	52	51	67	97	2.3	2.7	1.3	1.2	6.3	8.4	79.4	79.0
3	Bhalki	43	78	573	465	12.5	11.1	1.5	2.6	26.8	24.4	56.6	61.0
4	Bidar	2,594	2,196	1,862	1,541	33.4	30.4	27.7	25.0	46.5	44.1	70.0	71.5
5	Humnabad	19	9	86	6	1.8	0.3	0.3	0.2	27.8	2.7	94.8	96.2

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	55.4	55.7	0.3	0.4	23.1	21.3	24,931	24,308	26,365	23,964	76.2	75.9
1	Aurad	52.6	68.4	0.1	0.9	0.0	0.0	3,069	3,200	3,964	3,897	95.3	95.7
2	Basavakalyan	43.7	34.6	1.5	1.4	20.6	21.0	4,682	5,235	3,521	3,925	89.8	94.5
3	Bhalki	55.4	65.4	0.4	0.2	43.4	39.0	3,211	3,159	3,359	3,175	65.0	64.5
4	Bidar	53.7	49.8	0.1	0.2	30.0	28.5	9,506	7,834	12,065	9,195	71.0	63.4
5	Humnabad	68.2	68.6	0.0	0.0	5.2	3.8	4,463	4,880	3,456	3,772	74.8	82.6

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	80.6	74.8	32,619	31,835	99.7	99.4	172	319	99.5	99.0	32,282	31,608
1	Aurad	123.1	116.6	3,196	3,321	99.2	99.3	23	34	99.3	99.0	3,196	3,312
2	Basavakalyan	67.6	70.9	5,203	5,479	99.8	99.0	31	76	99.4	98.6	5,163	5,475
3	Bhalki	68.0	64.8	4,933	4,906	99.8	100.2	23	27	99.5	99.5	4,807	4,772
4	Bidar	90.1	74.5	13,371	12,287	99.9	99.5	28	98	99.8	99.2	13,179	12,202
5	Humnabad	57.9	63.8	5,916	5,842	99.1	98.8	67	84	98.9	98.6	5,937	5,847

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	99.0	99.3	2,413	2,074	7.4	6.5	31,418	31,519	96.3	99.0	130	183
1	Aurad	100.0	99.7	236	260	7.4	7.9	3,126	3,273	97.8	98.6	31	49
2	Basavakalyan	99.2	99.9	336	365	6.5	6.7	5,111	5,467	98.2	99.8	37	41
3	Bhalki	97.4	97.3	319	344	6.6	7.2	4,831	4,796	97.9	97.8	11	17
4	Bidar	98.6	99.3	1,204	808	9.1	6.6	12,534	12,220	93.7	99.5	29	52
5	Humnabad	100.4	100.1	318	297	5.4	5.1	5,816	5,763	98.3	98.6	22	24

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	97.7	88.4	939	911	12.0	10.4	77.4	78.0	192.6	140.1	30.8	38.0
1	Aurad	100.0	96.1	1,067	992	2.1	1.2	107.4	112.8	158.7	488.9	73.5	115.4
2	Basavakalyan	97.4	91.1	931	928	20.9	16.5	20.9	25.9	57.7	22.0	0.0	3.3
3	Bhalki	100.0	94.4	965	998	0.1	0.1	300.0	375.0	1.9	9.9	3333.3	1375.0
4	Bidar	96.7	81.3	891	828	20.0	18.4	102.3	100.9	469.2	433.6	39.4	50.3
5	Humnabad	95.7	82.8	972	966	1.8	2.1	0.9	18.2	1.2	22.2	7.5	0.0

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	2.1	2.0	935	1,006	210	196	22.5	19.5	55.2	60.2	44.8	39.8
1	Aurad	0.8	0.3	131	134	46	46	35.1	34.3	54.3	65.2	45.7	34.8
2	Basavakalyan	1.0	5.8	19	81	0	11	0.0	13.6		90.9		9.1
3	Bhalki	0.0	0.0	27	20	2	4	7.4	20.0	0.0	25.0	100.0	75.0
4	Bidar	4.5	2.1	656	671	158	135	24.1	20.1	55.1	57.0	44.9	43.0
5	Humnabad	0.4	0.8	102	100	4	0	3.9	0.0	100.0		0.0	

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	27.7	24.8	72.3	75.2	0.6	0.6	0.7	0.4	51	63	6,579	7,393
1	Aurad	100.0	100.0	0.0	0.0	0.8	0.8	2.8	0.0	19	23	623	607
2	Basavakalyan	0.0	32.4	100.0	67.6	0.0	0.1	0.0	2.2	5	5	736	1,269
3	Bhalki	33.3	100.0	66.7	0.0	0.0	0.1	0.0	0.0	10	22	703	934
4	Bidar	24.8	21.3	75.2	78.7	1.7	1.9	0.9	0.0	17	11	3,707	3,551
5	Humnabad	5.9	0.0	94.1	100.0	0.1	0.0	0.0	0.0	0	2	810	1,032

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	6,630	7,456	0.7	0.8	99.2	99.2	81	161	1,012	1,167	2,120	2,341
1	Aurad	642	630	3.0	3.7	97.0	96.3	10	13	326	362	306	255
2	Basavakalyan	741	1,274	0.7	0.4	99.3	99.6	13	24	69	97	606	870
3	Bhalki	713	956	1.4	2.3	98.6	97.7	1	11	92	86	423	621
4	Bidar	3,724	3,562	0.5	0.3	99.5	99.7	51	41			573	365
5	Humnabad	810	1,034	0.0	0.2	100.0	99.8	6	72	525	622	212	230

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar			10	12	1.2	2.2	15.3	15.7	32.0	31.4	0.0	0.0
1	Aurad					1.6	2.1	50.8	57.5	47.7	40.5	0.0	0.0
2	Basavakalyan			0	0	1.8	1.9	9.3	7.6	81.8	68.3	0.0	0.0
3	Bhalki			0	1	0.1	1.2	12.9	9.0	59.3	65.0	0.0	0.0
4	Bidar			10	11	1.4	1.2	0.0	0.0	15.4	10.2	0.0	0.0
5	Humnabad			0	0	0.7	7.0	64.8	60.2	26.2	22.2	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	51.5	50.8	17.0	16.2	76.6	81.7	6.3	2.1	6.3	25.0	53.5	54.5
1	Aurad	0.0	0.0	0.0	4.9	97.1	95.1	2.9	0.0		100.0	100.0	100.0
2	Basavakalyan	7.2	22.2	3.7	0.0	93.9	96.1	2.4	3.9	100.0		92.6	80.2
3	Bhalki	27.6	24.9	3.0	0.0	93.0	96.0	4.0	4.0	95.2		70.5	76.7
4	Bidar	83.2	88.6	28.9	32.9	61.6	65.7	9.5	1.4	2.1	23.1	10.9	5.9
5	Humnabad	8.3	10.6	0.0	0.1	99.6	98.0	0.4	1.9		0.0	91.7	90.3

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	97.1	16.7	0	1	2,843	1,506	199	285	3,042	1,791	3,029	148
1	Aurad	100.0		0	0	589	239			589	239	591	13
2	Basavakalyan	88.9	16.3	0	0	624	167	93	155	717	322	652	4
3	Bhalki	89.3	24.3	0	0	901	616	12	1	913	617	707	41
4	Bidar	98.0	0.0	0	0	382	288	85	123	467	411	785	88
5	Humnabad	100.0	45.0	0	1	347	196	9	6	356	202	294	2

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	106.5	9.8	12.0	0.5	31.4	19.3	38,336	27,974	335,317	262,006	0	0
1	Aurad	100.3	5.4	18.5	0.4	47.8	27.5	8,665	5,747	47,917	34,335	0	0
2	Basavakalyan	104.5	2.4	15.9	0.1	49.2	20.2	6,908	5,525	165,994	105,066	0	0
3	Bhalki	78.5	6.7	25.3	1.4	56.2	39.2	6,486	4,699	36,988	31,471	0	0
4	Bidar	205.5	30.6	8.4	1.0	11.1	10.3	8,491	6,111	35,308	42,402	0	0
5	Humnabad	84.7	1.0	5.2	0.0	30.5	16.3	7,786	5,892	49,110	48,732	0	0

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	29,023	27,994	34,295	34,693	89.0	87.9	105.1	109.0	98	153	45	121
1	Aurad	3,880	3,236	4,707	4,815	121.4	97.4	147.3	145.0	12	9	12	8
2	Basavakalyan	5,039	5,708	5,068	6,016	96.8	104.2	97.4	109.8	4	0	8	0
3	Bhalki	4,359	4,443	5,097	5,050	88.4	90.6	103.3	102.9	52	68	11	70
4	Bidar	10,203	9,290	13,015	12,525	76.3	75.6	97.3	101.9	17	31	0	27
5	Humnabad	5,542	5,317	6,408	6,287	93.7	91.0	108.3	107.6	13	45	14	16

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	21	102	38,157	36,664	35,662	35,226	35,128	35,491	29,522	32,513	90.5	102.1
1	Aurad	7	11	6,636	6,140	6,465	5,919	6,578	6,039	5,591	5,548	174.9	167.1
2	Basavakalyan	6	0	7,970	8,542	7,548	8,520	7,563	8,632	6,066	8,027	116.6	146.5
3	Bhalki	0	51	6,099	5,778	5,846	5,464	5,606	5,519	4,615	4,919	93.6	100.3
4	Bidar	0	31	10,073	8,895	9,322	8,443	9,224	8,491	7,985	7,840	59.7	63.8
5	Humnabad	8	9	7,379	7,309	6,481	6,880	6,157	6,810	5,265	6,179	89.0	105.8

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	29,505	33,856	13.9	6.3	29,443	30,716	90.3	96.5	47.5	14.6	48	34
1	Aurad	5,391	5,318	-18.8	-15.2	5,511	5,351	172.4	161.1	6.6	29.2	5	0
2	Basavakalyan	4,769	7,775	-19.7	-33.4	6,347	7,842	122.0	143.1	59.7	23.9	0	0
3	Bhalki	4,492	4,542	9.5	2.6	4,779	4,433	96.9	90.4	103.2	10.3	30	4
4	Bidar	9,633	9,967	38.6	37.4	7,724	7,085	57.8	57.7	61.9	8.3	13	25
5	Humnabad	5,220	6,254	17.8	1.7	5,082	6,005	85.9	102.8	2.5	0.2	0	5

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	92.2	97.0	70.9	72.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
1	Aurad	97.3	97.0	86.4	82.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Basavakalyan	96.8	97.0	60.4	63.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Bhalki	93.1	95.1	75.8	70.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Bidar	87.0	98.2	67.4	75.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
5	Humnabad	87.8	98.1	68.3	72.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	0.0	0.0	1.9	0.5	97.1	98.1	1.1	1.3	65.2	66.8	12.1	13.0
1	Aurad	0.0	0.0	0.4	0.4	99.4	99.4	0.2	0.2	60.0	61.6	6.6	5.7
2	Basavakalyan	0.0	0.0	3.8	0.9	96.2	98.9	0.0	0.2	67.1	70.7	9.7	12.1
3	Bhalki	0.0	0.0	5.0	0.4	90.8	99.2	4.2	0.4	80.9	85.0	6.7	5.8
4	Bidar	0.0	0.0	0.3	0.4	99.0	96.1	0.7	3.3	58.7	58.9	15.0	16.1
5	Humnabad	0.0	0.0	3.0	0.4	96.8	99.0	0.1	0.5	73.8	78.4	14.7	17.6

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	35.2	42.4	1.0	1.0	111,087	106,435	2,206,379	1,911,876	5.0	5.6	8,042	6,809
1	Aurad	21.4	62.7	0.4	0.4	15,722	15,918	318,808	244,295	4.9	6.5	101	0
2	Basavakalyan	40.0	71.4	0.0	0.0	15,232	21,941	448,479	408,508	3.4	5.4	238	203
3	Bhalki	22.2	16.7	0.1	0.1	13,029	9,365	295,971	261,299	4.4	3.6	819	547
4	Bidar	36.1	41.6	2.2	2.2	49,333	44,824	682,827	613,351	7.2	7.3	6,809	6,043
5	Humnabad	31.3	25.0	0.1	0.1	17,771	14,387	460,294	384,423	3.9	3.7	75	16

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	3,270	4,330	71.1	61.1	153	70	1.9	1.0	68,491	55,202	3.1	2.8
1	Aurad	146	177	40.9	0.0	0	0	0.0		8,142	6,998	2.6	2.9
2	Basavakalyan	596	1,817	28.5	10.0	0	0	0.0	0.0	44,342	35,887	9.9	8.8
3	Bhalki	512	711	61.5	43.5	89	18	10.9	3.3	3,725	3,413	1.3	1.3
4	Bidar	1,793	1,436	79.2	80.8	32	52	0.5	0.9	5,251	5,043	0.8	0.8
5	Humnabad	223	189	25.2	7.8	32	0	42.7	0.0	7,031	3,861	1.5	1.0

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	23,684	17,730	1.1	0.9	9,016	7,228	4.8	4.4	1.0	1.2	0.4	0.5
1	Aurad	2,377	893	0.7	0.4	297	294	5.3	5.5	0.7	0.9	0.3	1.1
2	Basavakalyan	16,952	12,555	3.8	3.1	7,331	4,185	0.9	0.3	1.2	1.1	0.2	0.2
3	Bhalki	766	1,671	0.3	0.6	393	496	8.5	5.2	1.1	1.0	0.8	0.3
4	Bidar	2,270	2,273	0.3	0.4	957	2,164	5.5	5.7	1.1	1.5	0.2	0.5
5	Humnabad	1,319	338	0.3	0.1	38	89	1.3	3.0	0.9	1.0	0.8	0.6

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	0.6	0.7	0.2	0.0	0.2	0.0	250	254	2.2	2.1	15.2	17.8
1	Aurad	0.4	1.1	1.1	0.1	1.1	0.0	4	8	0.0	0.0	50.0	0.0
2	Basavakalyan	0.5	0.4	0.0	0.0	0.0	0.0	16	7	0.0	14.3	6.7	14.3
3	Bhalki	0.9	0.5	0.0	0.0	0.0	0.0	10	13	20.0	0.0	20.0	18.2
4	Bidar	0.5	0.8	0.0	0.0	0.0	0.0	209	216	1.6	1.9	15.3	19.0
5	Humnabad	0.9	0.7	0.2	0.0	0.1	0.0	11	10	0.0	0.0	9.1	0.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	10.4	17.4	1.7	0.4	0.0	0.0	1.7	1.2	0.0	0.0	68.7	61.2
1	Aurad	0.0	20.0	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	50.0	60.0
2	Basavakalyan	6.7	14.3	20.0	0.0	0.0	0.0	6.7	14.3	0.0	0.0	60.0	42.9
3	Bhalki	0.0	36.4	0.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	40.0	45.5
4	Bidar	11.1	17.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72.1	61.9
5	Humnabad	18.2	0.0	9.1	11.1	0.0	0.0	9.1	11.1	0.0	0.0	54.5	77.8