		•	1	2	2	:	3		4		5	(	5
Inc	dicators	Total nu pregnant Registered	t women	Number of women re within first	egistered	1st Tri registratio ANC Regi	mester n to Total	Number of women red more ANC		TT2 given t		TT Booste Pregnant (num	
Koppal		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	14,283	13,670	13,177	12,251	92.2	89.6	14,403	12,028	8,174	7,687	6,760	6,546
1	Gangavati	4,327	4,345	4,013	3,958	92.7	91.1	4,028	3,014	2,753	2,839	2,112	1,962
2	Koppal	3,925	3,666	3,671	3,280	93.5	89.5	6,612	5,467	2,333	2,155	1,733	1,806
3	Kushtagi	3,154	2,963	2,927	2,642	92.8	89.2	1,756	1,846	1,611	1,318	1,608	1,511
4	Yelburga	2,877	2,696	2,566	2,371	89.2	87.9	2,007	1,701	1,477	1,375	1,307	1,267

		7	7	8	8	Ģ	9	1	0	1	1	1	2
Indicators		Pregnant	ANC check otal ANC	Pregnant receive TT Booste ANC Regi	t women d TT2+ r to Total	Number of women give tab	-	Pregnant given 180 li ANC Regi	t women FA to Total	Number of Women h leve (tested	aving Hb l<11	Number of Women hav anae (Hb treated at i	ring severe emia <7)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	100.8	87.9	104.5	104.1	13,312	13,084	93.2			892	817	
1	Gangavati	93.1	69.4	112.4	110.5	4,173	5,712	96.4	131.5	9,373	5,445	213	312
2	Koppal	168.5	149.1	103.6	108.0	4,193	3,204	106.8	87.4	7,866	6,280	494	308
3	Kushtagi	55.7	62.3	102.1	95.5	2,252	2,012	71.4	67.9	4,454	4,796	79	87
4	Yelburga	69.8	63.1	96.8	98.0	2,694	2,156	93.6	80.0	4,111	3,907	106	110

		1	3	1	4	1	5	1	6	1	7	1	8
lno	dicators	treated at to women	t women ere anaemia <7) institution	New cases of Women de institut hypertensi ANC Regi	of Pregnant etected at ion for on to Total	Number deliv	of Home eries			Non SBA	ttended by	SBA atten deliverie Reporte Deliv	ded home s to Total d Home
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	59.1	43.5	4.1	5.2	52	151	12	26	40	125	23.0	17.2
1	Gangavati	43.6	28.2	4.5	4.5	15	27	5	7	10	20	33.3	25.9
2	Koppal	64.7	83.7	7.7	4.0	8	19	3	1	5	18	37.5	5.3
3	Kushtagi	66.4	62.6	1.3	0.9	12	61	0	7	12	54	0.0	11.5
4	Yelburga	76.3	41.4	1.9	12.5	17	44	4	11	13	33	23.5	25.0

	1	9	2	0	2	.1	2	2	2	3	2	4	
		Deliveries ( at Public Ir		Number of Discharged hours of o	l under 48 lelivery in	Women dis less than 4 delivery Reported at public in	charged in 18 hours of to Total Deliveries	Deliveries at Private I		Number of Discharged hours of of private in	l under 48 lelivery in	delivery	charged in 8 hours of to Total Deliveries
_Koppal		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	9,102	9,152	501	330	5.5	3.6	2,193	1,830	190	0	8.6	0.0
1	Gangavati	2,793	2,501	30	1	1.1	0.0	1,210	1,056	66	0	5.5	0.0
2	Koppal	3,125	3,197	463	271	14.8	8.5	957	763	124	0	13.0	0.0
3	Kushtagi			2.5	26	11	0	0	0.0	0.0			
4	Yelburga	1,325	1,533	4	10	0.3	0.7						

		2	5	2	6	2	7	2	8	2	9	3	0
Inc	dicators	Institu deliv (Public Inst	eries sts.+Pvt.	Institu Deliverie ANC regi	tional s to total	Total re deliv		Institu deliveries Reported	itional s to Total	Safe deli Total Re Deliv	veries to	Home del Total Re Deliv	iveries to eported
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	11,295	10,982	79.0	80.3	11,347	11,133	99.5	98.6	99.6	98.9	0.5	1.4
1	Gangavati	4,003	3,557	92.5	81.9	4,018	3,584	99.6	99.2	99.8	99.4	0.4	0.8
2	Koppal	4,082	3,960	104.0	108.0	4,090	3,979	99.8	99.5	99.9	99.5	0.2	0.5
3	Kushtagi	1,885	1,932	59.8	65.2	1,897	1,993	99.4	96.9	99.4	97.3	0.6	3.1
4	Yelburga	1,325	1,533	46.1	56.9	1,342	1,577	98.7	97.2	99.0	97.9	1.3	2.8

Updated On Weekly Basis Status As On: 14 Sep 2018, 2:00 PM

		3	1	3	2	3	3	3	4	3	5	3	6
Indicators		Number of deliveries at public	conducted	Number of deliveries at private	conducted	to rep institu	+ Pvt.) orted tional + Pvt.)	C-sections at public f Deliveries at public	conducted acilities to	C-sections at Private f Deliveries at private	conducted acilities to conducted	Deliveries at Public In to Total In: Deliv	conducted estitutions stitutional
_Koppal		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	1,540	1,193	790	600	20.6	16.3	16.9	13.0	36.0	32.8	80.6	83.3
1	_Koppal 1,540 1,1		226	410	403	20.8	17.7	15.1	9.0	33.9	38.2	69.8	70.3
2	Koppal	873	714	374	197	30.5	23.0	27.9	22.3	39.1	25.8	76.6	80.7
3	Kushtagi	131	134	6	0	7.3	6.9	7.0	7.0	23.1	0.0	98.6	99.4
4	Yelburga	113	119			8.5	7.8	8.5	7.8			100.0	100.0

Indicators  _Koppal  Gangavati	3	7	3	8	3	9	4	0	4	1	4	2	
Indicators		9 Deliveries at Private I to Total In: Deliv	conducted nstitutions stitutional	Women re post partun within 48 home d	n check-up hours of			Women gr post partur within 48 home de Total Repo Deliv	etting 1st n check-up hours of livery to rted Home	9 Women ge Post Partur between 48 14 days Reported	etting 1st n Checkup I hours and to Total	Total Nui reported l	
_Koppal		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	19.4	16.7	2,522	3,416	10,120	10,444	4850.0	2262.3	89.2	93.8	11,201	11,010
1	Gangavati	30.2	29.7	1,835	1,325	3,486	3,458	2233.3	4907.4	86.8	96.5	3,982	3,568
2	Koppal	23.4	19.3	119	1,590	3,179	3,261	1487.5	8368.4	77.7	82.0	4,000	3,905
3	Kushtagi	1.4	0.6	296	163	1,901	1,832	2466.7	267.2	100.2	91.9	1,879	1,972
4	Yelburga	0.0	0.0	272	338	1,554	1,893	1600.0	768.2	115.8	120.0	1,340	1,565

		4	3	4	4	4	5	4	6	4	7	4	8
Inc	dicators	9 Live Birth Deliv	s to Total	Total Nu reported S		live birth to	Reported	Number of weighed		Newborns birth to l	weighed at	Number of having we than 2	eight less
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	98.7	98.9	178	134	98.4	98.8	10,981	10,981	98.0	99.7	1,773	1,635
1	Gangavati	99.1	99.6	52	19	98.7	99.5	3,733	3,538	93.7	99.2	548	431
2	Koppal	97.8	98.1	93	79	97.7	98.0	4,079	3,926	102.0	100.5	789	748
3	Koppal         97.8         98.1         93           Kushtagi         99.1         98.9         18		20	99.1	99.0	1,875	1,956	99.8	99.2	290	250		
4	Yelburga	99.9	99.2	15	16	98.9	99.0	1,294	1,561	96.6	99.7	146	206

		4	9	5	0	5	1	5	2	5	3	5	4
Indicators		% Newborr weight les kg to Ne weighed	s having s than 2.5 wborns	Number of Breast Fec ho	within 1	Newborns within 1 ho to Total l	breast fed our of birth	Male Liv		cases of women with Complica attended to deliv	Pregnant h Obstetric tions and o reported	Compl Pregnancio with Transfusio Wome Obst Compli	icated es treated Blood n to Total n with etric cations
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	16.1	14.8	10,243	9,957	91.4	90.4	981	950	7.4	11.5	65.2	48.9
1	Gangavati	14.7	12.2	3,560	3,397	89.4	95.2	1,013	999	11.1	12.4	100.0	52.9
2	Koppal	19.3	19.1	3,543	3,179	88.6	81.4	932	896	0.3	19.1	27.3	43.9
3	Kushtagi	15.5	12.8	1,870	1,944	99.5	98.6	1,012	960	19.6	3.4	26.6	85.1
4	Yelburga	11.3	13.2	1,270	1,437	94.8	91.8	997	969	1.3	1.1	17.6	22.2

Indicators	5	5	5	6	5	7	5	8	5	9	6	0	
-		Number of 360 Calciu		Pregnant given 360 Total Regist	t women Calcium to ANC				t women Albendazole fter 1st to Total	Number of for blood s OG (Oral G	ugar using TT Slucose	Pregnant tested for busing OGT ANC Reg	t women blood sugar T to Total
_Koppal		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	10,644	6,826	74.5	49.9	11,675	8,615	81.7	63.0	1,920	3,071	13.4	22.5
1	Gangavati	3,283	3,895	75.9	89.6	3,749	2,849	86.6	65.6	136	679	3.1	15.6
2	Koppal	3,827	1,157	97.5	31.6	4,061	2,688	103.5	73.3	641	1,855	16.3	50.6
3	Kushtagi	1,125	635	35.7	21.4	1,478	1,423	46.9	48.0	787	230	25.0	7.8
4	Yelburga	2,409	1,139	83.7	42.2	2,387	1,655	83.0	61.4	356	307	12.4	11.4

		6	1	6	2	6	3	6	4	6	5	6	6
Indicators		Number of positive		Pregnant tested po GDM to T Regist	women sitive for otal ANC	Number of women to Syp	ested for	Number of women tes sero pos Sypi	ited found itive for	Pregnant tested for Total Regist	t women Syphilis to ANC	Pregnant treatd for t Total sero p Sypl	women Syphilis to positive for
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	66	332	0.5	2.4	11,023	9,213	18	6	77.2	67.4	0.0	0.0
1	Gangavati	2	3	0.0	0.1	4,142	3,103	0	5	95.7	71.4	0.0	0.0
2	Koppal	5	295	0.1	8.0	2,672	3,126	1	1	68.1	85.3	0.0	0.0
3	Kushtagi	59	34	1.9	1.1	2,635	2,326	17	0	83.5	78.5	0.0	0.0
4	Yelburga	0	0	0.0	0.0	1,574	658	0	0	54.7	24.4	0.0	0.0

	Indicators	6	7	6	8	6	9	7	0	7	1	7	2
Inc	licators	of babies t congenital babies total with Co Sypi	reated for Syphilis to I diagnosed	Tota materna		Total Faci Materna Revi (FBMDF	al Death iews	Abort ( Sponta	umber of tions aneous) orted	Total Nu MTPs ( condu	Public)	% MTPs t Abor	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal			4	6	0	0	282	207	232	144	49.0	43.0
1	Gangavati			0	4	0	0	56	49	110	116	66.3	70.3
2	Koppal			3	2	0	0	154	80	55	10	37.9	21.6
3	Kushtagi			0	0	0	0	33	24	15	5	31.3	17.2
4	Yelburga			1	0	0	0	39	54	52	13	57.1	19.4

		7	3	7	4	7	5	7	6	% Total MTPs (Public)     Number Vasectom Conducted to Total ANC Registration       2018-19     2017-18     2018-19     2       1.6     1.1     1	8		
Inc	licators	MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	e than 12 Pregnancy MTPs at	% MTPs Cond Public Institution Total	ducted at tutions to	MTPs Con Private Ins to Tota	ducted at stitutions	(Put Conducted	olic) to Total	Vasect	omies
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	65.1	62.5	34.9	37.5	85.6	92.3	14.4	7.7	1.6	1.1	1	0
1	Gangavati	62.7	65.5	37.3	34.5	100.0	100.0	0.0	0.0	2.5	2.7	0	0
2	Koppal	54.5	20.0	45.5	80.0	58.5	45.5	41.5	54.5	1.4	0.3	0	0
3	Kushtagi	46.7	40.0	53.3	60.0	100.0	100.0	0.0	0.0	0.5	0.2	0	0
4	Yelburga	86.5	76.9	13.5	23.1	100.0	100.0	0.0	0.0	1.8	0.5	1	0

		7	9	8	0	8	1	8	2	8	3	8	4
Inc	licators	Numb Tubect Condu	omies	Total Ste Condi		% Male St (Vasect to Total st	omies)	% Female ! (Tubect to Total st	omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubector Vasector conducte	mies and omies)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	4,014	4,032	4,015	4,032	0.0	0.0	100.0	100.0				
1	Gangavati	1,382	1,200	1,382	1,200	0.0	0.0	100.0	100.0				
2	Koppal	970	962	970	962	0.0	0.0	100.0	100.0				
3	Kushtagi	1,220	1,368	1,220	1,368	0.0	0.0	100.0	100.0				
4	Yelburga	442	502	443	502	0.2	0.0	99.8	100.0				

		8	5	8	6	8	7	8	8	8	9	9	0
Inc	dicators	Total Ste (Tubecto Vasecto conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	` Vasect	mies and omies) at Private	Total Ste (Tubecto Vasect conducted institu	mies and omies) I at Public	% Total Sto (Tubecto Vasect conducted institution Sterlis	mies and omies) at Private s to Total	` Vasect	mies and omies) d at Public es to Total
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal					160	160	3,855	3,872	4.0	4.0	96.0	96.0
1	Gangavati					95	160	1,287	1,040	6.9	13.3	93.1	86.7
2	Koppal					65	0	905	962	6.7	0.0	93.3	100.0
3	Kushtagi					0	0	1,220	1,368	0.0	0.0	100.0	100.0
4	Yelburga							443	502	0.0	0.0	100.0	100.0

		9	1	9	2	9	3	9	4	9	5	9	6
Inc	dicators	Laparo sterlisation Female Ste	scopic s to Total	% Mini Lap St to Total Sterilis	erlisations Female	Post P Sterlisation Female Ste	artum	Post Ab Sterlisation Female Ste	oortion ns to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public s to Total scopic	Mini Lap st at Public In to Total Sterilis	erlisations estitutions Mini Lap
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	75.1	76.7	12.0	13.6	12.7	9.5	0.1	0.1	99.6	99.0	78.8	87.9
1	Gangavati	67.0	67.1	17.4	20.7	15.3	12.2	0.3	0.1	98.9	96.3	80.5	73.4
2	Koppal	57.5	64.7	15.5	17.0	27.0	18.2	0.0	0.1	99.6	100.0	63.3	100.0
3	Kushtagi	96.8	97.5	2.3	0.4	0.7	1.8	0.2	0.3	100.0	100.0	100.0	100.0
4	Yelburga	79.4	66.1	14.3	25.9	6.3	8.0	0.0	0.0	100.0	100.0	100.0	100.0

Updated On Weekly Basis Status As On: 14 Sep 2018, 2:00 PM

	Indicators  _Koppal  Gangavati	9	7	9	8	9	9	10	00	10	01	10	02
Inc	dicators	Post P sterlisation Institution Post P Sterili	artum ns at Public s to Total artum	Post Ab sterlisation Institution Post P Sterili	oortion as at Public s to Total artum	Sterlisatio	wing		s of deaths ng Male sation	Total cases following Sterlis	g Female		s of failure ng Male sation
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	91.0	83.4	100.0	100.0	0	0	0	0	0	0	0	0
1	Gangavati	82.0	56.2	100.0	100.0	0	0	0	0	0	0	0	0
2	Koppal	96.9	100.0		100.0	0	0	0	0	0	0	0	0
3	Kushtagi	100.0	100.0	100.0	100.0	0	0	0	0	0	0	0	0
4	Yelburga	100.0	100.0			0	0	0	0	0	0	0	0

		10	03	10	04	10	05	10	06	10	07	10	08
Inc	follo S		s of failure g Female sation	Total c compli followin Sterlis	ng Male	Total c compli following Sterlis	g Female	IUCD Inser (public f	tions done acilities)	IUCD insert (pvt. fa		% PP IUCD (pub to Tota Insertions	olic) al IUCD
			2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	11	7	0	0	5	0	2,860	1,875	129	110	54.0	39.5
1	Gangavati	2	2	0	0	1	0	943	491	94	48	62.7	51.7
2	Koppal	1	2	0	0	0	0	900	793	35	62	52.3	37.8
3	Kushtagi	5	1	2 0		4	0	310	133	0	0	53.5	43.6
4	Yelburga	3	2	0	0	0	0	707	458			45.1	28.4

		10	)9	11	10	1	11	1	12	11	13	1	14
Inc	dicators	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	IUCD insert family p methods ( perma	cions to all blanning IUCD plus	Total Inte		Total P Insertio		Total P insertion		Combined distril	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	16.9	8.1	42.6	32.9	1,284	1,233	1,597	742	108	10	18,351	15,095
1	Gangavati	21.2	10.2	42.9	31.0	350	280	623	254	64	5	5,172	3,847
2	Koppal	15.1	9.4	49.1	47.1	425	551	489	300	21	4	5,232	5,089
3	Kushtagi	8.9	3.0	20.3	8.9	144	74	166	58	0	1	2,898	2,557
4	Yelburga	24.1	8.5	61.5	47.7	365	328	319	130	23	0	5,049	3,602

		11	15	11	16	1	17	11	18	11	19	12	20
Inc	dicators	Emergei distril		Condom distril		Centch ( week distril	ly pills)	beneficiarie dose of Ir	per of es given 1st njectable Program)	2nd o Injec	per of ries given lose of table Program)	Numb beneficia 3rd d Injec (Antara F	ries given ose of table
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	88	475	133,070	148,738	596	1	190	21	50	0	22	0
1	Gangavati	2	120	33,368	32,616	151	0	76	21	17	0	6	0
2	Koppal	30	114	36,373	51,783	64	0	99	0	32	0	16	0
3	Kushtagi	0	35	24,452	33,908	249	1	5	0	0	0	0	0
4	Yelburga	56	206	38,877	30,431	132	0	10	0	1	0	0	0

Indicators _Koppal	12	21	12	22	12	23	1	24	12	25	12	26	
		4th or mo	ries given ore than 4	Pregnancy us	-		of Infants OPV 0 Dose)		of Infants BCG	Number o given F (birth	lep- B0	Newborns g at birth to live l	given OPV0 Reported
	doses of (Antara 2018-19		2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	4	0	8,615	5,422	10,758	11,326	13,538	13,712	9,491	8,967	96.0	102.9
1	Gangavati	1	0	3,368	2,139	3,635	3,471	4,589	4,623	2,892	2,611	91.3	97.3
2	Koppal	3	0	2,823	1,149	3,867	3,995	4,499	3,840	3,588	2,928	96.7	102.3
3	Kushtagi	0	0	572	565	1,902	2,226	2,423	2,845	1,768	1,950	101.2	112.9
4	Yelburga	0	0	1,852	1,569	1,354	1,634	2,027	2,404	1,243	1,478	101.0	104.4

		12	27	12	28	12	29	13	30	13	31	13	32
Inc	dicators	% Newborns ( to Repoi	given BCG rted live	Newborn Hep-B0(Bir birth to Rej bir	ns given th Dose)at ported live	Number o		Number o		Number o		given Pentavale	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	120.9	124.5	84.7	81.4	37	116	41	95	75	149	13,481	12,628
1	Gangavati			73.2	28	91	41	82	74	119	4,457	4,194	
2	Koppal	112.5	98.3	89.7	75.0	1	16	0	13	0	8	3,701	3,410
3	Kushtagi	129.0	144.3	94.1	98.9	8	1	0	0	1	22	2,865	2,780
4	Yelburga	151.3	153.6	92.8	94.4	0	8	0	0	0	0	2,458	2,244

		13	33	13	34	13	35	13	36	1:	37	13	88
Inc	dicators	Number o		Number o		Number o	of Infants Measles	Number o	of Infants n MR	MR vac	0 to 11 old who Measles+	Number immunize (9-11 n	d children
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	13,506	12,307	13,620	12,243	285	346	13,028	11,635	118.8	108.8	12,916	11,703
1	Gangavati	4,481	4,078	4,541	4,043	124	143	4,316	3,595	111.5	104.8	4,282	3,721
2	Koppal	3,733	3,300	3,838	3,406	0	32	3,779	3,402	94.5	87.9	3,611	3,378
3	Kushtagi	2,840	2,699	2,834	2,609	65	58	2,691	2,413	146.7	125.3	2,699	2,368
4	Yelburga	2,452	2,230	2,407	2,185	96	113	2,242	2,225	174.5	149.4	2,324	2,236

IndicatorsKoppal	13	39	14	40	14	41	14	42	14	43	14	14	
Inc	dicators	9 Drop Out BCG & Me	-	Children g dose1 to live	iven Vit A Reported	Childre Vitamin A Children g dos	n given Dose 9 to given Vit A	Adverse Following I (Abc		Adverse Following I	munisation	Adverse Following I	munisation
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	97.9	97.5	114.8	103.1	3.2	51.7	0	16	0	0	0	0
1	Gangavati	97.3	96.9	106.4	96.0	4.2	95.0	0	6	0	0	0	0
2	Koppal	100.0	99.2	91.6	87.7	0.6	43.3	0	4	0	0	0	0
3	Kushtagi	97.3	98.0	146.9	117.6	7.7 0.6 43.3		0	0	0	0	0	0
4	Yelburga	95.3	95.3	164.4	139.3	7.4	21.7	0	6	0	0	0	0

		14	45	14	146		147		148		49	150	
Indicators		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Children 0	Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		hildren 0-5 of Age	Diphtheria 0-5 Year	in Children rs of Age
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	97.2	97.3	86.6	81.6	59	61	18	18	5	70	1	0
1	Gangavati	90.9	96.9	92.1	77.2	29	1	12	7	2	8	0	0
2	Koppal	101.4	98.2	83.5	79.9	17	10	4	2	3	0	1	0
3	Kushtagi	100.3	98.7	89.4	89.1	13	50	0	9	0	62	0	0
4	Yelburga 98.6 95.4 81.1 83.9		0	0	2	0	0	0	0	0			

		15	51	152		153		1!	54	155		156	
Indicators		Pertussis i 0-5 Year		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles ir 0-5 Year		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	0	0	0	0	12	32	12	32	0	16	59	61
1	Gangavati	0	0	0	0	2	4	2	4	0	0	29	1
2	Koppal	0	0	0	0	4	4	4	4	0	0	17	10
3	Kushtagi	0	0	0	0	3	19	3	19	0	16	13	50
4	Yelburga	0	0	0	0	3	5	3	5	0	0	0	0

		15	57	15	58	159		160		161		162	
Indicators		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3nd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	2,613	2,521	1,030	553	13,028	11,635	39	5	20	0	20	0
1	Gangavati	1,282	440	390	37	4,316	3,595	24	0	20	0	20	0
2	Koppal	543	553	251	63	3,779	3,402	0	5	0	0	0	0
3	Kushtagi	266	399	87	64	2,691	2,413	0	0	0	0	0	0
4 Yelburga		522	1,129	302	389	2,242	2,225	15	0	0	0	0	0

		16	53	164		10	55	10	56	16	57	16	58
Indicators		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	457	872	12,827	10,489	68.9	68.4	11.9	13.4	31.9	35.3	0.2	0.5
1	Gangavati	111	469	4,215	2,990	74.6	75.1	9.6	10.8	28.1	21.4	0.1	0.2
2	Koppal	135	128	3,783	3,303	67.7	68.3	15.9	15.6	36.0	39.5	0.5	1.2
3	Kushtagi	124	120	2,535	2,231	63.0	61.4	8.8	12.6	0.0	19.0	0.0	0.2
4 Yelburga		87	155	2,294	1,965	66.2	67.0	12.0	13.6	26.3	26.3	0.1	0.1

Updated On Weekly Basis Status As On: 14 Sep 2018, 2:00 PM

		169		170		171		172		173		174	
Indicators		IPD (Number)		OPD (Allopathic)		Ayush OPD	Ayush OPD (Number)		OPD (Ayush+Allopathic)		to OPD	Number Opera	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	65,128	58,005	718,135	585,357	84,332	73,528	802,467	658,885	8.1	8.8	1,731	1,277
1	Gangavati	21,337	14,285	204,368	164,955	26,068	22,442	230,436	187,397	9.3	7.6	307	134
2	Koppal	18,898	17,949	198,509	175,250	18,137	17,644	216,646	192,894	8.7	9.3	867	597
3	Kushtagi	10,469	10,543	148,198	109,637	16,260	15,373	164,458	125,010	6.4	8.4	68	99
4	Yelburga	14,424	15,228	167,060	135,515	23,867	18,069	190,927	153,584	7.6	9.9	489	447

		17	175		176		177		78	179		180	
Indicators		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		Hystere Surgeries Major Op	ectomy to Total	AYUSH OP OI		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	2,496	2,561	41.0	33.3	1,120	325	64.7	25.4	10.5	11.1	10,010	6,812
1	Gangavati	961	551	24.2	19.6	242	64	78.8	47.8	11.3	12.0	3,859	3,095
2	Koppal	619	1,216	58.3	32.9	824	178	95.0	29.8	8.4	9.1	2,323	788
3	Kushtagi	748	683	8.3	12.7	25	36	36.8	36.4	9.9	12.3	1,490	988
4	Yelburga	168	111	74.4	80.1	29	47	5.9	10.5	12.5	11.8	2,338	1,941

		18	31	18	32	18	183		34	18	35	186	
Indicators		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested ( Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	1.2	1.0	6.1	9.9	1.4	2.1	70.4	71.6	1.2	1.5	1.3	1.7
1	Gangavati	1.7	1.7	4.6	8.1	1.7	3.6	79.9	63.5	1.2	1.3	1.4	2.3
2	Koppal	1.1	0.4	7.8	14.1	1.5	1.7	69.4	78.2	1.5	1.3	1.5	1.5
3	Kushtagi	0.9	0.8	1.8	3.0	1.6	1.8	55.4	64.8	1.3	1.4	1.4	1.6
4	Yelburga	1.2	1.3	8.5	5.6	0.8	1.1	73.9	83.2	0.5	2.0	0.6	1.6

		18	37	188		189		19	90	19	91	192	
Indicators		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Infant	Total Number of Infant Deaths reported		%  Deaths due to Sepsis to Total Reported Infant Deaths		6 due to to Total d Infant iths	% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	0.0	0.1	0.0	0.0	168	172	8.9	11.6	9.5	26.2	4.2	3.5
1	Gangavati	0.0	0.0	0.0	0.0	24	19	4.2	10.5	8.3	10.5	4.2	0.0
2	Koppal	0.0	0.0	0.0	0.0	84	68	13.1	19.1	10.7	20.6	0.0	4.4
3	Kushtagi	0.1	0.1	0.0	0.0	32	50	3.1	6.0	12.5	28.0	3.1	6.0
4	Yelburga	0.0	0.1	0.0	0.0	28	35	7.1	5.7	3.6	42.9	17.9	0.0

		19	93	19	94	19	95	19	96	19	7	19	98
Indicators		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Heatlh Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+D H	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Koppal	0.6	0.0	0.0	0.0	0.6	0.0	2,193	1,830				
1	Gangavati	0.0	0.0	0.0	0.0	0.0	0.0	1,210	1,056				
2	Koppal	1.2	0.0	0.0	0.0	0.0	0.0	957	763				
3 Kushtagi		0.0	0.0	0.0	0.0	3.1	0.0	26	11				
4	Yelburga	0.0	0.0	0.0	0.0	0.0	0.0						