

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to March

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	34,060	34,148	28,582	28,451	29,467	25,229	83.9	83.3	86.5	73.9	32,241	32,832
1	Gangavati	10,688	10,813	8,465	8,921	8,236	8,124	79.2	82.5	77.1	75.1	9,098	10,207
2	Koppal	8,821	8,775	7,717	7,439	7,680	6,370	87.5	84.8	87.1	72.6	9,374	7,717
3	Kushtagi	7,671	7,510	6,453	6,110	7,073	5,512	84.1	81.4	92.2	73.4	8,615	8,693
4	Yelburga	6,880	7,050	5,947	5,981	6,478	5,223	86.4	84.8	94.2	74.1	5,154	6,215

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	31,285	32,289	94.6	96.1	91.8	94.5	20,452	28,121	60.0	82.3	44,152	35,359
1	Gangavati	9,564	10,215	85.1	94.4	89.5	94.5	3,766	9,093	35.2	84.1	14,714	12,188
2	Koppal	8,418	8,001	106.3	87.9	95.4	91.2	12,374	6,106	140.3	69.6	10,829	7,900
3	Kushtagi	7,459	7,424	112.3	115.8	97.2	98.9	1,885	7,578	24.6	100.9	10,903	8,409
4	Yelburga	5,844	6,649	74.9	88.2	84.9	94.3	2,427	5,344	35.3	75.8	7,706	6,862

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1,406	1,297	3.2	3.7	4.0	2.6	1,788	1,735	455	533	1,333	1,202
1	Gangavati	456	568	3.1	4.7	2.9	2.5	459	449	206	223	253	226
2	Koppal	580	330	5.4	4.2	6.4	1.9	249	383	69	108	180	275
3	Kushtagi	215	251	2.0	3.0	4.9	4.2	642	488	66	114	576	374
4	Yelburga	155	148	2.0	2.2	1.4	2.1	438	415	114	88	324	327

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	25.4	30.7	39	86	2.2	5.0	21,720	20,343	1,388	1,556	6.3	7.6
1	Gangavati	44.9	49.7	20	11	4.4	2.4	5,994	6,092	233	176	3.9	2.9
2	Koppal	27.7	28.2	3	7	1.2	1.8	5,669	4,462	698	757	12.3	17.0
3	Kushtagi	10.3	23.4	14	68	2.2	13.9	6,376	5,614	196	369	3.1	6.6
4	Yelburga	26.0	21.2	2	0	0.5	0.0	3,681	4,175	261	254	7.1	6.1

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to March

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	23,318	21,812	68.4	63.8	25,106	23,547	92.9	92.6	94.7	94.9	7.1	7.4
1	Gangavati	7,167	6,994	67.1	64.7	7,626	7,443	94.0	94.0	96.7	97.0	6.0	6.0
2	Koppal	6,058	5,012	68.7	57.1	6,307	5,395	96.1	92.9	97.1	94.9	3.9	7.1
3	Kushtagi	6,412	5,631	83.6	75.0	7,054	6,119	90.9	92.0	91.8	93.9	9.1	8.0
4	Yelburga	3,681	4,175	53.5	59.2	4,119	4,590	89.4	91.0	92.1	92.9	10.6	9.0

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	2,538	1,663	442	292	12.7	8.9	11.7	8.2	27.7	19.9	93.1	93.3
1	Gangavati	466	410	320	191	11.0	8.6	7.8	6.7	27.3	21.2	83.6	87.1
2	Koppal	885	145	107	101	16.4	4.9	15.6	3.2	27.5	18.4	93.6	89.0
3	Kushtagi	1,060	699	15	0	16.8	12.4	16.6	12.5	41.7	0.0	99.4	99.7
4	Yelburga	127	409			3.5	9.8	3.5	9.8			100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to March

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	59.5	31.7	0.3	0.2	6.9	6.7	23,231	20,241	29,726	26,532	92.5	86.0
1	Gangavati	78.6	39.1	0.0	0.0	16.4	12.9	6,345	5,963	9,029	7,996	83.2	80.1
2	Koppal	43.6	23.8	0.0	0.0	6.4	11.0	5,891	4,103	7,621	5,991	93.4	76.1
3	Kushtagi	68.0	35.3	0.8	0.0	0.6	0.3	6,955	5,727	7,606	6,817	98.6	93.6
4	Yelburga	38.3	24.7	0.1	0.7	0.0	0.0	4,040	4,448	5,470	5,728	98.1	96.9

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	118.4	112.7	24,940	23,265	99.3	98.8	565	561	97.8	97.6	24,571	22,082
1	Gangavati	118.4	107.4	7,551	7,298	99.0	98.1	103	154	98.7	97.9	7,300	6,547
2	Koppal	120.8	111.0	6,271	5,377	99.4	99.7	143	106	97.8	98.1	6,222	5,179
3	Kushtagi	107.8	111.4	6,965	5,968	98.7	97.5	238	203	96.7	96.7	6,911	5,820
4	Yelburga	132.8	124.8	4,153	4,622	100.8	100.7	81	98	98.1	97.9	4,138	4,536

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	98.5	94.9	4,114	3,079	16.7	13.9	23,979	20,953	96.1	90.0	1,625	1,190
1	Gangavati	96.7	89.7	967	825	13.2	12.6	7,178	6,274	95.1	86.0	366	316
2	Koppal	99.2	96.3	1,399	728	22.5	14.1	6,073	5,077	96.8	94.4	246	251
3	Kushtagi	99.2	97.5	1,278	820	18.5	14.1	6,824	5,642	98.0	94.5	632	398
4	Yelburga	99.6	98.1	470	706	11.4	15.6	3,904	3,960	94.0	85.7	381	225

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	90.8	68.5	934	932	10.9	8.8	12.1	19.1	22.9	40.9	45.7	81.3
1	Gangavati	79.7	70.4	955	933	4.0	5.4	26.8	22.0	24.2	30.5	84.2	81.7
2	Koppal	98.8	65.5	931	896	17.5	5.8	6.5	41.1	12.2	72.7	16.6	62.7
3	Kushtagi	98.4	81.6	888	937	15.8	13.8	12.0	13.7	32.5	33.5	65.7	127.4
4	Yelburga	87.0	54.2	981	965	4.9	11.5	23.1	12.2	43.3	40.4	43.4	17.8

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to March

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1.4	1.1	561	637	149	143	26.6	22.4	65.8	60.1	34.2	39.9
1	Gangavati	0.9	0.6	147	168	41	70	27.9	41.7	61.0	52.9	39.0	47.1
2	Koppal	3.0	2.4	205	227	42	33	20.5	14.5	54.8	60.6	45.2	39.4
3	Kushtagi	1.1	0.7	93	102	66	39	71.0	38.2	75.8	71.8	24.2	28.2
4	Yelburga	0.1	0.7	116	140	0	1	0.0	0.7		100.0		0.0

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	94.3	99.3	5.7	0.7	0.4	0.4	0.0	0.2	35	10	9,911	9,767
1	Gangavati	87.2	100.0	12.8	0.0	0.4	0.6	0.0	0.3	5	2	2,924	3,179
2	Koppal	100.0	100.0	0.0	0.0	0.5	0.4	0.0	0.0	30	7	2,388	2,338
3	Kushtagi	95.7	100.0	4.3	0.0	0.9	0.5	0.0	0.0	0	1	2,716	2,494
4	Yelburga		50.0		50.0	0.0	0.0	0.2	0.5	0	0	1,883	1,756

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	9,946	9,777	0.3	0.1	99.6	99.9	3,260	3,352	3,281	3,321	3,405	3,079
1	Gangavati	2,929	3,181	0.2	0.1	99.8	99.9	281	434	1,341	1,407	1,307	1,340
2	Koppal	2,418	2,345	1.2	0.3	98.8	99.7	1,459	1,445	558	543	401	332
3	Kushtagi	2,716	2,495	0.0	0.0	100.0	100.0	1,029	1,083	426	417	1,261	995
4	Yelburga	1,883	1,756	0.0	0.0	100.0	100.0	491	390	956	954	436	412

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal			0	0	32.8	34.3	33.0	34.0	34.2	31.5	0.0	0.0
1	Gangavati			0	0	9.6	13.6	45.8	44.2	44.6	42.1	0.0	0.0
2	Koppal			0	0	60.3	61.6	23.1	23.2	16.6	14.2	0.0	0.0
3	Kushtagi			0	0	37.9	43.4	15.7	16.7	46.4	39.9	0.0	0.0
4	Yelburga					26.1	22.2	50.8	54.3	23.2	23.5	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	0.0	0.3	75.8	72.9	18.5	21.8	5.7	5.2	100.0	100.0	100.0	98.8
1	Gangavati	0.0	0.0	75.9	71.7	16.2	22.3	7.9	6.0	100.0	100.0	100.0	100.0
2	Koppal	0.0	1.1	71.7	68.2	28.1	30.6	0.2	1.2	100.0	100.0	100.0	96.5
3	Kushtagi	0.0	0.0	78.8	82.5	10.7	10.5	10.5	7.0	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	76.7	67.9	20.9	25.3	2.3	6.7	100.0	100.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	100.0	100.0	0	0	2,729	3,357	10	6	2,739	3,363	946	134
1	Gangavati	100.0	100.0	0	0	590	677	3	0	593	677	7	19
2	Koppal	100.0	100.0	0	0	1,125	1,238	0	0	1,125	1,238	115	38
3	Kushtagi	100.0	100.0	0	0	436	565	7	6	443	571	107	41
4	Yelburga	100.0	100.0	0	0	578	877			578	877	717	36

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	34.6	3.9	4.3	0.6	21.5	25.5	19,352	36,386	384,980	325,079	0	964
1	Gangavati	1.2	2.8	0.1	0.3	16.8	17.5	5,513	9,005	110,266	85,917	0	4
2	Koppal	10.2	3.1	2.0	0.9	31.8	34.6	5,300	15,651	113,210	96,665	0	370
3	Kushtagi	24.5	7.3	1.7	0.7	14.0	18.6	4,426	4,903	93,160	90,015	0	406
4	Yelburga	124.0	4.1	19.5	0.9	23.5	33.3	4,113	6,827	68,344	52,482	0	184

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to March

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	29,976	28,036	35,903	33,973	120.2	120.5	144.0	146.0	202	7,005	220	8,156
1	Gangavati	9,162	9,525	10,191	10,300	121.3	130.5	135.0	141.1	89	3,164	96	3,409
2	Koppal	8,758	7,280	10,103	8,908	139.7	135.4	161.1	165.7	107	1,118	118	1,766
3	Kushtagi	7,663	6,405	9,644	8,518	110.0	107.3	138.5	142.7	4	2,041	5	1,964
4	Yelburga	4,393	4,826	5,965	6,247	105.8	104.4	143.6	135.2	2	682	1	1,017

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	267	9,558	30,947	28,136	30,204	26,565	30,074	24,986	28,759	27,953	115.3	120.1
1	Gangavati	98	3,867	9,281	8,784	9,240	8,359	9,226	8,075	8,887	8,470	117.7	116.1
2	Koppal	165	2,315	8,441	7,604	8,283	7,275	8,290	6,643	8,201	7,949	130.8	147.8
3	Kushtagi	3	2,059	7,163	6,378	6,748	5,937	6,679	5,666	6,142	6,132	88.2	102.7
4	Yelburga	1	1,317	6,062	5,370	5,933	4,994	5,879	4,602	5,529	5,402	133.1	116.9

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	28,097	26,744	19.9	17.7	26,170	27,328	104.9	117.5	62.5	121.6	729	845
1	Gangavati	8,709	8,041	12.8	17.8	8,211	8,147	108.7	111.6	64.2	128.8	236	286
2	Koppal	7,853	7,697	18.8	10.8	6,739	7,274	107.5	135.3	68.2	194.5	445	487
3	Kushtagi	6,031	5,759	36.3	28.0	5,730	6,578	82.3	110.2	47.8	37.3	4	6
4	Yelburga	5,504	5,247	7.3	13.5	5,490	5,329	132.2	115.3	68.4	115.3	44	66

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to March

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	97.2	98.8	68.5	67.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	97.9	97.4	66.8	64.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	94.8	100.5	70.4	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	98.8	99.5	67.8	69.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	97.5	97.9	69.2	70.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	0.0	0.0	3.4	3.1	96.0	94.8	0.6	2.1	68.6	66.0	10.3	10.1
1	Gangavati	0.0	0.0	0.6	1.7	99.4	97.2	0.0	1.1	73.9	70.4	7.6	8.6
2	Koppal	0.0	0.0	6.5	1.0	93.5	94.4	0.0	4.6	65.8	63.3	10.8	8.0
3	Kushtagi	0.0	0.0	2.1	6.8	96.3	92.7	1.6	0.5	74.6	69.4	9.5	8.9
4	Yelburga	0.0	0.0	6.0	2.0	93.8	97.5	0.2	0.5	61.1	61.1	13.0	14.6

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	40.3	38.3	0.5	0.5	96,677	87,243	1,145,470	1,158,554	8.4	7.5	2,515	1,742
1	Gangavati	34.5	42.7	0.5	0.6	24,785	23,464	306,811	327,221	8.1	7.2	93	112
2	Koppal	42.3	36.9	0.9	0.9	28,063	21,470	325,715	300,559	8.6	7.1	964	262
3	Kushtagi	40.6	31.3	0.4	0.4	19,298	18,459	215,501	203,871	9.0	9.1	1,304	953
4	Yelburga	45.5	41.9	0.1	0.1	24,531	23,850	297,443	326,903	8.2	7.3	154	415

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to March

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	11,924	8,913	17.4	16.3	222	71	8.8	4.0	121,213	122,490	10.5	10.5
1	Gangavati	2,051	1,840	4.3	5.7	39	3	41.9	2.7	39,362	36,141	12.8	11.0
2	Koppal	6,055	3,801	13.7	6.4	53	1	5.5	0.4	30,842	32,768	9.5	10.9
3	Kushtagi	2,729	2,672	32.3	26.3	130	53	10.0	5.6	33,993	31,500	15.8	15.5
4	Yelburga	1,089	600	12.4	40.9	0	14	0.0	3.4	17,016	22,081	5.7	6.8

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1,068	1,566	0.1	0.1	9,047	9,871	8.3	7.5	2.6	3.8	0.9	1.3
1	Gangavati	53	231	0.0	0.1	2,398	2,395	12.8	9.3	3.6	5.8	1.2	1.5
2	Koppal	721	16	0.2	0.0	1,737	1,980	9.1	9.0	2.2	3.7	0.8	1.9
3	Kushtagi	2	0	0.0	0.0	3,083	3,730	3.4	4.8	2.6	2.8	0.8	0.9
4	Yelburga	292	1,319	0.1	0.4	1,829	1,766	5.0	4.6	1.6	2.2	0.6	0.9

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1.3	1.9	1.0	0.5	0.0	0.0	159	164	4.1	5.7	20.3	20.1
1	Gangavati	1.8	2.4	0.1	0.2	0.0	0.0	51	79	2.3	5.1	16.3	26.9
2	Koppal	1.2	2.4	1.6	1.3	0.0	0.0	33	23	0.0	15.0	33.3	20.0
3	Kushtagi	1.2	1.3	1.6	0.2	0.0	0.0	47	36	11.1	0.0	22.2	14.3
4	Yelburga	0.8	1.1	0.2	0.3	0.0	0.0	28	26	0.0	7.7	7.4	7.7

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	30.4	28.3	3.4	5.7	0.7	0.0	0.7	0.0	0.0	0.0	40.5	40.3
1	Gangavati	25.6	21.8	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	55.8	43.6
2	Koppal	42.4	25.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	24.2	35.0
3	Kushtagi	22.2	37.1	4.4	11.4	0.0	0.0	2.2	0.0	0.0	0.0	37.8	37.1
4	Yelburga	37.0	38.5	11.1	7.7	3.7	0.0	0.0	0.0	0.0	0.0	40.7	38.5