

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to March

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1	2	3	4	5	6	7	8	9	10	11	12	13
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	% 1st Trimester registration to Total ANC Registrations	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers)	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrations	% Pregnant women received TT2+ TT Booster to Total ANC Registrations	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registrations	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	37,490	27,537	73.4	31,890	28,703	14,738	85.0	115.8	39,961	106.5	47,788	1,111	21.7
1	Aurad	6,080	4,690	77.1	4,663	4,991	1,865	76.7	112.8	5,093	83.8	6,619	80	12.5
2	Basavakalyan	7,325	5,634	76.9	5,017	5,977	3,074	68.5	123.6	8,639	117.9	5,936	75	12.8
3	Bhalki	5,977	4,701	78.7	5,105	4,814	2,123	85.4	116.1	5,817	97.3	6,777	132	30.1
4	Bidar	9,855	7,075	71.8	11,038	8,685	4,614	112.0	134.9	13,214	134.1	21,185	740	24.1
5	Humnabad	8,253	5,437	65.9	6,067	4,236	3,062	73.5	88.4	7,198	87.2	7,271	84	21.9

Indicators		14	15	16	17	18	19	20	21	22	23	24	25	26
		% New cases of Pregnant Women detected at instituti on for hyperten sion to Total ANC Registrati ons	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducte d at Public Instituti ons	Number of Women Discharge d under 48 hours of delivery in public facilities	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public instituti ons	Deliveries Conducte d at Private Instituti ons	Number of Women Discharge d under 48 hours of delivery in private instituti ons	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private instituti ons	Institutio nal deliveries (Public Insts.+Pvt . Insts.)	% Institutio nal Deliveries to total ANC registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	4.7	110	49	61	44.5	25,124	7,200	28.6	7,527	1,070	14.2	32,651	87.0
1	Aurad	0.7	20	8	12	40.0	3,171	282	8.9				3,171	52.2
2	Basavakalyan	3.0	15	11	4	73.3	4,439	682	15.4	604	163	27.0	5,043	68.8
3	Bhalki	4.2	5	1	4	20.0	2,684	241	9.0	2,161	395	18.3	4,845	81.1
4	Bidar	9.6	47	22	25	46.8	9,049	5,159	57.0	4,373	512	11.7	13,422	136.2
5	Humnabad	3.6	23	7	16	30.4	5,781	836	14.5	389	0	0.0	6,170	74.8

Indicators		27	28	29	30	31	32	33	34	35	36	37	38	39
		Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries	% Deliveries conducted at Private Institutions to Total Institutional Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	32,761	99.7	99.8	0.3	2,841	3,105	18.2	11.3	41.3	76.9	23.1	12,798	27,184
1	Aurad	3,191	99.4	99.6	0.6	0		0.0	0.0		100.0	0.0	981	4,684
2	Basavakalyan	5,058	99.7	99.9	0.3	179	37	4.3	4.0	6.1	88.0	12.0	1,970	3,191
3	Bhalki	4,850	99.9	99.9	0.1	0	780	16.1	0.0	36.1	55.4	44.6	2,331	3,105
4	Bidar	13,469	99.7	99.8	0.3	2,633	2,109	35.3	29.1	48.2	67.4	32.6	6,291	11,942
5	Humnabad	6,193	99.6	99.7	0.4	29	179	3.4	0.5	46.0	93.7	6.3	1,225	4,262

Indicators		40	41	42	43	44	45	46	47	48	49	50	51	52
		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	1634.5	83.0	33,208	101.4	237	99.3	31,967	96.3	2,817	8.8	30,704	92.4	876
1	Aurad	4905.0	146.8	3,225	101.1	49	98.5	3,224	100.0	243	7.5	3,116	96.6	955
2	Basavakalyan	3133.3	63.1	5,424	107.2	68	98.8	5,136	94.7	601	11.7	5,001	92.2	902
3	Bhalki	6620.0	64.0	5,041	103.9	29	99.4	4,429	87.9	375	8.5	4,289	85.1	938
4	Bidar	3385.1	88.7	13,500	100.2	24	99.8	13,157	97.5	1,271	9.7	12,377	91.7	763
5	Humnabad	5326.1	68.8	6,018	97.2	67	98.9	6,021	100.0	327	5.4	5,921	98.4	1,047

Indicators		53	54	55	56	57	58	59	60	61	62	63	64	65
		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registration	Number of PW given one Albendazole tablet after 1st trimester	% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration	Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registration	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registration
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	8.3	47.0	21,139	56.4	15,792	42.1	5,086	13.6	234	0.6	12,902	2,101	34.4
1	Aurad	1.4	28.3	1,531	25.2	1,650	27.1	1,544	25.4	91	1.5	3,561	31	58.6
2	Basavakalyan	2.8	9.2	4,348	59.4	2,990	40.8	1,631	22.3	4	0.1	4,139	1,026	56.5
3	Bhalki	0.0	1200.0	2,800	46.8	3,356	56.1	138	2.3	0	0.0	2,527	0	42.3
4	Bidar	18.3	45.7	10,213	103.6	4,734	48.0	1,711	17.4	138	1.4	646	268	6.6
5	Humnabad	1.2	23.6	2,247	27.2	3,062	37.1	62	0.8	1	0.0	2,029	776	24.6

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		66	67	68	69	70	71	72	73	74	75	76	77	78
		% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenita l Syphilis to babies total diagnosed with Congenit al Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontan eous) Reported	Total Number of MTPs (Public) conducte d	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs Conducte d at Public Institutio ns to Total MTPs	% MTPs Conducte d at Private Institutio ns to Total MTPs	% Total MTPs (Public) Conducte d to Total ANC Registrati on	Number of Vasectom ies Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	1.9	566.7	17	0	680	253	48.7	58.5	41.5	39.2	60.8	0.7	59
1	Aurad	0.0		0	0	37	5	11.9	60.0	40.0	100.0	0.0	0.1	31
2	Basavakalyan	4.5		1	0	5	9	64.3	77.8	22.2	100.0	0.0	0.1	13
3	Bhalki	0.0		1	0	9	4	60.9	100.0	0.0	28.6	71.4	0.1	2
4	Bidar	5.1	566.7	13	0	553	232	49.8	56.5	43.5	42.3	57.7	2.4	6
5	Humnabad	1.0		2	0	76	3	47.6	100.0	0.0	4.3	95.7	0.0	7

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		79	80	81	82	83	84	85	86	87	88	89	90	91
		Number of Tubectomies Conducted	Total Sterilisation Conducted	% Male Sterilisation (Vasectomies) to Total sterilisation	% Female Sterilisation (Tubectomies) to Total sterilisation	Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH	Total Sterilisation (Tubectomies and Vasectomies) conducted at DH	Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions	Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	% Laparoscopic sterilisations to Total Female Sterilisations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	9,047	9,106	0.6	99.4					5,451	3,655	59.9	40.1	12.3
1	Aurad	859	890	3.5	96.5						890	0.0	100.0	0.0
2	Basavakalyan	1,483	1,496	0.9	99.1					575	921	38.4	61.6	12.2
3	Bhalki	426	428	0.5	99.5					319	109	74.5	25.5	2.1
4	Bidar	4,773	4,779	0.1	99.9					4,025	754	84.2	15.8	18.5
5	Humnabad	1,506	1,513	0.5	99.5					532	981	35.2	64.8	2.7

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		92	93	94	95	96	97	98	99	100	101	102	103	104
		% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Post Abortion Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterilisati on (Male + Female)	Total cases of deaths following Male Sterilisati on	Total cases of deaths following Female Sterilisati on	Total cases of failure following Male Sterilisati on	Total cases of failure following Female Sterilisati on	Total cases of complicat ion following Male Sterilisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	79.8	6.0	1.8	27.8	38.3	71.2	84.8	1	0	1	1	5	0
1	Aurad	99.7	0.3	0.0		100.0	100.0		0	0	0	1	1	0
2	Basavakalyan	80.6	4.1	3.0	84.5	55.5	82.0	95.6	0	0	0	0	0	0
3	Bhalki	90.4	4.5	3.1	0.0	26.2	0.0	46.2	0	0	0	0	0	0
4	Bidar	71.8	8.9	0.7	13.1	9.3	70.1	54.3	1	0	1	0	2	0
5	Humnabad	90.0	2.5	4.7	100.0	60.8	100.0	100.0	0	0	0	0	2	0

Indicators		105	106	107	108	109	110	111	112	113	114	115	116	117
		Total cases of complication following Female Sterilisation	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus permanent)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combined Oral Pills distributed	Emergency pills distributed	Condom pieces distributed	Centchroman (weekly pills) distributed
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	0	8,727	221	66.7	23.1	49.5	2,907	5,886	155	29,701	824	185,437	1,310
1	Aurad	0	1,851		74.6	43.5	67.5	454	1,380	17	7,600	33	43,052	139
2	Basavakalyan	0	2,165	101	77.4	37.8	60.2	553	1,700	13	2,039	14	37,847	102
3	Bhalki	0	1,668	22	49.7	30.9	79.8	758	830	102	6,767	95	38,062	115
4	Bidar	0	1,453	89	66.3	10.7	24.4	534	995	13	6,035	296	29,262	533
5	Humnabad	0	1,590	9	61.4	16.9	51.4	608	981	10	7,260	386	37,214	421

Indicators		118	119	120	121	122	123	124	125	126	127	128	129	130
		Number of beneficiaries given 1st dose of Injectable (Antara Program)	Number of beneficiaries given 2nd dose of Injectable (Antara Program)	Number of beneficiaries given 3rd dose of Injectable (Antara Program)	Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)	Pregnancy testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	492	112	55	0	22,725	29,224	36,331	26,303	88.0	109.4	79.2	608	380
1	Aurad	34	5	0	0	5,966	3,072	4,364	3,055	95.3	135.3	94.7	290	210
2	Basavakalyan	25	6	0	0	3,162	5,504	6,008	4,982	101.5	110.8	91.9	8	0
3	Bhalki	8	5	7	0	3,650	4,147	5,000	3,670	82.3	99.2	72.8	89	60
4	Bidar	397	89	45	0	5,737	10,752	13,036	9,041	79.6	96.6	67.0	90	48
5	Humnabad	28	7	3	0	4,210	5,749	7,923	5,555	95.5	131.7	92.3	131	62

Indicators		131	132	133	134	135	136	137	138	139	140	141	142	143
		Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Immunisation (Abcess)	Adverse Events Following Immunisation (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	288	41,301	38,662	38,192	2,593	33,079	107.4	33,346	92.9	100.2	92.0	44	0
1	Aurad	119	6,978	6,581	6,601	147	5,567	177.2	5,512	96.6	158.5	50.4	0	0
2	Basavakalyan	0	8,271	7,723	7,463	71	6,262	116.8	6,267	98.8	126.2	151.1	0	0
3	Bhalki	71	6,597	6,206	6,210	856	4,731	110.8	5,016	82.9	131.6	127.7	21	0
4	Bidar	43	10,889	10,588	10,709	1,013	10,498	85.3	10,383	92.2	66.8	75.5	23	0
5	Humnabad	55	8,566	7,564	7,209	506	6,021	108.5	6,168	93.6	94.4	42.8	0	0

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		144	145	146	147	148	149	150	151	152	153	154	155	156
		Adverse Events Following Immunisation (Others)	% immunisation Sessions Held to Immunisation Sessions Planned	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned	Pneumonia in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheria in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonatorum in Children 0-5 Years of Age	Tuberculosis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	0	91.5	81.1	481	412	150	1	0	0	24	24	36	481
1	Aurad	0	95.5	85.1	139	220	11	0	0	0	2	2	11	139
2	Basavakalyan	0	97.3	75.5	209	153	45	1	0	0	14	14	1	209
3	Bhalki	0	93.5	80.9	93	26	90	0	0	0	2	2	8	93
4	Bidar	0	81.7	78.1	28	8	0	0	0	0	3	3	4	28
5	Humnabad	0	94.3	88.4	12	5	4	0	0	0	3	3	12	12

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3rd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	8,297	1,316	33,079	57	41	41	3,120	27,987	61.1	10.9	69.6	1.2	165,992
1	Aurad	2,283	136	5,567	0	0	0	212	5,082	68.7	11.2	55.3	0.2	22,016
2	Basavakalyan	1,460	602	6,262	2	0	0	314	4,676	62.2	20.0	99.3	4.5	21,255
3	Bhalki	1,002	102	4,731	6	4	4	466	4,109	78.3	7.9	25.0	0.1	13,946
4	Bidar	2,923	400	10,498	42	30	30	1,445	8,879	52.7	8.7	44.1	1.3	80,697
5	Humnabad	629	76	6,021	7	7	7	683	5,241	70.1	11.5	26.3	0.1	28,078

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathic)	Ayush OPD (Number)	OPD (Ayush+Allopathic)	% IPD to OPD	Number of Major Operations	Number of Minor Operations	% Major Operations to Total Operation	Number of Hysterectomy Surgeries	% Hysterectomy Surgeries to Total Major Operations	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	2,119,011	101,435	2,220,446	7.5	7,570	2,653	74.0	3,813	50.3	4.5	18,229	0.8	4.7
1	Aurad	301,436	18,649	320,085	6.9	39	330	10.6	10	25.6	5.8	5,069	1.6	4.2
2	Basavakalyan	389,306	18,746	408,052	5.2	179	239	42.8	6	3.4	4.6	4,877	1.2	3.4
3	Bhalki	272,940	14,965	287,905	4.8	657	98	87.0	74	11.3	5.2	1,418	0.5	3.8
4	Bidar	655,675	22,285	677,960	11.9	6,511	1,254	83.9	3,683	56.6	3.3	4,123	0.6	5.8
5	Humnabad	499,654	26,790	526,444	5.3	184	732	20.1	40	21.7	5.1	2,742	0.5	2.3

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bidar	1.5	72.3	1.4	1.5	2.0	1.0	431	1.2	28.8	1.6	0.0	0.0	0.0
1	Aurad	0.5	76.3	2.6	1.8	1.8	0.0	27	3.7	7.4	11.1	0.0	0.0	0.0
2	Basavakalyan	0.7	51.5	0.8	0.8	5.5	4.6	11	0.0	0.0	27.3	0.0	0.0	0.0
3	Bhalki	0.7	51.9	0.4	0.6	0.0	0.0	10	0.0	10.0	0.0	0.0	0.0	0.0
4	Bidar	3.0	107.7	1.6	2.3	1.6	0.0	366	1.1	32.2	0.3	0.0	0.0	0.0
5	Humnabad	0.6	60.2	0.7	0.7	0.0	0.0	17	0.0	17.6	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Bidar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		196	197	198
		Institutio nal Deliveries at Urban Heath Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH
		2017-18	2017-18	2017-18
	_Bidar	7,613		
1	Aurad			
2	Basavakalyan	635		
3	Bhalki	2,161		
4	Bidar	4,428		
5	Humnabad	389		