

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2015-16  
Provisional Figures for the Period April to December

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	26,273	25,837	22,443	21,851	24,071	22,630	85.4	84.5	91.6	87.6	21,940	24,047
1	Gangavati	8,375	8,052	7,077	6,480	7,260	6,320	84.5	80.5	86.7	78.5	5,713	6,947
2	Koppal	6,849	6,724	5,998	5,876	6,333	5,868	87.6	87.4	92.5	87.3	7,781	6,710
3	Kushtagi	5,735	5,802	4,843	4,943	5,348	5,491	84.4	85.2	93.3	94.6	5,298	6,462
4	Yelburga	5,314	5,259	4,525	4,552	5,130	4,951	85.2	86.6	96.5	94.1	3,148	3,928

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	23,103	24,240	83.5	93.0	87.9	93.8	4,190	18,090	15.9	70.0	34,504	33,853
1	Gangavati	7,434	7,513	68.2	86.3	88.8	93.3	741	3,604	8.8	44.8	9,888	11,129
2	Koppal	5,827	6,464	113.6	99.8	85.1	96.1	1,559	10,793	22.8	160.5	8,253	8,306
3	Kushtagi	5,462	5,728	92.4	111.4	95.2	98.7	1,384	1,756	24.1	30.3	9,813	8,461
4	Yelburga	4,380	4,535	59.2	74.7	82.4	86.2	506	1,937	9.5	36.8	6,550	5,957

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1,430	1,100	4.1	3.2	3.8	4.1	1,016	1,341	180	336	836	1,005
1	Gangavati	384	325	3.9	2.9	3.1	3.0	214	355	75	153	139	202
2	Koppal	588	485	7.1	5.8	5.0	6.8	137	183	41	52	96	131
3	Kushtagi	244	176	2.5	2.1	5.7	4.9	410	476	21	55	389	421
4	Yelburga	214	114	3.3	1.9	1.2	1.5	255	327	43	76	212	251

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	17.7	25.0	16	31	1.6	2.3	16,660	16,290	1,139	1,175	6.8	7.2
1	Gangavati	35.0	43.1	11	18	5.1	5.1	4,573	4,519	61	221	1.3	4.9
2	Koppal	29.9	28.4	0	1	0.0	0.5	4,573	4,231	555	585	12.1	13.8
3	Kushtagi	5.1	11.6	0	10	0.0	2.1	4,657	4,736	171	152	3.7	3.2
4	Yelburga	16.9	23.2	5	2	2.0	0.6	2,857	2,804	352	217	12.3	7.7

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	17,776	17,513	67.6	67.7	18,792	18,854	94.6	92.9	95.6	94.7	5.4	7.1
1	Gangavati	5,455	5,410	65.1	67.2	5,669	5,765	96.2	93.8	97.5	96.5	3.8	6.2
2	Koppal	4,784	4,534	69.8	67.4	4,921	4,717	97.2	96.1	98.0	97.2	2.8	3.9
3	Kushtagi	4,680	4,765	81.6	82.1	5,090	5,241	91.9	90.9	92.4	92.0	8.1	9.1
4	Yelburga	2,857	2,804	53.8	53.3	3,112	3,131	91.8	89.6	93.2	92.0	8.2	10.4

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1,991	1,904	325	307	13.0	12.6	12.0	11.7	29.1	25.1	93.7	93.0
1	Gangavati	445	347	297	212	13.6	10.3	9.7	7.7	33.7	23.8	83.8	83.5
2	Koppal	755	642	26	80	16.3	15.9	16.5	15.2	12.3	26.4	95.6	93.3
3	Kushtagi	625	824	2	15	13.4	17.6	13.4	17.4	8.7	51.7	99.5	99.4
4	Yelburga	166	91			5.8	3.2	5.8	3.2			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	51.0	61.4	0.2	0.0	6.3	7.0	17,713	17,160	21,976	22,214	94.3	91.0
1	Gangavati	74.8	76.3	0.0	0.0	16.2	16.5	4,903	4,630	6,777	6,595	86.5	80.3
2	Koppal	29.5	48.1	0.5	0.0	4.4	6.7	4,665	4,325	5,925	5,745	94.8	91.7
3	Kushtagi	63.1	71.9	0.0	0.0	0.5	0.6	5,053	5,119	5,188	5,760	99.3	97.7
4	Yelburga	27.5	39.8	0.3	0.0	0.0	0.0	3,092	3,086	4,086	4,114	99.4	98.6

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	116.9	117.8	18,714	18,707	99.6	99.2	358	425	98.1	97.8	18,698	18,448
1	Gangavati	119.5	114.4	5,598	5,717	98.7	99.2	82	60	98.6	99.0	5,601	5,477
2	Koppal	120.4	121.8	4,875	4,701	99.1	99.7	87	116	98.2	97.6	4,914	4,691
3	Kushtagi	101.9	109.9	5,149	5,108	101.2	97.5	132	185	97.5	96.5	5,126	5,101
4	Yelburga	131.3	131.4	3,092	3,181	99.4	101.6	57	64	98.2	98.0	3,057	3,179



Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	99.9	98.6	2,957	3,240	15.8	17.5	17,944	17,940	95.8	95.8	962	1,195
1	Gangavati	100.1	95.8	1,113	711	19.9	13.0	5,260	5,399	94.0	94.4	169	277
2	Koppal	100.8	99.8	848	1,099	17.3	23.4	4,707	4,554	96.6	96.9	138	182
3	Kushtagi	99.6	99.9	657	1,064	12.8	20.9	5,134	5,011	99.7	98.1	423	460
4	Yelburga	98.9	99.9	339	366	11.1	11.5	2,843	2,976	91.9	93.6	232	276

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth ( Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	94.6	89.1	949	936	10.0	10.8	15.3	12.4	27.5	22.3	44.0	47.2
1	Gangavati	79.0	78.0	978	957	7.0	4.0	23.8	32.7	35.3	29.2	39.8	86.4
2	Koppal	100.7	99.5	919	935	19.2	16.7	3.5	7.0	9.4	11.7	18.3	18.1
3	Kushtagi	103.2	96.6	935	881	6.8	16.9	36.1	10.2	35.1	29.1	125.4	63.6
4	Yelburga	91.0	84.4	969	994	5.6	4.7	21.1	23.3	54.0	38.8	39.1	49.6

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2015-16  
Provisional Figures for the Period April to December

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions ( Spontaneous/ Induced) Reported		Total Number of MTPs ( Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1.1	1.5	559	431	115	118	20.6	27.4	62.6	64.4	37.4	35.6
1	Gangavati	0.8	0.9	121	116	49	29	40.5	25.0	61.2	65.5	38.8	34.5
2	Koppal	2.3	3.6	173	154	35	36	20.2	23.4	60.0	50.0	40.0	50.0
3	Kushtagi	0.9	1.1	132	75	29	53	22.0	70.7	69.0	73.6	31.0	26.4
4	Yelburga	0.0	0.2	133	86	2	0	1.5	0.0	50.0		50.0	

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	94.3	98.3	5.7	1.7	0.4	0.5	0.1	0.0	5	35	7,795	7,598
1	Gangavati	96.1	93.5	3.9	6.5	0.6	0.4	0.0	0.0	2	5	2,410	2,280
2	Koppal	100.0	100.0	0.0	0.0	0.5	0.5	0.0	0.0	1	30	1,642	1,878
3	Kushtagi	85.3	100.0	14.7	0.0	0.5	0.9	0.0	0.0	2	0	2,353	2,006
4	Yelburga	100.0		0.0		0.0	0.0	0.6	0.2	0	0	1,390	1,434

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	7,800	7,633	0.0	0.4	99.9	99.5	2,390	2,510	2,797	2,433	2,561	2,690
1	Gangavati	2,412	2,285	0.1	0.2	99.9	99.8	146	214	1,213	1,004	1,001	1,067
2	Koppal	1,643	1,908	0.1	1.6	99.9	98.4	880	1,166	509	402	254	340
3	Kushtagi	2,355	2,006	0.1	0.0	99.9	100.0	942	731	361	312	1,052	963
4	Yelburga	1,390	1,434	0.0	0.0	100.0	100.0	422	399	714	715	254	320

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal			0	0	30.6	32.9	35.9	31.9	32.8	35.2	0.0	0.0
1	Gangavati			0	0	6.1	9.4	50.3	43.9	41.5	46.7	0.0	0.0
2	Koppal			0	0	53.6	61.1	31.0	21.1	15.5	17.8	0.0	0.0
3	Kushtagi			0	0	40.0	36.4	15.3	15.6	44.7	48.0	0.0	0.0
4	Yelburga					30.4	27.8	51.4	49.9	18.3	22.3	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	0.7	0.0	78.1	75.5	14.4	19.1	7.4	5.4	99.7	100.0	98.8	100.0
1	Gangavati	2.2	0.0	74.1	77.3	17.0	15.4	8.9	7.3	99.0	100.0	96.6	100.0
2	Koppal	0.0	0.0	82.2	71.7	17.8	28.1	0.0	0.2	100.0	100.0	100.0	100.0
3	Kushtagi	0.0	0.0	76.2	77.5	10.5	11.8	13.3	10.8	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	83.6	74.6	12.7	23.2	3.7	2.2	100.0	100.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation ( Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	96.5	100.0	0	0	1,702	2,149	36	7	1,738	2,156	226	916
1	Gangavati	90.7	100.0	0	0	355	428	33	0	388	428	48	3
2	Koppal		100.0	0	0	746	922	0	0	746	922	162	105
3	Kushtagi	100.0	100.0	0	0	217	339	3	7	220	346	15	98
4	Yelburga	100.0	100.0	0	0	384	460			384	460	1	710



Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2015-16  
Provisional Figures for the Period April to December

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods ( IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	13.2	42.6	1.3	5.6	18.2	22.0	20,018	13,697	266,479	289,575	0	0
1	Gangavati	13.5	0.7	1.0	0.1	13.9	15.8	7,425	3,517	74,495	82,498	0	0
2	Koppal	21.7	11.4	3.5	2.5	31.2	32.6	5,768	4,147	69,759	86,980	0	0
3	Kushtagi	6.9	28.9	0.3	2.1	8.5	14.7	2,853	3,162	70,739	69,078	0	0
4	Yelburga	0.3	154.3	0.0	25.3	21.6	24.3	3,972	2,871	51,486	51,019	0	0

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2015-16  
Provisional Figures for the Period April to December

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	21,299	22,741	26,774	27,289	113.8	121.6	143.1	145.9	136	183	107	199
1	Gangavati	6,996	6,935	8,128	7,744	125.0	121.3	145.2	135.5	80	72	82	81
2	Koppal	5,809	6,679	7,366	7,750	119.2	142.1	151.1	164.9	31	105	12	114
3	Kushtagi	5,282	5,641	6,892	7,151	102.6	110.4	133.9	140.0	25	4	9	4
4	Yelburga	3,212	3,486	4,388	4,644	103.9	109.6	141.9	146.0	0	2	4	0

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	63	257	23,862	23,412	23,228	22,680	23,444	22,632	22,903	21,987	122.3	117.5
1	Gangavati	40	91	7,173	7,166	6,966	7,089	7,117	7,093	6,758	6,920	120.7	121.0
2	Koppal	9	163	6,480	6,276	6,312	6,092	6,482	6,175	6,504	6,266	133.4	133.3
3	Kushtagi	12	3	5,474	5,381	5,220	5,011	5,131	4,970	4,792	4,646	93.1	91.0
4	Yelburga	2	0	4,735	4,589	4,730	4,488	4,714	4,394	4,849	4,155	156.8	130.6

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	22,600	21,451	14.5	19.4	23,695	19,827	126.6	106.0	5.0	75.3	966	558
1	Gangavati	6,606	6,739	16.9	10.6	8,286	6,226	148.0	108.9	3.3	84.6	156	182
2	Koppal	6,453	6,006	11.7	19.1	5,987	5,110	122.8	108.7	4.7	84.0	721	339
3	Kushtagi	4,711	4,567	30.5	35.0	4,753	4,375	92.3	85.6	5.3	60.7	37	4
4	Yelburga	4,830	4,139	-10.5	10.5	4,669	4,116	151.0	129.4	8.2	66.2	52	33

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	98.0	97.4	65.1	69.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	96.6	98.5	65.7	67.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	99.2	94.2	62.3	70.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	98.1	98.9	64.5	68.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	98.1	98.3	68.0	69.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	0.0	0.0	1.4	3.3	98.3	96.0	0.2	0.7	68.0	68.4	11.5	9.8
1	Gangavati	0.0	0.0	0.2	0.6	99.8	99.4	0.0	0.0	73.5	73.5	6.8	8.3
2	Koppal	0.0	0.0	1.0	6.1	99.0	93.9	0.0	0.0	64.8	64.2	8.0	10.0
3	Kushtagi	0.0	0.0	0.7	1.5	98.7	96.5	0.6	2.0	74.8	74.0	16.0	9.3
4	Yelburga	0.0	0.0	8.1	7.2	91.3	92.5	0.6	0.3	61.8	62.9	15.9	11.7

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	37.0	40.4	0.5	0.5	84,277	72,011	948,334	883,028	8.9	8.2	2,543	1,920
1	Gangavati	40.5	32.6	0.4	0.5	19,982	19,106	259,017	236,389	7.7	8.1	787	69
2	Koppal	35.9	42.8	0.9	1.0	24,566	21,266	285,968	250,305	8.6	8.5	971	759
3	Kushtagi	40.8	40.8	0.4	0.3	16,331	14,618	167,574	165,083	9.7	8.9	619	974
4	Yelburga	26.7	53.3	0.1	0.1	23,398	17,021	235,775	231,251	9.9	7.4	166	118

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2015-16  
Provisional Figures for the Period April to December

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	9,638	8,531	20.9	18.4	191	172	7.5	8.9	120,267	93,463	12.6	10.5
1	Gangavati	1,238	1,566	38.9	4.2	55	32	7.0	46.4	31,286	30,108	12.1	12.7
2	Koppal	5,430	4,292	15.2	15.0	16	44	1.6	5.8	33,351	24,966	11.7	10.0
3	Kushtagi	2,107	1,857	22.7	34.4	116	96	18.7	9.9	36,399	25,079	21.7	15.2
4	Yelburga	863	816	16.1	12.6	4	0	2.4	0.0	19,231	13,310	8.2	5.8



Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2015-16  
Provisional Figures for the Period April to December

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1,222	788	0.1	0.1	6,395	6,917	7.1	8.1	2.4	2.8	0.8	0.9
1	Gangavati	0	53	0.0	0.0	1,835	1,810	9.5	11.9	3.5	4.0	0.8	1.3
2	Koppal	1,222	441	0.4	0.2	1,061	1,388	9.3	9.8	2.3	2.4	0.8	0.8
3	Kushtagi	0	2	0.0	0.0	2,103	2,375	3.7	3.4	2.6	2.8	1.0	0.7
4	Yelburga	0	292	0.0	0.1	1,396	1,344	4.4	4.5	1.4	1.7	0.6	0.6

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1.1	1.4	0.2	1.2	0.0	0.0	113	115	2.8	1.9	34.3	21.5
1	Gangavati	1.3	1.9	0.0	0.1	0.0	0.0	34	46	0.0	2.6	36.4	17.9
2	Koppal	1.1	1.3	0.0	1.8	0.0	0.0	30	20	10.3	0.0	27.6	30.0
3	Kushtagi	1.4	1.2	0.3	1.9	0.0	0.0	28	29	0.0	3.6	50.0	28.6
4	Yelburga	0.8	0.8	0.1	0.2	0.0	0.0	21	20	0.0	0.0	20.0	10.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	20.4	29.9	1.9	4.7	0.9	0.9	0.0	0.9	0.0	0.0	39.8	40.2
1	Gangavati	18.2	25.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.5	53.8
2	Koppal	24.1	45.0	6.9	0.0	3.4	0.0	0.0	0.0	0.0	0.0	27.6	25.0
3	Kushtagi	15.4	21.4	0.0	7.1	0.0	0.0	0.0	3.6	0.0	0.0	34.6	35.7
4	Yelburga	25.0	35.0	0.0	15.0	0.0	5.0	0.0	0.0	0.0	0.0	55.0	35.0