

Performance of Key HMIS Indicators for Bihar (Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to March

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Bihar	908,811		118.6	0.0	16,833		98.2		681,717		1,238,665	
1	Araria	26,136		124.4				100.0		16,722		28,104	
2	Arwal	10,743		147.9		1,148		90.3		8,686		14,776	
3	Aurangabad	15,722		56.0		140		99.1		6,421		25,146	
4	Banka	24,587		97.8		560		97.8		24,587		26,018	
5	Begusarai	17,431		58.2		61		99.7		4,896		29,139	
6	Bhagalpur	40,814		90.7		647		98.4		29,595		51,119	
7	Bhojpur	8,912		23.6		528		94.4		4,345		33,773	
8	Buxar	9,891		342.7		965		91.1		6,448		16,024	
9	Darbhanga	27,395		248.7				100.0		15,084		47,385	
10	East Champaran	53,685		78.5		13		100.0		37,277		45,029	
11	Gaya	33,998		86.8		573		98.3		16,253		27,769	
12	Gopalganj	35,813		255.2		326		99.1		30,862		14,971	
13	Jamui	17,201		130.8		391		97.8		16,023		13,242	
14	Jehanabad			0.0								22,711	
15	Kaimur Bhabua	5,168		29.7		1,992		72.2		5,168		21,708	
16	Katihar	24,474		204.5		311		98.7		14,678		24,078	
17	Khagaria	31,545		235.3		396		98.8		20,232		20,889	
18	Kishanganj	21,739		611.7		871		96.1		19,779		12,410	
19	Lakhisarai	14,139		85.7		220		98.5		2,581		19,788	
20	Madhepura	14,180		354.9				100.0		2,175		23,594	
21	Madhubani	51,965		160.5		349		99.3		53,639		61,663	
22	Munger	11,977		58.0		1,803		86.9		5,581		22,949	
23	Muzaffarpur			0.0		135		0.0		10,308			
24	Nalanda	41,580		279.9		402		99.0		41,598		31,571	
25	Nawada					418		0.0		11,521		56,663	
26	Patna	39,374		82.9	0.0	54		99.9		37,903		76,020	
27	Purnia	48,510		236.4		785		98.4		38,106		51,304	
28	Rohtas	41,997		101.3		122		99.7		31,281		41,531	
29	Saharsa	8,257		88.5		511		94.2		6,863		20,164	
30	Samastipur	33,476		126.6		1,208		96.5		37,647		41,386	
31	Saran	42,847		388.7		436		99.0				46,782	
32	Sheikhpura	13,027		87.6		51		99.6		13,019		19,280	
33	Sheohar	2,778		388.0		89		96.9		2,822		2,552	
34	Sitamarhi	20,708		92.7		291		98.6		18,759		43,669	
35	Siwan											55,354	
36	Supaul	16,049		126.9		523		96.8		2,363		46,346	

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to March

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Bihar	2,423,973	2,254,381	136.3		266.7		2,115,185		1,961,987	874,778	1,783,082	1,277,302
1	Araria	29,984		107.5		114.7		30,892		31,235		30,042	
2	Arwal	16,572		137.5		154.3		13,437		14,872		14,231	
3	Aurangabad	49,718		159.9		316.2		63,813		43,469		42,809	
4	Banka	44,323		105.8		180.3		40,328		39,337		37,834	
5	Begusarai	47,340		167.2		271.6		38,773		35,402		32,016	
6	Bhagalpur	74,144		125.2		181.7		63,707		61,322		57,571	
7	Bhojpur	111,009		379.0		1245.6		95,671		86,552		79,786	
8	Buxar	35,921		162.0		363.2		29,371		26,499		24,279	
9	Darbhanga	94,558		173.0		345.2		82,171		77,053		67,254	
10	East Champaran	98,953		83.9		184.3		102,746		109,368		48,703	
11	Gaya	117,827		81.7		346.6		112,974		105,537		96,415	
12	Gopalganj	48,656		41.8		135.9		49,052		46,502		42,824	
13	Jamui	49,353		77.0		286.9		40,373		29,999		38,118	
14	Jehanabad	29,729						22,880		21,442		20,190	
15	Kaimur Bhabua	39,878		420.0		771.6		34,265		29,720		26,383	
16	Katihar	62,317		98.4		254.6		52,343		45,469		39,971	
17	Khagaria	51,904		66.2		164.5		40,323		42,854		39,296	
18	Kishanganj	40,397		57.1		185.8		33,315		26,410		20,467	
19	Lakhisarai	22,287		140.0		157.6		15,738		14,400		12,155	
20	Madhepura	48,117		166.4		339.3		33,422				8,990	
21	Madhubani	110,239		118.7		212.1		101,551		95,784		92,709	
22	Munger	31,344		191.6		261.7		27,063		25,531		23,960	
23	Muzaffarpur	126,346						109,669		107,505		101,539	
24	Nalanda	55,170		75.9		132.7		50,603		46,364		41,956	
25	Nawada	105,493						58,279		77,740		95,154	
26	Patna	107,344	2,254,381	193.1		272.6		104,842		103,116	874,778	89,350	1,277,302
27	Purnia	86,546		105.8		178.4		77,349		68,573		61,509	
28	Rohtas	59,769		98.9		142.3		43,058		42,665		35,810	
29	Saharsa	39,162		244.2		474.3		35,520		30,998		32,130	
30	Samastipur	75,175		123.6		224.6		61,540		63,441		57,813	
31	Saran	100,418		109.2		234.4		87,002		79,688		72,580	
32	Sheikhpura	20,778		148.0		159.5		18,097		15,990		14,895	
33	Sheohar	11,602		91.9		417.6		9,532		7,966		6,862	
34	Sitamarhi	79,057		210.9		381.8		74,023		65,590		59,810	
35	Siwan	77,629						77,601		79,478		74,760	
36	Supaul	62,270		288.8		388.0		59,563		56,308		50,919	

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to March

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Bihar							2,012,853	1,914,273	221.5		3,099,420	4,000
1	Araria							31,406		120.2		31,254	
2	Arwal							15,529		144.5		43,450	
3	Aurangabad							47,656		303.1		33,182	
4	Banka							37,584		152.9		29,629	
5	Begusarai							38,511		220.9		44,885	
6	Bhagalpur							65,240		159.8		78,708	
7	Bhojpur							50,959		571.8		25,700	
8	Buxar							31,888		322.4		52,165	
9	Darbhanga							49,849		182.0		51,710	
10	East Champaran							41,865		78.0			
11	Gaya							104,309		306.8		76,255	
12	Gopalganj							50,459		140.9		50,459	
13	Jamui							33,458		194.5		60,961	
14	Jehanabad							26,685					
15	Kaimur Bhabua							28,035		542.5		153,781	
16	Katihar							60,466		247.1		39,807	
17	Khagaria							40,609		128.7		132,469	
18	Kishanganj							25,938		119.3		18,746	
19	Lakhisarai							16,451		116.4		17,568	
20	Madhepura							61,505		433.7		144,757	
21	Madhubani							101,899		196.1		101,218	
22	Munger							25,900		216.2		26,302	
23	Muzaffarpur							100,399				114,890	
24	Nalanda							51,194		123.1		51,005	
25	Nawada							100,969					
26	Patna							91,043	1,914,273	231.2		726,939	4,000
27	Purnia							73,171		150.8		371,508	
28	Rohtas							50,685		120.7		54,889	
29	Saharsa							44,756		542.0		13,459	
30	Samastipur							53,712		160.4		34,987	
31	Saran							81,494		190.2		50,241	
32	Sheikhpura							16,530		126.9		154,184	
33	Sheohar							7,114		256.1		23,431	
34	Sitamarhi							65,839		317.9		67,444	
35	Siwan							75,129				64,197	
36	Supaul							73,678		459.1		35,663	

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to March

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Bihar	17.0	15.1	1,372,611	968,880	151.0		20.5	0.0	1,756		94.4	
1	Araria	-4.7		30,747		117.6		0.0				99.8	
2	Arwal	6.3		9,725		90.5		0.0				90.0	
3	Aurangabad	4.1		25,243		160.6		0.0				94.2	
4	Banka	15.2		21,501		87.4		0.0				100.0	
5	Begusarai	18.7		18,339		105.2		57.5				97.1	
6	Bhagalpur	12.0		62,874		154.1		32.6				89.8	
7	Bhojpur	54.1		52,882		593.4		247.8				84.3	
8	Buxar	11.2		21,896		221.4		0.0		1,735		99.1	
9	Darbhanga	47.3		42,892		156.6		5.2					
10	East Champaran	57.7				0.0							
11	Gaya	11.5		180,254		530.2		36.3				94.5	
12	Gopalganj	-3.7		38,278		106.9		0.0				90.6	
13	Jamui	32.2		29,813		173.3		0.0					
14	Jehanabad	10.2		16,166				0.0					
15	Kaimur Bhabua	29.7		30,217		584.7		0.0				98.5	
16	Katihar	3.0		40,707		166.3		0.0				63.7	
17	Khagaria	21.8		21,019		66.6		0.2				80.5	
18	Kishanganj	35.8		16,467		75.7		0.3				95.0	
19	Lakhisarai	26.2		7,959		56.3		0.2				100.0	
20	Madhepura	-27.8				0.0						58.2	
21	Madhubani	7.6		91,994		177.0		0.0				88.9	
22	Munger	17.4		12,937		108.0		1.0				95.7	
23	Muzaffarpur	20.5		100,826				0.0					
24	Nalanda	7.2		30,661		73.7		0.0				92.9	
25	Nawada	4.3											
26	Patna	15.2	15.1	34,420	968,880	87.4		1.0	0.0	5		98.8	
27	Purnia	15.5		56,493		116.5		41.3				89.8	
28	Rohtas	15.2		47,537		113.2		0.0					
29	Saharsa	-14.3		12,328		149.3		0.0					
30	Samastipur	28.6		40,323		120.5		2.8				85.9	
31	Saran	18.8		73,320		171.1		27.5					
32	Sheikhpura	20.4		19,301		148.2		3.1				96.7	
33	Sheohar	38.7		5,364		193.1		0.0					
34	Sitamarhi	16.7		33,718		162.8		0.0				100.0	
35	Siwan	3.2		47,078				0.0				65.7	
36	Supaul	-18.3		21,804		135.9		0.1				77.2	

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to March

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Bihar	65.8		1.1	0.0	1.1	0.0	0.8	0.0	0.6	0.0	0.0	100.0
1	Araria	41.0											
2	Arwal	89.2											
3	Aurangabad	60.5		0.0		0.0		0.0		0.0		0.0	
4	Banka	91.3		0.0		0.0		0.0		0.0		0.0	
5	Begusarai	59.7		8.9		0.0		0.0		0.0		0.0	
6	Bhagalpur	26.7											
7	Bhojpur	93.0											
8	Buxar	74.2											
9	Darbhanga			0.0		0.0		0.0		0.0		0.0	
10	East Champaran												
11	Gaya	98.6		0.0		0.0		1.0		9.2		0.0	
12	Gopalganj	0.0											
13	Jamui			0.0		0.0		0.0		0.0		0.0	
14	Jehanabad												
15	Kaimur Bhabua	86.9		0.0		0.0		0.0		0.0		0.0	
16	Katihar	73.1											
17	Khagaria	75.6		5.1		0.0		0.0		0.3		0.0	
18	Kishanganj	52.9		0.1		0.0		0.0		0.0		0.0	
19	Lakhisarai	25.0		0.0		0.0		0.0		0.0		0.0	
20	Madhepura	0.0											
21	Madhubani	35.2											
22	Munger	0.0		0.0		0.0		0.0		0.0		0.0	
23	Muzaffarpur			0.0		0.0		0.0		0.0		0.8	
24	Nalanda	86.2											
25	Nawada												
26	Patna	95.3		15.0	0.0	46.1	0.0	29.0	0.0	0.0	0.0	0.0	100.0
27	Purnia	57.6		0.0		0.0		0.0		0.0		0.0	
28	Rohtas												
29	Saharsa			4.7		0.0		0.0		0.2		0.2	
30	Samastipur	30.6											
31	Saran												
32	Sheikhpura	1.7		0.0		0.0		0.0		0.0		0.0	
33	Sheohar			0.0		0.0		0.0		0.0		0.0	
34	Sitamarhi	100.0		0.0		0.0		0.9		0.0		0.0	
35	Siwan	0.0											
36	Supaul	38.6											

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to March

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Bihar	8.0	0.0	84.8	0.0	3.7	0.0	420		0.0		0.0	
1	Araria												
2	Arwal							24		0.0		0.0	
3	Aurangabad	29.6		10.1		60.4							
4	Banka	0.0		100.0		0.0							
5	Begusarai	4.5		86.5		0.0							
6	Bhagalpur							89		0.0		0.0	
7	Bhojpur												
8	Buxar												
9	Darbhanga	15.8		84.2		0.0							
10	East Champaran												
11	Gaya	36.6		35.7		17.5							
12	Gopalganj												
13	Jamui	17.9		62.5		19.6							
14	Jehanabad												
15	Kaimur Bhabua	9.1		0.0		90.9							
16	Katihar												
17	Khagaria	0.0		7.9		86.6							
18	Kishanganj	0.3		99.5		0.0							
19	Lakhisarai	22.2		77.8		0.0		25		0.0		0.0	
20	Madhepura												
21	Madhubani												
22	Munger	0.0		100.0		0.0		1		0.0		0.0	
23	Muzaffarpur	16.5		82.8		0.0							
24	Nalanda												
25	Nawada												
26	Patna	0.0	0.0	0.0	0.0	9.8	0.0						
27	Purnia	0.0		99.5		0.5		142		0.0		0.0	
28	Rohtas							81		0.0		0.0	
29	Saharsa	0.4		94.5		0.0							
30	Samastipur												
31	Saran												
32	Sheikhpura	0.0		100.0		0.0							
33	Sheohar	41.3		56.5		2.3							
34	Sitamarhi	0.0		99.1		0.0							
35	Siwan												
36	Supaul												

(Continued)

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Bihar	6.7		0.0		6.0		0.0		0.5		86.9	
1	Araria												
2	Arwal	0.0		0.0		0.0		0.0		0.0		100.0	
3	Aurangabad												
4	Banka												
5	Begusarai												
6	Bhagalpur	0.0		0.0		0.0		0.0		0.0		100.0	
7	Bhojpur												
8	Buxar												
9	Darbhanga												
10	East Champaran												
11	Gaya												
12	Gopalganj												
13	Jamui												
14	Jehanabad												
15	Kaimur Bhabua												
16	Katihar												
17	Khagaria												
18	Kishanganj												
19	Lakhisarai	0.0		0.0		100.0		0.0		0.0		0.0	
20	Madhepura												
21	Madhubani												
22	Munger	0.0		0.0		0.0		0.0		0.0		100.0	
23	Muzaffarpur												
24	Nalanda												
25	Nawada												
26	Patna												
27	Purnia	0.0		0.0		0.0		0.0		0.0		100.0	
28	Rohtas	4.9		0.0		0.0		0.0		2.5		92.6	
29	Saharsa												
30	Samastipur												
31	Saran												
32	Sheikhpura												
33	Sheohar												
34	Sitamarhi												
35	Siwan												
36	Supaul												

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to March

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	57,425		257.9		514		99.1		56,781		65,037	
38	West Champaran	45,268		147.3				100.0		31,714		38,721	

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	79,782		113.3		138.9		66,951		61,710		54,580	
38	West Champaran	82,862		85.5		183.0		57,348		46,098		37,412	

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali							63,474		110.5		74,709	
38	West Champaran							77,465		171.1		48,868	

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	20.4		57,536		100.2		7.8		16		94.9	
38	West Champaran	6.5		19,992		44.2		6.4				89.6	

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diphtheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	12.3		2.4		0.0		0.0		0.0		0.0	
38	West Champaran	89.6											

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	17.9		79.1		0.6		58		0.0		0.0	
38	West Champaran												

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	41.4		0.0		0.0		0.0		0.0		58.6	
38	West Champaran												