

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to June

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	8,754	8,751	7,477	7,236	7,495	6,135	85.4	82.6	85.6	70.1	7,933	8,580
1	Gangavati	2,557	2,722	2,131	2,212	2,054	1,973	83.3	81.3	80.3	72.5	2,391	2,587
2	Koppal	2,398	2,264	2,065	1,926	2,085	1,572	86.1	85.1	86.9	69.4	1,870	2,063
3	Kushtagi	1,977	1,909	1,699	1,530	1,689	1,323	85.9	80.1	85.4	69.3	2,240	2,259
4	Yelburga	1,822	1,856	1,582	1,568	1,667	1,267	86.8	84.5	91.5	68.3	1,432	1,671

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	8,246	8,095	90.6	98.0	94.1	92.5	4,226	7,535	48.2	86.1	11,393	8,138
1	Gangavati	2,403	2,436	93.5	95.0	94.0	89.5	1,252	2,332	49.0	85.7	3,802	2,783
2	Koppal	2,349	2,011	78.0	91.1	98.0	88.8	1,647	1,567	68.7	69.2	2,674	1,832
3	Kushtagi	1,923	1,851	113.3	118.3	97.3	97.0	820	2,281	41.5	119.5	2,968	1,759
4	Yelburga	1,571	1,797	78.6	90.0	86.2	96.8	507	1,355	27.8	73.0	1,949	1,764

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	219	327	1.9	4.0	2.6	2.5	409	387	102	120	307	267
1	Gangavati	111	146	2.9	5.2	2.7	2.5	116	114	49	57	67	57
2	Koppal	25	85	0.9	4.6	2.8	1.5	40	102	9	30	31	72
3	Kushtagi	50	51	1.7	2.9	3.1	4.0	149	81	27	18	122	63
4	Yelburga	33	45	1.7	2.6	1.6	2.4	104	90	17	15	87	75

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	24.9	31.0	3	10	0.7	2.6	5,243	4,977	379	424	7.2	8.5
1	Gangavati	42.2	50.0	1	0	0.9	0.0	1,528	1,485	34	58	2.2	3.9
2	Koppal	22.5	29.4	0	2	0.0	2.0	1,240	1,083	246	156	19.8	14.4
3	Kushtagi	18.1	22.2	0	8	0.0	9.9	1,448	1,304	39	167	2.7	12.8
4	Yelburga	16.3	16.7	2	0	1.9	0.0	1,027	1,105	60	43	5.8	3.9

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to June

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	5,673	5,309	64.8	60.6	6,082	5,696	93.3	93.2	95.0	95.3	6.7	6.8
1	Gangavati	1,860	1,679	72.7	61.7	1,976	1,793	94.1	93.6	96.6	96.8	5.9	6.4
2	Koppal	1,330	1,220	55.5	53.9	1,370	1,322	97.1	92.3	97.7	94.6	2.9	7.7
3	Kushtagi	1,456	1,305	73.6	68.4	1,605	1,386	90.7	94.2	92.4	95.5	9.3	5.8
4	Yelburga	1,027	1,105	56.4	59.5	1,131	1,195	90.8	92.5	92.3	93.7	9.2	7.5

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	533	414	132	90	11.7	9.4	10.2	8.3	30.7	27.1	92.4	93.7
1	Gangavati	119	95	107	52	12.2	8.8	7.8	6.4	32.2	26.8	82.2	88.4
2	Koppal	117	23	21	38	10.4	5.0	9.4	2.1	23.3	27.7	93.2	88.8
3	Kushtagi	224	139	4	0	15.7	10.7	15.5	10.7	50.0	0.0	99.5	99.9
4	Yelburga	73	157			7.1	14.2	7.1	14.2			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	61.6	10.0	0.0	0.3	7.6	6.3	5,529	4,678	6,995	6,554	90.9	82.1
1	Gangavati	67.8	17.5	0.0	0.0	17.8	11.6	1,563	1,365	2,083	1,998	79.1	76.1
2	Koppal	56.2	9.1	0.0	0.0	6.8	11.2	1,326	940	1,698	1,374	96.8	71.1
3	Kushtagi	65.9	5.1	0.0	0.0	0.5	0.1	1,564	1,162	1,744	1,743	97.4	83.8
4	Yelburga	52.7	6.7	0.0	1.4	0.0	0.0	1,076	1,211	1,470	1,439	95.1	101.3

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	115.0	115.1	6,014	5,585	98.9	98.1	103	130	98.3	97.7	5,846	5,397
1	Gangavati	105.4	111.4	1,961	1,754	99.2	97.8	18	39	99.1	97.8	1,820	1,596
2	Koppal	123.9	103.9	1,384	1,308	101.0	98.9	18	16	98.7	98.8	1,370	1,301
3	Kushtagi	108.7	125.8	1,552	1,357	96.7	97.9	52	45	96.8	96.8	1,546	1,348
4	Yelburga	130.0	120.4	1,117	1,166	98.8	97.6	15	30	98.7	97.5	1,110	1,152



Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	97.2	96.6	944	707	16.1	13.0	5,681	5,106	94.4	91.4	343	234
1	Gangavati	92.8	91.0	165	217	9.1	13.6	1,806	1,531	92.1	87.3	94	75
2	Koppal	99.0	99.5	416	182	30.4	14.0	1,317	1,254	95.2	95.9	40	57
3	Kushtagi	99.6	99.3	232	161	15.0	11.9	1,540	1,338	99.2	98.6	135	65
4	Yelburga	99.4	98.8	131	147	11.8	12.8	1,018	983	91.1	84.3	74	37

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth ( Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	83.8	60.4	925	940	7.9	7.8	15.5	23.4	31.0	44.1	52.1	67.8
1	Gangavati	81.0	65.8	953	909	3.7	6.1	36.8	20.4	35.7	31.3	57.4	72.8
2	Koppal	100.0	55.9	883	921	10.6	0.5	13.5	383.3	28.8	67.6	39.7	450.0
3	Kushtagi	90.6	80.2	921	1,013	11.1	11.1	8.1	26.2	21.3	50.0	67.7	116.6
4	Yelburga	71.2	41.1	936	927	8.1	14.9	15.7	9.7	44.8	35.6	38.6	7.9

## Performance of Key HMIS Indicators for Karnataka-&gt; Koppal ( Across Sub Districts)

Financial Year: 2014-15

Provisional Figures for the Period April to June

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions ( Spontaneous/ Induced) Reported		Total Number of MTPs ( Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	2.6	0.6	143	155	34	37	23.8	23.9	64.7	78.4	35.3	21.6
1	Gangavati	0.6	0.7	42	43	12	17	28.6	39.5	50.0	70.6	50.0	29.4
2	Koppal	7.2	0.8	54	50	9	9	16.7	18.0	77.8	77.8	22.2	22.2
3	Kushtagi	2.9	0.4	21	28	13	10	61.9	35.7	69.2	90.0	30.8	10.0
4	Yelburga	0.1	0.5	26	34	0	1	0.0	2.9		100.0		0.0

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	100.0	100.0	0.0	0.0	0.4	0.4	0.0	0.0	0	1	2,469	2,353
1	Gangavati	100.0	100.0	0.0	0.0	0.5	0.6	0.0	0.0	0	0	745	768
2	Koppal	100.0	100.0	0.0	0.0	0.4	0.4	0.0	0.0	0	0	647	559
3	Kushtagi	100.0	100.0	0.0	0.0	0.7	0.5	0.0	0.0	0	1	592	597
4	Yelburga		100.0		0.0	0.0	0.1	0.0	0.0	0	0	485	429

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	2,469	2,354	0.0	0.0	100.0	100.0	918	871	773	790	778	672
1	Gangavati	745	768	0.0	0.0	100.0	100.0	102	124	290	342	353	302
2	Koppal	647	559	0.0	0.0	100.0	100.0	414	364	139	126	94	48
3	Kushtagi	592	598	0.0	0.2	100.0	99.8	272	276	83	95	237	227
4	Yelburga	485	429	0.0	0.0	100.0	100.0	130	107	261	227	94	95

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal			0	0	37.2	37.0	31.3	33.6	31.5	28.5	0.0	0.0
1	Gangavati			0	0	13.7	16.1	38.9	44.5	47.4	39.3	0.0	0.0
2	Koppal			0	0	64.0	65.1	21.5	22.5	14.5	8.6	0.0	0.0
3	Kushtagi			0	0	45.9	46.2	14.0	15.9	40.0	38.0	0.0	0.0
4	Yelburga					26.8	24.9	53.8	52.9	19.4	22.1	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	0.0	0.9	74.3	75.5	20.4	19.3	5.3	5.1	100.0	100.0	100.0	95.4
1	Gangavati	0.0	0.0	76.1	73.7	16.6	20.3	7.2	6.0	100.0	100.0	100.0	100.0
2	Koppal	0.0	3.8	69.2	71.7	30.4	25.6	0.3	2.7	100.0	100.0	100.0	85.3
3	Kushtagi	0.0	0.0	84.0	86.8	6.1	9.4	10.0	3.9	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	66.4	67.8	30.1	23.3	3.5	8.9	100.0	100.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation ( Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	100.0	100.0	0	0	707	864	0	2	707	866	39	0
1	Gangavati	100.0	100.0	0	0	123	159	0	0	123	159	0	0
2	Koppal	100.0	100.0	0	0	300	327	0	0	300	327	21	0
3	Kushtagi	100.0	100.0	0	0	124	172	0	2	124	174	13	0
4	Yelburga	100.0	100.0	0	0	160	206			160	206	5	0



Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods ( IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	5.5	0.0	0.7	0.0	22.2	26.8	6,280	9,453	86,899	75,669	0	189
1	Gangavati	0.0	0.0	0.0	0.0	14.2	17.2	1,204	2,279	26,759	16,285	0	0
2	Koppal	7.0	0.0	1.7	0.0	31.7	36.9	2,328	4,212	19,043	24,902	0	85
3	Kushtagi	10.5	0.0	0.9	0.0	17.3	22.5	1,832	1,100	22,682	22,742	0	5
4	Yelburga	3.1	0.0	0.5	0.0	24.8	32.4	916	1,862	18,415	11,740	0	99

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to June

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	7,350	6,490	9,062	8,152	122.2	116.2	150.7	146.0	119	2,574	124	3,679
1	Gangavati	2,258	2,198	2,613	2,433	115.1	125.3	133.2	138.7	19	1,197	18	1,420
2	Koppal	2,147	1,587	2,472	2,149	155.1	121.3	178.6	164.3	97	337	102	902
3	Kushtagi	1,687	1,562	2,260	2,019	108.7	115.1	145.6	148.8	3	790	4	803
4	Yelburga	1,258	1,143	1,717	1,551	112.6	98.0	153.7	133.0	0	250	0	554

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to June

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	159	4,790	7,578	6,118	7,333	4,697	7,315	3,446	7,009	6,978	116.5	124.9
1	Gangavati	25	1,817	2,349	2,065	2,331	1,562	2,264	1,237	2,221	2,105	113.3	120.0
2	Koppal	131	1,222	2,014	1,580	1,929	1,167	1,970	597	2,062	1,925	149.0	147.2
3	Kushtagi	3	939	1,696	1,516	1,603	1,213	1,596	1,040	1,420	1,567	91.5	115.5
4	Yelburga	0	812	1,519	957	1,470	755	1,485	572	1,306	1,381	116.9	118.4

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	6,748	6,749	22.7	14.4	6,274	6,488	104.3	116.2	7.3	1.9	215	170
1	Gangavati	2,145	2,053	15.0	13.5	2,038	1,890	103.9	107.8	4.3	3.1	57	65
2	Koppal	1,942	1,858	16.6	10.4	1,681	1,803	121.5	137.8	19.3	0.0	131	91
3	Kushtagi	1,370	1,517	37.2	22.4	1,303	1,477	84.0	108.8	3.1	4.3	4	0
4	Yelburga	1,291	1,321	23.9	11.0	1,252	1,318	112.1	113.0	0.2	0.0	23	14

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	98.3	97.5	70.0	66.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	98.0	96.4	66.5	62.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	97.8	98.8	77.2	64.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	98.8	98.7	65.4	71.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	98.9	96.1	70.6	69.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	0.0	0.0	4.4	6.1	94.6	93.3	1.0	0.6	69.9	62.5	10.3	11.0
1	Gangavati	0.0	0.0	1.7	4.6	98.3	93.8	0.0	1.6	74.0	66.9	8.8	9.2
2	Koppal	0.0	0.0	7.6	1.2	92.4	98.8	0.0	0.0	65.0	61.0	12.8	10.4
3	Kushtagi	0.0	0.0	3.1	13.2	94.1	86.3	2.8	0.6	74.7	61.6	9.0	12.3
4	Yelburga	0.0	0.0	4.2	3.3	94.9	96.3	0.8	0.4	66.6	60.0	9.9	12.6

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	37.8	40.9	0.5	0.4	24,184	21,336	292,817	287,850	8.3	7.4	410	461
1	Gangavati	35.7	41.9	0.4	0.5	6,561	5,968	77,860	79,320	8.4	7.5	16	35
2	Koppal	32.9	42.5	1.0	0.7	6,957	5,421	83,285	75,997	8.4	7.1	109	79
3	Kushtagi	64.3	33.3	0.3	0.3	4,949	4,559	56,121	51,640	8.8	8.8	210	190
4	Yelburga	50.0	50.0	0.1	0.0	5,717	5,388	75,551	80,893	7.6	6.7	75	157

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	2,504	2,147	14.1	17.7	58	0	14.1	0.0	30,273	28,628	10.3	9.9
1	Gangavati	437	493	3.5	6.6	13	0	81.3	0.0	10,615	7,280	13.6	9.2
2	Koppal	1,113	872	8.9	8.3	17		15.6	0.0	7,535	6,781	9.0	8.9
3	Kushtagi	674	538	23.8	26.1	28	0	13.3	0.0	8,329	8,087	14.8	15.7
4	Yelburga	280	244	21.1	39.2	0		0.0	0.0	3,794	6,480	5.0	8.0



Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	282	277	0.1	0.1	2,280	2,233	8.7	7.0	2.9	4.3	1.0	1.3
1	Gangavati	50	44	0.1	0.1	684	521	12.7	7.0	4.0	6.1	1.4	1.8
2	Koppal	0	16	0.0	0.0	437	516	9.6	11.0	3.1	5.0	1.1	1.1
3	Kushtagi	0	0	0.0	0.0	772	811	3.9	4.8	2.1	3.0	0.8	0.9
4	Yelburga	232	217	0.3	0.3	387	385	4.9	4.8	2.2	2.6	0.5	1.1

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1.5	2.0	1.9	0.6	0.0	0.0	54	44	2.1	4.7	20.8	23.3
1	Gangavati	1.9	2.7	0.2	0.2	0.0	0.0	22	26	5.9	7.7	23.5	30.8
2	Koppal	1.7	2.0	0.0	1.6	0.0	0.0	7	2	0.0	0.0	28.6	0.0
3	Kushtagi	1.1	1.4	5.7	0.3	0.0	0.0	11	10	0.0	0.0	30.0	10.0
4	Yelburga	0.9	1.5	0.3	0.4	0.0	0.0	14	6	0.0	0.0	7.1	16.7

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	33.3	25.6	6.3	2.3	2.1	0.0	2.1	0.0	0.0	0.0	33.3	44.2
1	Gangavati	29.4	26.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.2	34.6
2	Koppal	71.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
3	Kushtagi	10.0	30.0	0.0	10.0	0.0	0.0	10.0	0.0	0.0	0.0	50.0	50.0
4	Yelburga	35.7	16.7	21.4	0.0	7.1	0.0	0.0	0.0	0.0	0.0	28.6	66.7