

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	12,183	12,398	9,126	9,624	9,377	9,400	74.9	77.6	77.0	75.8	12,464	12,029
1	Devanahalli	2,606	2,675	2,208	2,382	2,131	2,149	84.7	89.0	81.8	80.3	2,816	2,895
2	Doddaballapur	3,420	3,541	2,759	2,860	2,789	2,882	80.7	80.8	81.5	81.4	2,901	2,989
3	Hosakote	3,720	3,488	2,414	2,449	2,718	2,418	64.9	70.2	73.1	69.3	3,871	3,603
4	Nelamanagala	2,437	2,694	1,745	1,933	1,739	1,951	71.6	71.8	71.4	72.4	2,876	2,542

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	10,235	12,749	102.3	97.0	84.0	102.8	10,769	9,859	88.3	79.5	11,878	9,457
1	Devanahalli	2,482	2,718	108.1	108.2	95.2	101.6	2,359	2,401	90.5	89.8	2,656	1,970
2	Doddaballapur	3,038	3,671	84.8	84.4	88.8	103.7	2,649	2,505	77.5	70.7	2,558	2,247
3	Hosakote	3,347	3,583	104.1	103.3	90.0	102.7	3,843	2,908	103.3	83.4	4,089	2,829
4	Nelamanagala	1,368	2,777	118.0	94.4	56.1	103.1	1,918	2,045	78.7	75.9	2,575	2,411

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	169	251	1.4	2.7	2.9	2.8	10	14	5	10	5	4
1	Devanahalli	11	18	0.4	0.9	0.5	0.5	0	3	0	3	0	0
2	Doddaballapur	12	21	0.5	0.9	0.3	0.4	5	8	3	6	2	2
3	Hosakote	131	164	3.2	5.8	7.4	7.6	2	0	1	0	1	0
4	Nelamanagala	15	48	0.6	2.0	2.1	1.9	3	3	1	1	2	2

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	50.0	71.4	1	0	10.0	0.0	3,371	3,766	528	909	15.6	24.1
1	Devanahalli		100.0	0	0		0.0	538	636	175	192	32.5	30.2
2	Doddaballapur	60.0	75.0	0	0	0.0	0.0	1,534	1,523	25	80	1.6	5.3
3	Hosakote	50.0		1	0	50.0		726	796	165	363	22.7	45.6
4	Nelamanagala	33.3	33.3	0	0	0.0	0.0	573	811	163	274	28.4	33.8

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	6,592	7,178	54.1	57.8	6,602	7,192	99.8	99.8	99.9	99.9	0.2	0.2
1	Devanahalli	1,054	1,022	40.4	38.2	1,054	1,025	100.0	99.7	100.0	100.0	0.0	0.3
2	Doddaballapur	1,945	1,887	56.9	53.3	1,950	1,895	99.7	99.6	99.9	99.9	0.3	0.4
3	Hosakote	2,580	2,953	69.4	84.7	2,582	2,953	99.9	100.0	100.0	100.0	0.1	0.0
4	Nelamanagala	1,013	1,316	41.6	48.8	1,016	1,319	99.7	99.8	99.8	99.8	0.3	0.2

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	546	468	1,847	1,902	36.3	33.0	16.2	12.4	57.3	55.7	51.1	52.5
1	Devanahalli	47	41	277	245	30.7	28.0	8.7	6.4	53.7	63.5	51.0	62.2
2	Doddaballapur	350	225	234	169	30.0	20.9	22.8	14.8	56.9	46.4	78.9	80.7
3	Hosakote	67	47	962	1,138	39.9	40.1	9.2	5.9	51.9	52.8	28.1	27.0
4	Nelamanagala	82	155	374	350	45.0	38.4	14.3	19.1	85.0	69.3	56.6	61.6

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	57.0	49.4	0.2	1.8	48.9	47.5	5,097	4,059	7,237	7,157	77.2	56.4
1	Devanahalli	62.6	52.7	0.0	0.0	49.0	37.8	676	668	1,917	1,954	64.1	65.2
2	Doddaballapur	39.9	37.4	0.1	0.0	21.1	19.3	1,647	1,395	1,598	1,449	84.5	73.6
3	Hosakote	81.5	62.6	0.0	0.0	71.9	73.0	2,235	1,193	2,053	1,872	86.6	40.4
4	Nelamanagala	66.5	56.7	1.0	8.3	43.4	38.4	539	803	1,669	1,882	53.1	60.9

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	109.6	99.5	6,517	7,157	98.7	99.5	90	45	98.6	99.4	6,142	7,026
1	Devanahalli	181.9	190.6	1,049	1,024	99.5	99.9	6	4	99.4	99.6	993	1,020
2	Doddaballapur	81.9	76.5	1,927	1,879	98.8	99.2	24	18	98.8	99.1	1,908	1,877
3	Hosakote	79.5	63.4	2,529	2,935	97.9	99.4	54	22	97.9	99.3	2,533	2,863
4	Nelamanagala	164.3	142.7	1,012	1,319	99.6	100.0	6	1	99.4	99.9	708	1,266

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	94.2	98.2	670	588	10.9	8.3	6,199	7,055	95.1	98.5	9	12
1	Devanahalli	94.7	99.6	85	95	8.6	9.3	1,045	1,012	99.6	98.8	0	3
2	Doddaballapur	99.0	99.9	197	176	10.3	9.4	1,926	1,877	99.9	99.9	4	7
3	Hosakote	100.2	97.5	330	250	13.0	8.7	2,528	2,882	100.0	98.2	2	0
4	Nelamanagala	70.0	96.0	58	67	8.2	5.3	700	1,284	69.2	97.3	3	2

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	90.0	85.7	972	937	12.3	8.1	19.3	26.4	44.9	45.3	26.2	45.3
1	Devanahalli		100.0	1,081	1,000	0.6	0.0	0.0		0.0	0.0	0.0	
2	Doddaballapur	80.0	87.5	900	885	0.0	0.0			0.0	0.0		
3	Hosakote	100.0		970	927	31.1	19.8	19.4	26.5	56.5	58.7	16.6	42.0
4	Nelamanagala	100.0	66.7	1,012	992	0.3	0.2	33.3	0.0	2.0	0.0	733.3	300.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	1.8	4.6	732	865	158	131	21.6	15.1	83.5	85.5	16.5	14.5
1	Devanahalli	0.2	0.0	90	33	61	10	67.8	30.3	100.0	90.0	0.0	10.0
2	Doddaballapur	0.0	0.2	79	77	61	58	77.2	75.3	68.9	75.9	31.1	24.1
3	Hosakote	4.5	10.6	429	638	15	34	3.5	5.3	100.0	100.0	0.0	0.0
4	Nelamanagala	0.2	1.4	134	117	21	29	15.7	24.8	66.7	86.2	33.3	13.8

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	20.2	20.4	79.8	79.6	1.3	1.1	0.0	1.2	25	20	2,909	3,230
1	Devanahalli	66.3	100.0	33.7	0.0	2.3	0.4	0.0	0.0	4	5	604	624
2	Doddaballapur	75.3	77.3	24.7	22.7	1.8	1.6	0.0	0.0	2	0	893	552
3	Hosakote	2.7	7.0	97.3	93.0	0.4	1.0	0.0	1.3	15	3	744	1,051
4	Nelamanagala	33.9	40.3	66.1	59.7	0.9	1.1	0.0	4.0	4	12	668	1,003

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	2,934	3,250	0.8	0.6	99.1	99.4	0	0	286	226	2,380	2,472
1	Devanahalli	608	629	0.7	0.8	99.3	99.2	0	0	286	226	266	403
2	Doddaballapur	895	552	0.2	0.0	99.8	100.0	0	0			882	515
3	Hosakote	759	1,054	2.0	0.3	98.0	99.7	0	0			627	659
4	Nelamanagala	672	1,015	0.6	1.2	99.4	98.8	0	0	0	0	605	895

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural			0	0	0.0	0.0	9.7	7.0	81.1	76.1	0.0	0.0
1	Devanahalli			0	0	0.0	0.0	47.0	35.9	43.8	64.1	0.0	0.0
2	Doddaballapur			0	0	0.0	0.0	0.0	0.0	98.5	93.3	0.0	0.0
3	Hosakote			0	0	0.0	0.0	0.0	0.0	82.6	62.5	0.0	0.0
4	Nelamanagala			0	0	0.0	0.0	0.0	0.0	90.0	88.2	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	9.1	17.0	82.1	76.4	10.6	11.1	7.2	12.5	96.3	95.0	58.3	37.3
1	Devanahalli	9.2	0.0	89.7	97.0	5.3	2.2	5.0	0.8	92.4	100.0	87.5	100.0
2	Doddaballapur	1.5	6.7	77.2	63.2	12.7	17.0	10.2	19.7	99.9	99.4	99.1	79.8
3	Hosakote	17.4	37.5	79.6	66.9	15.2	13.9	5.2	19.2	92.4	84.8	30.1	11.6
4	Nelamanagala	10.0	11.8	84.7	80.9	7.6	10.3	7.6	8.9	99.8	98.2	11.8	26.2

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	75.8	49.6	0	0	1,523	1,522	424	776	1,947	2,298	172	57
1	Devanahalli	63.3	100.0	0	0	451	328	1	0	452	328	40	2
2	Doddaballapur	87.9	85.3	0	0	443	511	4	33	447	544	63	30
3	Hosakote	79.5	21.3	0	0	329	459	380	694	709	1,153	24	14
4	Nelamanagala	58.8	67.4	0	0	300	224	39	49	339	273	45	11

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	11.2	3.7	5.1	1.5	39.8	41.4	20,740	19,282	216,666	212,744	0	0
1	Devanahalli	8.9	0.6	7.4	0.3	42.6	34.3	3,784	3,081	45,566	37,481	0	0
2	Doddaballapur	14.2	5.9	4.1	2.0	33.3	49.6	7,313	7,014	53,871	70,000	0	0
3	Hosakote	7.3	3.1	3.3	1.8	48.3	52.2	6,361	5,977	68,822	55,633	0	0
4	Nelamanagala	15.0	4.9	7.9	1.4	33.5	21.2	3,282	3,210	48,407	49,630	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	6,167	6,438	6,876	7,757	94.6	90.0	105.5	108.4	16	0	9	2
1	Devanahalli	940	917	1,074	1,189	89.6	89.6	102.4	116.1	16	0	9	0
2	Doddaballapur	1,923	1,850	2,045	2,313	99.8	98.5	106.1	123.1	0	0	0	0
3	Hosakote	2,500	2,430	2,788	2,870	98.9	82.8	110.2	97.8	0	0	0	2
4	Nelamanagala	804	1,241	969	1,385	79.4	94.1	95.8	105.0	0	0	0	0

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	6	1	10,295	10,946	10,265	10,776	10,350	10,772	10,872	10,737	166.8	150.0
1	Devanahalli	6	0	2,072	2,474	2,016	2,500	2,168	2,479	2,298	2,383	219.1	232.7
2	Doddaballapur	0	0	2,795	3,063	2,728	2,984	2,737	3,037	2,853	2,930	148.1	155.9
3	Hosakote	0	1	3,649	3,478	3,662	3,348	3,582	3,372	3,559	3,530	140.7	120.3
4	Nelamanagala	0	0	1,779	1,931	1,859	1,944	1,863	1,884	2,162	1,894	213.6	143.6

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	10,977	10,860	-58.1	-38.4	7,500	10,073	115.1	140.7	2.9	65.9	0	1
1	Devanahalli	2,378	2,381	-114.0	-100.4	1,580	2,559	150.6	249.9	13.8	46.8	0	0
2	Doddaballapur	2,863	2,930	-39.5	-26.7	2,519	2,949	130.7	156.9	0.0	100.1	0	1
3	Hosakote	3,590	3,549	-27.7	-23.0	2,199	2,729	87.0	93.0	0.1	70.4	0	0
4	Nelamanagala	2,146	2,000	-123.1	-36.8	1,202	1,836	118.8	139.2	0.0	31.2	0	0

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	94.1	97.6	58.1	62.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Devanahalli	95.1	96.7	69.1	70.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Doddaballapur	94.5	97.6	62.8	70.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Hosakote	96.7	104.0	67.3	70.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Nelamanagala	90.2	91.6	31.9	32.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	0.0	0.0	0.7	2.0	99.3	98.0	0.0	0.0	57.0	58.6	15.9	13.4
1	Devanahalli	0.0	0.0	0.7	2.5	99.3	97.5	0.0	0.0	59.5	71.6	7.1	4.8
2	Doddaballapur	0.0	0.0	0.0	2.4	100.0	97.6	0.0	0.0	78.0	75.6	32.1	24.5
3	Hosakote	0.0	0.0	0.2	1.5	99.8	98.5	0.0	0.0	54.3	55.9	15.1	13.2
4	Nelamanagala	0.0	0.0	1.1	1.9	98.9	98.1	0.0	0.0	51.6	65.3	14.9	7.6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	40.2	36.4	0.5	0.5	55,311	45,563	1,103,800	923,451	5.0	4.9	8,500	8,912
1	Devanahalli	33.3	14.3	0.1	0.3	6,857	2,524	170,326	124,233	4.0	2.0	72	32
2	Doddaballapur	42.9	35.3	0.2	1.0	5,923	3,430	251,295	214,278	2.4	1.6	414	313
3	Hosakote	42.9	39.9	0.5	0.5	40,032	37,684	545,447	483,762	7.3	7.8	7,928	8,319
4	Nelamanagala	25.7	21.4	1.4	1.5	2,499	1,925	136,732	101,178	1.8	1.9	86	248

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	24,297	17,970	25.9	33.2	107	203	1.2	2.2	9,217	1,471	0.8	0.1
1	Devanahalli	125	35	36.5	47.8	0	6	0.0	18.8	0	9	0.0	0.0
2	Doddaballapur	467	889	47.0	26.0	61	69	14.7	22.0	2,549	2	1.0	0.0
3	Hosakote	23,703	16,822	25.1	33.1	30	27	0.4	0.3	3,022	515	0.6	0.1
4	Nelamanagala	2	224	97.7	52.5	16	101	18.6	40.7	3,646	945	2.7	0.9

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	4,923	3,653	0.4	0.4	2,276	1,577	3.0	2.9	0.8	0.9	0.5	0.7
1	Devanahalli	2,748	2,522	1.6	2.0	1,016	615	1.1	1.1	0.5	0.5	0.3	0.4
2	Doddaballapur	292	93	0.1	0.0	239	153	2.7	4.4	0.8	1.0	0.5	0.9
3	Hosakote	1,633	873	0.3	0.2	923	750	3.2	2.7	1.0	1.1	0.5	1.1
4	Nelamanagala	250	165	0.2	0.2	98	59	4.7	3.3	0.7	0.7	0.5	0.4

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	0.6	0.8	0.0	0.0	0.0	0.0	41	32	5.3	12.5	26.3	21.9
1	Devanahalli	0.3	0.4	0.0	0.0	0.0	0.0	10	5	20.0	0.0	0.0	40.0
2	Doddaballapur	0.6	0.9	0.0	0.0	0.0	0.0	13	11	0.0	18.2	15.4	27.3
3	Hosakote	0.7	1.1	0.0	0.0	0.0	0.0	13	8	0.0	0.0	63.6	12.5
4	Nelamanagala	0.6	0.5	0.0	0.0	0.0	0.0	5	8	0.0	25.0	25.0	12.5

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bangalore Rural	7.9	12.5	5.3	12.5	0.0	0.0	2.6	3.1	0.0	0.0	52.6	37.5
1	Devanahalli	20.0	20.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40.0	40.0
2	Doddaballapur	7.7	9.1	0.0	0.0	0.0	0.0	0.0	9.1	0.0	0.0	76.9	36.4
3	Hosakote	0.0	25.0	0.0	25.0	0.0	0.0	9.1	0.0	0.0	0.0	27.3	37.5
4	Nelamanagala	0.0	0.0	0.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	75.0	37.5