

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1	2	3	4	5	6	7	8	9	10	11	12	13
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	% 1st Trimester registration to Total ANC Registrations	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers )	TT Booster given to Pregnant women (numbers )	% Pregnant Woman received 4 ANC check ups to Total ANC Registrations	% Pregnant women received TT2+ TT Booster to Total ANC Registration	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registration	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	57,718	33,537	58.1	11,249	21,995	20,591	19.4	73.7	35,001	60.6	46,093	2,320	69.2
1	Ajmer	20,158	8,852	43.9	1,829	5,288	3,267	9.1	42.4	15,463	76.7	14,173	1,907	79.5
2	Ajmer Urban													
3	Arain	3,281	2,674	81.5	1,354	1,565	1,487	41.3	93.0	1,423	43.4	2,928	9	13.2
4	Beawar													
5	Bhinai	3,120	2,454	78.7	1,227	1,463	1,392	39.3	91.5	1,840	59.0	2,474	33	41.3
6	Bhinay													
7	Jawaja	4,034	2,251	55.8	314	1,706	1,875	7.8	88.8	1,953	48.4	3,494	1	1.4
8	Kekri	3,196	2,241	70.1	1,361	1,714	1,364	42.6	96.3	1,901	59.5	3,122	107	73.3
9	Kishangarh	7,928	4,524	57.1	741	3,268	3,649	9.3	87.2	3,733	47.1	5,562	141	56.4
10	Masooda	5,413	3,140	58.0	1,359	1,956	2,327	25.1	79.1	1,760	32.5	3,705	28	19.0
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	5,500	3,812	69.3	1,498	2,507	2,837	27.2	97.2	3,399	61.8	4,869	9	13.8
15	Sarwar													
16	Srinagar	5,088	3,589	70.5	1,566	2,528	2,393	30.8	96.7	3,529	69.4	5,766	85	65.9

Indicators		14	15	16	17	18	19	20	21	22	23	24	25	26
		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducted at Public Institutions	Number of Women Discharged under 48 hours of delivery in public facilities	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	Deliveries Conducted at Private Institutions	Number of Women Discharged under 48 hours of delivery in private institutions	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	Institutional deliveries (Public Insts.+Pvt . Insts.)	% Institutional Deliveries to total ANC registration
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	2.5	495	61	434	12.3	38,801	7,564	19.4	7,447	1,586	21.2	46,248	80.1
1	Ajmer	5.7	106	23	83	21.7	18,823	6,364	33.8	5,740	1,475	25.7	24,563	121.9
2	Ajmer Urban													
3	Arain	0.4	61	6	55	9.8	1,371	34	2.5	0	0		1,371	41.8
4	Beawar													
5	Bhinai	0.1	12	3	9	25.0	1,219	215	17.6	0	0		1,219	39.1
6	Bhinay													
7	Jawaja	0.1	111	0	111	0.0	1,306	61	4.7	0	0		1,306	32.4
8	Kekri	2.4	55	4	51	7.3	3,728	94	2.5	12	0	0.0	3,740	117.0
9	Kishangarh	1.2	42	1	41	2.4	4,755	367	7.7	1,061	110	10.4	5,816	73.4
10	Masooda	0.1	18	12	6	66.7	2,695	68	2.5	634	1	0.2	3,329	61.5
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	0.6	54	4	50	7.4	2,869	226	7.9	0	0		2,869	52.2
15	Sarwar													
16	Srinagar	0.8	36	8	28	22.2	2,035	135	6.6	0	0		2,035	40.0

Indicators		27	28	29	30	31	32	33	34	35	36	37	38	39
		Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries	% Deliveries conducted at Private Institutions to Total Institutional Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	46,743	98.9	99.1	1.1	5,777	1,764	16.3	14.9	23.7	83.9	16.1	441	17,245
1	Ajmer	24,669	99.6	99.7	0.4	5,468	1,272	27.4	29.0	22.2	76.6	23.4	54	11,491
2	Ajmer Urban													
3	Arain	1,432	95.7	96.2	4.3	0	0	0.0	0.0		100.0	0.0	64	370
4	Beawar													
5	Bhinai	1,231	99.0	99.3	1.0	0	0	0.0	0.0		100.0	0.0	14	628
6	Bhinay													
7	Jawaja	1,417	92.2	92.2	7.8	0	0	0.0	0.0		100.0	0.0	11	678
8	Kekri	3,795	98.6	98.7	1.4	44	0	1.2	1.2	0.0	99.7	0.3	17	690
9	Kishangarh	5,858	99.3	99.3	0.7	263	263	9.0	5.5	24.8	81.8	18.2	39	567
10	Masooda	3,347	99.5	99.8	0.5	0	229	6.9	0.0	36.1	81.0	19.0	43	712
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	2,923	98.2	98.3	1.8	0	0	0.0	0.0		100.0	0.0	82	1,250
15	Sarwar													
16	Srinagar	2,071	98.3	98.6	1.7	2	0	0.1	0.1		100.0	0.0	117	859

Indicators		40	41	42	43	44	45	46	47	48	49	50	51	52
		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth ( Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	89.1	36.9	45,964	98.3	996	97.9	41,608	90.5	5,282	12.6	39,155	85.1	968
1	Ajmer	50.9	46.6	24,123	97.8	633	97.4	20,408	84.6	1,900	9.3	18,698	77.5	944
2	Ajmer Urban													0
3	Arain	104.9	25.8	1,422	99.3	13	99.1	1,416	99.6	112	7.9	1,389	97.7	1,055
4	Beawar													0
5	Bhinai	116.7	51.0	1,218	98.9	22	98.2	1,164	95.6	79	6.8	1,212	99.5	1,129
6	Bhinay													0
7	Jawaja	9.9	47.8	1,414	99.8	11	99.2	1,281	90.6	250	19.5	1,297	91.7	929
8	Kekri	30.9	18.2	3,772	99.4	44	98.8	3,858	102.3	954	24.7	3,438	91.1	1,011
9	Kishangarh	92.9	9.7	5,770	98.5	129	97.8	5,750	99.7	1,321	23.0	5,552	96.2	965
10	Masooda	238.9	21.3	3,319	99.2	46	98.6	3,222	97.1	292	9.1	3,065	92.3	972
11	Masuda													0
12	Nasirabad													0
13	Peesangan													0
14	Pisangan	151.9	42.8	2,885	98.7	49	98.3	2,720	94.3	240	8.8	2,683	93.0	1,036
15	Sarwar													0
16	Srinagar	325.0	41.5	2,041	98.6	49	97.7	1,789	87.7	134	7.5	1,821	89.2	959

Indicators		53	54	55	56	57	58	59	60	61	62	63	64	65
		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registrations	Number of PW given one Albendazole tablet after 1st trimester	% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registrations	Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registrations	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registrations	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registrations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	16.0	79.3	13,262	23.0	12,547	21.7	5,288	9.2	0	0.0	19,429	1	33.7
1	Ajmer	26.2	87.9	6,726	33.4	6,327	31.4	4,677	23.2	0	0.0	6,600	1	32.7
2	Ajmer Urban													
3	Arain	0.0		922	28.1	919	28.0	9	0.3	0	0.0	338	0	10.3
4	Beawar													
5	Bhinai	0.2	0.0	495	15.9	464	14.9	34	1.1	0	0.0	553	0	17.7
6	Bhinay													
7	Jawaja	0.0		34	0.8	48	1.2	0	0.0	0	0.0	0	0	0.0
8	Kekri	4.7	72.5	560	17.5	496	15.5	45	1.4	0	0.0	1,567	0	49.0
9	Kishangarh	10.5	17.3	1,082	13.6	603	7.6	15	0.2	0	0.0	4,980	0	62.8
10	Masooda	2.9	0.0	1,271	23.5	1,515	28.0	168	3.1	0	0.0	3,103	0	57.3
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	2.5	0.0	730	13.3	976	17.7	329	6.0	0	0.0	360	0	6.5
15	Sarwar													
16	Srinagar	2.7	34.5	1,442	28.3	1,199	23.6	11	0.2	0	0.0	1,928	0	37.9

Indicators		66	67	68	69	70	71	72	73	74	75	76	77	78
		% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions ( Spontaneous) Reported	Total Number of MTPs ( Public) conducted	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs Conducted at Public Institutions to Total MTPs	% MTPs Conducted at Private Institutions to Total MTPs	% Total MTPs (Public) Conducted to Total ANC Registrati on	Number of Vasectom ies Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	0.0		29	0	3,207	385	14.7	96.1	3.9	69.7	30.3	0.7	41
1	Ajmer	0.0		10	0	1,725	45	9.3	100.0	0.0	25.6	74.4	0.2	30
2	Ajmer Urban													
3	Arain	0.0		4	0	40	2	4.8	100.0	0.0	100.0	0.0	0.1	2
4	Beawar													
5	Bhinai	0.0		2	0	20	0	0.0					0.0	1
6	Bhinay													
7	Jawaja			1	0	6	1	14.3	0.0	100.0	100.0	0.0	0.0	1
8	Kekri	0.0		1	0	518	112	17.8	94.6	5.4	100.0	0.0	3.5	1
9	Kishangarh	0.0		3	0	478	50	9.5	98.0	2.0	100.0	0.0	0.6	2
10	Masooda	0.0		4	0	185	111	44.3	100.0	0.0	75.5	24.5	2.1	0
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	0.0		1	0	96	56	36.8	89.3	10.7	100.0	0.0	1.0	0
15	Sarwar													
16	Srinagar	0.0		3	0	139	8	5.4	87.5	12.5	100.0	0.0	0.2	4

Indicators		79	80	81	82	83	84	85	86	87	88	89	90	91
		Number of Tubectomies Conducted	Total Sterilisation Conducted	% Male Sterilisation (Vasectomies) to Total sterilisation	% Female Serlisation (Tubectomies) to Total sterilisation	Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH	Total Sterilisation (Tubectomies and Vasectomies) conducted at DH	Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions	Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	% Laparoscopic sterilisations to Total Female Sterilisations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	8,408	8,449	0.4	99.5					2,396	6,053	28.4	71.6	79.9
1	Ajmer	3,634	3,664	0.8	99.2					2,269	1,395	61.9	38.1	56.6
2	Ajmer Urban													
3	Arain	554	556	0.4	99.6					0	556	0.0	100.0	100.0
4	Beawar													
5	Bhinai	560	561	0.2	99.8					0	561	0.0	100.0	100.0
6	Bhinay													
7	Jawaja	328	329	0.3	99.7					0	329	0.0	100.0	100.0
8	Kekri	601	602	0.2	99.8					0	602	0.0	100.0	97.2
9	Kishangarh	967	969	0.2	99.8					102	867	10.5	89.5	92.1
10	Masooda	913	913	0.0	100.0					25	888	2.7	97.3	98.7
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	470	470	0.0	100.0					0	470	0.0	100.0	100.0
15	Sarwar													
16	Srinagar	381	385	1.0	99.0					0	385	0.0	100.0	97.6

Indicators		92	93	94	95	96	97	98	99	100	101	102	103	104
		% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Post Abortion Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterilisati on ( Male + Female)	Total cases of deaths following Male Sterilisati on	Total cases of deaths following Female Sterilisati on	Total cases of failure following Male Sterilisati on	Total cases of failure following Female Sterilisati on	Total cases of complicat ion following Male Sterilisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	2.2	17.7	0.0	71.2	92.6	71.7	100.0	0	0	0	0	17	2
1	Ajmer	4.8	38.4	0.2	11.5	96.0	70.3	100.0	0	0	0	0	3	0
2	Ajmer Urban													
3	Arain	0.0	0.0	0.0	100.0				0	0	0	0	6	2
4	Beawar													
5	Bhinai	0.0	0.0	0.0	100.0				0	0	0	0	0	0
6	Bhinay													
7	Jawaja	0.0	0.0	0.0	100.0				0	0	0	0	0	0
8	Kekri	0.7	2.2	0.0	100.0	100.0	100.0		0	0	0	0	1	0
9	Kishangarh	0.0	7.9	0.0	89.2		92.1		0	0	0	0	6	0
10	Masooda	0.8	0.5	0.0	98.2	0.0	60.0		0	0	0	0	0	0
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	0.0	0.0	0.0	100.0				0	0	0	0	1	0
15	Sarwar													
16	Srinagar	1.0	1.3	0.0	100.0	100.0	100.0		0	0	0	0	0	0



Performance of Key HMIS Indicators for Rajasthan-> Ajmer ( Across Sub Districts)  
Financial Year: 2017-18  
Provisional Figures for the Period April to December  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		105	106	107	108	109	110	111	112	113	114	115	116	117
		Total cases of complication following Female Sterilisation	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions to all family planning methods ( IUCD plus permanent)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combined Oral Pills distributed	Emergency pills distributed	Condom pieces distributed	Centchroman ( weekly pills) distributed
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	24	10,624	382	41.3	11.3	56.5	6,607	4,394	5	189,532	2,748	1,655,985	2,172
1	Ajmer	0	1,806	312	58.7	5.6	36.6	1,058	1,060	0	26,746	815	184,945	0
2	Ajmer Urban													
3	Arain	5	1,011	0	34.5	25.5	64.5	662	349	0	17,730	105	147,258	83
4	Beawar													
5	Bhinai	4	627	0	10.2	5.3	52.8	563	64	0	16,693	357	149,665	10
6	Bhinay													
7	Jawaja	0	862	0	20.5	13.6	72.4	685	177	0	10,584	171	105,902	39
8	Kekri	2	1,006	0	49.1	13.3	62.6	507	494	5	10,895	102	82,331	508
9	Kishangarh	0	1,751	61	55.4	20.4	65.2	842	970	0	22,583	163	245,292	708
10	Masooda	5	1,328	9	32.3	15.9	59.4	902	435	0	22,089	309	191,693	611
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	3	1,099	0	44.3	17.0	70.0	612	487	0	26,233	602	171,835	129
15	Sarwar													
16	Srinagar	5	1,134	0	31.6	17.6	74.7	776	358	0	35,979	124	377,064	84

Indicators		118	119	120	121	122	123	124	125	126	127	128	129	130
		Number of beneficiaries given 1st dose of Injectable (Antara Program)	Number of beneficiaries given 2nd dose of Injectable (Antara Program)	Number of beneficiaries given 3rd dose of Injectable (Antara Program)	Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)	Pregnancy testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	37	1	0	22	16,258	46,322	52,821	43,716	100.8	114.9	95.1	0	0
1	Ajmer	37	1	0	0	6,452	28,057	29,772	26,579	116.3	123.4	110.2	0	0
2	Ajmer Urban													
3	Arain	0	0	0	0	1,037	1,306	1,401	1,316	91.8	98.5	92.5	0	0
4	Beawar													
5	Bhinai	0	0	0	0	863	943	1,317	807	77.4	108.1	66.3	0	0
6	Bhinay													
7	Jawaja	0	0	0	0	354	1,150	1,251	1,006	81.3	88.5	71.1	0	0
8	Kekri	0	0	0	0	1,140	3,412	4,261	3,355	90.5	113.0	88.9	0	0
9	Kishangarh	0	0	0	22	3,223	5,735	5,824	5,579	99.4	100.9	96.7	0	0
10	Masooda	0	0	0	0	726	2,014	3,087	1,918	60.7	93.0	57.8	0	0
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	0	0	0	0	1,482	2,241	3,190	2,072	77.7	110.6	71.8	0	0
15	Sarwar													
16	Srinagar	0	0	0	0	981	1,464	2,718	1,084	71.7	133.2	53.1	0	0

Indicators		131	132	133	134	135	136	137	138	139	140	141	142	143
								% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisasi on (Abcess )	Adverse Events Following Imunisasi on (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	0	39,309	37,088	36,654	42,809	0	93.1	42,384	19.0	88.7	76.6	0	0
1	Ajmer	0	8,477	7,787	7,678	9,515	0	39.4	9,323	68.0	35.8	55.9	0	0
2	Ajmer Urban													
3	Arain	0	2,788	2,592	2,652	3,467	0	243.8	3,461	-147.5	242.8	56.6	0	0
4	Beawar													
5	Bhinai	0	2,573	2,427	2,352	2,869	0	235.6	2,853	-117.8	239.3	117.2	0	0
6	Bhinay													
7	Jawaja	0	3,311	3,193	3,083	3,409	0	241.1	3,409	-172.5	238.5	65.3	0	0
8	Kekri	0	3,056	2,965	2,871	3,639	0	96.5	3,604	14.6	89.1	159.8	0	0
9	Kishangarh	0	5,566	5,179	4,960	5,784	0	100.2	5,783	0.7	91.8	51.5	0	0
10	Masooda	0	3,693	3,508	3,521	4,041	0	121.8	4,008	-30.9	115.5	41.3	0	0
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	0	4,948	4,737	4,788	5,083	0	176.2	5,023	-59.3	171.3	93.5	0	0
15	Sarwar													
16	Srinagar	0	4,897	4,700	4,749	5,002	0	245.1	4,920	-84.0	243.9	91.5	0	0

Indicators		144	145	146	147	148	149	150	151	152	153	154	155	156
		Adverse Events Following Immunisation (Others)	% immunisation Sessions Held to Immunisation Sessions Planned	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned	Pneumonia in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheria in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonatorum in Children 0-5 Years of Age	Tuberculosis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	0	99.3	65.6	882	195	24	9	0	0	11	11	25	882
1	Ajmer	0	98.3	47.3	305	56	20	9	0	0	4	4	19	305
2	Ajmer Urban													
3	Arain	0	98.9	73.7	36	3	2	0	0	0	0	0	0	36
4	Beawar													
5	Bhinai	0	99.3	72.3	12	4	0	0	0	0	1	1	6	12
6	Bhinay													
7	Jawaja	0	100.0	59.8	0	0	0	0	0	0	0	0	0	0
8	Kekri	0	99.9	74.1	75	107	0	0	0	0	5	5	0	75
9	Kishangarh	0	98.5	67.1	313	0	0	0	0	0	0	0	0	313
10	Masooda	0	99.0	61.2	47	3	0	0	0	0	0	0	0	47
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	0	98.9	72.4	18	19	2	0	0	0	0	0	0	18
15	Sarwar													
16	Srinagar	0	101.4	70.3	76	3	0	0	0	0	1	1	0	76

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3rd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	4,013	432	0	30,759	27,207	27,207	34,607	0	75.3	26.3	43.0	0.3	155,939
1	Ajmer	930	373	0	6,509	5,354	5,354	7,542	0	78.9	21.7	42.5	0.6	64,360
2	Ajmer Urban													
3	Arain	316	0	0	2,165	1,909	1,909	2,861	0	68.4	16.7		0.0	7,132
4	Beawar													
5	Bhinai	236	0	0	2,037	1,787	1,787	2,327	0	72.1	19.7	25.0	0.1	6,299
6	Bhinay													
7	Jawaja	109	0	0	3,227	3,107	3,107	2,588	0	95.5	47.2		0.0	2,672
8	Kekri	236	0	0	2,678	2,453	2,453	2,842	0	74.6	31.8	43.5	0.1	17,407
9	Kishangarh	536	17	0	3,908	3,382	3,382	4,257	0	76.6	32.5	44.6	0.3	23,515
10	Masooda	253	1	0	3,400	3,108	3,108	3,399	0	68.1	22.3	46.7	0.1	10,348
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	618	36	0	3,942	3,616	3,616	4,175	0	70.6	27.6	55.6	0.1	14,096
15	Sarwar													
16	Srinagar	779	5	0	2,893	2,491	2,491	4,616	0	66.3	38.7	38.5	0.1	10,110

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathic)	Ayush OPD (Number)	OPD (Ayush+Allopathic)	% IPD to OPD	Number of Major Operations	Number of Minor Operations	% Major Operations to Total Operation	Number of Hysterectomy Surgeries	% Hysterectomy Surgeries to Total Major Operations	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	3,299,641	74,259	3,373,900	4.6	8,554	21,730	28.2	916	10.7	2.2	43,162	1.3	3.5
1	Ajmer	1,106,901	5,903	1,112,804	5.8	6,896	18,869	26.8	115	1.7	0.5	18,476	1.7	6.6
2	Ajmer Urban													
3	Arain	179,630	6,929	186,559	3.8	0	196	0.0	0		3.7	373	0.2	2.3
4	Beawar													
5	Bhinai	177,922	8,508	186,430	3.4	6	91	6.2	0	0.0	4.6	722	0.4	2.0
6	Bhinay													
7	Jawaja	98,227	6,588	104,815	2.5	0	0		0		6.3	217	0.2	3.1
8	Kekri	312,785	10,441	323,226	5.4	302	147	67.3	0	0.0	3.2	3,836	1.2	1.9
9	Kishangarh	391,060	5,395	396,455	5.9	1,196	1,148	51.0	801	67.0	1.4	7,040	1.8	3.1
10	Masooda	261,689	11,399	273,088	3.8	122	29	80.8	0	0.0	4.2	2,533	0.9	2.0
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	379,807	13,994	393,801	3.6	0	298	0.0	0		3.6	4,885	1.2	1.2
15	Sarwar													
16	Srinagar	391,620	5,102	396,722	2.5	32	952	3.3	0	0.0	1.3	5,080	1.3	1.6

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested ( Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Ajmer	0.8	31.7	0.5	0.6	0.1	0.0	579	7.8	1.6	7.4	0.2	1.2	0.0
1	Ajmer	1.3	34.5	0.8	1.1	0.1	0.0	66	4.5	6.1	15.2	0.0	6.1	0.0
2	Ajmer Urban													
3	Arain	0.4	5.8	0.5	0.5	0.0	0.0	75	9.3	1.3	12.0	0.0	0.0	0.0
4	Beawar													
5	Bhinai	0.0	26.2	0.0	0.0	0.0	0.0	36	0.0	0.0	0.0	0.0	0.0	0.0
6	Bhinay													
7	Jawaja	0.0	4.9	0.0	0.0	0.4	0.0	20	10.0	5.0	20.0	0.0	0.0	0.0
8	Kekri	1.0	37.0	0.3	0.5	0.1	0.0	79	16.5	0.0	11.4	0.0	0.0	0.0
9	Kishangarh	0.8	29.6	0.5	0.6	0.1	0.0	106	3.8	2.8	6.6	0.9	2.8	0.0
10	Masooda	0.2	47.5	0.2	0.2	0.0	0.0	60	3.3	0.0	1.7	0.0	0.0	0.0
11	Masuda													
12	Nasirabad													
13	Peesangan													
14	Pisangan	0.4	46.8	0.2	0.3	0.0	0.0	82	8.5	0.0	2.4	0.0	0.0	0.0
15	Sarwar													
16	Srinagar	0.2	28.6	0.1	0.1	0.0	0.0	55	12.7	0.0	1.8	0.0	0.0	0.0

Performance of Key HMIS Indicators for Rajasthan-> Ajmer ( Across Sub Districts)  
Financial Year: 2017-18  
Provisional Figures for the Period April to December  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		196	197	198
		Institutio nal Deliveries at Urban Heath Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH
		2017-18	2017-18	2017-18
	_Ajmer	25,612		
1	Ajmer	18,119		
2	Ajmer Urban			
3	Arain	257		
4	Beawar			
5	Bhinai	0		
6	Bhinay			
7	Jawaja	0		
8	Kekri	12		
9	Kishangarh	4,947		
10	Masooda	1,380		
11	Masuda			
12	Nasirabad			
13	Peesangan			
14	Pisangan	230		
15	Sarwar			
16	Srinagar	667		