| | | • | 1 | 2 | 2 | : | 3 | 4 | 4 | ! | 5 | (| 5 |
|------------|-----------|------------------------------------|---------|---------------------------------------|-----------|-------------------------------------|---------|------------------------------------|-------------|-------------|---------|-------------------------------|---------|
| Indicators | | Total nu pregnant Registered | | Number of women re within first | egistered | 1st Trii registratio ANC Regi | | Number of women red more ANC | ceived 4 or | TT2 given t | | TT Booste Pregnant (num | |
| _Longding | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 187 | 247 | 70 | 101 | 37.4 | 40.8 | 39 | 28 | 167 | 155 | 22 | 49 |
| 1 | Kanubari | 48 | 80 | 6 | 7 | 12.5 | 8.8 | 2 | 0 | 50 | 35 | 6 | 5 |
| 2 | Niausa | 38 | 91 | 20 | 60 | 52.6 | 65.9 | 7 | 28 | 29 | 79 | 9 | 36 |
| 3 | Pongchau | 34 | 22 | 16 | 8 | 47.1 | 36.4 | 5 | | 37 | 9 | 0 | |
| 4 | Wakka | 67 | 54 | 28 | 26 | 41.8 | 48.1 | 25 | | 51 | 32 | 7 | 8 |

| | | 7 | 7 | 8 | 3 | 9 |) | 1 | 0 | 1 | 1 | 1 | 2 |
|------------|-----------|--|----------------------------------|--|---------------------------------|-----------|----------------------------------|---------|--|---|------------------|---|----------------------------|
| Indicators | | Pregnant received 4 ups to To Registr | : Woman ANC check otal ANC | Pregnant receive TT Booste ANC Regi | t women d TT2+ r to Total | women giv | f Pregnant en 180 IFA lets | Pregnan | 6 t women FA to Total istration | Number of Women h leve (tested | aving Hb I<11 | Number of Women hav anae (Hb treated at | ring severe emia <7) |
| _Longding | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 20.8 | 11.3 | 101.0 | 82.5 | 93 | 117 | 49.7 | 47.3 | 58 | 6 | 0 | 0 |
| 1 | Kanubari | 4.2 | 0.0 | 116.7 | 50.0 | 10 | 0 | 20.8 | 0.0 | 11 | 0 | 0 | 0 |
| 2 | Niausa | 18.4 | 30.8 | 100.0 | 126.4 | 38 | 88 | 100.0 | 96.7 | 0 | 0 | 0 | 0 |
| 3 | Pongchau | 14.7 | 0.0 | 108.8 | 40.9 | 13 | 6 | 38.2 | 27.3 | 0 | | 0 | |
| 4 | Wakka | 37.3 | 0.0 | 86.6 | 74.1 | 32 | 23 | 47.8 | 42.6 | 47 | 6 | 0 | |

| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
|-----|-----------|---------------------|-------------------------------------|--|---|-----------------|---------|--|---------------------|---------|------------|---|--------------------------------|
| Inc | dicators | treated at to women | t women ere anaemia <7) institution | New cases of Women de institut hypertension | of Pregnant etected at ion for on to Total | Number deliv | | Number deliveries a SBA tr (Doctor/No | ttended by ained | Non SBA | ttended by | SBA atten deliveries Reporte Deliv | ded home to Total d Home |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | | | 0.0 | 0.0 | 75 | 70 | 27 | 19 | 48 | 51 | 36.0 | 27.1 |
| 1 | Kanubari | | | 0.0 | 0.0 | 37 | 51 | 0 | 1 | 37 | 50 | 0.0 | 2.0 |
| 2 | Niausa | | | 0.0 | 0.0 | 2 | 0 | 0 | 0 | 2 | 0 | 0.0 | |
| 3 | Pongchau | | | 0.0 | 0.0 | | | | | | | | |
| 4 | Wakka | | | 0.0 | 0.0 | 36 | 19 | 27 | 18 | 9 | 1 | 75.0 | 94.7 |

| | Indicators | 1 | 9 | 2 | 0 | 2 | .1 | 2 | 2 | 2 | 3 | 2 | 4 |
|----|------------|---------------------|---------|-----------------------|---------------------------|----------|---|---------|---------------------------|---|---------------------------|--|--|
| In | dicators | Deliveries (| | Number of doublic for | l under 48 lelivery in | delivery | charged in 18 hours of to Total Deliveries | | Conducted Institutions | Number of Discharged hours of of private in | l under 48 lelivery in | Women dis less than 4 delivery Reported at private i | charged in 8 hours of to Total Deliveries |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 56 | 69 | 47 | 64 | 83.9 | 92.7 | | | | | | |
| 1 | Kanubari | Longding 56 69 47 6 | | 9 | 0.0 | 100.0 | | | | | | | |
| 2 | Niausa | 17 | 35 | 17 | 35 | 100.0 | 100.0 | | | | | | |
| 3 | Pongchau | 13 | 7 | 13 | 3 | 100.0 | 42.9 | | | | | | |
| 4 | Wakka | 17 | 18 | 17 | 17 | 100.0 | 94.4 | | | | | | |

| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|-----|-----------|--|--------------------|-----------------------------------|----------------------|-------------------|------------------|-----------------------------------|-----------------------|--------------------------------|----------------------|-------------------------------|-----------------------|
| lne | dicators | Institu deliv (Public In Inst | eries sts.+Pvt. | Institu Deliveries ANC regi | tional s to total | Total re deliv | eported eries | Institu deliveries Reported | itional s to Total | Safe deli Total Re Deliv | veries to eported | Home del Total Re Deliv | iveries to eported |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 56 | 69 | 29.9 | 27.9 | 131 | 139 | 42.7 | 49.6 | 63.4 | 63.3 | 57.3 | 50.4 |
| 1 | Kanubari | 9 | 9 | 18.8 | 11.3 | 46 | 60 | 19.6 | 15.0 | 19.6 | 16.7 | 80.4 | 85.0 |
| 2 | Niausa | 17 | 35 | 44.7 | 38.5 | 19 | 35 | 89.5 | 100.0 | 89.5 | 100.0 | 10.5 | 0.0 |
| 3 | Pongchau | 13 | 7 | 38.2 | 31.8 | 13 | 7 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 4 | Wakka | 17 | 18 | 25.4 | 33.3 | 53 | 37 | 32.1 | 48.6 | 83.0 | 97.3 | 67.9 | 51.4 |

| | | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
|-----|-----------|--------------------------------------|-----------|---------------------------------------|-----------|------------------------------|------------------|---------------------------|---|--|------------------------|--|----------------------------|
| Inc | dicators | Number of deliveries at public | conducted | Number of deliveries at private | conducted | to rep institu (Public | + Pvt.) orted | at public f Deliveries | conducted acilities to conducted facilities | C-sections at Private 1 Deliveries at private | acilities to conducted | Deliveries at Public II to Total In Deliv | nstitutions stitutional |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 1 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 | | | |
| 2 | Niausa | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Pongchau | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 4 | Wakka | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |

| Indicators _Longding | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 | |
|-----------------------|-----------|--|--------------------------|--|------------------------|--|------------|---|-------------------------------------|--|--|------------------------|-----------------------|
| | | 9 Deliveries at Private I to Total In: Deliv | conducted nstitutions | Women re post partun within 48 home d | n check-up hours of | Women rec post partur between 48 | n check up | Women go post partur within 48 home de Total Repo | n check-up hours of livery to | Women ge Post Partur between 48 14 days Reported | etting 1st n Checkup I hours and to Total | Total Nu reported l | mber of ive births |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 0.0 | 0.0 | 46 | 63 | 20 | 4 | 61.3 | 90.0 | 15.3 | 2.9 | 130 | 137 |
| 1 | Kanubari | 0.0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 46 | 60 |
| 2 | Niausa | 0.0 | 0.0 | 0 | 22 | 0 | 4 | 0.0 | | 0.0 | 11.4 | 19 | 34 |
| 3 | Pongchau | 0.0 | 0.0 | 13 | 4 | 0 | 0 | | | 0.0 | 0.0 | 13 | 7 |
| 4 | Wakka | 0.0 | 0.0 | 33 | 37 | 20 | 0 | 91.7 | 194.7 | 37.7 | 0.0 | 52 | 36 |

| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
|------------|-----------|--------------------------|------------|------------------------|---------|---------------|------------------------|-------------------|---------|---------------------|---------|----------------------------------|------------|
| Indicators | | % Live Birth Deliv | s to Total | Total Nu reported S | | live birth to | % o Reported rth | Number of weighed | | Newborns birth to l | | Number of having we than 2 | eight less |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 99.2 | 98.6 | 1 | 2 | 99.2 | 98.6 | 130 | 86 | 100.0 | 62.8 | 0 | 0 |
| 1 | Kanubari | 100.0 | 100.0 | 0 | 0 | 100.0 | 100.0 | 46 | 9 | 100.0 | 15.0 | 0 | 0 |
| 2 | Niausa | 100.0 | 97.1 | 0 | 1 | 100.0 | 97.1 | 19 | 34 | 100.0 | 100.0 | 0 | 0 |
| 3 | Pongchau | 100.0 | 100.0 | 0 | 0 | 100.0 | 100.0 | 13 | 7 | 100.0 | 100.0 | 0 | 0 |
| 4 | Wakka | 98.1 | 97.3 | 1 | 1 | 98.1 | 97.3 | 52 | 36 | 100.0 | 100.0 | 0 | 0 |

| | | 4 | 9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|-----------------------|-----------|---|------------------------------------|-------------------------------|---------|---------------------------------------|----------------------------|-------------------|-------------------|---|---|---|---|
| Indicators _Longding | | % Newborr weight les kg to Ne weighed | ns having s than 2.5 ewborns | Number of Breast Fec ho | | Newborns within 1 ho to Total l | breast fed our of birth | `Birt Male Liv | male Live ths/ | cases of l women with Complicat attended to deliv | Pregnant n Obstetric tions and reported | Compl Pregnancie with Transfusio Wome Obst Compli | icated es treated Blood n to Total n with etric cations |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 0.0 | 0.0 | 130 | 136 | 100.0 | 99.2 | 806 | 1,141 | 0.0 | 0.0 | | |
| 1 | Kanubari | 0.0 | 0.0 | 46 | 59 | 100.0 | 98.3 | 917 | 1,069 | 0.0 | 0.0 | | |
| 2 | Niausa | 0.0 | 0.0 | 19 | 34 | 100.0 | 100.0 | 900 | 889 | 0.0 | 0.0 | | |
| 3 | Pongchau | 0.0 | 0.0 | 13 | 7 | 100.0 | 100.0 | 300 | 2,500 | 0.0 | 0.0 | | |
| 4 | Wakka | 0.0 | 0.0 | 52 | 36 | 100.0 | 100.0 | 857 | 1,400 | 0.0 | 0.0 | | |

| | Indicators | 5 | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|------------|------------|-------------------------|--------------------------|--|------------------------------|---------|---------|---------|----------|---------|------------|--|---------------------------|
| Indicators | | Number of 360 Calciu | f PW given ım tablets | Pregnant given 360 Total Regist | t women Calcium to ANC | | | Pregnan | to Total | | ugar using | Pregnant tested for busing OGT ANC Reg | olood sugar T to Total |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 24 | 3 | 12.8 | 1.2 | 8 | 0 | 4.3 | 0.0 | 13 | | 7.0 | 0.0 |
| 1 | Kanubari | 0 | 0 | 0.0 | 0.0 | 6 | 0 | 12.5 | 0.0 | | | 0.0 | 0.0 |
| 2 | Niausa | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 0 | | 0.0 | 0.0 |
| 3 | Pongchau | 0 | | 0.0 | 0.0 | 0 | | 0.0 | 0.0 | | | 0.0 | 0.0 |
| 4 | Wakka | 24 | 3 | 35.8 | 5.6 | 2 | | 3.0 | 0.0 | 13 | | 19.4 | 0.0 |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|------------|-------------|--------------------|---------|---|-----------------------------------|------------------------------|---------|---|------------|---|-------------------------------|--|--|
| Indicators | | Number of positive | | Pregnant tested po GDM to T Regist | t women sitive for otal ANC | Number of women to Syp | | Number of women tes sero pos Syp | sted found | Pregnant tested for Total Regist | t women Syphilis to ANC | Pregnant treatd for ! Total sero p | t women Syphilis to positive for |
| _Longding | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding 0 | | | 0.0 | 0.0 | 33 | 91 | 0 | 0 | 17.6 | 36.8 | 0.0 | 0.0 |
| 1 | | | | 0.0 | 0.0 | | | | | 0.0 | 0.0 | | |
| 2 | Niausa | 0 | | 0.0 | 0.0 | 33 | 91 | 0 | 0 | 86.8 | 100.0 | 0.0 | 0.0 |
| 3 | Pongchau | 0 | | 0.0 | 0.0 | 0 | | 0 | | 0.0 | 0.0 | | |
| 4 | Wakka | 0 | | 0.0 | 0.0 | 0 | | 0 | | 0.0 | 0.0 | | |

| | Indicators _Longding | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7 | 2 |
|----|-----------------------|--|--|-----------------|---------|---|------------------|---------------------------------------|------------------|-----------------------------|---------|---------------------|---------|
| In | _Longding 1 Kanubari | of babies t congenital babies total with Co | reated for Syphilis to I diagnosed ngenital | Tota materna | | Total Faci Materna Revi (FBMDF | al Death iews | Total Nu Abort (Sponta Repo | tions aneous) | Total Nu MTPs (condu | Public) | % MTPs t Abor | o total |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | | | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 3 | 0.0 | 75.0 |
| 1 | Kanubari | | | 0 | 0 | 0 | 0 | | | | | | |
| 2 | Niausa | | | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 3 | 0.0 | 75.0 |
| 3 | Pongchau | | | | | | | 0 | 0 | | | | |
| 4 | Wakka | | | | | | | 0 | 0 | 0 | | | |

| | | 7 | 3 | 7 | 4 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|-----|-----------|---|------------------------------------|--|-----------------------------------|--------------------------|---------|------------------------------------|----------------------|---|-------------------|-------------------------|---------|
| Inc | dicators | MTPs up to of Pregn Total MTPs Institu | 12 weeks ancy to s at Public | MTPs mor weeks of F to Total Public Ins | e than 12 Pregnancy MTPs at | MTPs Con Public Insti | | MTPs Con Private Ins to Tota | ducted at stitutions | % Tota (Pul Conducted ANC Regi | olic) to Total | Numb Vasect Condu | omies |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | | 100.0 | | 0.0 | | 100.0 | | 0.0 | 0.0 | 1.2 | | |
| 1 | Kanubari | | | | | | | | | 0.0 | 0.0 | | |
| 2 | Niausa | | 100.0 | | 0.0 | | 100.0 | | 0.0 | 0.0 | 3.3 | | |
| 3 | Pongchau | | | | | | | | | 0.0 | 0.0 | | |
| 4 | Wakka | | | | | | | | | 0.0 | 0.0 | | |

| | | 7 | 9 | 8 | 0 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|----|-----------|------------------------|---------|-------------------|---------|-------------------------------------|---------|--------------------------------------|---------|---|--------------------|--|--------------------|
| In | dicators | Numb Tubect Cond | tomies | Total Ste Cond | | % Male St (Vasect to Total st | tomies) | % Female : (Tubect to Total st | tomies) | Total Ste (Tubecto Vasect conducte | mies and omies) | Total Ste (Tubecto Vasecto conducte | mies and omies) |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | | | | | | | | | | | | |
| 1 | Kanubari | | | | | | | | | | | | |
| 2 | Niausa | | | | | | | | | | | | |
| 3 | Pongchau | | | | | | | | | | | | |
| 4 | Wakka | | | | | | | | | | | | |

| | Indicators _Longding Kanubari | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|----|---------------------------------|--|--------------------|---|--------------------|---------------------------------|--|---------------------------------|---|---|--|--|---|
| In | dicators | Total Ste (Tubecto Vasecto conducte | mies and omies) | Total Ste (Tubecto Vasect conducte | mies and omies) | (Tubecto Vasect conducted | erlisation mies and omies) I at Private utions | (Tubecto Vasect conducted | erlisation mies and omies) d at Public utions | % Total Sto (Tubecto Vasecto conducted institution Sterlis | mies and omies) at Private s to Total | % Total Sto (Tubecto Vasect conducted institution Sterlis | mies and omies) I at Public s to Total |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | | | | | | | | | | | | |
| 1 | Kanubari | | | | | | | | | | | | |
| 2 | Niausa | | | | | | | | | | | | |
| 3 | Pongchau | | | | | | | | | | | | |
| 4 | Wakka | | | | | | | | | | | | |

| | Indicators _Longding | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
|----|-----------------------|--------------------------------------|----------------------|-------------------------------------|-----------------------|--------------|---------|--------------|---------|------------------------------|---|---|---------|
| In | dicators | Laparo sterlisation Female Ste | scopic s to Total | Mini Lap St to Total Sterilis | erlisations Female | Sterlisation | artum | Sterlisation | portion | sterlisation Institutions | scopic s at Public to Total scopic | Mini Lap st at Public Ir to Total | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | | | | | | | | | | | | |
| 1 | Kanubari | | | | | | | | | | | | |
| 2 | Niausa | | | | | | | | | | | | |
| 3 | Pongchau | | | | | | | | | | | | |
| 4 | Wakka | | | | | | | | | | | | |

| | Indicators _Longding | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 | 02 |
|-----|-----------------------|--|--|---|---|----------------------|---|---------|----------------------------------|-------------------------------------|----------|------------------------------------|---------|
| Inc | dicators | Post P sterlisation Institution Post P Sterili | artum ns at Public s to Total artum | Post Ab sterlisation Institution Post P Sterili | portion as at Public as to Total artum | follo Sterlisatio | s of deaths wing on (Male + nale) | followi | s of deaths ng Male sation | Total cases following Sterlis | g Female | Total cases followii Sterlis | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | | | | | | | | | | | | |
| 1 | Kanubari | | | | | | | | | | | | |
| 2 | Niausa | | | | | | | | | | | | |
| 3 | Pongchau | | | | | | | | | | | | |
| 4 | Wakka | | | | | | | | | | | | |

| | | 10 |)3 | 10 | 04 | 10 |)5 | 10 | 06 | 10 | 07 | 10 |)8 |
|----------|-----------|-------------------------------------|---------|--|-------------------|---|----------|-------------------------|--------------------------|------------------------|---------|--|------------------|
| lne | dicators | Total cases following Sterlis | | Total c compli followii Sterlis | cation ng Male | Total c compl following Sterli | g Female | IUCD Inser (public f | tions done acilities) | IUCD inser (pvt. fa | | % PP IUCD (pub to Tota Insertions | olic) Il IUCD |
| Longding | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | | | 0 | | 0 | | 1 | 0 | | | 0.0 | |
| 1 | Kanubari | | | | | | | 0 | 0 | | | | |
| 2 | Niausa | | | 0 | | 0 | | 0 | 0 | | | | |
| 3 | Pongchau | | | | | | | | | | | | |
| 4 | Wakka | | | | | | | 1 | | | | 0.0 | |

| | | 10 |)9 | 11 | 10 | 1′ | 11 | 1 | 12 | 11 | 13 | 1 | 14 |
|------------|-----------|--|----------------------|---|---------------------------------------|------------------------|---------|---------------------|---------|---------------------|---------|---------------------|---------|
| Indicators | | % PP IUCD (pul to Total In: Deliverie | olic) stitutional | IUCD insert family p methods (perma | tions to all blanning IUCD plus | Total Inte Insertio | | Total P Insertio | | Total P insertio | | Combined distril | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 0.0 | 0.0 | 100.0 | | 1 | 0 | 0 | 0 | 0 | | 58 | 90 |
| 1 | Kanubari | 0.0 | 0.0 | | | | 0 | 0 | 0 | | | 18 | 25 |
| 2 | Niausa | 0.0 | 0.0 | | | 0 | 0 | 0 | 0 | | | 21 | 52 |
| 3 | Pongchau | 0.0 | 0.0 | | | | | | | | | 6 | |
| 4 | Wakka | 0.0 | 0.0 | 100.0 | | 1 | | 0 | | 0 | · | 13 | 13 |

| | | 11 | 15 | 11 | 16 | 11 | 17 | 11 | 18 | 11 | 19 | 12 | 20 |
|----|-----------|--------------------|---------|-------------------|---------|-----------------------------|-----------|----------------------------|---|---------|--------------------------------|--|-------------------------------|
| In | dicators | Emergei distril | | Condom distril | | Centch (week distril | ly pills) | beneficiarie dose of Ir | per of es given 1st njectable Program) | | ries given lose of table | Numb beneficia 3rd d Injec (Antara F | ries given ose of table |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 11 | 19 | 103 | 72 | 0 | | 0 | | 0 | | 0 | |
| 1 | Kanubari | 0 | 19 | 35 | 0 | | | | | | | | |
| 2 | Niausa | 0 | 0 | 40 | 72 | 0 | | 0 | | 0 | | 0 | |
| 3 | Pongchau | 2 | | 0 | | | | | | | | | |
| 4 | Wakka | 9 | | 28 | | 0 | | 0 | | 0 | | 0 | |

| | | 12 | 21 | 12 | 22 | 12 | 23 | 12 | 24 | 12 | 25 | 12 | 26 |
|------------|-----------|---|---------------------------------------|--------------|---------|-----------------------------|---------|----------|---------|-------------------------------|---------|------------------------------|------------------------|
| Indicators | | Numb beneficia 4th or mo doses of I (Antara I | ries given ore than 4 njectable | Pregnancy us | | Number o given (Birth | OPV 0 | Number o | | Number o given H (birth | lep- B0 | Newborns of at birth to live | given OPV0 Reported |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 0 | | 119 | 78 | 83 | 96 | 171 | 177 | 37 | 84 | 63.8 | 70.1 |
| 1 | Kanubari | | | 36 | 20 | 9 | 9 | 77 | 28 | 5 | 9 | 19.6 | 15.0 |
| 2 | Niausa | 0 | | 18 | 58 | 17 | 28 | 32 | 90 | 17 | 16 | 89.5 | 82.4 |
| 3 | Pongchau | | | 10 | | 20 | 18 | 20 | 18 | 7 | 18 | 153.8 | 257.1 |
| 4 | Wakka | 0 | | 55 | | 37 | 41 | 42 | 41 | 8 | 41 | 71.2 | 113.9 |

| | | 12 | 27 | 12 | 28 | 12 | 29 | 13 | 30 | 13 | 31 | 13 | 32 |
|-----|------------|---------|------------------------------------|--|---------------------------------------|----------|---------|----------|---------|----------|---------|----------|---------|
| Inc | Indicators | | 6 given BCG rted live rth | Newbori Hep-B0(Bir birth to Rep bir | ns given th Dose)at ported live | Number o | | Number o | | Number o | | Number o | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 131.5 | 129.2 | 28.5 | 61.3 | 0 | 0 | 0 | 0 | 4 | 0 | 165 | 169 |
| 1 | Kanubari | 167.4 | 46.7 | 10.9 | 15.0 | 0 | 0 | 0 | 0 | 4 | 0 | 74 | 36 |
| 2 | Niausa | 168.4 | 264.7 | 89.5 | 47.1 | 0 | 0 | 0 | 0 | 0 | 0 | 29 | 69 |
| 3 | Pongchau | 153.8 | 257.1 | 53.8 | 257.1 | | | | | | | 21 | 20 |
| 4 | Wakka | 80.8 | 113.9 | 15.4 | 113.9 | | | | | | | 41 | 44 |

| | | 13 | 33 | 13 | 34 | 13 | 35 | 1: | 36 | 13 | 37 | 13 | 38 |
|------------|-----------|----------|---------|----------|---------|----------|-----------------------|----------|--------------------|---|---|-------------------------------|------------|
| Indicators | | Number o | | Number o | | Number o | of Infants Neasles | Number o | of Infants n MR | Infants months received MR vac reported I | 0 to 11 old who Measles+ cine to | Number immunize (9-11 n | d children |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 196 | 164 | 167 | 159 | 142 | 118 | 13 | | 119.2 | 86.1 | 99 | 113 |
| 1 | Kanubari | 103 | 29 | 89 | 27 | 88 | 29 | | | 191.3 | 48.3 | 33 | 24 |
| 2 | Niausa | 31 | 67 | 26 | 71 | 19 | 40 | 0 | | 100.0 | 117.6 | 19 | 40 |
| 3 | Pongchau | 20 | 16 | 19 | 14 | 13 | 11 | | | 100.0 | 157.1 | 13 | 11 |
| 4 | Wakka | 42 | 52 | 33 | 47 | 22 | 38 | 13 | | 67.3 | 105.6 | 34 | 38 |

| Indicators | 13 | 39 | 14 | 10 | 14 | 41 | 14 | 42 | 14 | 43 | 14 | 14 | |
|------------|-----------|---------------------------|---------|---------------------------------------|------------------------|---|-------------------------------------|--------------------------------|---------|------------------------|------------|------------------------|------------|
| lne | dicators | 9 Drop Out BCG & Me | | % Children g dose1 to live l | iven Vit A Reported | Childre Vitamin A Children g dos | n given Dose 9 to given Vit A | Adverse Following I (Abc | | Adverse Following I | munisation | Adverse Following I | munisation |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 17.0 | 33.3 | 86.2 | 19.0 | 7.1 | 3.8 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Kanubari | -14.3 | -3.6 | 167.4 | 0.0 | 9.1 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Niausa | 40.6 | 55.6 | 0.0 | 17.6 | | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Pongchau | 35.0 | 38.9 | 100.0 | 57.1 | 0.0 | 0.0 | | | | | | |
| 4 | Wakka | 47.6 | 7.3 | 42.3 | 44.4 | 4.5 | 6.3 | | | | | | |

| | | 14 | 1 5 | 14 | 16 | 14 | 147 | | 148 | | 19 | 150 | |
|------------|-----------------|---|------------|---|---------|--|---------|--|---------|--|---------|--|---------|
| Indicators | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | Pneumonia in Children 0-5 Years of Age | | Asthma in Children 0-5 Years of Age | | Sepsis in Children 0-5 Years of Age | | Diphtheria in Children 0-5 Years of Age | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 97.6 | 81.0 | 55.4 | 35.3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Kanubari | 100.0 | 100.0 | 67.9 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Niausa 100.0 10 | | 100.0 | 100.0 | 0.0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Pongchau | 100.0 | 100.0 | 29.2 | 100.0 | 0 | | 0 | | 0 | | 0 | |
| 4 | Wakka | 92.6 | 62.5 | 56.0 | 60.0 | 0 | | 0 | | 0 | | 0 | |

| | | 15 | 51 | 15 | 52 | . 1 | | 154 | | 155 | | 156 | |
|------------|-----------|-------------------------|---------|---|---------|---|---------|---|---------|------------------------|---------|---|---------|
| Indicators | | Pertussis i 0-5 Year | | Tetanus Neonatorum in Children 0-5 Years of Age | | Tuberculosis (TB) in Children 0-5 Years of Age | | Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age | | Measles ir 0-5 Year | | Malaria in Children 0-5 Years of Age | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 0 | 1 |
| 1 | Kanubari | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Niausa | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 3 | Pongchau | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | |
| 4 | Wakka | 0 | | 0 | | 0 | | 0 | | 0 | 15 | 0 | |

| | | 15 | 57 | 15 | 158 | | 159 | | 160 | | 51 | 162 | |
|------------|-----------|-------------------------|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| Indicators | | Diarrhoea i 0-5 Year | | Diarrhoea treated in Inpatients in Children 0-5 Years of Age | | No. of infants given Measles Rubella vaccine 1st dose | | No. of infants received Rotavirus Vaccine 1st dose | | No. of infants received Rotavirus Vaccine 2nd dose | | No. of infants received Rotavirus Vaccine 3nd dose | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 163 | 159 | 1 | 12 | 13 | | 0 | | 0 | | 0 | |
| 1 | Kanubari | 75 | 37 | 0 | 0 | | | | | | | | |
| 2 | Niausa | 0 | 54 | 0 | 0 | 0 | | 0 | | 0 | | 0 | |
| 3 | Pongchau | 15 | 28 | 0 | | | | | | | | | |
| 4 | Wakka | 73 | 40 | 1 | 12 | 13 | | | | | | | |

| | | 16 | 53 | 164 | | 165 | | 166 | | 167 | | 168 | |
|------------|-----------|--|---------|---|---------|---|---------|---|---------|---|---------|---------------------------------------|---------|
| Indicators | | No of children 16-24 months age given Measles 2nd dose | | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 73 | 46 | 0 | | 70.4 | 46.4 | 21.7 | 25.8 | 0.0 | | 1.4 | 0.0 |
| 1 | Kanubari | 53 | 1 | | | 81.8 | 23.5 | 26.7 | 22.7 | | | 0.0 | 0.0 |
| 2 | Niausa | 19 | 22 | 0 | | 54.5 | 48.4 | 29.0 | 28.1 | 0.0 | | 3.2 | 0.0 |
| 3 | Pongchau | 1 | | | | 75.0 | 47.6 | 0.0 | 12.5 | | | 0.0 | 0.0 |
| 4 | Wakka | 0 | 23 | 0 | | 88.9 | 70.0 | 18.2 | 37.5 | | | 0.0 | 0.0 |

| | | 169 | | 170 | | 171 | | 172 | | 173 | | 174 | |
|------------|-----------|---------|---------|------------------|---------|-----------|--------------------|---------|---------------------------|---------|---------|-----------------|---------|
| Indicators | | IPD (Nu | ımber) | OPD (Allopathic) | | Ayush OPD | Ayush OPD (Number) | | OPD (Ayush+Allopathic) | | to OPD | Number Opera | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 69 | 151 | 4,279 | 5,649 | 556 | 1,462 | 4,835 | 7,111 | 1.4 | 2.1 | 0 | |
| 1 | Kanubari | 15 | 22 | 1,191 | 684 | 244 | 641 | 1,435 | 1,325 | 1.0 | 1.7 | | |
| 2 | Niausa | 31 | 89 | 901 | 2,457 | 312 | 821 | 1,213 | 3,278 | 2.6 | 2.7 | | |
| 3 | Pongchau | 12 | 24 | 872 | 926 | | | 872 | 926 | 1.4 | 2.6 | 0 | |
| 4 | Wakka | 11 | 16 | 1,315 | 1,582 | | | 1,315 | 1,582 | 0.8 | 1.0 | | |

| | | 17 | 75 | 17 | 76 | 17 | 77 | 178 | | 179 | | 180 | |
|------------|-----------|-----------------|---------|---|---------|--|---------|---|---------|--------------------------|---------|---------------------|---------|
| Indicators | | Number Opera | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | % AYUSH OPD to Total OPD | | Dental OPD (Number) | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 55 | 10 | 0.0 | 0.0 | 0 | | | | 11.4 | 20.5 | 169 | 178 |
| 1 | Kanubari | | | | | | | | | 17.0 | 48.4 | 0 | 0 |
| 2 | Niausa | 0 | | | | | | | | 25.7 | 25.0 | 169 | 178 |
| 3 | Pongchau | 16 | | 0.0 | | 0 | | | | 0.0 | 0.0 | 0 | |
| 4 | Wakka | 39 | 10 | 0.0 | 0.0 | | | | | 0.0 | 0.0 | 0 | |

| | | 18 | 31 | 182 | | 183 | | 184 | | 185 | | 186 | |
|------------|---------------------|---------------------------------|---------|---|---------|---|---------|---|---------|---|---------|---|---------|
| Indicators | | % Dental OPD to Total OPD | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female screened for HIV to Total ANC Registration | | % Female HIV Positive to Total Females Tested | | % Total HIV Positive to Total Tested (Male + Female) | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 3.5 | 2.5 | 7.4 | 0.4 | | | 0.0 | 0.0 | | | | |
| 1 | Kanubari | 0.0 | 0.0 | 2.0 | 0.0 | | | 0.0 | 0.0 | | | | |
| 2 | Niausa 13.9 5.4 0.0 | | 0.5 | | | 0.0 | 0.0 | | | | | | |
| 3 | Pongchau 0.0 0.0 | | | | 0.0 | 0.0 | | | | | | | |
| 4 | Wakka | 0.0 | 0.0 | 100.0 | 0.0 | | | 0.0 | 0.0 | | | | |

| | | 18 | 37 | 18 | 188 | | 189 | | 90 | 19 | 91 | 192 | |
|------------|--------------------------|---|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| Indicators | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | 1.1 | 1.2 | 0.0 | 0.0 | 0 | 1 | | 0.0 | | 0.0 | | 0.0 |
| 1 | Kanubari | | | | | 0 | 0 | | | | | | |
| 2 | Niausa | usa 1.0 1.9 | | 0.0 | 0.0 | 0 | 0 | | | | | | |
| 3 | Pongchau 1.6 0.0 0.0 0.0 | | 0.0 | | | | | | | | | | |
| 4 | Wakka 0.0 0.0 0.0 0.0 | | | 1 | | 0.0 | | 0.0 | | 0.0 | | | |

| | | 19 | 93 | 19 | 194 | | 95 | 19 | 96 | 197 | | 198 | |
|------------|-----------|---|---------|---|---------|--------------------------|---|---------|---|---------|---------------------------------|--|---------|
| Inc | dicators | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | Deaths due to Total F | % Deaths due to Measles to Total Reported Infant Deaths | | Institutional Deliveries at Urban Heatlh Facilities i.e SC+PHC+CHC+SDH | | itional at District itals | Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+D H | |
| | | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 | 2018-19 | 2017-18 |
| | _Longding | | 0.0 | | 0.0 | | 0.0 | | | | | | |
| 1 | Kanubari | | | | | | | | | | | | |
| 2 Niausa | | | | | | | | | | | | | |
| 3 Pongchau | | | | | | | | | | | | | |
| 4 | Wakka | | 0.0 | | 0.0 | | 0.0 | | | | | | |