

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	15,904	16,230	13,038	12,246	12,461	12,461	81.9	75.4	78.4	76.8	16,233	16,825
1	Devanahalli	3,439	3,518	3,022	2,997	2,811	2,824	87.9	85.2	81.7	80.3	3,282	3,829
2	Doddaballapur	4,455	4,537	3,712	3,685	3,629	3,718	83.3	81.2	81.5	81.9	4,234	3,733
3	Hosakote	4,783	4,923	3,983	3,225	3,637	3,565	83.3	65.5	76.0	72.4	4,737	5,459
4	Nelamanagala	3,227	3,252	2,321	2,339	2,384	2,354	71.9	71.9	73.9	72.4	3,980	3,804

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	14,953	13,777	102.0	103.6	94.0	84.8	15,934	15,007	100.1	92.4	17,728	15,910
1	Devanahalli	3,409	3,340	95.4	108.8	99.1	94.9	3,371	3,314	98.0	94.2	4,394	3,694
2	Doddaballapur	3,765	3,982	95.0	82.3	84.5	87.8	4,637	3,533	104.1	77.9	4,410	3,291
3	Hosakote	5,283	4,562	99.0	110.9	110.5	92.7	5,048	5,756	105.5	116.9	5,402	5,582
4	Nelamanagala	2,496	1,893	123.3	117.0	77.3	58.2	2,878	2,404	89.2	73.9	3,522	3,343

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	390	229	2.2	1.4	3.5	2.9	6	10	2	5	4	5
1	Devanahalli	47	19	1.1	0.5	0.4	0.4	0	0	0	0	0	0
2	Doddaballapur	23	12	0.5	0.4	0.6	0.6	2	5	1	3	1	2
3	Hosakote	243	180	4.5	3.2	8.8	7.4	2	2	0	1	2	1
4	Nelamanagala	77	18	2.2	0.5	2.8	2.1	2	3	1	1	1	2

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	33.3	50.0	6	1	100.0	10.0	4,931	4,622	199	633	4.0	13.6
1	Devanahalli			0	0			755	747	73	210	9.7	28.1
2	Doddaballapur	50.0	60.0	6	0	300.0	0.0	2,215	2,065	13	36	0.6	1.7
3	Hosakote	0.0	50.0	0	1	0.0	50.0	1,112	1,025	40	185	3.6	18.0
4	Nelamanagala	50.0	33.3	0	0	0.0	0.0	849	785	73	202	8.6	25.7

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	8,709	8,953	54.7	55.1	8,715	8,963	99.9	99.9	100.0	99.9	0.1	0.1
1	Devanahalli	1,315	1,436	38.2	40.8	1,315	1,436	100.0	100.0	100.0	100.0	0.0	0.0
2	Doddaballapur	2,907	2,649	65.3	58.4	2,909	2,654	99.9	99.8	100.0	99.9	0.1	0.2
3	Hosakote	3,128	3,496	65.4	71.0	3,130	3,498	99.9	99.9	99.9	100.0	0.1	0.1
4	Nelamanagala	1,359	1,372	42.1	42.2	1,361	1,375	99.9	99.8	99.9	99.9	0.1	0.2

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	1,198	780	2,299	2,468	40.1	36.2	24.3	16.9	60.9	57.0	56.6	51.6
1	Devanahalli	86	67	356	388	33.6	31.7	11.4	9.0	63.6	56.3	57.4	52.0
2	Doddaballapur	757	476	421	338	40.5	30.7	34.2	23.1	60.8	57.9	76.2	78.0
3	Hosakote	131	95	1,103	1,290	39.5	39.6	11.8	9.3	54.7	52.2	35.5	29.3
4	Nelamanagala	224	142	419	452	47.3	43.3	26.4	18.1	82.2	77.0	62.5	57.2

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	82.8	57.4	0.1	0.2	43.4	48.4	6,689	7,033	11,307	10,125	76.8	78.5
1	Devanahalli	78.1	68.4	0.0	0.0	42.6	48.0	1,017	991	2,436	2,661	77.3	69.0
2	Doddaballapur	75.5	38.9	0.0	0.1	23.8	22.0	1,960	2,190	2,754	2,200	67.4	82.5
3	Hosakote	111.0	79.6	0.5	0.0	64.5	70.7	2,710	3,066	3,638	3,047	86.6	87.7
4	Nelamanagala	69.1	66.6	0.0	0.8	37.5	42.8	1,002	786	2,479	2,217	73.6	57.2

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	129.7	113.0	8,653	8,859	99.3	98.8	73	112	99.2	98.8	8,605	8,415
1	Devanahalli	185.2	185.3	1,302	1,430	99.0	99.6	16	8	98.8	99.4	1,302	1,374
2	Doddaballapur	94.7	82.9	2,898	2,627	99.6	99.0	12	29	99.6	98.9	2,896	2,590
3	Hosakote	116.2	87.1	3,089	3,430	98.7	98.1	41	69	98.7	98.0	3,088	3,434
4	Nelamanagala	182.1	161.2	1,364	1,372	100.2	99.8	4	6	99.7	99.6	1,319	1,017

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	99.4	95.0	852	916	9.9	10.8	8,639	8,499	99.8	95.9	6	9
1	Devanahalli	100.0	96.1	151	114	11.6	8.3	1,300	1,429	99.8	99.9	0	0
2	Doddaballapur	99.9	98.6	251	271	8.7	10.5	2,894	2,625	99.9	99.9	2	4
3	Hosakote	100.0	100.1	380	450	12.3	13.1	3,087	3,429	99.9	100.0	2	2
4	Nelamanagala	96.7	74.1	70	81	5.3	8.0	1,358	1,016	99.6	74.1	2	3

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	100.0	90.0	953	943	5.9	13.7	17.0	19.6	16.2	50.9	59.0	25.4
1	Devanahalli			949	1,040	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0
2	Doddaballapur	100.0	80.0	927	876	0.4	0.0	0.0		0.0	0.0	1075.0	
3	Hosakote	100.0	100.0	971	937	13.7	35.0	19.8	19.6	20.2	65.9	37.5	16.0
4	Nelamanagala	100.0	100.0	974	997	5.7	0.2	5.2	66.7	4.4	2.9	23.4	1000.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	2.9	1.9	1,617	1,036	637	226	39.4	21.8	78.0	80.1	22.0	19.9
1	Devanahalli	0.2	0.2	313	140	128	84	40.9	60.0	98.4	100.0	1.6	0.0
2	Doddaballapur	0.0	0.0	230	115	169	87	73.5	75.7	76.3	74.7	23.7	25.3
3	Hosakote	5.7	4.7	615	572	30	16	4.9	2.8	100.0	100.0	0.0	0.0
4	Nelamanagala	5.1	0.2	459	209	310	39	67.5	18.7	68.4	41.0	31.6	59.0

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	47.3	23.0	52.7	77.0	4.0	1.4	0.1	0.1	53	26	4,105	3,964
1	Devanahalli	66.7	70.0	33.3	30.0	3.7	2.4	0.5	0.9	4	5	725	817
2	Doddaballapur	79.3	76.3	20.7	23.7	3.8	1.9	0.1	0.0	6	2	1,325	1,249
3	Hosakote	5.2	2.4	94.8	97.6	0.6	0.3	0.0	0.0	34	15	1,065	1,004
4	Nelamanagala	85.6	43.8	14.4	56.2	9.6	1.2	0.0	0.0	9	4	990	894

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	4,158	3,990	1.2	0.6	98.7	99.3	12	0	539	396	3,265	3,244
1	Devanahalli	729	822	0.5	0.6	99.5	99.4	0	0	413	396	227	363
2	Doddaballapur	1,331	1,251	0.5	0.2	99.5	99.8	10	0			1,283	1,229
3	Hosakote	1,099	1,019	3.1	1.5	96.9	98.5	0	0			962	849
4	Nelamanagala	999	898	0.9	0.4	99.1	99.6	2	0	126	0	793	803

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural			0	0	0.3	0.0	13.0	9.9	78.5	81.3	0.0	0.0
1	Devanahalli			0	0	0.0	0.0	56.7	48.2	31.1	44.2	0.0	0.0
2	Doddaballapur			0	0	0.8	0.0	0.0	0.0	96.4	98.2	0.0	0.0
3	Hosakote			0	0	0.0	0.0	0.0	0.0	87.5	83.3	0.0	0.0
4	Nelamanagala			0	0	0.2	0.0	12.6	0.0	79.4	89.4	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	8.2	8.8	76.3	81.6	9.4	10.7	14.2	7.6	98.4	97.0	56.1	58.1
1	Devanahalli	12.2	7.7	73.5	88.4	15.7	6.0	10.8	5.6	98.1	94.3	75.4	91.8
2	Doddaballapur	2.9	1.8	71.0	77.7	5.7	12.0	23.3	10.2	99.7	99.8	94.7	99.3
3	Hosakote	12.5	16.7	79.2	78.8	11.6	15.1	9.1	6.1	95.5	93.4	37.9	30.9
4	Nelamanagala	7.8	10.6	82.2	84.0	7.5	8.3	10.3	7.7	100.0	99.9	17.6	8.1

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	79.4	75.0	0	0	2,742	1,961	494	474	3,236	2,435	1,162	279
1	Devanahalli	34.6	60.9	0	0	670	568	13	3	683	571	251	67
2	Doddaballapur	90.0	85.2	0	0	662	557	20	7	682	564	338	104
3	Hosakote	77.3	78.7	0	0	949	450	394	421	1,343	871	173	39
4	Nelamanagala	83.3	62.3	0	0	461	386	67	43	528	429	400	69

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	42.3	14.2	23.5	6.0	43.7	37.8	36,984	27,755	408,408	288,293	0	0
1	Devanahalli	37.5	11.8	33.2	9.0	48.4	41.0	5,746	5,089	58,790	58,844	0	0
2	Doddaballapur	51.1	18.7	15.3	5.0	33.9	31.1	10,190	9,487	105,631	74,434	0	0
3	Hosakote	18.2	8.7	15.6	3.8	55.0	46.1	14,511	8,624	172,294	92,038	0	0
4	Nelamanagala	86.8	17.9	47.1	8.8	34.6	32.3	6,537	4,555	71,693	62,977	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	8,598	8,455	9,140	9,378	99.4	95.4	105.6	105.9	8	16	14	9
1	Devanahalli	1,249	1,281	1,410	1,436	95.9	89.6	108.3	100.4	4	16	12	9
2	Doddaballapur	2,889	2,619	3,037	2,818	99.7	99.7	104.8	107.3	4	0	2	0
3	Hosakote	3,094	3,391	3,289	3,796	100.2	98.9	106.5	110.7	0	0	0	0
4	Nelamanagala	1,366	1,164	1,404	1,328	100.1	84.8	102.9	96.8	0	0	0	0

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	1	6	14,042	13,855	13,863	13,721	13,697	13,845	12,944	14,298	149.5	161.3
1	Devanahalli	0	6	3,081	2,776	3,038	2,712	3,021	2,883	2,812	3,021	216.0	211.3
2	Doddaballapur	0	0	3,819	3,781	3,733	3,710	3,786	3,710	3,492	3,748	120.5	142.7
3	Hosakote	0	0	4,281	4,819	4,236	4,751	4,011	4,741	3,972	4,673	128.6	136.2
4	Nelamanagala	1	0	2,861	2,479	2,856	2,548	2,879	2,511	2,668	2,856	195.6	208.2

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	12,814	14,477	-41.6	-52.5	11,784	10,218	136.2	115.3	69.8	175.9	23	1
1	Devanahalli	2,793	3,103	-99.4	-110.4	2,489	2,555	191.2	178.7	81.2	180.4	0	0
2	Doddaballapur	3,487	3,758	-15.0	-33.0	3,469	3,124	119.7	118.9	137.2	297.0	0	0
3	Hosakote	3,879	4,714	-20.8	-23.1	3,501	2,906	113.3	84.7	29.6	111.3	6	0
4	Nelamanagala	2,655	2,902	-90.0	-115.1	2,325	1,633	170.5	119.0	17.8	52.4	17	1

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	95.5	94.5	63.8	60.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Devanahalli	96.4	95.9	68.3	69.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Doddaballapur	96.8	95.0	69.2	63.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Hosakote	96.8	96.7	75.3	71.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Nelamanagala	91.4	90.6	40.1	34.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	0.0	0.0	0.7	0.6	99.3	99.4	0.0	0.0	60.1	57.0	13.3	15.6
1	Devanahalli	0.0	0.0	0.6	0.5	99.4	99.5	0.0	0.0	63.8	61.0	6.9	6.8
2	Doddaballapur	0.0	0.0	2.1	0.0	97.5	100.0	0.4	0.0	65.3	76.0	23.6	30.1
3	Hosakote	0.0	0.0	0.0	0.2	100.0	99.8	0.0	0.0	58.4	54.4	12.6	15.0
4	Nelamanagala	0.0	0.0	0.7	1.0	99.3	99.0	0.0	0.0	60.6	50.9	10.4	14.2

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	32.5	38.3	0.2	0.5	100,798	72,360	1,570,456	1,446,514	6.4	5.0	12,850	11,563
1	Devanahalli	20.0	37.5	0.1	0.1	11,475	8,411	247,234	221,171	4.6	3.8	539	95
2	Doddaballapur	36.4	47.6	0.3	0.3	13,864	7,712	355,296	325,625	3.9	2.4	1,156	568
3	Hosakote	34.7	40.3	0.1	0.5	70,213	53,040	760,641	719,892	9.2	7.4	10,509	10,754
4	Nelamanagala	25.0	22.7	0.7	1.4	5,246	3,197	207,285	179,826	2.5	1.8	646	146

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	33,133	33,090	27.9	25.9	293	122	2.2	1.0	10,463	11,971	0.6	0.8
1	Devanahalli	129	165	80.7	36.5	39	1	7.2	1.1	0	0	0.0	0.0
2	Doddaballapur	1,459	1,174	44.2	32.6	181	75	15.7	13.2	1,851	2,949	0.5	0.9
3	Hosakote	31,482	31,746	25.0	25.3	3	30	0.0	0.3	3,772	4,276	0.5	0.6
4	Nelamanagala	63	5	91.1	96.7	70	16	10.8	11.0	4,840	4,746	2.3	2.6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	10,710	6,927	0.7	0.5	3,710	3,209	2.5	2.9	0.8	0.8	0.4	0.5
1	Devanahalli	5,660	3,723	2.3	1.7	1,473	1,337	1.4	1.2	0.6	0.5	0.4	0.3
2	Doddaballapur	1,089	508	0.3	0.2	569	341	2.4	2.9	0.6	0.7	0.3	0.5
3	Hosakote	2,396	2,106	0.3	0.3	1,411	1,397	2.4	3.2	1.1	1.0	0.5	0.5
4	Nelamanagala	1,565	590	0.8	0.3	257	134	4.8	3.9	0.5	0.8	0.5	0.5

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	0.6	0.6	0.0	0.0	0.0	0.0	30	49	6.7	6.5	30.0	21.7
1	Devanahalli	0.5	0.4	0.0	0.0	0.0	0.0	5	11	0.0	18.2	20.0	0.0
2	Doddaballapur	0.5	0.6	0.0	0.0	0.0	0.0	13	14	7.7	0.0	46.2	14.3
3	Hosakote	0.7	0.7	0.0	0.0	0.0	0.0	8	18	12.5	6.3	25.0	43.8
4	Nelamanagala	0.5	0.6	0.0	0.0	0.0	0.0	4	6	0.0	0.0	0.0	20.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bangalore Rural	6.7	13.0	6.7	4.3	0.0	0.0	6.7	2.2	0.0	0.0	43.3	52.2
1	Devanahalli	0.0	18.2	0.0	18.2	0.0	0.0	20.0	0.0	0.0	0.0	60.0	45.5
2	Doddaballapur	7.7	14.3	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	30.8	71.4
3	Hosakote	12.5	12.5	12.5	0.0	0.0	0.0	0.0	6.3	0.0	0.0	37.5	31.3
4	Nelamanagala	0.0	0.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.0	80.0