			1	2	2	:	3	4	1	:	5		5
	Indicators	Total nu pregnant Registered	t women	Number of women re within first	egistered	Number o		1st Trii registratio ANC Regi	mester n to Total	JSY regist Total Regist	ration to	Number of women re ANC che	eceived 3
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	1,040	1,087	654	673	746	878	62.8	61.9	71.7	80.8	593	646
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	283	339	194	199	210	280	68.6	58.7	74.2	82.6	191	216
6	Nichar(T)												
7	Poo(T)												
8	Pooh	275	271	175	177	162	159	63.6	65.3	58.9	58.7	166	177
9	RecongPeo RH	284	275	159	151	229	275	56.0	54.9	80.6	100.0	132	139
10	Sangla	198	202	126	146	145	164	63.6	72.3	73.2	81.2	104	114
11	Sangla(T)												

		7	7	8	3	9)	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num	nt women	Pregnant received 3 ups to To Registr	: Woman ANC check otal ANC	Pregnan received Booster to Regist	t women I TT2 or Total ANC	Number of women giv tab	en 100 IFA	Pregnant given 100 I ANC Reg	: women FA to Total	Number h leve (tested	l<11
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	846	936	57.0	59.4	81.3	86.1	754	867	72.5	79.7	474	481
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	227	313	67.5	63.7	80.2	92.3	241	306	85.2	90.3	170	210
6	Nichar(T)												
7	Poo(T)												
8	Pooh	229	218	60.4	65.3	83.3	80.4	231	232	84.0	85.6	150	104
9	RecongPeo RH	224	242	46.5	50.5	78.9	88.0	149	208	52.5	75.6	103	79
10	Sangla	166	163	52.5	56.4	83.8	80.7	133	121	67.2	59.9	51	88
11	Sangla(T)												

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	Number ha ana (Hb treated at	emia <7)	Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	ution for on to Total	Number deliv		deliveries a SBA to	of home attended by rained urse/ANM)	Non SBA	of home attended by a trained TB/Dai)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	2	1	0.4	0.2	1.0	2.5	118	170	30	54	88	116
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	0	0	0.0	0.0	2.5	2.1	41	50	19	20	22	30
6	Nichar(T)												
7	Poo(T)												
8	Pooh	0	0	0.0	0.0	0.7	4.4	50	55	3	11	47	44
9	RecongPeo RH	2	1	1.9	1.3	0.0	0.4	0	4	0	0	0	4
10	Sangla	0	0	0.0	0.0	0.5	3.5	27	61	8	23	19	38
11	Sangla(T)												

		1	9	2	0	2	11	2	2	2	3	2	.4
	Indicators	SBA atten deliveries Reporte Deliv	ded home s to Total d Home	Mothers incentive deliv		Mothers incentive deliverie Reporte		Deliveries at Public II				Women dis less than 4 delivery	18 hours of to Total Deliveries
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	25.4	31.7	28	36	23.7	21.2	274	169	95	40	34.6	23.6
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	46.3	40.0	6	1	14.6	2.0	26	57	1	11	3.8	19.3
6	Nichar(T)												
7	Poo(T)												
8	Pooh	6.0	20.0	21	29	42.0	52.7	25	13	16	10	64.0	76.9
9	RecongPeo RH		0.0	0	2		50.0	203	78	66	1	32.5	1.3
10	Sangla	29.6	37.7	1	4	3.7	6.6	20	21	12	18	60.0	85.7
11	Sangla(T)												

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicators	Institu deliv (Public In	eries sts.+Pvt.	Institu Deliverie ANC regi	tional s to total	Total re deliv	eported eries	Institu deliveries Reported	tional to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	356	263	34.2	24.1	474	433	75.1	60.7	81.4	73.2	24.9	39.3
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	26	57	9.2	16.8	67	107	38.8	53.3	67.2	72.0	61.2	46.7
6	Nichar(T)												
7	Poo(T)												
8	Pooh	25	13	9.1	4.8	75	68	33.3	19.1	37.3	35.3	66.7	80.9
9	RecongPeo RH	285	172	100.4	62.5	285	176	100.0	97.7	100.0	97.7	0.0	2.3
10	Sangla	20	21	10.1	10.4	47	82	42.6	25.6	59.6	53.7	57.4	74.4
11	Sangla(T)												

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.) orted	C-sections at public f Deliveries at public	conducted acilities to conducted	C-sections at Private f Deliveries at private	conducted facilities to conducted	Deliveries at Public Ir to Total In	conducted nstitutions stitutional
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	34	3	17	10	14.3	4.9	12.4	1.8	20.7	10.6	77.0	64.3
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	0	0			0.0	0.0	0.0	0.0			100.0	100.0
6	Nichar(T)												
7	Poo(T)												
8	Pooh	0	0			0.0	0.0	0.0	0.0			100.0	100.0
9	RecongPeo RH	34	3	17	10	17.9	7.6	16.7	3.8	20.7	10.6	71.2	45.3
10	Sangla	0	0			0.0	0.0	0.0	0.0			100.0	100.0
11	Sangla(T)												

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Tota Deliv	paid JSY or Delivery nstitution I Public	of cases w Incentive ASHA for E Public inst Total Public	where JSY e paid to Delivery at	Deliveries at Private I to Total In Deliv	nstitutions stitutional	Women red partum o within 48 deli	:heck-up	Post - Care / Wor post partur between 48	men got a n check up	Women rec	check-up hours of to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	112.0	171.0	6.6	0.0	23.0	35.7	301	237	348	399	63.5	54.7
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	426.9	196.5	0.0	0.0	0.0	0.0	33	70	134	140	49.3	65.4
6	Nichar(T)												
7	Poo(T)												
8	Pooh	180.0	184.6	48.0	0.0	0.0	0.0	35	34	35	34	46.7	50.0
9	RecongPeo RH	55.7	144.9	0.0	0.0	28.8	54.7	204	99	111	121	71.6	56.3
10	Sangla	190.0	190.5	30.0	0.0	0.0	0.0	29	34	68	104	61.7	41.5
11	Sangla(T)												

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum (between 48 14 days Deliv	tting Post Checkup B hours and to Total	Total Nu reported l		Total Repo		Total Nu reported S		9 live birth to Bir		Number of weighed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	73.4	92.1	464	425	97.9	98.2	11	8	97.7	98.2	456	394
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	200.0	130.8	65	103	97.0	96.3	2	3	97.0	97.2	62	99
6	Nichar(T)												
7	Poo(T)												
8	Pooh	46.7	50.0	72	67	96.0	98.5	3	2	96.0	97.1	71	50
9	RecongPeo RH	38.9	68.8	280	173	98.2	98.3	6	3	97.9	98.3	280	173
10	Sangla	144.7	126.8	47	82	100.0	100.0	0	0	100.0	100.0	43	72
11	Sangla(T)												

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborns v	weighed at	Number of having we than 2	eight less	Newborr weight les kg to Ne		Number of Breast Fed		Newborns within 1 ho		Number of visited wit	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	98.3	92.7	66	63	14.4	15.9	456	365	98.2	85.8	78	75
1	Hangrang(S,T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	95.4	96.1	20	22	32.3	22.2	61	104	93.8	101.0	39	21
6	Nichar(T)												
7	Poo(T)												
8	Pooh	98.6	74.6	2	3	2.8	6.0	70	44	97.2	65.7	32	40
9	RecongPeo RH	100.0	100.0	39	27	13.9	15.6	279	152	99.6	87.9	0	3
10	Sangla	91.5	87.8	5	11	11.6	15.3	46	65	97.9	79.3	7	11
11	Sangla(T)												

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte deliv	rs visited rs of home to total d home		male Live ths/	cases of women wit Complica attended to	tions and	Compl Pregnancie witl antihype Magsulph ii Total Wo	es treated h IV rtensive/ njection to men with etric cations	Compl Pregnancie witl antihype Magsulph ii Total Ne detecte Hypert	icated es treated h IV rtensive/ njection to ew cases ed with	Compl Pregnanci- with Transfusio Wome Obst Compli	es treated Blood n to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	66.1	44.1	841	801	0.8	1.5	100.0	50.0	30.0	7.4	0.0	0.0
1	Hangrang(S.T)			0	0								
2	Kalpa(T)			0	0								
3	Kinnaur Urban			0	0								
4	Morang(T)			0	0								
5	Nichar	95.1	42.0	1,321	873	11.5	3.5	100.0	100.0	42.9	28.6	0.0	0.0
6	Nichar(T)			0	0								
7	Poo(T)			0	0								
8	Pooh	64.0	72.7	846	595	0.0	0.0			0.0	0.0		
9	RecongPeo RH		75.0	783	821	0.0	1.2		0.0		0.0		0.0
10	Sangla	25.9	18.0	679	864	0.0	0.0			0.0	0.0		
11	Sangla(T)			0	0								

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC complic attended Deliv	Natal C maternal cations to Total	Total Nu Abort (Sponta Induced)	tions aneous/		mber of Public) orted	% <i>N</i> (Public) to		MTPs up to of Pregn Total MTP Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	e than 12 Pregnancy MTPs at
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	0.2	0.2	46	34	64	2	139.1	5.9	98.4	100.0	1.6	0.0
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	0.0	0.9	10	10	0	1	0.0	10.0		100.0		0.0
6	Nichar(T)												
7	Poo(T)												
8	Pooh	0.0	0.0	4	7	0	0	0.0	0.0				
9	RecongPeo RH	0.0	0.0	27	9	64	1	237.0	11.1	98.4	100.0	1.6	0.0
10	Sangla	2.1	0.0	5	8	0	0	0.0	0.0				
11	Sangla(T)												

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Con Public Insti Total	ducted at tutions to	MTPs Con Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Reg	olic) to Total	Number of Tests cond Number of STI female which tr initi	Wet Mount ducted to f new RTI/ e cases for eatment	Numb Vasect Condi (Public	tomies	Numb Tubect Condu (Public	tomies
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	100.0	100.0	0.0	0.0	6.2	0.2	1.8	0.0	24	22	37	18
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar		100.0		0.0	0.0	0.3	0.0	0.0	1	2	7	2
6	Nichar(T)												
7	Poo(T)												
8	Pooh					0.0	0.0	0.0	0.0	2	1	1	5
9	RecongPeo RH	100.0	100.0	0.0	0.0	22.5	0.4			16	16	22	6
10	Sangla					0.0	0.0	22.4	0.0	5	3	7	5
11	Sangla(T)												

		7	3	7-	4	7	5	7	6	7	7	7	8
	Indicators	Total Ster		% Male St (Vasect to Total st	omies)	7 Tubector Total ste	mies to	Total Ste (Tubector Vasector conducte	mies and omies)	Total Ste (Tubecto Vasecto conducte	mies and omies)	Total Ste (Tubector Vasector conducted	mies and omies)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	61	40	39.3	55.0	60.7	45.0	2	3	21	13	38	24
1	Hangrang(S.T)												_
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	8	4	12.5	50.0	87.5	50.0	0	0	8	4		
6	Nichar(T)												
7	Poo(T)												
8	Pooh	3	6	66.7	16.7	33.3	83.3	2	3	1	1	0	2
9	RecongPeo RH	38	22	42.1	72.7	57.9	27.3					38	22
10	Sangla	12	8	41.7	37.5	58.3	62.5	0	0	12	8		
11	Sangla(T)							·					

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasect conducted public Ins	mies and omies) d at Other	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	% Total Str (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total St (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Sto (Tubecto Vasect conducted public Insti Total Ste	mies and omies) I at Other tutions to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur			0	0	3.3	7.5	34.4	32.5	62.3	60.0	0.0	0.0
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
6	Nichar(T)												
7	Poo(T)												
8	Pooh					66.7	50.0	33.3	16.7	0.0	33.3	0.0	0.0
9	RecongPeo RH			0	0	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0
10	Sangla					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
11	Sangla(T)												

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Ste (Tubecto Vasecto conducted institution Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic s to Total	Mini Lap St to Total Sterilis	l Female	Post P Sterlisation Female Ste	s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public s to Total scopic	Mini Lap st at Public Ir to Total Sterilis	erlisations estitutions Mini Lap
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	0.0	0.0	94.6	83.3	2.7	16.7	2.7	0.0	100.0	100.0	100.0	100.0
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
6	Nichar(T)												
7	Poo(T)												
8	Pooh	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
9	RecongPeo RH	0.0	0.0	90.9	66.7	4.5	33.3	4.5	0.0	100.0	100.0	100.0	100.0
10	Sangla	0.0	0.0	100.0	80.0	0.0	20.0	0.0	0.0	100.0	100.0		100.0
11	Sangla(T)												

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution: Post P Sterili	artum ns at Public s to Total artum	Sterlisatio	wing	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi	Insertions ic+private)	PP IUCD I done (publi	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	100.0		0	0	114	73	0	0	114	73	19	2
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar			0	0	22	21			22	21	0	0
6	Nichar(T)												
7	Poo(T)												
8	Pooh			0	0	23	15			23	15	0	0
9	RecongPeo RH	100.0		0	0	56	20	0	0	56	20	19	0
10	Sangla			0	0	13	17			13	17	0	2
11	Sangla(T)												

		9	7	9	8	9	9	10	00	10	01	10	02
	Indicators	% PP IUCD (pul to Tota Insertion:	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie	blic) stitutional	IUCD inse public plu institutio family p	us private ons to all olanning IUCD plus	Oral Pills o	listributed	Condom distril		Centchro distril	man Pills buted
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	16.6	2.7	6.9	1.1	65.1	64.6	4,877	5,783	66,949	65,866	0	0
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	0.0	0.0	0.0	0.0	73.3	84.0	1,743	1,773	25,213	25,019	0	0
6	Nichar(T)												
7	Poo(T)												
8	Pooh	0.0	0.0	0.0	0.0	88.5	71.4	1,705	1,684	16,706	16,540	0	0
9	RecongPeo RH	33.9	0.0	9.4	0.0	59.6	47.6	503	664	10,720	9,441	0	0
10	Sangla	0.0	11.8	0.0	9.5	52.0	68.0	926	1,662	14,310	14,866	0	0
11	Sangla(T)												

		10	03	10	04	10	05	10	06	10)7	10)8
	Indicators	Number o given (Birth	OPV 0	Number o		Newborns g at birth to live	given OPV0	Newborns to Report bir	given BCG rted live	Number o		Number o	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	276	175	515	466	59.5	41.2	111.0	109.6	519	878	677	864
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	28	66	125	182	43.1	64.1	192.3	176.7	166	309	207	312
6	Nichar(T)												
7	Poo(T)												
8	Pooh	23	4	83	75	31.9	6.0	115.3	111.9	135	190	178	194
9	RecongPeo RH	204	80	227	131	72.9	46.2	81.1	75.7	111	221	164	206
10	Sangla	21	25	80	78	44.7	30.5	170.2	95.1	107	158	128	152
11	Sangla(T)												

		10	09	11	10	1	11	1	12	1	13	11	14
	Indicators	Number o		Number o		Number o		Number o		Number o	of Infants Aeasles	Infants months received vaccine to live b	0 to 11 old who I Measles
	_Kinnaur 781		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	781	873	345	0	169	0	74	0	815	951	175.6	223.7
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	249	326	115	0	48	0	30	0	264	324	406.2	314.6
6	Nichar(T)												
7	Poo(T)												
8	Pooh	191	199	65	0	32	0	12	0	200	206	277.8	307.5
9	RecongPeo RH	200	214	90	0	46	0	25	0	208	263	74.3	152.0
10	Sangla	141	134	75	0	43	0	7	0	143	158	304.3	192.7
11	Sangla(T)												

		11	15	11	16	11	17	11	18	11	19	13	20
	Indicators	Number immunize (9-11 n		9 Drop Out BCG & /		Vitamin -	A dose 1	% Children g dose1 to live l	iven Vit A Reported		iven Vit A	Adverse Following I (Oth	munisation
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	803	919	-58.3	-104.1	812	918	175.0	216.0	123.4	94.6	1	0
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	264	319	-111.2	-78.0	264	315	406.2	305.8	85.6	77.8	1	0
6	Nichar(T)												
7	Poo(T)												
8	Pooh	188	180	-141.0	-174.7	200	205	277.8	306.0	148.5	127.8	0	0
9	RecongPeo RH	208	263	8.4	-100.8	208	251	74.3	145.1	152.9	47.8	0	0
10	Sangla	143	157	-78.8	-102.6	140	147	297.9	179.3	115.0	163.9	0	0
11	Sangla(T)												

		12	21	12	22	13	23	12	24	12	25	12	26
	Indicators	immunisation Held to Imr Sessions	on Sessions munisation	Immunisatio where AS presei Immunisatio Plan	on Sessions HAs were nt to on Sessions	Diptheria i 0-5 Years Total Re Childhood	of Age to eported	Pertusis ir 0-5 Years Total Re Childhood 0-5 Y	of Age to eported	Tetanus Ne in Childrer of Age t Reported	o O-5 Years to Total	Tetanus (Children 0- Age to Tota Childhood 0-5)	Others in -5 Years of Il Reported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	97.4	96.1	34.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	97.7	99.2	44.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Nichar(T)												
7	Poo(T)												
8	Pooh	97.6	89.7	7.8	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	RecongPeo RH	98.0	96.2	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	Sangla	96.5	99.3	64.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Sangla(T)												

		12	27	12	28	13	29	13	30	1:	31	13	32
	Indicators	Polio in Ch Years of Ag Reported (Diseases (nildren 0-5 ge to Total Childhood	Measles ir 0-5 Years Total Re Childhooo	of Age to	Diarrho dehydra Children O Age to Tota Childhood	oea and ation in 5 Years of al Reported 1 Diseases Years	Years of Ag Reported	Children 0-5 ge to Total	Adult F Inpatients Adult In	to Total	9 Children In Total In	patient to
				2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	0.0	0.0	0.3	0.4	99.7	99.6	0.0	0.0	59.3	57.8	16.8	13.0
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	0.0	0.0	0.8	0.8	99.2	99.2	0.0	0.0	67.2	65.5	20.1	5.5
6	Nichar(T)												
7	Poo(T)												
8	Pooh	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	53.6	56.6	11.6	7.8
9	RecongPeo RH	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	58.4	54.3	17.3	15.0
10	Sangla	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	62.5	58.8	15.9	19.0
11	Sangla(T)												

		13	33	13	34	1:	35	13	36	1:	37	13	38
	Indicators	Female I Deaths t Inpatien	npatient to Total	9 Inpatient I Tota	Deaths to	IPD (No	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera	of Major ations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	23.7	13.6	1.2	0.9	3,230	2,536	162,899	165,359	2.0	1.5	251	110
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	50.0	40.0	0.5	0.9	423	580	49,539	49,570	0.9	1.2	70	0
6	Nichar(T)												
7	Poo(T)												
8	Pooh	66.7	0.0	0.8	2.6	380	115	42,114	46,872	0.9	0.2	0	0
9	RecongPeo RH	18.2	7.7	1.6	0.9	2,081	1,520	47,652	41,982	4.4	3.6	163	100
10	Sangla		0.0	0.0	0.3	346	321	23,594	26,935	1.5	1.2	18	10
11	Sangla(T)												

		13	39	14	40	14	41	14	12	14	43	14	14
	Indicators	Number Opera	of Minor ations	% Major Ope Total Op	rations to	Numb Hystere Surg		Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP	D to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	495	417	33.6	20.9	143	8	56.9	7.2	0	0	0.0	0.0
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	213	250	24.7	0.0	4	0	5.7		0	0	0.0	0.0
6	Nichar(T)												
7	Poo(T)												
8	Pooh	0	0			0	0			0	0	0.0	0.0
9	RecongPeo RH	217	98	42.9	50.5	139	8	85.3	8.0	0	0	0.0	0.0
10	Sangla	65	69	21.7	12.7	0	0	0.0	0.0	0	0	0.0	0.0
11	Sangla(T)												

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	6,439	4,747	4.0	2.9	137	18	1.0	1.2	0.0	0.0	3.0	0.0
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	1,121	951	2.3	1.9	135	18	0.6	0.8		0.0		0.0
6	Nichar(T)												
7	Poo(T)												
8	Pooh	565	795	1.3	1.7	2	0	1.0	9.9	0.0	0.0	80.6	
9	RecongPeo RH	4,753	2,846	10.0	6.8	0	0	1.4	0.5	0.0	0.0	0.0	0.0
10	Sangla	0	155	0.0	0.6	0	0	1.0	0.8	0.0	0.0	0.0	0.0
11	Sangla(T)												

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	1.5	0.0					9	13	0.0	0.0	0.0	0.0
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar		0.0					1	4	0.0	0.0	0.0	0.0
6	Nichar(T)												
7	Poo(T)												
8	Pooh	78.1	0.0					4	3	0.0	0.0	0.0	0.0
9	RecongPeo RH	0.0	0.0					3	1	0.0	0.0	0.0	0.0
10	Sangla	0.0	0.0					1	5	0.0	0.0	0.0	0.0
11	Sangla(T)												

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Kinnaur	11.1	7.7	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	88.9	84.6
1	Hangrang(S.T)												
2	Kalpa(T)												
3	Kinnaur Urban												
4	Morang(T)												
5	Nichar	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	100.0	75.0
6	Nichar(T)												
7	Poo(T)												
8	Pooh	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.0	100.0
9	RecongPeo RH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
10	Sangla	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	80.0
11	Sangla(T)												