| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|------|---------|--|--|--|--|--|---|---|--|--|---|---|--|--|
| Indi | icators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 27,473 | 17,812 | 64.8 | 23,684 | 21,998 | 8,152 | 86.2 | 109.7 | 35,616 | 129.6 | 27,823 | 1,247 | 47.1 |
| 1 | Shahpur | 7,502 | 5,173 | 69.0 | 6,365 | 6,849 | 1,796 | 84.8 | 115.2 | 7,483 | 99.7 | 7,637 | 184 | 11.0 |
| 2 | Surapur | 9,891 | 5,910 | 59.8 | 8,407 | 6,617 | 3,454 | 85.0 | 101.8 | 16,777 | 169.6 | 9,246 | 408 | 79.7 |
| 3 | Yadgir | 10,080 | 6,729 | 66.8 | 8,912 | 8,532 | 2,902 | 88.4 | 113.4 | 11,356 | 112.7 | 10,940 | 655 | 142.7 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|------|---------|--|---------------------------------|--|--|--|--|--|--|---|---|---|---|--|
| Indi | icators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt , Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 3.6 | 451 | 268 | 183 | 59.4 | 14,949 | 5,224 | 34.9 | 896 | 747 | 83.3 | 15,845 | 57.6 |
| 1 | Shahpur | 3.8 | 117 | 79 | 38 | 67.5 | 4,196 | 1,829 | 43.6 | 357 | 500 | 140.1 | 4,553 | 60.7 |
| 2 | Surapur | 3.7 | 234 | 111 | 123 | 47.4 | 5,492 | 2,375 | 43.2 | 242 | 29 | 12.0 | 5,734 | 58.0 |
| 3 | Yadgir | 3.4 | 100 | 78 | 22 | 78.0 | 5,261 | 1,020 | 19.4 | 297 | 218 | 73.4 | 5,558 | 55.1 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|-----|---------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
| Ind | icators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 16,296 | 97.2 | 98.9 | 2.8 | 333 | 140 | 2.9 | 2.2 | 15.6 | 94.3 | 5.7 | 4,774 | 10,170 |
| 1 | Shahpur | 4,670 | 97.5 | 99.2 | 2.5 | 7 | 53 | 1.3 | 0.2 | 14.8 | 92.2 | 7.8 | 1,460 | 2,892 |
| 2 | Surapur | 5,968 | 96.1 | 97.9 | 3.9 | 5 | 62 | 1.2 | 0.1 | 25.6 | 95.8 | 4.2 | 2,069 | 3,775 |
| 3 | Yadgir | 5,658 | 98.2 | 99.6 | 1.8 | 321 | 25 | 6.2 | 6.1 | 8.4 | 94.7 | 5.3 | 1,245 | 3,503 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|------|---------|---|---|---|---|--|--|---|--|---|--|--|--|---|
| Indi | icators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 1058.5 | 62.4 | 20,861 | 128.0 | 686 | 96.8 | 18,216 | 87.3 | 3,295 | 18.0 | 17,209 | 82.4 | 990 |
| 1 | Shahpur | 1247.9 | 61.9 | 6,620 | 141.8 | 122 | 98.2 | 5,300 | 80.1 | 1,329 | 25.1 | 4,967 | 75.0 | 894 |
| 2 | Surapur | 884.2 | 63.3 | 6,970 | 116.8 | 110 | 98.4 | 6,214 | 89.2 | 1,224 | 19.7 | 6,241 | 89.5 | 1,009 |
| 3 | Yadgir | 1245.0 | 61.9 | 7,271 | 128.5 | 454 | 94.1 | 6,702 | 92.2 | 742 | 11.1 | 6,001 | 82.5 | 1,069 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|-------|---------|---|---|--|---|--|---|---|---|--|---|--|---|---|
| Indic | ators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 20.4 | 28.4 | 26,335 | 95.9 | 8,037 | 29.3 | 2,421 | 8.8 | 165 | 0.6 | 9,303 | 3,053 | 33.9 |
| 1 | Shahpur | 6.4 | 82.4 | 5,664 | 75.5 | 2,042 | 27.2 | 589 | 7.9 | 39 | 0.5 | 728 | 101 | 9.7 |
| 2 | Surapur | 11.4 | 21.5 | 12,592 | 127.3 | 3,135 | 31.7 | 1,316 | 13.3 | 65 | 0.7 | 3,144 | 36 | 31.8 |
| 3 | Yadgir | 41.6 | 23.4 | 8,079 | 80.1 | 2,860 | 28.4 | 516 | 5.1 | 61 | 0.6 | 5,431 | 2,916 | 53.9 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|-----|---------|--|--|---------------------------------|---|---|--|------------------------------------|---|---|---|--|---|--|
| Ind | icators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 0.0 | 4350.0 | 9 | 0 | 1,029 | 152 | 25.5 | 58.6 | 41.4 | 43.1 | 56.9 | 0.6 | 10 |
| 1 | Shahpur | 0.0 | 1000.0 | 2 | 0 | 116 | 27 | 54.2 | 14.8 | 85.2 | 19.7 | 80.3 | 0.4 | 1 |
| 2 | Surapur | 0.1 | | 2 | 0 | 189 | 44 | 38.8 | 61.4 | 38.6 | 36.7 | 63.3 | 0.4 | 3 |
| 3 | Yadgir | 0.0 | | 5 | 0 | 724 | 81 | 11.7 | 71.6 | 28.4 | 84.4 | 15.6 | 0.8 | 6 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|------|---------|--|---|---|--|---|---|---|--|---|---|---|--|--|
| Indi | icators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 2,359 | 2,369 | 0.4 | 99.6 | | | | | 435 | 1,934 | 18.4 | 81.6 | 69.2 |
| 1 | Shahpur | 915 | 916 | 0.1 | 99.9 | | | | | 383 | 533 | 41.8 | 58.2 | 78.1 |
| 2 | Surapur | 743 | 746 | 0.4 | 99.6 | | | | | 35 | 711 | 4.7 | 95.3 | 70.7 |
| 3 | Yadgir | 701 | 707 | 0.8 | 99.2 | | | | | 17 | 690 | 2.4 | 97.6 | 55.9 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|-----|---------|--|--|--|---|---|--|--|---|--|--|---|---|--|
| Ind | icators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 23.5 | 7.2 | 0.0 | 77.0 | 93.7 | 85.5 | | 0 | 0 | 0 | 0 | 0 | 17 |
| 1 | Shahpur | 20.5 | 1.3 | 0.0 | 49.2 | 95.7 | 0.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Surapur | 27.3 | 2.0 | 0.0 | 100.0 | 89.2 | 13.3 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Yadgir | 23.4 | 20.7 | 0.0 | 96.9 | 97.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 17 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|-----|---------|--|--|--|---|---|---|---|--|---------------------------------------|---|--|-------------------------------------|--|
| Ind | icators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 34 | 1,749 | 80 | 46.1 | 5.3 | 43.5 | 934 | 810 | 85 | 23,332 | 884 | 282,142 | 1,987 |
| 1 | Shahpur | 10 | 543 | 24 | 55.6 | 7.2 | 38.2 | 246 | 302 | 19 | 10,251 | 633 | 174,711 | 1,562 |
| 2 | Surapur | 10 | 635 | 56 | 25.5 | 2.9 | 48.1 | 491 | 165 | 35 | 6,634 | 182 | 67,762 | 333 |
| 3 | Yadgir | 14 | 571 | 0 | 60.1 | 6.5 | 44.7 | 197 | 343 | 31 | 6,447 | 69 | 39,669 | 92 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|-----|---------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| Ind | icators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 34 | 13 | 0 | 9 | 7,709 | 18,290 | 25,891 | 14,053 | 87.7 | 124.1 | 67.4 | 1,501 | 1,097 |
| 1 | Shahpur | 2 | 0 | 0 | 0 | 1,112 | 3,505 | 6,925 | 3,439 | 52.9 | 104.6 | 51.9 | 459 | 260 |
| 2 | Surapur | 19 | 12 | 0 | 9 | 3,438 | 6,599 | 8,495 | 5,380 | 94.7 | 121.9 | 77.2 | 355 | 267 |
| 3 | Yadgir | 13 | 1 | 0 | 0 | 3,159 | 8,186 | 10,471 | 5,234 | 112.6 | 144.0 | 72.0 | 687 | 570 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|-----|---------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|---|--|---|
| Ind | icators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 1,065 | 24,176 | 23,143 | 23,387 | 3,381 | 21,189 | 117.7 | 20,453 | 86.9 | 85.2 | 13.6 | 50 | 0 |
| 1 | Shahpur | 387 | 6,909 | 6,640 | 6,618 | 777 | 5,372 | 92.9 | 5,500 | 88.8 | 68.2 | 8.1 | 20 | 0 |
| 2 | Surapur | 314 | 7,940 | 7,462 | 7,381 | 1,728 | 6,638 | 120.0 | 6,746 | 79.7 | 82.4 | 15.1 | 17 | 0 |
| 3 | Yadgir | 364 | 9,327 | 9,041 | 9,388 | 876 | 9,179 | 138.3 | 8,207 | 91.6 | 103.3 | 15.6 | 13 | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|-----|---------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| Ind | icators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 0 | 94.0 | 78.0 | 1,122 | 539 | 129 | 4 | 0 | 0 | 313 | 313 | 42 | 1,122 |
| 1 | Shahpur | 0 | 92.0 | 83.6 | 313 | 0 | 0 | 4 | 0 | 0 | 267 | 267 | 0 | 313 |
| 2 | Surapur | 0 | 98.8 | 75.1 | 94 | 97 | 2 | 0 | 0 | 0 | 4 | 4 | 0 | 94 |
| 3 | Yadgir | 0 | 90.5 | 76.8 | 715 | 442 | 127 | 0 | 0 | 0 | 42 | 42 | 42 | 715 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|---------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 3,709 | 1,113 | 21,189 | 53 | 0 | 0 | 3,703 | 16,070 | 64.6 | 16.5 | 19.8 | 0.1 | 131,620 |
| 1 | Shahpur | 766 | 46 | 5,372 | 50 | 0 | 0 | 931 | 4,327 | 69.7 | 18.0 | | 0.0 | 55,692 |
| 2 | Surapur | 1,808 | 755 | 6,638 | 0 | 0 | 0 | 1,806 | 5,726 | 54.7 | 14.3 | 52.9 | 0.1 | 43,055 |
| 3 | Yadgir | 1,135 | 312 | 9,179 | 3 | 0 | 0 | 966 | 6,017 | 69.4 | 17.0 | 11.6 | 0.4 | 32,873 |

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|---------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| | | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 862,997 | 127,282 | 990,279 | 13.3 | 1,371 | 1,582 | 46.4 | 746 | 54.4 | 12.8 | 7,825 | 0.8 | 2.9 |
| 1 | Shahpur | 179,043 | 30,244 | 209,287 | 26.6 | 0 | 0 | | 0 | | 14.5 | 2,939 | 1.4 | 4.4 |
| 2 | Surapur | 347,347 | 70,650 | 417,997 | 10.3 | 30 | 934 | 3.1 | 5 | 16.7 | 16.9 | 2,462 | 0.6 | 2.6 |
| 3 | Yadgir | 336,607 | 26,388 | 362,995 | 9.1 | 1,341 | 648 | 67.4 | 741 | 55.3 | 7.3 | 2,424 | 0.7 | 2.5 |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|---------|--|---|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Yadgir | 1.4 | 43.0 | 3.8 | 2.8 | 0.2 | 0.1 | 106 | 4.7 | 12.3 | 10.4 | 2.8 | 3.8 | 0.0 |
| 1 | Shahpur | 1.0 | 58.3 | 6.3 | 4.5 | 0.5 | 0.4 | 35 | 11.4 | 14.3 | 11.4 | 2.9 | 11.4 | 0.0 |
| 2 | Surapur | 1.8 | 32.6 | 3.9 | 2.8 | 0.3 | 0.0 | 43 | 2.3 | 9.3 | 11.6 | 0.0 | 0.0 | 0.0 |
| 3 | Yadgir | 1.4 | 42.0 | 1.2 | 1.3 | 0.0 | 0.0 | 28 | 0.0 | 14.3 | 7.1 | 7.1 | 0.0 | 0.0 |

| | | 196 | 197 | 198 | | |
|------|---------|--|--|---|--|--|
| Indi | cators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH | | |
| | | 2017-18 | 2017-18 | 2017-18 | | |
| | _Yadgir | 896 | | | | |
| 1 | Shahpur | 357 | | | | |
| 2 | Surapur | 242 | | | | |
| 3 | Yadgir | 297 | | | | |