

Synchrony in relationship, example with MONRADO Data

Thomas Gargot

May, 10th 2016

Contents

Fixed variables	2
Functions list	2
Import data	5
Clean dataframe	5
Presentation of the data	6
Length of the videos in minutes	7
Length of the videos in number of frames	8
Number of Available (True) and Not Available (False) data for each participant	9
Global Motion history	10
Mean Motion history by video by participant	10
Motion history box plots by frame (raw data), all videos	10
Raw data and mean of Motion History on sliding and non overlapping intervals on 00034 video	15
Raw data	15
Sliding interval	16
Non overlapping interval	16
Focus on the motion history of the first 10 seconds of the first video 00034	16
Sliding interval function on a 5 frames interval	16
Motion history of the father during 10-20 seconds of the first video 00034	18
Mean motion history by 10 sec plots	20
Export no log data in text files	40
Export log data in text files	41
SyncPy utilisation for creating synchrony dataframe	42
Description of SSIlog data frame	56
Description of noLogSSI data frame	56
Synchrony scores log for each dyad, triad and for the whole group	57
Synchrony scores noLog for each dyad, triad and for the whole group	77
Evolution of synchrony through time, raw each second	117
Evolution of synchrony through time, mean by minute	117
Evolution of synchrony through time, mean by 10 minutes	118
Psychometric database	118
Demographic description	118

Attachement styles	121
Insecurity level	122
TAS	123
STAIYA	124
STAIYB	126
BDI total	128
Models of synchrony	130

```
# Clean Environement
rm(list = ls(all.names = TRUE))
```

Fixed variables

```
FileExtension <- ".MTS.avi_res.csv"

# working directory
# where this report is
setwd("/Users/0fix/Documents/Fac/internat/Recherche/projets/synchro/synchroData/Git/Monrado/Reports/")

# blue will refer to father
# red will refer to mother
# green to child
colorOrderList <- c("blue", "red", "green")

ParticipantsList <- c("father", "mother", "child")

## Create a csv files list with the directories
FullNameList <- list.files("../Data/CSV/raw", full.names=TRUE)
FullNameList

## Create a csv files list without the directories
filesList <- list.files("../Data/CSV/raw", full.names=FALSE)
filesList
```

Functions list

Import Data List

Function that import data from .csv files inside a CSV folder ##### Arguments: List FullNameList with the full name of the .csv

```
importdata <- function(FullnameList){
  data <- c()
  for (i in FullnameList){
    dataAlone <- read.csv(i)
    print(head(dataAlone[,c(2:5)]))
    mydata.nas <- apply(dataAlone[,c(2:5)], 1, function(x){all(is.na(x))})
    dataAlone <- dataAlone[!mydata.nas,]
    print(i)
    data <- rbind(data, dataAlone)
  }
  return (data)
}
```

MeanMotionByTime

Function that takes raw motion history data and compute the mean on a given interval. Intervals don't overlap, so the frequency of the data change (from 25 frames by seconde to 25 frames/interval by second).

Arguments:

- subject : Subject studied (patient, mother, father or therapist)
- indexOfvideos : List of videos studied (element eg 3 or list eg 1:3 or c(1,2,4))
- interval : number of frames in the studied interval
- data : data frame where there is data

Mean motion history (non overlapping 5 frames intervals) 00034 video, 2nd second




Figure 1:

```
MeanMotionByTime <- function(subject, indexOfvideos=1:NumberOfvideos, interval, data){
  x <- c()
  for (fam in families[indexOfvideos]){
    dataVector <- data[which(data$family==fam), subject]
    ## with ceiling : superior limit of the round
    IntervalNumbersVideo <- ceiling(length(dataVector)/interval)
    for (i in 1:IntervalNumbersVideo){
      borneinf<- 1+(i-1)*interval
      borneresup <- i*interval
```

```

        dataVectorInterval <- dataVector[borneinf:bornesup]
        mean <- mean(dataVectorInterval, na.rm=TRUE)
        x <- c(x, mean)}}
```

return (x)}

Slidinginterval

Function that takes raw motion history data and compute the mean on a given interval. The interval overlap, so the frequency of the data don't change. It stays at 25 frames/s.

Arguments:

- subject : subject studied (patient, mother, father or therapist)
- indexOfvideos : list of videos studied (element eg. 3 or list eg 1:3 or c(1,2,4))
- interval : number of frames in the studied interval
- data : data frame where there is data

Mean motion history (Sliding 5 frames interval) on 00034 video, 2nd second




Figure 2:

```

SlidingInterval <- function(subject, index0fvideos=1:Number0fvideos, interval, data)
{x <- c()}
for (file in families[index0fvideos]){


```

```

    dataVector <- data[which(data$family==file), subject]
#      print(str(dataVector))
NBofAnalysedFrames <- length(dataVector)-interval+1
#      print(NBofAnalysedFrames)
      for (i in 1:NBofAnalysedFrames){
        borneinf <- (i)
#        print(borneinf)
        bornesup <-(interval-1+i)
#        print(bornesup)
        dataVectorInterval <- dataVector [borneinf:bornesup]
        mean <- mean(dataVectorInterval, na.rm=TRUE)
        x <- c(x, mean)}}
      return (x)

```

MeanSynchronyByTime (TODO)

Import data

```
data <- importdata(FullNameList)
```

Clean dataframe

Add new columns: compute minutes and log on data frame

```

# Detete No relevant subject here
data$therapist <- NULL

# compute time in minute
data$timeMin <- data$frame/(25*60)

## Create a list of files without the extention of the video
families <- c()
for (i in fileList){
  name <- sub(FileExtension, "", i)
  families <- c(families, name)
}
families

## [1] "00034"   "00037"   "00041"   "00048"   "0206"    "1106"    "1606"
## [8] "BAJE059" "BALE050" "BALU062" "BEAL036" "BEAM031" "BICA"    "BRL0041"
## [15] "COL0022" "DIPE004" "DOMA"     "DRNE"    "FOMA057" "GROP039" "HAJA052"
## [22] "HUMA058" "JAEM046" "JEE0040" "JOCE014" "LACL"    "MAEL048" "MAME20"
## [29] "MAPA029" "MIPH043" "MOSA065" "RAEM049" "RAKA008" "RIEMO"   "SEEM035"
## [36] "SHAN042" "SOGA061" "TIUG032" "VINO"

Number0fvideos <- length(families)
Number0fvideos

## [1] 39

# create a list with the simplified dname (whitout extension), make a data frmae of it and merge 2 dat
a <- data.frame(family = families, unique(data$file))
data <- merge(data, a, by.x="file", by.y="unique.data.file.")

```

```

data$fatherShifted <- data$father + min(data$father[which (data$father >0)])/2
data$logFather <- log(data$fatherShifted)

data$motherShifted <- data$mother + min(data$mother[which (data$mother >0)])/2
data$logMother <- log(data$motherShifted)

data$childShifted <- data$child + min(data$child[which (data$child >0)])/2
data$logChild <- log(data$childShifted)

# Add date TODO
data$file <- NULL

data <- data[,c("family", "frame", "timeMin", "child", "childShifted", "logChild", "father", "fatherShifted", "logFather", "mother", "motherShifted", "logMother")]

```

Presentation of the data

```

str(data)

## 'data.frame': 914108 obs. of 12 variables:
## $ family : Factor w/ 39 levels "00034","00037",...: 1 1 1 1 1 1 1 1 1 ...
## $ frame  : int 1 2 3 4 5 6 7 8 9 10 ...
## $ timeMin: num 0.000667 0.001333 0.002 0.002667 0.003333 ...
## $ child   : num 1.62e-04 1.89e-04 7.50e-05 5.36e-05 8.04e-05 ...
## $ childShifted: num 1.62e-04 1.89e-04 7.55e-05 5.40e-05 8.08e-05 ...
## $ logChild: num -8.73 -8.57 -9.49 -9.83 -9.42 ...
## $ father  : num NA NA NA NA NA NA NA NA NA ...
## $ fatherShifted: num NA NA NA NA NA NA NA NA NA ...
## $ logFather: num NA NA NA NA NA NA NA NA NA ...
## $ mother  : num 4.00e-04 4.56e-04 2.23e-04 8.85e-05 9.58e-05 ...
## $ motherShifted: num 4.01e-04 4.57e-04 2.24e-04 8.89e-05 9.61e-05 ...
## $ logMother: num -7.82 -7.69 -8.41 -9.33 -9.25 ...

summary(data)

##      family          frame        timeMin         child
## MOSA065: 26975   Min.   : 1   Min.   : 0.000667   Min.   :0.0000000
## 00037  : 25631   1st Qu.: 5860  1st Qu.: 3.906667  1st Qu.:0.0006479
## HUMA058: 25631   Median :11747   Median : 7.831333  Median :0.0034404
## BAJE059: 25295   Mean   :11831   Mean   : 7.887165  Mean   :0.0093006
## 1606   : 24947   3rd Qu.:17761   3rd Qu.:11.840667 3rd Qu.:0.0117136
## 1106   : 24863   Max.   :26975   Max.   :17.983333  Max.   :0.9270200
## (Other):760766
##      childShifted      logChild       father      fatherShifted
## Min.   :0.0000004  Min.   :-14.66620  Min.   :0.0  Min.   :0.0
## 1st Qu.:0.0006483  1st Qu.: -7.34117  1st Qu.:0.0  1st Qu.:0.0
## Median :0.0034409  Median : -5.67204  Median :0.0  Median :0.0
## Mean   :0.0093010  Mean   : -6.19280  Mean   :0.0  Mean   :0.0
## 3rd Qu.:0.0117140  3rd Qu.: -4.44697  3rd Qu.:0.0  3rd Qu.:0.0
## Max.   :0.9270204  Max.   : -0.07578  Max.   :0.1  Max.   :0.1
##                               NA's   :742791  NA's   :742791
##      logFather        mother      motherShifted      logMother
## Min.   :-14.6       Min.   :0.00   Min.   :0.00   Min.   :-14.78

```

```


## 1st Qu.: -9.2    1st Qu.: 0.00    1st Qu.: 0.00    1st Qu.: -8.41
## Median : -6.8   Median : 0.00    Median : 0.00    Median : -6.44
## Mean   : -7.3   Mean   : 0.01    Mean   : 0.01    Mean   : -7.03
## 3rd Qu.: -5.1   3rd Qu.: 0.01    3rd Qu.: 0.01    3rd Qu.: -5.09
## Max.   : -2.0   Max.   : 0.96    Max.   : 0.96    Max.   : -0.04
## NA's    : 742791 NA's    : 147978  NA's    : 147978  NA's    : 147978

```


The timeMin is calculated with a frame rate of 25/sec.

Length of the videos in minutes


Length in each video (min)



Length of the videos in number of frames




Number of Available (True) and Not Available (False) data for each participant



All the participants involved are filmed. * All the children are filmed and we have data for each. * More often there is the other with him/her sometimes, it is the father * In some videos for instance RAKA008, there are 3 subjects

Global Motion history

Mean Motion history by video by participant



We can see that configurations of subjects are very similar (with always 2 subjects, except RAKA008 with 3 subjects). More often the child is with his mother. Consequently, it makes the comparaisons of the videos quite easy


Motion history box plots by frame (raw data), all videos

The motion history is not normalized at all. Most of motions are very small but some of them are much big (long tail). This is very usual with this algorithm extraction motion history.

The subjects data are very similar.

```
par(mar=c(3,3,2,2))
boxplot(data$father, data$mother, data$child,
        col=colOrderList,
        names=ParticipantsList,
        main= "Motion history by frame box plots (raw data), all videos", las=1)
par(mar=c(1,0.5,0.5,1))
legend("topleft", ParticipantsList, fill=colOrderList, cex=0.7)
```


Motion history by frame box plots (raw data), all videos



jects data distribution are very similar.

```
par(mar=c(4,4,2,2))
hist(data$logFather, col="blue", las=1, xlab="Log of father motion history")
```


Histogram of data\$logFather



Log of father motion history

```
hist(data$logMother, col="red", las=1, xlab="Log of mother motion history", cex.axis=0.7)
```


Histogram of data\$logMother



Log of mother motion history

```
hist(data$logChild, col="green", las=1, xlab="Log of child motion history", cex.axis=0.7)
```

Histogram of data\$logChild




Log of child motion history

When doing the log, we almost normalized the distribution. We couldn't do the log on 0. The result would give -Inf. We shifted all the distribution to the right by adding the half of the minimum after 0 of the distribution.

```
data$childShifted <- data$child + min(data$child[which(data$child > 0)]) / 2
```

```
par(mar=c(4,4,3,2))
boxplot(data$logFather, data$logMother, data$logChild,
        col=colOrderList,
        names=ParticipantsList,
        main= "Motion history by frame box plots (raw data),
        all videos", las=1, xlab="Participants", ylab="Motion history")
par(mar=c(1,0.5,0.5,1))
legend("topleft", ParticipantsList, fill=colOrderList, cex=0.7)
```

Motion history by frame box plots (raw data), all videos



Raw data and mean of Motion History on sliding and non overlapping intervals on 00034 video

It is the first video of 00034.

Raw data

```
rawdataMother <- data[which(data$family=="00034"),]$mother
rawdataChild <- data[which(data$family=="00034"),]$child

summary(rawdataMother)

##      Min.    1st Qu.     Median      Mean    3rd Qu.      Max.
## 0.0000000 0.0004453 0.0026660 0.0060140 0.0085460 0.1735000

summary(rawdataChild)

##      Min.    1st Qu.     Median      Mean    3rd Qu.      Max.
## 0.000000 0.000537 0.002285 0.007926 0.008199 0.179000
```

Sliding interval

```
## REMINDER:  
# SlidingInterval <- function(subject, indexOfvideos=1:NumberOfvideos, interval, data) with :  
# subject : subject studied (patient, mother, father or therapist)  
# indexOfvideos : list of videos studied (element eg. 3 or list eg 1:3 or c(1,2,4))  
# interval : number of frames in the studied interval  
# data : data frame where there is data  
# repalce by 5 after  
slidedMother <- SlidingInterval("mother", 1 , 5, data)  
slidedChild <- SlidingInterval("child", 1 , 5, data)  
  
summary(slidedMother)  
  
##      Min.    1st Qu.     Median      Mean    3rd Qu.      Max.  
## 5.400e-07 5.367e-04 2.972e-03 6.015e-03 8.495e-03 1.616e-01  
  
summary(slidedChild)  
  
##      Min.    1st Qu.     Median      Mean    3rd Qu.      Max.  
## 0.0000000 0.0006375 0.0024400 0.0079270 0.0082810 0.1684000
```

Non overlapping interval

```
motherFive <- MeanMotionByTime("mother", indexOfvideos=1, interval=5, data)  
  
childFive <- MeanMotionByTime("child", indexOfvideos=1, interval=5, data)  
  
summary(childFive)  
  
##      Min.    1st Qu.     Median      Mean    3rd Qu.      Max.  
## 2.100e-07 6.356e-04 2.417e-03 7.925e-03 8.280e-03 1.646e-01  
  
summary(motherFive)  
  
##      Min.    1st Qu.     Median      Mean    3rd Qu.      Max.  
## 5.400e-07 5.269e-04 3.015e-03 6.013e-03 8.504e-03 1.529e-01
```

Focus on the motion history of the first 10 seconds of the first video 00034

Sliding interval function on a 5 frames interval


```
par(mar=c(4,4,4,2))  
plot(1:250, data$mother[3:252], main="Mean motion history (Sliding 5 frames interval)  
on 00034 video, first 10 seconds ", xlab="Frame index (25/s)",  
ylab="Motion history",  
col="red", type="l", lty=2, lwd=0.5, ylim=c(0, 0.075))  
lines(slidedMother[1:250], col="red", lty=1)  
lines(slidedChild[1:250], col="green", lty=1)  
lines(data$child[3:252], col="green", lty=2, lwd=0.5)
```

```

legend("topleft", c("Raw data", "Mean on sliding Interval"), lty=c(2, 1), cex=0.7)
legend("topright", ParticipantsList[c(2,3)], fill=colOrderList[c(2,3)], cex=0.7)

```

Mean motion history (Sliding 5 frames interval) on 00034 video, first 10 seconds




Non overlapping interval function on a 5 frames interval

```

par(mar=c(4,4,4,2))
plot (1:50, motherFive[1:50], type="l", col="red",
main="Mean Motion history (non overlapping 5 frames
intervals) for father on 00034 video, first 10 seconds",
ylab="Motion history", xlab="Frame index (each 5 frames)", ylim=c(0, 0.075))
lines(childFive[1:50], col="green", lty=1)
legend("topleft", "Mean on non overlapping Interval" , lty=1, cex=0.7)
legend("topright", ParticipantsList[c(2,3)], fill=colOrderList[2:3], cex=0.7)

```

Mean Motion history (non overlapping 5 frames intervals) for father on 00034 video, first 10 seconds




Motion history of the father during 10-20 seconds of the first video 00034

Non overlapping interval function on a 5 frames interval

```
par(mar=c(4,4,4,2))
plot(1:250, data$mother[253:502], main="Mean motion history (Sliding 5 frames
interval) for father on 00034 video, 10-20 seconds", xlab="Frame index (25/s)",
ylab="Motion history", col="red", type="l", lty=2, lwd=0.5, ylim=c(0, 0.075))
lines(slidedMother[251:500], col="red", lty=1)
lines(data$child[253:502], col="green", lty=2, lwd=0.5)
lines(slidedChild[251:500], col="green", lty=1)
legend("topleft", c("Raw data", "Mean on sliding Interval"), lty=c(2, 1), cex=0.7)
legend("topright", ParticipantsList[c(2,3)], fill=colOrderList[c(2,3)], cex=0.7)
```


Mean motion history (Sliding 5 frames interval) for father on 00034 video, 10–20 seconds



Non overlapping interval function on a 5 frames interval

```
plot (1:50, motherFive[51:100], type="l", col="red",
main="Mean motion history (non overlapping 5 frames intervals) on
00034 video, between 10-20 seconds",
ylab="Motion history", xlab="Frame index (each 5 frames)", ylim=c(0, 0.075))
lines(childFive[51:100], col="green", lty=1)
legend("top", "Mean on non overlapping Interval" , lty=1, cex=0.7)
legend("topright", ParticipantsList[c(2,3)], fill=colOrderList[c(2,3)], cex=0.7)
```

Mean motion history (non overlapping 5 frames intervals) on 00034 video, between 10–20 seconds



Mean motion history by 10 sec plots

```

for (i in 1:Number0fvideos){
  fatherMinute<- MeanMotionByTime("father", index0fvideos=i, interval=250, data)


  motherMinute<- MeanMotionByTime("mother", index0fvideos=i, interval=250, data)

  childMinute<- MeanMotionByTime("child", index0fvideos=i, interval=250, data)


  par(mar=c(4,4,4,2))
    plot (1:length(fatherMinute), fatherMinute, type="l", col="blue",
      main=paste("Mean motion history (non overlaping 10 sec intervals)
      on ", families[i], " video" , sep=""),
      ylab="Motion history", xlab="Time by Minute", ylim=c(0, 20E-03))
#    xaxp=c(0, length(fatherMinute), length(fatherMinute)))
  lines(motherMinute, col="red")
  lines(childMinute, col="green")
  legend("topleft", inset=.05, ParticipantsList[1:3],
    fill=colOrderList[1:3], cex=0.7)}

```


**Mean motion history (non overlapping 10 sec intervals)
on 00034 video**




**Mean motion history (non overlapping 10 sec intervals)
on 00037 video**




**Mean motion history (non overlapping 10 sec intervals)
on 00041 video**




**Mean motion history (non overlapping 10 sec intervals)
on 00048 video**




**Mean motion history (non overlapping 10 sec intervals)
on 0206 video**




**Mean motion history (non overlapping 10 sec intervals)
on 1106 video**




**Mean motion history (non overlapping 10 sec intervals)
on 1606 video**




**Mean motion history (non overlapping 10 sec intervals)
on BAJE059 video**




**Mean motion history (non overlapping 10 sec intervals)
on BALE050 video**




**Mean motion history (non overlapping 10 sec intervals)
on BALU062 video**




**Mean motion history (non overlapping 10 sec intervals)
on BEAL036 video**




**Mean motion history (non overlapping 10 sec intervals)
on BEAM031 video**




**Mean motion history (non overlapping 10 sec intervals)
on BICA video**




**Mean motion history (non overlapping 10 sec intervals)
on BRLO041 video**




**Mean motion history (non overlapping 10 sec intervals)
on COLO022 video**




**Mean motion history (non overlapping 10 sec intervals)
on DIPE004 video**




**Mean motion history (non overlapping 10 sec intervals)
on DOMA video**




**Mean motion history (non overlapping 10 sec intervals)
on DRNE video**




**Mean motion history (non overlapping 10 sec intervals)
on FOMA057 video**




**Mean motion history (non overlapping 10 sec intervals)
on GROP039 video**




**Mean motion history (non overlapping 10 sec intervals)
on HAJA052 video**




**Mean motion history (non overlapping 10 sec intervals)
on HUMA058 video**




**Mean motion history (non overlapping 10 sec intervals)
on JAEM046 video**




**Mean motion history (non overlapping 10 sec intervals)
on JEEO040 video**




**Mean motion history (non overlapping 10 sec intervals)
on JOCE014 video**




**Mean motion history (non overlapping 10 sec intervals)
on LACL video**




**Mean motion history (non overlapping 10 sec intervals)
on MAEL048 video**




**Mean motion history (non overlapping 10 sec intervals)
on MAME20 video**




**Mean motion history (non overlapping 10 sec intervals)
on MAPA029 video**




**Time by Minute
Mean motion history (non overlapping 10 sec intervals)
on MIPH043 video**




**Mean motion history (non overlapping 10 sec intervals)
on MOSA065 video**




**Mean motion history (non overlapping 10 sec intervals)
on RAEM049 video**




**Mean motion history (non overlapping 10 sec intervals)
on RAKA008 video**




**Mean motion history (non overlapping 10 sec intervals)
on RIEM0 video**




**Mean motion history (non overlapping 10 sec intervals)
on SEEM035 video**




**Mean motion history (non overlapping 10 sec intervals)
on SHAN042 video**




**Mean motion history (non overlapping 10 sec intervals)
on SOGA061 video**



**Mean motion history (non overlapping 10 sec intervals)
on TIUG032 video**



Mean motion history (non overlapping 10 sec intervals) on VINO video



Export no log data in text files

```

videoIndex <- 1
# videoName is the name of current video
for (videoName in unique(data$family)){
  # Compute sliding interval for each participant

  print(paste("Computing滑动父亲", videoName))
  slidedFather <- SlidingInterval("father", videoIndex, 5, data)
#  print(head(data[which(data$family==videoName),]$father))
#  print(tail(data[which(data$family==videoName),]$father))
#  print(table(is.na(slidedFather)))
#  print(table(is.na(data[which(data$family==videoName),]$father)))

  print(paste("Computing滑动母亲", videoName))
  slidedMother <- SlidingInterval("mother", videoIndex, 5, data)
#  print(head(data[which(data$family==videoName),]$mother))
#  print(tail(data[which(data$family==videoName),]$mother))
#  print(table(is.na(data[which(data$family==videoName),]$mother)))
#  print(table(is.na(slidedMother)))

  print(paste("Computing滑动孩子", videoName))
  slidedChild <- SlidingInterval("child", videoIndex, 5, data)
#  print(head(data[which(data$family==videoName),]$child))
#  print(tail(data[which(data$family==videoName),]$child))
#  print(table(is.na(data[which(data$family==videoName),]$child)))
#  print(table(is.na(slidedChild)))
}

```

```

slidedVideo <- data.frame(
  slidedFather, slidedMother, slidedChild,
  "video"=rep(families[videoIndex], length(slidedFather)),
  frame_index = 1:length(slidedFather))

#   slidedVideo.nas <- apply(slidedVideo, 1, function(x){all(is.na(x))})
#   slidedVideo <- slidedVideo[!slidedVideo.nas,]
#   indexes <- data.frame ("video"=rep(families[videoIndex], length(slidedFather)),
#   frame_index = 1:length(slidedFather))
#       write.csv(slidedVideo, paste("../Data/CSV/filtered/noLog/",videoName, ".slideddata.csv", sep=""))
videoIndex <-(videoIndex+1)
}

```

Export log data in text files

```

videoIndex <- 1
# videoName is the name of current video
for (videoName in unique(data$family)){
# Compute slinding interval for each participant
  print(paste("Computing slidedFather", videoName))
  slidedFather <- SlidingInterval("logFather", videoIndex, 5, data)
  print(paste("Computing slidedMother", videoName))
  slidedMother <- SlidingInterval("logMother", videoIndex, 5, data)
  print(paste("Computing slidedChild", videoName))
  slidedChild <- SlidingInterval("logChild", videoIndex, 5, data)

  slidedVideo <- data.frame(
    slidedFather, slidedMother, slidedChild,
    "video"=rep(families[videoIndex], length(slidedFather)),
    frame_index = 1:length(slidedFather))

      write.csv(slidedVideo, paste("../Data/CSV/filtered/log/",videoName, ".log.slideddata.csv", sep=""))
videoIndex <-(videoIndex+1)
}

```

SyncPy utilisation for creating synchrony dataframe

After extracting filtered motion motion history with mean on sliding interval (overlapping interval) of 5 frames

And after putting this data on a CSV file slideddata.csv

We import this data on python Script with panda module Call_S_Estimator.py

This script will compute the synchrony between each dyad of the interaction and of the whole group

It will return a csv file for each video SSIXXXX.csv with XXXX the name of the video (F1044C, F1044D1, etc) that we can import with R with

this following function

```
SSIlog <- data.frame()
for (file in SSIlogFilesList){
  SSIalone <- read.csv(file)
  str(SSIalone)
  SSIlog <- rbind.fill(SSIlog, SSIalone)

## 'data.frame':   101 obs. of  5 variables:
## $ X          : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval   : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min   : num  0 0.167 0.333 0.5 0.667 ...
## $ video      : Factor w/ 1 level "BAJE059": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_fa_ch: num  0.2276 0.0611 0.0503 0.3681 0.18 ...
## 'data.frame':   93 obs. of  5 variables:
## $ X          : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval   : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min   : num  0 0.167 0.333 0.5 0.667 ...
## $ video      : int  34 34 34 34 34 34 34 34 34 ...
## $ SSI_mo_ch: num  6.84e-02 2.19e-03 6.15e-03 3.36e-05 4.99e-03 ...
## 'data.frame':   102 obs. of  5 variables:
## $ X          : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval   : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min   : num  0 0.167 0.333 0.5 0.667 ...
## $ video      : int  37 37 37 37 37 37 37 37 37 ...
## $ SSI_mo_ch: num  0.04949 0.03257 0.31628 0.04023 0.00231 ...
## 'data.frame':   92 obs. of  5 variables:
## $ X          : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval   : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min   : num  0 0.167 0.333 0.5 0.667 ...
## $ video      : int  41 41 41 41 41 41 41 41 41 ...
## $ SSI_mo_ch: num  0.000526 0.001344 0.046499 0.000853 0.081505 ...
## 'data.frame':   94 obs. of  5 variables:
## $ X          : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval   : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min   : num  0 0.167 0.333 0.5 0.667 ...
## $ video      : int  48 48 48 48 48 48 48 48 48 ...
## $ SSI_fa_ch: num  0.1352 0.0343 0.1072 0.0145 0.0352 ...
```

```

## 'data.frame':   92 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : int  206 206 206 206 206 206 206 206 206 ...
## $ SSI_mo_ch: num  0.000207 0.00175 0.041618 0.000903 0.085139 ...
## 'data.frame':   99 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : int  1106 1106 1106 1106 1106 1106 1106 1106 1106 ...
## $ SSI_mo_ch: num  0.026361 0.007295 0.000565 0.015364 0.006206 ...
## 'data.frame':   99 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : int  1606 1606 1606 1606 1606 1606 1606 1606 1606 ...
## $ SSI_fa_ch: num  0.3062 0.0214 0.0986 0.2917 0.2696 ...
## 'data.frame':   94 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "BALE050": 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.02813 0.00167 0.06338 0.05767 0.0026 ...
## 'data.frame':   97 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "BALU062": 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.181821 0.010329 0.002342 0.073404 0.000238 ...
## 'data.frame':   93 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "BEAL036": 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.1001 0.2307 0.0434 0.0162 0.2129 ...
## 'data.frame':   91 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "BEAM031": 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.02071 0.26602 0.00174 0.06732 0.17748 ...
## 'data.frame':   92 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "BICA": 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.000711 0.001869 0.041523 0.000726 0.081905 ...
## 'data.frame':   92 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "BRL0041": 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.06985 0.00164 0.04273 0.17571 0.09643 ...

```

```

## 'data.frame':   97 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "COL0022": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.0248 0.0958 0.097 0.012 0.0496 ...
## 'data.frame':   97 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "DIPE004": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.000373 0.088672 0.21248 0.055105 0.087002 ...
## 'data.frame':   99 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "DOMA": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.026944 0.007261 0.000585 0.015431 0.00675 ...
## 'data.frame':   97 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "DRNE": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.027599 0.016339 0.029398 0.090265 0.000303 ...
## 'data.frame':   94 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "FOMA057": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_fa_ch: num  0.039267 0.061017 0.036308 0.000795 0.052433 ...
## 'data.frame':   93 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "GROP039": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.1307 0.0389 0.0133 0.0255 0.0102 ...
## 'data.frame':   93 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "HAJAO52": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.000411 0.216405 0.121613 0.147261 0.097674 ...
## 'data.frame':   102 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "HUMA058": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.05308 0.03244 0.32744 0.04134 0.00224 ...
## 'data.frame':   91 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "JAEM046": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.027392 0.000469 0.026544 0.00128 0.312469 ...

```

```

## 'data.frame':   89 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "JEE0040": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.0338 0.00532 0.02746 0.2879 0.30519 ...
## 'data.frame':   93 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "JOCE014": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.16571 0.14958 0.00692 0.03476 0.16591 ...
## 'data.frame':   94 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "LACL": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_fa_ch: num  0.1357 0.0389 0.107 0.0144 0.0352 ...
## 'data.frame':   91 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "MAEL048": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.037 0.0722 0.0484 0.0676 0.1572 ...
## 'data.frame':   95 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "MAME20": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.0427 0.0491 0.168 0.0457 0.0222 ...
## 'data.frame':   42 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "MAPA029": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.1787 0.10486 0.00623 0.09201 0.00555 ...
## 'data.frame':   92 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "MIPH043": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  0.02573 0.29209 0.17696 0.01566 0.00039 ...
## 'data.frame':   107 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "MOSA065": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_fa_ch: num  0.0714 0.1193 0.0308 0.0047 0.0273 ...
## 'data.frame':   91 obs. of  5 variables:
## $ X      : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num  0 0.167 0.333 0.5 0.667 ...
## $ video   : Factor w/ 1 level "RAEM049": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch: num  1.32e-01 1.23e-01 5.54e-05 2.49e-01 4.28e-02 ...

```

```

## 'data.frame':   93 obs. of  8 variables:
## $ X           : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval    : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min    : num  0 0.167 0.333 0.5 0.667 ...
## $ video       : Factor w/ 1 level "RAKA008": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_fa_ch   : num  0.002606 0.000758 0.002614 0.024557 0.004167 ...
## $ SSI_fa_mo   : num  0.00529 0.09641 0.67432 0.01693 0.12264 ...
## $ SSI_fa_mo_ch: num  0.00336 0.0645 0.28596 0.07965 0.05795 ...
## $ SSI_mo_ch   : num  4.73e-05 5.60e-02 1.74e-04 1.55e-01 7.67e-03 ...
## 'data.frame':   91 obs. of  5 variables:
## $ X           : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval    : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min    : num  0 0.167 0.333 0.5 0.667 ...
## $ video       : Factor w/ 1 level "RIEMO": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch   : num  1.32e-01 1.24e-01 3.96e-05 2.51e-01 4.24e-02 ...
## 'data.frame':   94 obs. of  5 variables:
## $ X           : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval    : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min    : num  0 0.167 0.333 0.5 0.667 ...
## $ video       : Factor w/ 1 level "SEEM035": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch   : num  0.072683 0.013644 0.000101 0.046958 0.153092 ...
## 'data.frame':   92 obs. of  5 variables:
## $ X           : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval    : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min    : num  0 0.167 0.333 0.5 0.667 ...
## $ video       : Factor w/ 1 level "SHAN042": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch   : num  0.15925 0.0227 0.19607 0.02067 0.00148 ...
## 'data.frame':   92 obs. of  5 variables:
## $ X           : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval    : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min    : num  0 0.167 0.333 0.5 0.667 ...
## $ video       : Factor w/ 1 level "SOGA061": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch   : num  0.3729 0.1356 0.4634 0.0335 0.1971 ...
## 'data.frame':   96 obs. of  5 variables:
## $ X           : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval    : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min    : num  0 0.167 0.333 0.5 0.667 ...
## $ video       : Factor w/ 1 level "TIUG032": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch   : num  0.08456 0.06049 0.069 0.01282 0.00204 ...
## 'data.frame':   91 obs. of  5 variables:
## $ X           : int  0 1 2 3 4 5 6 7 8 9 ...
## $ Interval    : int  1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min    : num  0 0.167 0.333 0.5 0.667 ...
## $ video       : Factor w/ 1 level "VINO": 1 1 1 1 1 1 1 1 1 1 ...
## $ SSI_mo_ch   : num  1.45e-02 2.15e-01 5.09e-02 9.81e-05 8.68e-02 ...

SSIlog$video <-as.factor(SSIlog$video)
table(SSIlog$video)

##
```

##	1106	1606	206	34	37	41	48	BAJE059	BALE050
##	99	99	92	93	102	92	94	101	94
##	BALU062	BEAL036	BEAM031	BICA	BRL0041	COL0022	DIPE004	DOMA	DRNE
##	97	93	91	92	92	97	97	99	97
##	FOMA057	GROP039	HAJA052	HUMA058	JAEM046	JEE0040	JOCE014	LACL	MAEL048

```

##      94      93      93     102      91      89      93      94      91
## MAME20 MAPA029 MIPH043 MOSA065 RAEM049 RAKA008    RIEMO SEEM035 SHAN042
##      95      42      92     107      91      93      91      94      92
## SOGA061 TIUG032    VINO
##      92      96      91

```

SSIlog\$video

```

##      [1] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##      [9] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [17] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [25] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [33] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [41] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [49] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [57] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [65] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [73] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [81] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [89] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 BAJE059
##     [97] BAJE059 BAJE059 BAJE059 BAJE059 BAJE059 34      34      34
##    [105] 34      34      34      34      34      34      34      34
##    [113] 34      34      34      34      34      34      34      34
##    [121] 34      34      34      34      34      34      34      34
##    [129] 34      34      34      34      34      34      34      34
##    [137] 34      34      34      34      34      34      34      34
##    [145] 34      34      34      34      34      34      34      34
##    [153] 34      34      34      34      34      34      34      34
##    [161] 34      34      34      34      34      34      34      34
##    [169] 34      34      34      34      34      34      34      34
##    [177] 34      34      34      34      34      34      34      34
##    [185] 34      34      34      34      34      34      34      34
##    [193] 34      34      37      37      37      37      37      37
##    [201] 37      37      37      37      37      37      37      37
##    [209] 37      37      37      37      37      37      37      37
##    [217] 37      37      37      37      37      37      37      37
##    [225] 37      37      37      37      37      37      37      37
##    [233] 37      37      37      37      37      37      37      37
##    [241] 37      37      37      37      37      37      37      37
##    [249] 37      37      37      37      37      37      37      37
##    [257] 37      37      37      37      37      37      37      37
##    [265] 37      37      37      37      37      37      37      37
##    [273] 37      37      37      37      37      37      37      37
##    [281] 37      37      37      37      37      37      37      37
##    [289] 37      37      37      37      37      37      37      37
##    [297] 41      41      41      41      41      41      41      41
##    [305] 41      41      41      41      41      41      41      41
##    [313] 41      41      41      41      41      41      41      41
##    [321] 41      41      41      41      41      41      41      41
##    [329] 41      41      41      41      41      41      41      41
##    [337] 41      41      41      41      41      41      41      41
##    [345] 41      41      41      41      41      41      41      41
##    [353] 41      41      41      41      41      41      41      41
##    [361] 41      41      41      41      41      41      41      41
##    [369] 41      41      41      41      41      41      41      41

```

```

## [377] 41      41      41      41      41      41      41      41      41
## [385] 41      41      41      41      48      48      48      48      48
## [393] 48      48      48      48      48      48      48      48      48
## [401] 48      48      48      48      48      48      48      48      48
## [409] 48      48      48      48      48      48      48      48      48
## [417] 48      48      48      48      48      48      48      48      48
## [425] 48      48      48      48      48      48      48      48      48
## [433] 48      48      48      48      48      48      48      48      48
## [441] 48      48      48      48      48      48      48      48      48
## [449] 48      48      48      48      48      48      48      48      48
## [457] 48      48      48      48      48      48      48      48      48
## [465] 48      48      48      48      48      48      48      48      48
## [473] 48      48      48      48      48      48      48      48      48
## [481] 48      48      206     206     206     206     206     206     206
## [489] 206     206     206     206     206     206     206     206     206
## [497] 206     206     206     206     206     206     206     206     206
## [505] 206     206     206     206     206     206     206     206     206
## [513] 206     206     206     206     206     206     206     206     206
## [521] 206     206     206     206     206     206     206     206     206
## [529] 206     206     206     206     206     206     206     206     206
## [537] 206     206     206     206     206     206     206     206     206
## [545] 206     206     206     206     206     206     206     206     206
## [553] 206     206     206     206     206     206     206     206     206
## [561] 206     206     206     206     206     206     206     206     206
## [569] 206     206     206     206     206     206     206     1106    1106
## [577] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [585] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [593] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [601] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [609] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [617] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [625] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [633] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [641] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [649] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [657] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [665] 1106    1106    1106    1106    1106    1106    1106    1106    1106
## [673] 1106    1606    1606    1606    1606    1606    1606    1606    1606
## [681] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [689] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [697] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [705] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [713] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [721] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [729] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [737] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [745] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [753] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [761] 1606    1606    1606    1606    1606    1606    1606    1606    1606
## [769] 1606    1606    1606    1606    BALE050  BALE050  BALE050  BALE050
## [777] BALE050  BALE050  BALE050  BALE050  BALE050  BALE050  BALE050  BALE050
## [785] BALE050  BALE050  BALE050  BALE050  BALE050  BALE050  BALE050  BALE050
## [793] BALE050  BALE050  BALE050  BALE050  BALE050  BALE050  BALE050  BALE050
## [801] BALE050  BALE050  BALE050  BALE050  BALE050  BALE050  BALE050  BALE050

```



```

## [3401] SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061
## [3409] SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061
## [3417] SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061
## [3425] SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061
## [3433] SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061
## [3441] SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061 SOGA061
## [3449] SOGA061 SOGA061 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3457] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3465] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3473] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3481] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3489] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3497] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3505] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3513] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3521] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3529] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3537] TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032 TIUG032
## [3545] TIUG032 TIUG032 VINO VINO VINO VINO VINO VINO VINO
## [3553] VINO VINO VINO VINO VINO VINO VINO VINO
## [3561] VINO VINO VINO VINO VINO VINO VINO VINO
## [3569] VINO VINO VINO VINO VINO VINO VINO VINO
## [3577] VINO VINO VINO VINO VINO VINO VINO VINO
## [3585] VINO VINO VINO VINO VINO VINO VINO VINO
## [3593] VINO VINO VINO VINO VINO VINO VINO VINO
## [3601] VINO VINO VINO VINO VINO VINO VINO VINO
## [3609] VINO VINO VINO VINO VINO VINO VINO VINO
## [3617] VINO VINO VINO VINO VINO VINO VINO VINO
## [3625] VINO VINO VINO VINO VINO VINO VINO VINO
## [3633] VINO VINO VINO VINO VINO VINO VINO VINO
## 39 Levels: 1106 1606 206 34 37 41 48 BAJE059 BALE050 BALU062 ... VINO

SSInoLog <- data.frame()
for (file in SSInoLogFileList){
  # print(file)
  SSIalone <- read.csv(file)
  # print(str(SSIalone))
  SSInoLog<- rbind.fill(SSInoLog, SSIalone)}
SSInoLog$video <-as.factor(SSInoLog$video)
str(SSInoLog)

## 'data.frame': 1807 obs. of 8 variables:
## $ X : int 0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int 1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num 0 0.167 0.333 0.5 0.667 ...
## $ video : Factor w/ 39 levels "1106","1606",...: 9 9 9 9 9 9 9 9 9 9 ...
## $ SSI_mo_pa : num 0.01932 0.01111 0.13627 0.06911 0.00568 ...
## $ SSI_fa_pa : num NA NA NA NA NA NA NA NA NA ...
## $ SSI_fa_mo : num NA NA NA NA NA NA NA NA NA ...
## $ SSI_fa_mo_pa: num NA NA NA NA NA NA NA NA NA ...

```

Description of SSIlog data frame

```
str(SSIlog)

## 'data.frame': 3637 obs. of 8 variables:
## $ X : int 0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int 1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num 0 0.167 0.333 0.5 0.667 ...
## $ video : Factor w/ 39 levels "1106","1606",...: 8 8 8 8 8 8 8 8 8 ...
## $ SSI_fa_ch : num 0.2276 0.0611 0.0503 0.3681 0.18 ...
## $ SSI_mo_ch : num NA NA NA NA NA NA NA NA NA ...
## $ SSI_fa_mo : num NA NA NA NA NA NA NA NA NA ...
## $ SSI_fa_mo_ch: num NA NA NA NA NA NA NA NA NA ...

dim(SSIlog)

## [1] 3637     8

#View(SSI)
table(SSIlog$video)

## 
##    1106    1606    206    34    37    41    48   BAJE059   BALE050
##      99      99      92     93     102     92     94     101     94
## BALU062 BEAL036 BEAM031    BICA BRL0041 COL0022 DIPE004    DOMA    DRNE
##      97      93      91     92     92     97     97     99     97
## FOMA057 GROP039 HAJA052 HUMA058 JAEM046 JEE0040 JOCE014    LACL MAEL048
##      94      93      93     102     91     89     93     94     91
## MAME20 MAPA029 MIPH043 MOSA065 RAEM049 RAKA008    RIEMO SEEM035 SHAN042
##      95      42      92     107     91     93     91     94     92
## SOGA061 TIUG032    VINO
##      92      96      91

SSIlog$video <- as.factor(SSIlog$video)
unique(SSIlog$video)

## [1] BAJE059 34      37      41      48      206     1106    1606
## [9] BALE050 BALU062 BEAL036 BEAM031 BICA     BRL0041 COL0022 DIPE004
## [17] DOMA     DRNE    FOMA057 GROP039 HAJA052 HUMA058 JAEM046 JEE0040
## [25] JOCE014 LACL    MAEL048 MAME20 MAPA029 MIPH043 MOSA065 RAEM049
## [33] RAKA008 RIEMO   SEEM035 SHAN042 SOGA061 TIUG032 VINO
## 39 Levels: 1106 1606 206 34 37 41 48 BAJE059 BALE050 BALU062 ... VINO
#SSI <- SSI[-which(SSI$video==""),]
```

Description of noLogSSI data frame

```
str(SSInoLog)

## 'data.frame': 1807 obs. of 8 variables:
## $ X : int 0 1 2 3 4 5 6 7 8 9 ...
## $ Interval : int 1 2 3 4 5 6 7 8 9 10 ...
## $ Time_min : num 0 0.167 0.333 0.5 0.667 ...
## $ video : Factor w/ 39 levels "1106","1606",...: 9 9 9 9 9 9 9 9 9 ...
## $ SSI_mo_pa : num 0.01932 0.01111 0.13627 0.06911 0.00568 ...
```

```

## $ SSI_fa_pa : num NA NA NA NA NA NA NA NA NA ...
## $ SSI_fa_mo : num NA NA NA NA NA NA NA NA NA ...
## $ SSI_fa_mo_pa: num NA NA NA NA NA NA NA NA NA ...

#View(SSInoLog)
unique(SSInoLog$video)

## [1] BALE050 34      37      41      48      206     1106     1606
## [9] BAJE059 BALU062 BEAL036 BEAM031 BICA     BRL0041 COLO022 DIPE004
## [17] DOMA     DRNE     FOMA057 GROP039 HAJA052 HUMA058 JAEM046 JEE0040
## [25] JOCE014 LACL     MAEL048 MAME20  MAPA029 MIPH043 MOSA065 RAEM049
## [33] RAKA008 RIEMO    SEEM035 SHAN042 SOGA061 TIUG032 VINO
## 39 Levels: 1106 1606 206 34 37 41 48 BAJE059 BALE050 BALU062 ... VINO

table(SSInoLog$video)

##
##      1106     1606     206     34      37      41      48 BAJE059 BALE050
##      49       49       46      46      51      46      47      50      47
## BALU062 BEAL036 BEAM031     BICA BRL0041 COLO022 DIPE004     DOMA     DRNE
##      48       46       45      46      46      48      48      49      48
## FOMA057 GROP039 HAJA052 HUMA058 JAEM046 JEE0040 JOCE014     LACL MAEL048
##      47       46       46      51      45      44      46      47      45
## MAME20 MAPA029 MIPH043 MOSA065 RAEM049 RAKA008     RIEMO SEEM035 SHAN042
##      47       21       46      53      45      46      45      47      46
## SOGA061 TIUG032     VINO
##      46       48       45

SSInoLog$video <- as.factor(SSInoLog$video)
unique(SSInoLog$video)

## [1] BALE050 34      37      41      48      206     1106     1606
## [9] BAJE059 BALU062 BEAL036 BEAM031 BICA     BRL0041 COLO022 DIPE004
## [17] DOMA     DRNE     FOMA057 GROP039 HAJA052 HUMA058 JAEM046 JEE0040
## [25] JOCE014 LACL     MAEL048 MAME20  MAPA029 MIPH043 MOSA065 RAEM049
## [33] RAKA008 RIEMO    SEEM035 SHAN042 SOGA061 TIUG032 VINO
## 39 Levels: 1106 1606 206 34 37 41 48 BAJE059 BALE050 BALU062 ... VINO

```

Synchrony scores log for each dyad, triad and for the whole group

```

for (i in unique(SSInoLog$video))
  {par(mar=c(4,4,4,3), mfrow=c(1,1))
   plot(SSInoLog[which(SSInoLog$video==i),]$Time_min,
        SSInoLog[which(SSInoLog$video==i),]$SSI_fa_mo,
        type="l", ylim=c(0, 0.3), col=rainbow(4)[1],
        main=paste("Synchrony scores for each dyad and for \n the whole group in", i, "video"),
        xlab = "Time (minute)", ylab="Synchrony score", lwd=2,
        xaxp=c(0,length(SSInoLog$Time_min), length(SSInoLog$Time_min)))
   abline(h=mean(SSInoLog$SSI_fa_mo, na.rm=TRUE), col=rainbow(4)[1], lwd=2, lty=2)
   lines(SSInoLog[which(SSInoLog$video==i),]$SSI_fa_mo_ch, col=rainbow(4)[2], lwd=2)
   abline(h= mean(SSInoLog$SSI_fa_mo_ch, na.rm=TRUE), col=rainbow(4)[2], lwd=2, lty=2)
   lines(SSInoLog[which(SSInoLog$video==i),]$SSI_fa_ch, col=rainbow(4)[3], lwd=2)
   abline(h= mean(SSInoLog$SSI_fa_ch, na.rm=TRUE), col=rainbow(4)[3], lwd=2, lty=2)
   lines(SSInoLog[which(SSInoLog$video==i),]$SSI_mo_ch, col=rainbow(4)[4], lwd=2)
  }

```

```


abline(h= mean(SSIlog$SSI_mo_ch, na.rm=TRUE), col=rainbow(4)[4], lwd=2, lty=2)

legend("topleft", inset=.05, c("fa_mo", "fa_mo_ch", "fa_ch",
"mo_ch"),
col=rainbow(4), cex=0.6, lwd=2)


legend ("topright", inset=.05, c(
  paste ("Mean fa_mo :", round(mean(SSIlog$SSI_fa_mo, na.rm=TRUE),3)),
  paste ("Mean fa_mo_ch :", round(mean(SSIlog$SSI_fa_mo_ch,na.rm=TRUE),3)),
  paste ("Mean fa_ch :", round(mean(SSIlog$SSI_fa_ch, na.rm=TRUE),3)),
  paste ("Mean mo_ch :", round(mean(SSIlog$SSI_mo_ch,na.rm=TRUE),3))),
col=rainbow(4), cex=0.5, lty=2, lwd=1)

```


Synchrony scores for each dyad and for the whole group in BAJE059 video




Synchrony scores for each dyad and for the whole group in 34 video




Synchrony scores for each dyad and for the whole group in 37 video




Synchrony scores for each dyad and for the whole group in 41 video




Synchrony scores for each dyad and for the whole group in 48 video




**Synchrony scores for each dyad and for
the whole group in 206 video**




**Synchrony scores for each dyad and for
the whole group in 1106 video**




**Synchrony scores for each dyad and for
the whole group in 1606 video**




**Synchrony scores for each dyad and for
the whole group in BALE050 video**




Synchrony scores for each dyad and for the whole group in BALU062 video




Synchrony scores for each dyad and for the whole group in BEAL036 video




Synchrony scores for each dyad and for the whole group in BEAM031 video




Synchrony scores for each dyad and for the whole group in BICA video




**Synchrony scores for each dyad and for
the whole group in BRLO041 video**




**Synchrony scores for each dyad and for
the whole group in COLO022 video**




**Synchrony scores for each dyad and for
the whole group in DIPE004 video**




**Synchrony scores for each dyad and for
the whole group in DOMA video**




Synchrony scores for each dyad and for the whole group in DRNE video




Synchrony scores for each dyad and for the whole group in FOMA057 video




**Synchrony scores for each dyad and for
the whole group in GROP039 video**




**Synchrony scores for each dyad and for
the whole group in HAJA052 video**




**Synchrony scores for each dyad and for
the whole group in HUMA058 video**




**Synchrony scores for each dyad and for
the whole group in JAEM046 video**




**Synchrony scores for each dyad and for
the whole group in JEE040 video**




**Synchrony scores for each dyad and for
the whole group in JOCE014 video**




Synchrony scores for each dyad and for the whole group in LACL video




Synchrony scores for each dyad and for the whole group in MAEL048 video




**Synchrony scores for each dyad and for
the whole group in MAME20 video**




**Synchrony scores for each dyad and for
the whole group in MAPA029 video**




Synchrony scores for each dyad and for the whole group in MIPH043 video




Synchrony scores for each dyad and for the whole group in MOSA065 video




Synchrony scores for each dyad and for the whole group in RAEM049 video




Synchrony scores for each dyad and for the whole group in RAKA008 video




Synchrony scores for each dyad and for the whole group in RIEM0 video




Synchrony scores for each dyad and for the whole group in SEEM035 video




**Synchrony scores for each dyad and for
the whole group in SHAN042 video**




**Synchrony scores for each dyad and for
the whole group in SOGA061 video**



Synchrony scores for each dyad and for the whole group in TIUG032 video



Synchrony scores for each dyad and for the whole group in VINO video



Synchrony scores noLog for each dyad, triad and for the whole group

```
for (i in unique(SSInoLog$video))
  {par(mar=c(4,4,4,3), mfrow=c(1,1))
```

```

plot(SSInoLog[which(SSInoLog$video==i),]$Time_min,
      SSInoLog[which(SSInoLog$video==i),]$SSI_fa_mo,
      type="l", ylim=c(0, 0.3), col=rainbow(4)[1],
      main=paste("Synchrony scores for each dyad and for \n the whole group in", i, "video"),
      xlab = "Time (minute)", ylab="Synchrony score", lwd=2,
xaxp=c(0,length(SSInoLog$Time_min), length(SSInoLog$Time_min)))
abline(h=mean(SSInoLog$SSI_fa_mo, na.rm=TRUE), col=rainbow(4)[1], lwd=2, lty=2)
lines(SSInoLog[which(SSInoLog$video==i),]$SSI_fa_mo_ch, col=rainbow(4)[2], lwd=2)
abline(h= mean(SSInoLog$SSI_fa_mo_ch, na.rm=TRUE), col=rainbow(4)[2], lwd=2, lty=2)
lines(SSInoLog[which(SSInoLog$video==i),]$SSI_fa_ch, col=rainbow(4)[3], lwd=2)
abline(h= mean(SSInoLog$SSI_fa_ch, na.rm=TRUE), col=rainbow(4)[3], lwd=2, lty=2)
lines(SSInoLog[which(SSInoLog$video==i),]$SSI_mo_ch, col=rainbow(4)[4], lwd=2)
abline(h= mean(SSInoLog$SSI_mo_ch, na.rm=TRUE), col=rainbow(4)[4], lwd=2, lty=2)

legend("topleft", inset=.05, c("fa_mo", "fa_mo_ch", "fa_ch",
"mo_ch"),
col=rainbow(4), cex=0.6, lwd=2)

legend ("topright", inset=.05, c(
  paste ("Mean fa_mo :", round(mean(SSInoLog$SSI_fa_mo, na.rm=TRUE),3)),
  paste ("Mean fa_mo_ch :", round(mean(SSInoLog$SSI_fa_mo_ch,na.rm=TRUE),3)),
  paste ("Mean fa_ch :", round(mean(SSInoLog$SSI_fa_ch, na.rm=TRUE),3)),
  paste ("Mean mo_ch :", round(mean(SSInoLog$SSI_mo_ch,na.rm=TRUE),3))),
col=rainbow(4), cex=0.5, lty=2, lwd=1)}

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in BALE050 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in 34 video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in 37 video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in 41 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in 48 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in 206 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in 1106 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in 1606 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in BAJE059 video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in BALU062 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in BEAL036 video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in BEAM031 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in BICA video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in BRLO041 video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in COLO022 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in DIPE004 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in DOMA video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in DRNE video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in FOMA057 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in GROP039 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in HAJA052 video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in HUMA058 video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in JAEM046 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in JEEO040 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in JOCE014 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in LACL video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in MAEL048 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in MAME20 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in MAPA029 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in MIPH043 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in MOSA065 video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in RAEM049 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in RAKA008 video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in RIEM0 video



```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA


## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in SEEM035 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in SHAN042 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in SOGA061 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in TIUG032 video




```

## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_mo_ch, na.rm = TRUE): argument is
## not numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_fa_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA
## Warning in mean.default(SSInoLog$SSI_mo_ch, na.rm = TRUE): argument is not
## numeric or logical: returning NA

```

Synchrony scores for each dyad and for the whole group in VINO video



Evolution of synchrony through time, raw each second

```
par(mar=c(4,4,4,4))
  col <- 1
for (i in 5:length(SSI)){
  plot(1:length(SSI[,i]), SSI[,i], type="l",
  col=rainbow(4)[col], main = names(SSI)[i])
  col <- col+1}
```

Evolution of synchrony through time, mean by minute

```
par(mar=c(4,4,4,4))
  col = 1
for (indexSSI in 5:length(SSI)){
  IntervalNumbersVideo <- ceiling(length(SSI[,indexSSI])/6)
  SSIColumn <- SSI[,indexSSI]
  SSIMinute <- c()
  for (i in 1:IntervalNumbersVideo){
    borneInf <- 1+(i-1)*6
    borneSup <- i * 6
    SSIVectorInterval <- SSIColumn[borneInf:borneSup]
    mean <- mean(SSIVectorInterval, na.rm=TRUE)
    SSIMinute <- c(SSIMinute, mean)}
  plot(1:length(SSIMinute), SSIMinute, type="l", col=rainbow(11)[col], main = names(SSI)[indexSSI])
  col <- col+1}
```

Evolution of synchrony through time, mean by 10 minutes

```
par(mar=c(4,4,4,4))
  col = 1
for (indexSSI in 5:length(SSI)){
  IntervalNumbersVideo <- ceiling(length(SSI[,indexSSI])/60)
  SSIColumn <- SSI[,indexSSI]
  SSITenMinute <- c()
  for (i in 1:IntervalNumbersVideo){
    borneInf <- 1+(i-1)*60
    borneSup <- i * 60
    SSIVectorInterval <- SSIColumn[borneInf:borneSup]
    mean <- mean(SSIVectorInterval, na.rm=TRUE)
    SSITenMinute <- c(SSITenMinute, mean)}
  plot(1:length(SSITenMinute), SSITenMinute, type="l", col=rainbow(4)[col], main = names(SSI)[indexSSI])
  col <- col+1}
```

Psychometric database

```
psycho <- read.csv2("/Users/Ofix/Documents/Fac/internat/Recherche/projets/synchro/synchroData/Monrada/D
psycho <- psycho[!(38:40),]
str(psycho)
#View(psycho)
```


Demographic description

Sex

```
psycho$Sex[which(psycho$Sex == 1)] <- "male"
psycho$Sex[which(psycho$Sex == 2)] <- "female"

par(mar=c(3,4,4,4))
barplot(table(psycho$Sex), col=c("red", "blue"), main ="Sex repartition")
```

Sex repartition



Age


```
psycho$Birthday <- as.Date(psycho$Birthday, format="%d/%m/%y")
psycho$interview_date <- as.Date(psycho$interview_date, format="%d/%m/%y")
str(psycho$Birthday)

## Date[1:37], format: "1997-06-18" "1997-12-03" "1997-04-07" "1999-09-08" ...
str(psycho$interview_date)

## Date[1:37], format: "2014-01-09" "2014-01-16" "2014-04-17" "2014-04-29" ...
psycho$age <- (psycho$interview_date-ps psycho$Birthday)/365.25

par(mar=c(3,4,4,4))
hist(as.numeric(psycho$age), col="green")
```


Histogram of as.numeric(psycho\$age)



Birth places

```
par(mar=c(5,4,4,4))
barplot(sort(table(psycho$Birth_place), decreasing = TRUE ), las=2, cex.names=0.5, main="Birth place")
```

Birth place




```
psycho$Birth_place
```

```
## [1] Gray           Madagascar      Besancon
## [4] Lany sur Marnes Besancon      Besancon
## [7] Sofia (Bulgarie) Besancon      Besancon
## [10] Lons le Saunier Besancon      Besancon
## [13] Besancon       Besancon      Pontarlier
## [16] Lons le Saunier Besancon      Besancon
## [19] Besancon       Nogent sur Marnes Belfort
## [22] Strasbourg     Besancon      Besancon
## [25] Besancon       Besancon      Annecy
## [28] Belfort         Besancon      Besancon
## [31] St. Claude     Privas        Clermont-Ferrand
## [34] Tours          Besancon      Besancon
## [37] Vesoul         Besancon      Besancon
## 17 Levels:  Annecy Belfort Besancon Clermont-Ferrand ... Vesoul
```


Attachement styles

```
par(mar=c(9,5,3,3))
barplot(table(psycho$attachement_style), las=2, cex.names=0.6)
```




Insecurity level


```
par(mar=c(9,5,3,3))
barplot(table(psycho$insecurite_level), las=2)
```



TAS




Distribution of the TAS scores



STAIYA

```
par(mar=c(3,3,3,3))
barplot(table(psycho$STAIYA_total), las=2, col="blue", main="Distribution of the STAIYA scores", cex.names=0.8)
```

Distribution of the STAIYA scores




```
hist(psycho$STAIYA_total, las=1, col="blue", main="Distribution of the STAIYA scores", cex.name=0.9)

## Warning in plot.window(xlim, ylim, "", ...): "cex.name" is not a graphical
## parameter

## Warning in title(main = main, sub = sub, xlab = xlab, ylab = ylab, ...):
## "cex.name" is not a graphical parameter

## Warning in axis(1, ...): "cex.name" is not a graphical parameter
## Warning in axis(2, ...): "cex.name" is not a graphical parameter
```


Distribution of the STAIYA scores



STAIYB

```
par(mar=c(3,3,3,3))
barplot(table(psycho$STAIYB_total), las=2, col="red", main="Distribution of the STAIYB scores", cex.names=1)
```

Distribution of the STAIYB scores




```
hist(psycho$STAIYB_total, las=1, col="red", main="Distribution of the STAIYA scores", cex.name=0.9)

## Warning in plot.window(xlim, ylim, "", ...): "cex.name" is not a graphical
## parameter

## Warning in title(main = main, sub = sub, xlab = xlab, ylab = ylab, ...):
## "cex.name" is not a graphical parameter

## Warning in axis(1, ...): "cex.name" is not a graphical parameter
## Warning in axis(2, ...): "cex.name" is not a graphical parameter
```


Distribution of the STAIYA scores



BDI total

```
par(mar=c(3,3,3,3))
barplot(table(psycho$BDI_total), las=2, col="green", main="Distribution of the BDI scores", cex.name=0.9)
```

Distribution of the BDI scores




```
hist(psycho$BDI_total, las=1, col="green", main="Distribution of the BDI scores", cex.name=0.9)

## Warning in plot.window(xlim, ylim, "", ...): "cex.name" is not a graphical
## parameter

## Warning in title(main = main, sub = sub, xlab = xlab, ylab = ylab, ...):
## "cex.name" is not a graphical parameter

## Warning in axis(1, ...): "cex.name" is not a graphical parameter
## Warning in axis(2, ...): "cex.name" is not a graphical parameter
```

Distribution of the BDI scores



Models of synchrony

```

SSI_fa_th_lme <- lmer(SSI_fa_th ~ Time_min + (1|video), data=SSI)
summary(SSI_fa_th_lme)
#plot(SSI_fa_th_lme)
res <- residuals(SSI_fa_th_lme)
hist(SSI$SSI_fa_th)
qqnorm(res)
SSI_fa_th_List <- c()
for (i in families){
  SSI_fa_th_List <- c(SSI_fa_th_List, mean(SSI[which(SSI$video==i),]$SSI_fa_th, na.rm=TRUE))
}
print(SSI_fa_th_List)
#plot(SSI_fa_th_List, type="b")

# log of the data
log_SSI_fa_th <- hist(log(SSI$SSI_fa_th))
SSI_fa_th_log_lme <- lmer(log(SSI_fa_th) ~ Time_min + (1|video), data=SSI)
res_log <- residuals(SSI_fa_th_log_lme)
qqnorm(res_log)
summary(SSI_fa_th_log_lme)

# root square of the data
sq_SSI_fa_th <- hist(sqrt(SSI$SSI_fa_th))
SSI_fa_th_sq_lme <- lmer(sqrt(SSI_fa_th) ~ Time_min + (1|video), data=SSI)
res_sq <- residuals(SSI_fa_th_sq_lme)
qqnorm(res_sq)
summary(SSI_fa_th_sq_lme)

```

