



# Python for Physics

## Lab -1

# What is Python

Python is a widely used general-purpose high level programming language, designed by Guido van Rossum in 1991.

## Why Python

Python has several advantages over other programming languages. They are:

- i. Code readability
- ii. Easy syntax
- iii. English like keywords
- iv. Concise programs
- v. Automatic Memory languages
- vi. Free and open source software



## Python comparing with C

C

```
#include "stdio.h"
int main() {
    printf("Hello\n");
}
```

Java

```
public class Hi {
    public static void main (String [] args) {
        System.out.println("Hello");
    }
}
```

python

```
print("hello")
```

**Notice: no ;**



localhost:8888/notebooks/Python%20for%20Applied%20Physics%20.ipynb#

jupyter Python for Applied Physics Last Checkpoint: Last Tuesday at 3:14 PM (autosaved) Logout

File Edit View Insert Cell Kernel Widgets Help Trusted Python 3

Python for Applied Physics

Mechanics

Grivational Force

This program calculates and displays the Gravitational Force between two masses:

$$F = \frac{Gm_1m_2}{r^2}$$

```
In [1]: # define the input
mass_1 = float(input('Enter the value of mass 1 (in kilogram) '))
mass_2 = float(input('Enter the value of mass 1 (in kilogram) '))
distance = float(input('Enter the value of distance '))
G = 6.67*10**-11 # Gravitational constant in the units of Nm^2/kg^2:

# Calculation
# computes the value of Gravitational Force
Grv_force = (G * mass_1*mass_2)/(distance**2)
print('Force between the masses is = ',Grv_force,' Newtons.')
```

# Introduction to Jupiter Notebook



The Jupyter Notebook is an open-source web application that allows us to create and share documents that contain live code, equations, visualizations and narrative text. Uses include: data cleaning and transformation, numerical simulation, statistical modeling, data visualization, machine learning, and much more.

A single document that combines explanations with executable code and its output — an ideal way to provide:

- ▶ reproducible research results
- ▶ documentation of processes
- ▶ instructions
- ▶ tutorials and training materials of all shapes and sizes

# *Installation*

The easiest way for a beginner to get started with Jupyter Notebook is by installing Anaconda.

Link for installing Anaconda is:


<https://www.anaconda.com/products/individual>


Anaconda is the most widely used Python distribution for data science and comes pre-loaded with all the most popular libraries and tools.

Some of the biggest Python libraries included in Anaconda include NumPy, pandas, and Matplotlib, though the full 1000+ list is exhaustive.

# How to Launch Jupyter Notebook

**There are 3 ways to launch Jupyter Notebook:**


- 1) Using Anaconda Navigator  **ANACONDA NAVIGATOR**
  - a) Open the application called Anaconda Navigator (this may take a couple of minutes)
  - b) Click on “Launch” in the Jupyter Notebook box



# How to Launch Jupyter Notebook

## 2) Using Anaconda Prompt

- a) Open the application called Anaconda Prompt
- b) Type "jupyter notebook" (without quotes) and hit the return key




Type  
"jupyter notebook"  
here

Note: your Anaconda Prompt window will show a different pathname than in this image, but it will look similar!




# How to Launch Jupyter Notebook

3) Clicking on the Jupyter Notebook App in the Start Menu (I just learned about this method, and it will probably be the fastest!)



# How to Launch Jupyter Notebook

You will know that Jupyter Notebook opened correctly if you see a page similar to this one open in your browser!


The screenshot shows the Jupyter Notebook web interface. At the top, there's a header with the Jupyter logo and "Quit" and "Logout" buttons. Below the header, there are tabs for "Files", "Running", and "Clusters". The "Files" tab is active, showing a file browser. It includes a search bar, "Upload", "New", and "Refresh" buttons. A table lists files and folders with columns for "Name", "Last Modified", and "File size".

|                          | Name       | Last Modified  | File size |
|--------------------------|------------|----------------|-----------|
| <input type="checkbox"/> | /          |                |           |
| <input type="checkbox"/> | 3D Objects | 2 months ago   |           |
| <input type="checkbox"/> | Contacts   | 2 months ago   |           |
| <input type="checkbox"/> | Desktop    | 13 days ago    |           |
| <input type="checkbox"/> | Documents  | 12 days ago    |           |
| <input type="checkbox"/> | Downloads  | 19 minutes ago |           |
| <input type="checkbox"/> | Evernote   | a year ago     |           |
| <input type="checkbox"/> | Favorites  | 2 months ago   |           |
| <input type="checkbox"/> | Gpredict   | a year ago     |           |
| <input type="checkbox"/> | Links      | 2 months ago   |           |
| <input type="checkbox"/> | movielens  | 10 months ago  |           |

# How to open a Notebook file

Navigate through your folders until you get to the directory you want to save your scripts in. You can navigate through by clicking on the name of the Folder.


- **Open a previously saved Notebook file** by clicking on the name of the file
- The extension for a Jupyter Notebook file is “.ipynb”, which is short for “interactive python notebook”



| jupyter                  |   | Quit          | Logout  |
|--------------------------|---|---------------|---------|
| <input type="checkbox"/> | Folder Pictures                                       | 2 months ago  |         |
| <input type="checkbox"/> | Folder Saved Games                                    | 2 months ago  |         |
| <input type="checkbox"/> | Folder Searches                                       | 2 months ago  |         |
| <input type="checkbox"/> | Folder source   | a year ago    |         |
| <input type="checkbox"/> | Folder unix   | a year ago    |         |
| <input type="checkbox"/> | Folder Videos   | 2 months ago  |         |
| <input type="checkbox"/> | Folder world-development-indicators                   | 10 months ago |         |
| <input type="checkbox"/> | File 03_Numpy_Notebook.ipynb                          | 9 months ago  | 39.9 kB |
| <input type="checkbox"/> | File 05a_Matplotlib_Notebook.ipynb                    | 10 months ago | 124 kB  |
| <input type="checkbox"/> | File 05b_Exploring Indicator's Across Countries.ipynb | 10 months ago | 519 kB  |
| <input type="checkbox"/> | File 05c_Folium_Notebook.ipynb                        | 10 months ago | 27.5 kB |
| <input type="checkbox"/> | File 1st ML lesson.ipynb                              | 9 months ago  | 14.6 kB |
| <input type="checkbox"/> | File AP.ipynb   | a year ago    | 8.01 kB |
| <input type="checkbox"/> | File Applied Machine learning (Coursera ).ipynb       | 9 months ago  | 280 kB  |
| <input type="checkbox"/> | File Applied Physics .ipynb                           | 15 days ago   | 12 kB   |

# How to open a Notebook file

Open a new Notebook file by clicking on the "New" menu on the upper right




# How to start writing a Jupyter Notebook

**Notebook name:** The name displayed at the top of the page, next to the Jupyter logo, reflects the name of the . ipynb file. Clicking on the notebook name brings up a dialog which allows you to rename it. Thus, renaming a notebook from “Untitled0” to “My first notebook” in the browser, renames the Untitled0.ipynb file to My first notebook.ipynb.

**Menu bar:** The menu bar presents different options that may be used to manipulate the way the notebook functions.


**Toolbar:** The tool bar gives a quick way of performing the most-used operations within the notebook, by clicking on an icon.

**Code cell:** the default type of cell; read on for an explanation of cells



# How to start writing a Jupyter Notebook

It's good practice to start your script by importing libraries you will need. Below are three libraries I often use, but you may need different ones.



The screenshot shows a Jupyter Notebook interface. The top bar displays the file path 'Documents/COESSING2019/Python/' and the notebook name 'COESSING2019\_ExamplePythonScript - Jupyter Notebook'. The main menu includes 'File', 'Edit', 'View', 'Insert', 'Cell', 'Kernel', 'Widgets', and 'Help'. A toolbar below the menu contains icons for creating new cells, saving, and running. The 'Run' button is circled in blue, with a yellow arrow pointing to it and a text box that says 'Click here to evaluate the cell'. Below the toolbar, a code cell is shown with the text 'In [1]:' circled in blue, followed by the code: `import numpy as np`, `import matplotlib.pyplot as plt`, and `import pandas as pd`. A yellow arrow points from the 'In [1]:' label to a text box at the bottom that explains evaluation. The text box states: 'If there is a number here, then the cell has been evaluated! This means that the code written in that cell has been run. A cell is evaluated by either clicking "Run" or by typing Shift+Return.'

Documents/COESSING2019/Python/ COESSING2019\_ExamplePythonScript - Jupyter Notebook

jupyter COESSING2019\_ExamplePythonScript Last Checkpoint: 15 minutes ago (autosaved) Logout

File Edit View Insert Cell Kernel Widgets Help Trusted Python 3

Run

Click here to evaluate the cell

In [1]: `import numpy as np`  
`import matplotlib.pyplot as plt`  
`import pandas as pd`

In [ ]:

If there is a number here, then the cell has been evaluated! This means that the code written in that cell has been run. A cell is evaluated by either clicking "Run" or by typing Shift+Return.

# Markdown

## Headings

To create a heading, add one to six `#` symbols before your heading text. The number of `#` you use will determine the size of the heading.

```
# The largest heading
## The second largest heading
##### The smallest heading
```

# The largest heading

## The second largest heading

### The smallest heading

## Text

| Output            | Syntax                  |
|-------------------|-------------------------|
| <i>emphasis</i>   | <code>*emphasis*</code> |
| <b>strong</b>     | <code>**strong**</code> |
| <code>code</code> | <code>`code`</code>     |



Emphasis, aka italics, with `*asterisks*` or `_underscores_`.

Strong emphasis, aka bold, with `**asterisks**` or `__underscores__`.

Combined emphasis with `**asterisks and _underscores_**`.

Strikethrough uses two tildes. `~~Scratch this.~~`

Emphasis, aka italics, with *asterisks* or *underscores*.

Strong emphasis, aka bold, with **asterisks** or **underscores**.

Combined emphasis with ***asterisks and underscores***.

Strikethrough uses two tildes. ~~Scratch this.~~



## Styling text

You can indicate emphasis with bold, italic, or strikethrough text.

| Style                     | Syntax                                     | Keyboard shortcut       | Example   | Output   |
|---------------------------|--|-------------------------|---|--|
| Bold                      | <code>** **</code> or <code>_ _</code>     | command/c<br>ontrol + b | <code>**This is<br/>bold text**</code>                          | <b>This is bold<br/>text</b>                           |
| Italic                    | <code>* *</code> or <code>_ _</code>       | command/c<br>ontrol + i | <code>*This text<br/>is<br/>italicized*</code>                  | <i>This text is<br/>italicized</i>                     |
| Strikethrough             | <code>~~ ~~</code>                         |                         | <code>~~This was<br/>mistaken<br/>text~~</code>                 | <del>This was<br/>mistaken<br/>text</del>              |
| Bold and<br>nested italic | <code>** **</code> and<br><code>_ _</code> |                         | <code>**This text<br/>is<br/>_extremely_<br/>important**</code> | <b>This text is<br/><i>extremely</i><br/>important</b> |
| All bold and<br>italic    | <code>*** **</code>                        |                         | <code>***All this<br/>text is<br/>important**<br/>*</code>      | <b><i>All this text<br/>is important</i></b>           |

# Lists

Create an ordered list using numbers:

1. Number theory
2. Algebra
3. Partial differential equations
4. Probability

1. Number theory
2. Algebra
3. Partial differential equations
4. Probability

Create an unordered list using an asterisk \* for each item:

- \* Number theory
- \* Algebra
- \* Partial differential equations
- \* Probability

- Number theory
- Algebra
- Partial differential equations
- Probability



Use indentation to create nested lists:

1. Mathematics
  - \* Calculus
  - \* Linear Algebra
  - \* Probability
2. Physics
  - \* Classical Mechanics
  - \* Relativity
  - \* Thermodynamics
3. Biology
  - \* Diffusion and Osmosis
  - \* Homeostasis
  - \* Immunology

1. Mathematics
  - Calculus
  - Linear Algebra
  - Probability
2. Physics
  - Classical Mechanics
  - Relativity
  - Thermodynamics
3. Biology
  - Diffusion and Osmosis
  - Homeostasis
  - Immunology

# Goal Lab-1

Prepare the code of the following three output on Jupyter notebook using markdown

## Chapter 3

## Conditional execution

### 3.1 Boolean expressions

A *boolean expression* is an expression that is either true or false. The following examples use the operator `==`, which compares two operands and produces `True` if they are equal and `False` otherwise:

#### Lists of astronomical objects

1. Moon Mimas and Ida, an asteroid with its own moon.
2. Comet Lovejoy and Jupiter, a giant gas planet.
3. The Sun; Sirius A with Sirius B, a white dwarf; the Crab Nebula, a remnant supernova.
4. A black hole (artist concept); Vela Pulsar a rotating neutron star.
5. M80, a globular cluster, and the Pleiades, an open star cluster.

#### Galaxy groups and clusters

- List of galaxy groups
- List of galaxy clusters
  - List of Abell clusters
- List of galaxy superclusters

#### Black holes

- Lists of black holes
  - List of black holes
  - List of most massive black holes
  - List of nearest black holes