IEEE Working Group P3109 Interim Report on 8-bit Binary Floating-point Formats

Questions and comments via GitHub issues at https://github.com/P3109/Public

Initial release: 18 September 2023

Version 0.6.1: 18 February 2024 (compiled 2024-02-19)

DRAFT DOCUMENT

Copyright © 2024 by The Institute of Electrical and Electronics Engineers, Inc. Three Park Avenue
New York, New York 10016-5997, USA
All rights reserved.

This document is subject to change. USE AT YOUR OWN RISK! IEEE copyright statements SHALL NOT BE REMOVED from this draft, or modified in any way. Because this is an unapproved draft, this document must not be utilized for conformance / compliance purposes.

Contents

1	Intr	oduction	3
	1.1	Typographical conventions and notation	3
2	Valu	ies	4
	2.1	Notes on emax	5
	2.2	Subnormals	6
	2.3	Not a number (NaN)	6
	2.4	Zero	7
	2.5	Infinities	7
	2.6	Extremal values	8
	2.7	Equivalents	8
3	Clas	ssification operators	9
	3.1	Classification predicates	9
	3.2	Classifier operator	9
4	Com	1	11
	4.1	1 1	11
	4.2	Details of totalOrder predicate	11
A	Rati	onales	13
	A.1	Exponent bias	13
	A.2	Infinity	13
		A.2.1 Mask Values	13
		A.2.2 Overflow to Infinity	14
	A.3	Eight Bit Formats	14
		A.3.1 binary8p3	14
		A.3.2 binary8p4	14
		A.3.3 binary8p5	14
		A.3.4 binary8p6	14
В	Exte	ernal Formats	15
C	Volu	ne Tables	15
C			15 16
			10 17
		, , , , , , , , , , , , , , , , , , , ,	17 18
	C.3		18 19
		, , ,	
			20 21
		, , ,	21

1 Introduction

This document represents ongoing discussions and current matters of consensus from IEEE Working Group P3109, "Standard for Arithmetic Formats for Machine Learning". The Project Authorization Request (PAR) for P3109 defines the scope, need, and stakeholders as follows:

Scope of proposed standard: This standard defines a binary arithmetic and data format for machine learning-optimized domains. It also specifies the default handling of exceptions that occur in this arithmetic. This standard provides a consistent and flexible arithmetic framework optimized for Machine Learning Systems (MLS) in hardware and/or software implementations to minimize the work required to make MLS interoperable with each other, as well as other dependent systems. This standard is aligned with IEEE Std 754-2019for Floating-Point Arithmetic.

Need for this Work: Machine Learning Systems have different arithmetic requirements from most other domains. Precisions tend to be lower, and accuracy is measured in dimensions other than just numerical (e.g. inference accuracy). Furthermore, machine learning systems are often integrated into mission-critical and safety-critical systems. With no standards specifically addressing these needs, Machine Learning Systems are built with inconsistent expectations and assumptions that hinder the compatibility and reuse of machine learning hardware, software, and training data.

Stakeholders for the Standard: System developers, vendors, and users of machine learning applications across many industries and interests including but not limited to computation, storage, medical, telecommunications, e-commerce, fleet management, automotive, robotics, and security.

The scope of this interim release is interchange formats, classification operators, and comparisons. The working group continues to deliberate on the specification of additional operations.

1.1 Typographical conventions and notation

Bold text describes the decisions and specifications of this document.

Text that is not bold is background material, typically providing rationale and arguments that represent discussions of the working group leading to a decision and specification.

This document specifies 8-bit floating-point interchange formats (binary formats) and associated operations. Binary formats are parameterized by their width, the number of bits spanned in memory (here, 8); and their precision (P), the number of bits spanned by the true significand (this is one more than the bits of the significand that are stored explicitly).

The formats defined herein shall be referred to as "binary8" formats, and further qualified by precision yielding names "binary8pP" for values $1 \le P \le 7$.

For example, "binary8p3" is a format with 3 bits of precision; one bit is an implicit leading bit and two bits are explicit.

2 Values

This section describes the set of values that a binary8 format shall represent. The universe of values in existing floating point usage encompasses some finite real numerical values, the non-finite numerical values positive and negative infinity (-lnf, +lnf), the non-numeric not-a-number values $(NaN, NaN_1, ...)$, and negative zero (-0). The value set for each binary8 format specifies the set of values that are available in that format.

Each binary format shall be associated with a unique encoding. An 8-bit binary encoding is a mapping from 8-bit strings to values. Some of these mappings are included in Appendix C.

Values are considered either "special" or "ordinary". Encodings of the special values, shared by all binary8 formats, are shown in Table 1 as Zero, +Inf, -Inf, and NaN. The binary8 formats have only a single NaN, and relocate it to the -0 position, providing an increased range. The ordinary values consist of the normal and subnormal values.

Table 1: Special value encodings

Special Value	Symbol	Hexadecimal Encoding	Bit Sequence
Zero	0	0x00	0000 0000
Positive Infinity	+Inf	0x7F	0111 1111
Negative Infinity	-Inf	OxFF	1111 1111
Not a Number	NaN	0x80	1000 0000

These mappings are shared by all binary8 formats.

Table 2: Parameters for binary formats

	Parameter	Derived			bin	nary8	pP, P	=		IEEE	E754-20	19, K =
Symbol	Description	Value	7	6	5	4	3	2	1	16	32	64
K	storage (bits)	K	8	8	8	8	8	8	8	16	32	64
Р	precision (bits)	P	7	6	5	4	3	2	1	11	24	53
SE	all-special exponent	SE	0	0	0	0	0	0	1	1	1	1
S	sign (bits)	1	1	1	1	1	1	1	1	1	1	1
W	exponent (bits)	K – P	1	2	3	4	5	6	7	5	8	11
Т	trailing significand (bits)	P – 1	6	5	4	3	2	1	0	10	23	52
emax	maximum exponent	$2^{W-1} - 1$	0	1	3	7	15	31	63	15	127	1023
emin	minimum exponent	SE-emax	0	-1	-3	-7	-15	-31	-62	-14	-126	-1022
bias	exponent bias	1-emin	1	2	4	8	16	32	63	15	127	1023

Format-defining parameters in bold, derived parameters in normal font. Adapted from Table 3.5 of IEEE Std 754-2019, and extended to include the binary8pP formats. Concepts are explained in detail in this section.

The finite floating-point numbers representable with a binary format are determined by three *format-defining* parameters:

- Storage width K, the total size of the format in bits
- Precision P, the number of digits in the significand including the implicit leading bit.

• All-special exponent flag SE, indicating the all-ones exponent encoding contains only special values

With binary8P1 and IEEE Std 754, there is one exponent symbol (all ones) that contains only special NaN and/or Inf values – this is indicated by the *all-special exponent* flag, SE. When this flag is set, the bias parameter is odd and emin is even.

All other parameters, such as the exponent of the largest finite value emax, are derived from the format-defining parameters. Unlike IEEE Std 754, the bias term in the binary8 formats is typically even. This allows a more symmetrical range, where emin = -emax, and arises in most binary8 formats (except P = 1). While it is believed this symmetry will be useful, we need to find additional rationale to support this decision.

For $P \ge 3$, we note the binary8pP value sets are subsets of the IEEE Std 754 binary16 value set.

IEEE Std 754-2019 includes the radix B and the minimum exponent emin in a list of format-defining parameters, this document excludes both of them for these two reasons:

- This document covers binary (radix 2) formats only, so B is not a format parameter.
- The quantity emin is determined by P and emax; it cannot be varied independently, so it cannot be a formatdefining parameter.

The P3109 committee has not yet fully reconciled the following notes from IEEE Std 754-2019:

- For binary formats, the precision p should be at least 3, as some numerical properties do not hold for lower precisions.
- Similarly, emax should be at least 2 to support the operations listed in 9.2.

The operations referred to in 9.2 are sin/cos/exp/log/etc.

It is unclear whether adopting P=8 into the binary8 family provides any value. Strictly following Table 2, emax $=-\frac{1}{2}$ which means all ordinary values are irrational. Rounding this computation upward yields emax(8) = 0 and bias(8) = 1, where all representations within the format are subnormal, with the consequence that the value sets and encodings for binary8p7 and binary8p8 are identical except for a scaling factor of 1/2. As these different binary8p8 encodings are largely redundant with binary8p7, this interpretation does not appear to be useful. Finally, we could define P=8 as a special case, e.g. a signed-magnitude Q7.0 integer representation with a range of 0 to 126 plus the special encodings for NaN, +Inf, and -Inf. This last interpretation, where binary8p8 is an 8-bit integer representation, might be useful in some training situations where the special values or saturating features are useful. However, at the moment, P=8 remains outside of the scope of P3109.

2.1 Notes on emax

The choice of emax for a given format then determines the exponent bias for that format. The bias is chosen so that the exponent of the largest finite value is emax. For IEEE Std 754 formats, the largest finite value corresponds to an exponent field which has all but the zeroth bit set (e.g. 11110 for binary16), because all of the values with all-bits-one exponents are occupied by non-finite values (Not-a-Numbers or Infinities). Thus, the biased exponent of the largest finite value is $2^W - 2$, from which bias should be defined so that

$$(2^W - 2) - bias = emax$$

¹The binary8p1 encoding is different because there are no bits in the significand allowing it to distinguish Inf from finite values.

Rearranging, we obtain the following for IEEE Std 754 formats

$$\mathsf{bias} = (2^\mathsf{W} - 2) - (2^{\mathsf{W} - 1} - 1) = 2 \cdot (2^{\mathsf{W} - 1} - 1) - (2^{\mathsf{W} - 1} - 1) = 2^{\mathsf{W} - 1} - 1 = \mathsf{emax}$$

For the binary8 formats in this document where P > 1, only one of the values that has exponents with all-bits-one is non-finite ($\pm lnf$), so the biased exponent of the largest finite value is $2^W - 1$. Hence the bias calculation becomes

bias =
$$(2^{W} - 1) - (2^{W-1} - 1) = 2^{W-1} - 1 + 1 = emax + 1$$

For P = 1, there are zero trailing significand bits, so all values where the exponent bits are ones are special, and again bias = emax.

2.2 Subnormals

Binary8 value sets shall include subnormals.

IEEE Std 754value sets include subnormals. A value with trailing significand field T and exponent field E is interpreted as $1.T \times 2^{E-\text{bias}}$ except when all bits of the exponent bitfield are 0, in which case the value is $0.T \times 2^{1-\text{bias}}$.

Subnormal numbers extend the dynamic range of floating-point values and induce equal quantization steps close to zero. They can be useful when training models, where it is common to represent near-zero values for gradients. Subnormals can also be useful to represent random values pulled from certain distributions. For example, model weights are initialized to small random values at training. Subnormals are uniformly spaced around zero, and values near zero are more probable in Gaussian-like distributions values. Finally, formats with narrow exponent widths necessarily have a limited range; subnormals extend this range by a power of 2 for every bit in the trailing significand.²

2.3 Not a number (NaN)

Binary8 value sets shall include exactly one NaN, encoded as 0x80, which shall not signal.

Many other floating-point formats define several NaN values which are returned from operations with results outside the set of values, e.g., DIV(0,0), or ADD(+Inf,-Inf). Multiple NaN encodings are used in other formats to allow different exceptional conditions to be distinguished.

In the context of machine learning systems, uses of NaN include:

- Debugging of code running on accelerator hardware. In A.I. accelerators, exceptions may be difficult or expensive
 to convey back to user code, so it is common practice to allow NaN values to propagate through calculations to
 indicate that an error has occurred.
- Use as a sentinal value. In some datasets, for example, where individual element values may be missing or out of range, a sentinal may be used to record the position of these values. In many cases, this will require less memory than storing such information out-of-band, such as in a coordinate-list (COO) format array. In some cases, ±Inf can be used as a missing value, but given the restricted range of binary8 formats, it is likely that infinity shall be used as a separate indicator of rounding from values outside of the finite range.
- The use of multiple NaN payloads is known in statistical code (e.g. the R system has NaN and N/A), but it is not widely used. In the context of binary8, supporting multiple NaNs would reduce the already limited encoding space (e.g., occupying all code points where the exponent field is all ones, thereby reducing dynamic range) and would likely add additional hardware complexity.

²Conversely, subnormals provide a limited range increase to formats with narrow significands.

2.4 Zero

Binary8 formats shall have exactly one zero, encoded as 0x00. This zero value is nonnegative.

The inclusion of negative zero (-0) would incur the cost of an additional code point. Given the decision to encode only a single NaN, placing that NaN at the negative zero code point enables the strictly positive and strictly negative number ranges to be symmetric.

A key rationale for including -0 in IEEE Std 754was the consistent implementation of branch cuts in the atan2 function [4, 5]. Although the atan function is common in deep learning, it is generally used as an activation function, rather than a trigonometric operation, and the atan2 function is rare, if not unknown, in deep learning applications. Hence, it is not expected that this standard shall define either atan or atan2.

A secondary reason for providing -0 is the hardware simplification offered by its presence in the implementation of sign/magnitude arithmetic. However, the existence of in-market implementations is evidence that the small hardware simplification has not been sufficient to balance the loss of one code point.

It might be considered that the use of integer comparisons in sorting would argue against placing NaN at the negative zero code point. For example, the JAX machine learning framework is known to sort using integer comparison [3]. However, such sorting still requires O(n) preprocessing and postprocessing steps to enable the use of twos-complement integer comparison, and already has special treatment of NaN and -0, so eliminating -0 and placing NaN in the -0 position imposes negligible additional burden.³

2.5 Infinities

Binary8 formats shall include positive and negative infinities, encoded as 0x7f and 0xff, respectively.

This decision causes a reduction in dynamic range (252 values rather than 254), while offering improved numerical robustness in important machine learning use cases.

Examples of such usage are:

- Mask values, for example, in Transformer models in machine learning [1].
- Representation of overflow, for example, to adjust dynamic loss scaling factors [7].

As illustrated in Appendix A, both uses are facilitated by the presence of infinity.

³Sorting using comparison operations is undefined in the presence of NaNs. However, existing practice is to sort NaNs using totalOrder.

2.6 Extremal values

Table 3: Extremal values

Format	minSubnormal	maxSubnormal	minNormal	maxNormal	maxFinite
binary8p1	N/A	N/A	1×2^{-62}	1×2^{63}	1×2^{63}
binary8p2	1×2^{-32}	1×2^{-32}	1×2^{-31}	1×2^{31}	1×2^{31}
binary8p3	1×2^{-17}	$3/2 \times 2^{-16}$	1×2^{-15}	$3/2 \times 2^{15}$	$3/2 \times 2^{15}$
binary8p4	1×2^{-10}	$7/4 \times 2^{-8}$	1×2^{-7}	$7/4 \times 2^{7}$	$7/4 \times 2^{7}$
binary8p5	1×2^{-7}	$15/8 \times 2^{-4}$	1×2^{-3}	$15/8 \times 2^{3}$	$15/8 \times 2^{3}$
binary8p6	1×2^{-6}	$31/16 \times 2^{-2}$	1×2^{-1}	$31/16 \times 2^{1}$	$31/16 \times 2^{1}$
binary8p7	1×2^{-6}	$63/32 \times 2^{-1}$	1×2^0	$63/32 \times 2^{0}$	$63/32 \times 2^{0}$

It is practical to list extremal finite values defined by the binary8 formats. Following IEEE Std 754-2019 naming patterns, we adopt: $\max Normal(\tau), \min Normal(\tau), \min Subnormal(\tau)$ where τ is a binary8 format. For example: $\max Normal(binary8p4) = 7/4 \times 2^7$ and $\min Normal(binary8p5) = 1 \times 2^{-3}$.

Table 3 shows the extremal values for $1 \le p \le 7$. For reference, section C provides complete tables of values.

2.7 Equivalents

The binary8p7 format is equivalent to a signed-magnitude fixed-point integer in Q1.6 format, except there are code points reserved for NaN, +Inf, and -Inf.

3 Classification operators

Conforming implementations shall provide the classification predicates defined by Table 4 and the classifier operator defined by Table 5. The classification predicates and the classifier function shall not signal exceptions.

The classification operators comprise: 1) a set of predicate functions with a boolean return value, taking a single binary8 value as input; 2) a classifier operator class(x) that returns a single value of enumeration type, describing the input value's properties.

3.1 Classification predicates

Classification predicates shall behave as defined by Table 4.

Table 4: Predicate logic

Predicate	Definition
isZero(x)	iff x is Zero
isNaN(x)	iff xis NaN
isInfinite(x)	iff x is infinite
isFinite(x)	iff xis zero, subnormal or normal
isNormal(x)	iff x is normal, hence finite
isSubnormal(x)	iff xis subnormal
isSignMinus(x)	iff xhas a negative sign a
isCanonical(x)	True ^b
isSignaling(x)	False ^c

aisSignMinus(NaN) is True: NaN is 0x80 (0b1000_0000).

3.2 Classifier operator

The Classifier operator class(x) tells which of the eight classes x falls into as defined by Table 5.

^bThere are no non-canonical binary8 interchange formats.

^cAll binary8 formats have one NaN; it does not signal.

Table 5: Classifier operator

Enumeration	Condition
NaN	isNaN(x)
negativeInfinity	isInfinite(x) and $isSignMinus(x)$
negativeNormal	isNormal(x) and $isSignMinus(x)$
negativeSubnormal	isSubnormal(x) and $isSignMinus(x)$
Zero	isZero(x)
positiveSubnormal	isSubnormal(x) and $not(isSignMinus(x))$
positiveNormal	isNormal(x) and not(isSignMinus(x))
positiveInfinity	isInfinite(x) and $not(isSignMinus(x))$

4 Comparison Predicates

Conforming implementations shall provide the comparison predicates defined by Table 6 and the totalOrder(x,y) predicate.

4.1 Details of comparison predicates

Comparison operations are two-argument predicates, and their negations, that return True or False. Comparisons shall not raise exceptions. Comparisons may be ordered or unordered. A comparison is considered unordered iff either argument is NaN. All other comparisons are ordered.

```
For \{=, >, \geq, <, \leq, \leq\}, if any argument is NaN, the result is False.
```

For $\{\neq, \geqslant, \geq, \not\leq, \not\leq, \not\leq\}$, if any argument is NaN, the result is True.

Otherwise, the result of a comparison shall match the mathematical result.

Math symbol	Predicate true relations	Math symbol	Negation of predicate true relations
=	compareEqual equal	\neq , NOT =	compareNotEqual less than, greater than, unordered
>	compareGreater greater than	≯, NOT >	compareNotGreater less than, equal, unordered
≥	compareGreaterEqual greater than, equal	$\not\geq$, not \geq	compareLessUnordered less than, unordered
<	compareLess less than	≮, NOT <	compareNotLess greater than, equal, unordered
\leq	compareLessEqual less than, equal	$\not\leq$, not \leq	compareGreaterUnordered greater than, unordered
\$	compareOrdered less than, equal, greater than	≸, NOT ≶	compareUnordered unordered

Table 6: Comparison predicates and negations

4.2 Details of totalOrder predicate

The totalOrder(x, y) predicate provides a total ordering over each binary8 format's value set and shall return $\{$ True, False $\}$ as defined by the logic below. It shall not raise any exceptions.

```
boolean totalOrder(x, y)
    if isNaN(x): return True
    if isNaN(y): return False
    return compareLessEqual(x, y)
end
```

The above definition is consistent with the IEEE Std 754-2019 definition of totalOrder. In particular, among binary8 formats, there is a single NaN and it always compares as the most-negative value.

Question: should we define totalOrder(x,y) between different binary8 formats, e.g. between binary8p5 and binary8p4? Should we ensure that comparison predicates are also defined between different binary8 formats?

Question: do any of our binary8 formats have redundant representations for the same number, particularly when different formats are compared? if so, totalOrder() in IEEE Std 754-2019 defines additional sorting by exponent magnitude that we'll have to add here:

A Rationales

This section is being rewritten

A.1 Exponent bias

- we chose to follow 754 in defining emax - we could alternatively have defined bias consistently

this would mean no round tripping to b16

but means conversion to b16 requires and add or subtraction of one

conversion *from* b16 is expensive anyway...

A.2 Infinity

A.2.1 Mask Values

A common use for ∞ is to create masks, for example, in Transformer models in machine learning [1].

use
$$\beta=1/t$$
. https://openreview.net/pdf?id=LBA2Jj5Gqn

These values, assembled in mask matrix M with values $M_{ij} \in \{0, -\infty\}$ are typically added to computed values A, in a computation such as:

$$\log(\operatorname{sum}(\exp(t*(A+M))))$$

where t is a "temperature" or "base" parameter [2]. This calculation depends on the property $\exp(t*(A_{ij}-\infty))=0$.

If a floating point encoding does not provide infinity, then instead M_{ij} will be replaced by a large float (e.g. 224 is the largest finite binary8p4 value). This is not in itself a difficulty: if all the A values are bounded (e.g. the results of a softmax operation are bounded above by 1.0), then $\exp(1.0 - 224.0)$ is an extremely small number, which will certainly round to zero. Therefore, an explicit representation of infinity is *not* needed in order for this computation to yield its desired value.

However, careful implementations do not execute the calculation as written, and instead fuse the $\log(\text{sum}(\exp(v)))$ operation into a single operation $\log \text{sum}(\exp(v))$, whose implementation makes use of the identity transformation

$$logsumexp(v) \rightarrow logsumexp(v - max(v)) + max(v)$$

Without the "sticky" properties of Inf, this would produce incorrect answers.

For example, in a format where maxFinite=240 without Inf, and maxFinite=224 with Inf:

$$logsumexp(t * [-224, -\infty]) \rightarrow logsumexp(t * [0, -\infty])$$

while

$$logsumexp(t * [-224, -240]) \rightarrow logsumexp(t * [0, -16])$$

If t=1 and all calculations are done in 8-bit floating point, then the answer will be the same, because $\exp(-16)\approx 1.1\times 10^{-7}$, which will round to zero in all precisions P > 2; but if t is small, or calculations are done in mixed precision, as is common with 8-bit floating point, the loss of "stickiness" will silently yield unexpected answers. It is not expected that the full calculation shall be done in 8-bit floating point, but the subtraction of the maximum value (and computation of the maximum) might reasonably be in 8-bit floating point.

A.2.2 Overflow to Infinity

A second use of infinity is to indicate overflow on conversion to the binary8 type. Existing implementations offer several behaviors on overflow: overflow to infinity, saturation to MaxFloat, and overflow to NaN. The existence of a code point for infinity allows any of these options to be implemented in a given instantiation, while removing the code point removes the possibility of implementing the first.

A.3 Eight Bit Formats

Eight bit floating-point representations have received much attention for their usefulness and efficacy in machine learning, especially deep learning. Various 8-bit floating-point formats have been proposed, investigated in research papers, and some have been modeled in software. Four precisions [3, 4, 5, and 6 bit precisions] have become generally accepted as providing greater operational benefits than the others. Overall [there are exceptions], current efforts focus more on precisions of 3 and 4 bits (exponent fields of 5 and 4 bits, respectively). The specifics of third-party proposals for 8-bit floating-point representations vary and can differ from one precision to another. Regardless, the precisions emphasized in current research and other third-party work do share the same focus.

A.3.1 binary8p3

This format has 3 subnormal and 123 normal magnitudes. The subnormal magnitudes cover $[1.0*2^{-17}, 3.0*2^{-17}]$. The normal magnitudes cover $[1.0*2^{-15}, 4195.0]$, There are 31 normal binades with 4 magnitudes per complete binade [binade 2^{15} has 3 magnitudes, the 4^{th} is used for Inf].

A.3.2 binary8p4

This format has 7 subnormal and 119 normal magnitudes. The subnormal magnitudes cover $[1.0*2^{-10}, 7.0*2^{-10}]$. The normal magnitudes cover $[1.0*2^{-7}, 224.0]$. There are 15 normal binades with 8 magnitudes per complete binade [binade 2^7 has 7 magnitudes, the 8^{th} is used for Inf],

A.3.3 binary8p5

This format has 15 subnormal and 111 normal magnitudes. The subnormal magnitudes cover $[1.0 * 2^{-7}, 15.0 * 2^{-7}]$. The normal magnitudes cover [0.125, 15.0]. There are 7 normal binades with 16 magnitudes per complete binade [binade 2^3 has 15 magnitudes, the 16^{th} is used for Inf],

A.3.4 binary8p6

This format has 31 subnormal and 95 normal magnitudes. The subnormal magnitudes cover $[1.0*2^{-6}, 31.0*2^{-6}]$. The normal magnitudes cover [0.5, 3.875]. There are 3 normal binades with 32 magnitudes per complete binade [binade 2^1 has 31 magnitudes, the 32^{nd} is used for Inf],

B External Formats

This table summarizes the points of agreement and of difference between the formats proposed in this document and a number of existing formats, some of which have hardware implementations.

OCP: Open Compute Platform [6], describing hardware implementations including nVidia, Intel, and ARM.

AGQ: AMD, Graphcore, Qualcomm[8], implemented in Graphcore's C600 product, and AMD's gfx940.

TSL: Tesla Dojo Technology [9], A Guide to Tesla's Configurable Floating Point Formats & Arithmetic

Format		P3109)	O	СР	AC	GQ	TS	SL
Subformat	P3	P4	P5	E5	E4	E5	E4	E4	E5
Special values shared by all subformats		Y		N		Y		N	
Exactly one NaN		Y		N	1	7	ľ	,	Y
Positive and negative infinity		Y		N	Y	N	1	1	1
Include negative zero		N		N	1	7	ľ	1	1
Max exponent emax	15	7	3	15	8	15	7	N/A	N/A

C Value Tables

Value tables mapping 8-bit strings to value sets are provided in this section.

A typical entry is of the form:

```
{\tt HEX} = {\tt BINARY} = {\tt BINARY\_FLOAT} = {\tt DECIMAL} \\ {\tt 0x0b} = {\tt 0\_0001\_011} = +{\tt 0b1.011} \times 2^-7 = {\tt 0.0107421875} \\
```

Where the fields are interpreted as follows:

HEX Hexadecimal encoding of the code point

BINARY Binary expansion of the code point, underscores separate sign_exponent_significand The precise float value as a binary fraction followed by 2^e with decimal exponent e A decimal expansion of the value. If the expansion is not an exact representation of the precise float value, the equals sign is replaced by "approximately equals" \approx .

In addition, entries for subnormal and special values are rendered in color as follows:

```
0x05 = 0.0000\_101 = +0b0.101 \times 2^-7 = 0.0048828125 Subnormal value 

0x80 = 1\_0000\_000 = NaN Special value (NaN, +Inf, -Inf)
```

$\textbf{C.1} \quad \textbf{Value Table: P1,} \ \mathsf{P} = 1, \mathsf{emax} = 63$

0x00 = 0.0000000 = 0.0	$0x40 = 0_1000000_1 = +0b1.0 \times 2^1 = 2.0$	0x80 = 1.0000000 = NaN	$0xc0 = 1.1000000_{-} = -0b1.0 \times 2^{1} = -2.0$
$0x01 = 0_0000001_ = +0b1.0 \times 2^-62 \approx 2.1684043E-19$	$0x41 = 0_1000001_ = +0b1.0 \times 2^2 = 4.0$	$0x81 = 1_0000001_ = -0b1.0 \times 2^-62 \approx -2.1684043E-19$	$0xc1 = 1_1000001_1 = -0b1.0 \times 2^2 = -4.0$
$0x02 = 0.0000010_{-} = +0b1.0 \times 2^{-}61 \approx 4.3368087E-19$	$0x42 = 0_{-}1000010_{-} = +0b1.0 \times 2^{3} = 8.0$	$0x82 = 1.0000010. = -0b1.0 \times 2^-61 \approx -4.3368087E-19$	$0xc2 = 1_{-1}000010_{-} = -0b1.0 \times 2^{3} = -8.0$
$0x03 = 0.0000011. = +0b1.0 \times 2^-60 \approx 8.6736174E-19$	$0x43 = 0_{-}1000011_{-} = +0b1.0 \times 2^{2} = 16.0$	$0x83 = 1.0000011. = -0b1.0 \times 2^-60 \approx -8.6736174E-19$	$0xc3 = 1_1000011_1 = -0b1.0 \times 2^4 = -16.0$
$0x04 = 0.0000100 = +0b1.0 \times 2^{-59} \approx 1.7347235E-18$	$0x44 = 0_1000100_1 = +0b1.0 \times 2^5 = 32.0$	$0x84 = 1.0000100 = -0b1.0 \times 2^-59 \approx -1.7347235E-18$	$0xc4 = 1_1000100_1 = -0b1.0 \times 2^5 = -32.0$
$0x05 = 0.0000101. = +0b1.0 \times 2^{-58} \approx 3.469447E-18$	$0x45 = 0_1000101_ = +0b1.0 \times 2^6 = 64.0$	$0x85 = 1_0000101_ = -0b1.0 \times 2^-58 \approx -3.469447E-18$	$0xc5 = 1_1000101_{-} = -0b1.0 \times 2^{6} = -64.0$
$0x06 = 0.0000110 = +0b1.0 \times 2^{-57} \approx 6.9388939E-18$	$0x46 = 0.1000110 = +0b1.0 \times 27 = 128.0$	$0x86 = 1.0000110. = -0b1.0 \times 2^-57 \approx -6.9388939E-18$	$0xc6 = 1_{-}1000110_{-} = -0b1.0 \times 2^{-}7 = -128.0$
$0x07 = 0.0000111. = +0b1.0 \times 2^{-56} \approx 1.3877788E-17$	$0x47 = 0.1000111. = +0b1.0 \times 2^8 = 256.0$	$0x87 = 1.0000111. = -0b1.0 \times 2^-56 \approx -1.3877788E-17$	$0xc7 = 1.1000111. = -0b1.0 \times 2^8 = -256.0$
$0x08 = 0_0001000_ = +0b1.0 \times 2^-55 \approx 2.7755576E-17$	$0x48 = 0.1001000 = +0b1.0 \times 2^9 = 512.0$	$0x88 = 1_0001000_ = -0b1.0 \times 2^-55 \approx -2.7755576E-17$	$0xc8 = 1.1001000_{-} = -0b1.0 \times 2^{9} = -512.0$
$0x09 = 0_0001001_ = +0b1.0 \times 2^-54 \approx 5.5511151E-17$	$0x49 = 0_1001001_ = +0b1.0 \times 2^10 = 1024.0$	$0x89 = 1_0001001_ = -0b1.0 \times 2^-54 \approx -5.5511151E-17$	$0xc9 = 1_1001001_1 = -0b1.0 \times 2^10 = -1024.0$
$0x0a = 0.0001010. = +0b1.0 \times 2^{-53} \approx 1.110223E-16$	$0x4a = 0.1001010. = +0b1.0 \times 2^11 = 2048.0$	$0x8a = 1.0001010. = -0b1.0 \times 2^{-53} \approx -1.110223E-16$	$0xca = 1.1001010. = -0b1.0 \times 2^11 = -2048.0$
$0x0b = 0.0001011_{-} = +0b1.0 \times 2^{-52} \approx 2.220446E-16$	$0x4b = 0.1001011_{-} = +0b1.0 \times 2^{12} = 4096.0$	$0x8b = 1.0001011. = -0b1.0 \times 2^{-52} \approx -2.220446E-16$	$0xcb = 1.1001011. = -0b1.0 \times 2^12 = -4096.0$
$0x0c = 0_0001100_ = +0b1.0 \times 2^-51 \approx 4.4408921E-16$	$0x4c = 0.1001100 = +0b1.0 \times 2^13 = 8192.0$	$0x8c = 1_0001100_ = -0b1.0 \times 2^-51 \approx -4.4408921E-16$	$0xcc = 1.1001100 = -0b1.0 \times 2^13 = -8192.0$
$0x0d = 0_0001101_ = +0b1.0 \times 2^-50 \approx 8.8817842E-16$	$0x4d = 0_1001101_ = +0b1.0 \times 2^14 = 16384.0$	$0x8d = 1_0001101_ = -0b1.0 \times 2^-50 \approx -8.8817842E-16$	$0xcd = 1_1001101_1 = -0b1.0 \times 2^14 = -16384.0$
$0x0e = 0.0001110. = +0b1.0 \times 2^{-49} \approx 1.7763568E-15$	$0x4e = 0.1001110 = +0b1.0 \times 2^15 = 32768.0$	$0x8e = 1.0001110. = -0b1.0 \times 2^-49 \approx -1.7763568E-15$	$0xce = 1_{-}1001110_{-} = -0b1.0 \times 2^{-}15 = -32768.0$
$0x0f = 0.0001111. = +0b1.0 \times 2^{-48} \approx 3.5527137E-15$	$0x4f = 0.1001111. = +0b1.0 \times 2^16 = 65536.0$	$0x8f = 1.0001111. = -0b1.0 \times 2^-48 \approx -3.5527137E-15$	$0xcf = 1.1001111_{-} = -0b1.0 \times 2^{1}6 = -65536.0$
$0x10 = 0_0010000_ = +0b1.0 \times 2^-47 \approx 7.1054274E-15$	$0x50 = 0.1010000 = +0b1.0 \times 2^17 = 131072.0$	$0x90 = 1_0010000_0 = -0b1.0 \times 2^-47 \approx -7.1054274E-15$	$0xd0 = 1_1010000_1 = -0b1.0 \times 2^17 = -131072.0$
$0x11 = 0_0010001_ = +0b1.0 \times 2^-46 \approx 1.4210855E-14$	$0x51 = 0_1010001_ = +0b1.0 \times 2^18 = 262144.0$	$0x91 = 1_0010001_ = -0b1.0 \times 2^-46 \approx -1.4210855E-14$	$0xd1 = 1_1010001_ = -0b1.0 \times 2^18 = -262144.0$
$0x12 = 0.0010010. = +0b1.0 \times 2^{-45} \approx 2.8421709E-14$	$0x52 = 0.1010010 = +0b1.0 \times 2^19 = 524288.0$	$0x92 = 1.0010010. = -0b1.0 \times 2^-45 \approx -2.8421709E-14$	$0xd2 = 1.1010010 = -0b1.0 \times 2^19 = -524288.0$
$0x13 = 0.0010011_{-} = +0b1.0 \times 2^{-44} \approx 5.6843419E-14$	$0x53 = 0.1010011_{-} = +0b1.0 \times 2^{2}0 = 1048576.0$	$0x93 = 1.0010011. = -0b1.0 \times 2^-44 \approx -5.6843419E-14$	$0xd3 = 1.1010011_{-} = -0b1.0 \times 2^{2}0 = -1048576.0$
$0x14 = 0.0010100_{-} = +0b1.0 \times 2^{-43} \approx 1.1368684E-13$	$0x54 = 0.1010100_{-} = +0b1.0 \times 2^{2}1 = 2097152.0$	$0x94 = 1_0010100_0 = -0b1.0 \times 2^-43 \approx -1.1368684E-13$	$0xd4 = 1.1010100_{-} = -0b1.0 \times 2^{2}1 = -2097152.0$
$0x15 = 0.0010101. = +0b1.0 \times 2^{-42} \approx 2.2737368E-13$	$0x55 = 0_1010101_1 = +0b1.0 \times 2^2 = 4194304.0$	$0x95 = 1_0010101_0 = -0b1.0 \times 2^-42 \approx -2.2737368E-13$	$0xd5 = 1_1010101_1 = -0b1.0 \times 2^2 = -4194304.0$
$0x16 = 0.0010110. = +0b1.0 \times 2^{-41} \approx 4.5474735E-13$	$0x56 = 0.1010110. = +0b1.0 \times 2^2 = 8388608.0$	$0x96 = 1.0010110. = -0b1.0 \times 2^-41 \approx -4.5474735E-13$	$0xd6 = 1_{-}1010110_{-} = -0b1.0 \times 2^{2}3 = -8388608.0$
$0x17 = 0.0010111_{-} = +0b1.0 \times 2^{-40} \approx 9.094947E-13$	$0x57 = 0.1010111_{-} = +0b1.0 \times 2^{2}4 = 16777216.0$	$0x97 = 1.0010111_{-} = -0b1.0 \times 2^{-40} \approx -9.094947E-13$	$0xd7 = 1.1010111. = -0b1.0 \times 2^2 4 = -16777216.0$
$0x18 = 0.0011000 = +0b1.0 \times 2^{-39} \approx 1.8189894E-12$	$0x58 = 0_1011000_1 = +0b1.0 \times 2^25 = 33554432.0$	$0x98 = 1_0011000_0 = -0b1.0 \times 2^-39 \approx -1.8189894E-12$	$0xd8 = 1_1011000_1 = -0b1.0 \times 2^2 = -33554432.0$
$0x19 = 0.0011001 = +0b1.0 \times 2^{-38} \approx 3.6379788E-12$	$0x59 = 0_1011001_ = +0b1.0 \times 2^26 = 67108864.0$	$0x99 = 1_0011001_ = -0b1.0 \times 2^-38 \approx -3.6379788E-12$	$0xd9 = 1_1011001_1 = -0b1.0 \times 2^26 = -67108864.0$
$0x1a = 0.0011010. = +0b1.0 \times 2^{-37} \approx 7.2759576E-12$	$0x5a = 0.1011010. = +0b1.0 \times 2^27 = 134217728.0$	$0x9a = 1.0011010. = -0b1.0 \times 2^{-37} \approx -7.2759576E-12$	$0xda = 1_{-}1011010_{-} = -0b1.0 \times 2^{2}7 = -134217728.0$
$0x1b = 0.0011011_{-} = +0b1.0 \times 2^{-36} \approx 1.4551915E-11$	$0x5b = 0.1011011. = +0b1.0 \times 2^28 = 268435456.0$	$0x9b = 1.0011011. = -0b1.0 \times 2^{-36} \approx -1.4551915E-11$	$0xdb = 1.1011011. = -0b1.0 \times 2^2 = -268435456.0$
$0x1c = 0.0011100_{-} = +0b1.0 \times 2^{-35} \approx 2.910383E-11$	$0x5c = 0.1011100 = +0b1.0 \times 2^29 = 536870912.0$	$0x9c = 1_0011100_ = -0b1.0 \times 2^-35 \approx -2.910383E-11$	$0xdc = 1.10111100_{-} = -0b1.0 \times 2^{2}9 = -536870912.0$
$0x1d = 0.0011101. = +0b1.0 \times 2^{-34} \approx 5.8207661E-11$	$0x5d = 0_1011101_ = +0b1.0 \times 2^30 = 1073741824.0$	$0x9d = 1_0011101_ = -0b1.0 \times 2^-34 \approx -5.8207661E-11$	$0xdd = 1_1011101_1 = -0b1.0 \times 2^30 = -1073741824.0$
$0x1e = 0.0011110_{-} = +0b1.0 \times 2^{-33} \approx 1.1641532E-10$	$0x5e = 0.1011110 = +0b1.0 \times 2^31 = 2147483648.0$	$0x9e = 1.0011110_{-} = -0b1.0 \times 2^{-33} \approx -1.1641532E-10$	$0xde = 1.10111110. = -0b1.0 \times 2^31 = -2147483648.0$
$0x1f = 0.0011111_{-} = +0b1.0 \times 2^{-32} \approx 2.3283064E-10$	$0x5f = 0.10111111. = +0b1.0 \times 2^32 = 4294967296.0$	$0x9f = 1.00111111. = -0b1.0 \times 2^{-32} \approx -2.3283064E-10$	$0xdf = 1.10111111. = -0b1.0 \times 2^32 = -4294967296.0$
$0x20 = 0.0100000 = +0b1.0 \times 2^{-31} \approx 4.6566129E-10$	$0x60 = 0_1100000_1 = +0b1.0 \times 2^33 = 8589934592.0$	$0xa0 = 1_0100000_ = -0b1.0 \times 2^-31 \approx -4.6566129E-10$	$0xe0 = 1_1100000_1 = -0b1.0 \times 2^33 = -8589934592.0$
$0x21 = 0_0100001_ = +0b1.0 \times 2^-30 \approx 9.3132257E-10$	$0x61 = 0_1100001_ = +0b1.0 \times 2^34 = 17179869184.0$	$0xa1 = 1_0100001_ = -0b1.0 \times 2^-30 \approx -9.3132257E-10$	$0xe1 = 1_1100001_ = -0b1.0 \times 2^34 = -17179869184.0$
$0x22 = 0.0100010. = +0b1.0 \times 2^{-29} \approx 1.8626451E-09$	$0x62 = 0.1100010 = +0b1.0 \times 2^35 = 34359738368.0$	$0xa2 = 1.0100010. = -0b1.0 \times 2^{-29} \approx -1.8626451E-09$	$0xe2 = 1_1100010_{-} = -0b1.0 \times 2^{35} = -34359738368.0$
$0x23 = 0_0100011_ = +0b1.0 \times 2^{-28} \approx 3.7252903E-09$	$0x63 = 0.1100011. = +0b1.0 \times 2^36 = 68719476736.0$	$0xa3 = 1.0100011. = -0b1.0 \times 2^{-28} \approx -3.7252903E-09$	$0xe3 = 1.1100011. = -0b1.0 \times 2^36 = -68719476736.0$
$0x24 = 0_0100100_0 = +0b1.0 \times 2^2 - 27 \approx 7.4505806E - 09$	$0x64 = 0_1100100_1 = +0b1.0 \times 2^37 = 137438953472.0$	$0xa4 = 1_0100100_0 = -0b1.0 \times 2^2 - 27 \approx -7.4505806E - 09$	$0xe4 = 1_1100100_1 = -0b1.0 \times 2^37 \approx -1.3743895e + 11$
$0x25 = 0_0100101_ = +0b1.0 \times 2^-26 \approx 1.4901161E-08$	$0x65 = 0_1100101_ = +0b1.0 \times 2^38 = 274877906944.0$	$0 \text{xa5} = 1_0100101_ = -0 \text{b1.0} \times 2^-26 \approx -1.4901161 \text{E-08}$	$0 \text{xe5} = 1_1100101_ = -0 \text{b}1.0 \times 2^38 \approx -2.7487791 \text{e} + 11$
$0x26 = 0.0100110. = +0b1.0 \times 2^{-25} \approx 2.9802322E-08$	$0x66 = 0_{-}1100110_{-} = +0b1.0 \times 2^{3}9 = 549755813888.0$	$0xa6 = 1.0100110. = -0b1.0 \times 2^2 - 25 \approx -2.9802322E - 08$	$0xe6 = 1.1100110. = -0b1.0 \times 2^39 \approx -5.4975581e + 11$
$0x27 = 0.0100111. = +0b1.0 \times 2^{-24} \approx 5.9604645E-08$	$0x67 = 0_1100111_1 = +0b1.0 \times 2^40 \approx 1.0995116e + 12$	$0xa7 = 1.0100111. = -0b1.0 \times 2^{-24} \approx -5.9604645E-08$	$0xe7 = 1.1100111. = -0b1.0 \times 2^40 \approx -1.0995116e + 12$
$0x28 = 0_0101000_ = +0b1.0 \times 2^-23 \approx 1.1920929E-07$	$0x68 = 0_1101000_1 = +0b1.0 \times 2^41 \approx 2.1990233e + 12$	$0xa8 = 1_0101000_ = -0b1.0 \times 2^-23 \approx -1.1920929E-07$	$0xe8 = 1_1101000_1 = -0b1.0 \times 2^41 \approx -2.1990233e + 12$
$0x29 = 0_0101001_ = +0b1.0 \times 2^-22 \approx 2.3841858E-07$	$0x69 = 0_1101001_ = +0b1.0 \times 2^42 \approx 4.3980465e + 12$	$0xa9 = 1_0101001_ = -0b1.0 \times 2^-22 \approx -2.3841858E-07$	$0xe9 = 1_1101001_ = -0b1.0 \times 2^42 \approx -4.3980465e + 12$
$0x2a = 0.0101010. = +0b1.0 \times 2^{-21} \approx 4.7683716E-07$	$0x6a = 0.1101010. = +0b1.0 \times 2^43 \approx 8.796093e + 12$	0 xaa = 1.0101010. = -0 b1.0 \times 2 $^-$ 21 ≈ -4.7683716 E-07	$0 \text{xea} = 1.1101010. = -0 \text{b} 1.0 \times 2^4 3 \approx -8.796093 \text{e} + 12$
$0x2b = 0_0101011_0 = +0b1.0 \times 2^2 - 20 \approx 9.5367432E - 07$	$0x6b = 0_1101011_1 = +0b1.0 \times 2^44 \approx 1.7592186e + 13$	$0xab = 1.0101011. = -0b1.0 \times 2^-20 \approx -9.5367432E-07$	$0 \text{xeb} = 1.1101011. = -0 \text{b} 1.0 \times 2^4 4 \approx -1.7592186 \text{e} + 13$
$0x2c = 0_0101100_ = +0b1.0 \times 2^-19 \approx 1.9073486E-06$	$0x6c = 0_1101100_1 = +0b1.0 \times 2^45 \approx 3.5184372e + 13$	$0 \text{xac} = 1_0101100_ = -0 \text{b} 1.0 \times 2^-19 \approx -1.9073486 \text{E} -06$	$0 \text{xec} = 1_{-}1101100_{-} = -0 \text{b} 1.0 \times 2^{2} = -3.5184372 \text{e} + 13$
$0x2d = 0_0101101_ = +0b1.0 \times 2^-18 \approx 3.8146973E-06$	$0x6d = 0_1101101_1 = +0b1.0 \times 2^46 \approx 7.0368744e + 13$	$0xad = 1_0101101_ = -0b1.0 \times 2^-18 \approx -3.8146973E-06$	$0xed = 1_1101101_1 = -0b1.0 \times 2^46 \approx -7.0368744e + 13$
$0x2e = 0_0101110_0 = +0b1.0 \times 2^{-17} \approx 7.6293945E-06$	$0x6e = 0_1101110_1 = +0b1.0 \times 2^47 \approx 1.4073749e + 14$	$0 \text{xae} = 1.0101110. = -0 \text{b} 1.0 \times 2^-17 \approx -7.6293945 \text{E} - 06$	$0 \text{xee} = 1.1101110. = -0b1.0 \times 2^47 \approx -1.4073749e + 14$
$0x2f = 0.0101111. = +0b1.0 \times 2^{-1}6 \approx 1.5258789E-05$	$0x6f = 0_1101111_1 = +0b1.0 \times 2^48 \approx 2.8147498e + 14$	$0xaf = 1.0101111. = -0b1.0 \times 2^-16 \approx -1.5258789E-05$	$0xef = 1_1101111_1 = -0b1.0 \times 2^48 \approx -2.8147498e + 14$
$0x30 = 0_0110000_0 = +0b1.0 \times 2^{-15} \approx 3.0517578E-05$	$0x70 = 0_1110000_1 = +0b1.0 \times 2^49 \approx 5.6294995e + 14$	$0xb0 = 1_0110000_{-} = -0b1.0 \times 2^{-15} \approx -3.0517578E-05$	$0xf0 = 1_{-}1110000_{-} = -0b1.0 \times 2^{4}9 \approx -5.6294995e + 14$
$0x31 = 0_0110001_ = +0b1.0 \times 2^-14 \approx 6.1035156E-05$	$0x71 = 0_1110001_ = +0b1.0 \times 2^50 \approx 1.1258999e + 15$	$0xb1 = 1_0110001_ = -0b1.0 \times 2^-14 \approx -6.1035156E-05$	$0xf1 = 1_1110001_{-} = -0b1.0 \times 2^{5}0 \approx -1.1258999e + 15$
$0x32 = 0.0110010_{-} = +0b1.0 \times 2^{-13} \approx 0.00012207031$	$0x72 = 0_{-}1110010_{-} = +0b1.0 \times 2^{5}1 \approx 2.2517998e + 15$	$0xb2 = 1_0110010_ = -0b1.0 \times 2^-13 \approx -0.00012207031$	$0xf2 = 1_{-}1110010_{-} = -0b1.0 \times 2^{5}1 \approx -2.2517998e + 15$
$0x33 = 0.0110011_{-} = +0b1.0 \times 2^{-12} = 0.000244140625$		$0xb3 = 1_0110011_ = -0b1.0 \times 2^-12 \approx -0.00024414062$	$0xf3 = 1_1110011_1 = -0b1.0 \times 2^52 \approx -4.5035996e + 15$
$0x34 = 0_0110100_ = +0b1.0 \times 2^-11 = 0.00048828125$		$0xb4 = 1_0110100_0 = -0b1.0 \times 2^{-11} = -0.00048828125$	$0xf4 = 1_1110100_1 = -0b1.0 \times 2^53 \approx -9.0071993e + 15$
	$0x74 = 0_1110100_1 = +0b1.0 \times 2^53 \approx 9.0071993e + 15$		
$0x35 = 0_0110101_0 = +0b1.0 \times 2^-10 = 0.0009765625$	$0x75 = 0_1110101_1 = +0b1.0 \times 2^54 \approx 1.8014399e + 16$	$0xb5 = 1_0110101_ = -0b1.0 \times 2^-10 = -0.0009765625$	$0xf5 = 1_1110101_2 = -0b1.0 \times 2^54 \approx -1.8014399e + 16$
$0x35 = 0.0110101_{-} = +0b1.0 \times 2^{-}-10 = 0.0009765625$ $0x36 = 0.0110110_{-} = +0b1.0 \times 2^{-}-9 = 0.001953125$	$0x75 = 0.1110101_{-} = +0b1.0 \times 2^54 \approx 1.8014399e + 16$ $0x76 = 0.1110110_{-} = +0b1.0 \times 2^55 \approx 3.6028797e + 16$	$0xb5 = 1.0110101. = -0b1.0 \times 2^{2}-10 = -0.0009765625$ $0xb6 = 1.0110110. = -0b1.0 \times 2^{2}-9 = -0.001953125$	$\begin{array}{l} \text{Oxf5} = \text{1_1110101_} = -\text{Ob1.0} \times 2\text{``b4} \approx -1.8014399\text{e} + 16 \\ \text{Oxf6} = \text{1_1110110_} = -\text{Ob1.0} \times 2\text{``b5} \approx -3.6028797\text{e} + 16 \end{array}$
$0x35 = 0.0110101_{-} = +0b1.0 \times 2^{-}10 = 0.0009765625$ $0x36 = 0.0110110_{-} = +0b1.0 \times 2^{-}9 = 0.001953125$ $0x37 = 0.0110111_{-} = +0b1.0 \times 2^{-}8 = 0.00390625$	$\begin{array}{l} 0 \text{x75} = 0.1110101_ = +0\text{b1.0} \times 2^{\circ}54 \approx 1.8014399\text{e}{+}16 \\ 0 \text{x76} = 0.1110110_ = +0\text{b1.0} \times 2^{\circ}55 \approx 3.6028797\text{e}{+}16 \\ 0 \text{x77} = 0.1110111_ = +0\text{b1.0} \times 2^{\circ}56 \approx 7.2057594\text{e}{+}16 \end{array}$	$0xb5 = 1.0110101. = -0b1.0 \times 2^{-}10 = -0.0009765625$ $0xb6 = 1.0110110. = -0b1.0 \times 2^{-}9 = -0.001953125$ $0xb7 = 1.0110111. = -0b1.0 \times 2^{-}8 = -0.00390625$	$\begin{array}{l} \text{Oxf5} = \text{1.1110101}_ = -\text{Ob1.0} \times 2\text{`54} \approx -1.8014399\text{e} + 16 \\ \text{Oxf6} = \text{1.1110110}_ = -\text{Ob1.0} \times 2\text{`55} \approx -3.6028797\text{e} + 16 \\ \text{Oxf7} = \text{1.1110111}_ = -\text{Ob1.0} \times 2\text{`56} \approx -7.2057594\text{e} + 16 \\ \end{array}$
$0x35 = 0.0110101_{-} = +0b1.0 \times 2^{-}10 = 0.0009765625$ $0x36 = 0.0110110_{-} = +0b1.0 \times 2^{-}9 = 0.001953125$ $0x37 = 0.0110111_{-} = +0b1.0 \times 2^{-}8 = 0.00390625$ $0x38 = 0.0111000_{-} = +0b1.0 \times 2^{-}7 = 0.0078125$	$\begin{array}{l} 0\text{x}75 = 0.1110101_ = +0\text{b}1.0\times2°54 \approx 1.8014399\text{e}{+}16 \\ 0\text{x}76 = 0.1110110_ = +0\text{b}1.0\times2°55 \approx 3.6028797\text{e}{+}16 \\ 0\text{x}77 = 0.1110111_ = +0\text{b}1.0\times2°56 \approx 7.2057594\text{e}{+}16 \\ 0\text{x}78 = 0.1111000_ = +0\text{b}1.0\times2°57 \approx 1.4411519\text{e}{+}17 \end{array}$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{l} \text{Oxf5} = \text{1.1110101}_ = -\text{Ob1.0} \times 2\text{`54} \approx -1.8014399\text{e} + 16 \\ \text{Oxf6} = \text{1.1110110}_ = -\text{Ob1.0} \times 2\text{`55} \approx -3.6028797\text{e} + 16 \\ \text{Oxf7} = \text{1.1110111}_ = -\text{Ob1.0} \times 2\text{`56} \approx -7.2057594\text{e} + 16 \\ \text{Oxf8} = \text{1.1111000}_ = -\text{Ob1.0} \times 2\text{`57} \approx -1.4411519\text{e} + 17 \\ \end{array}$
$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{lll} 0x75 = 0.1110101_ = +0b1.0 \times 2^{\circ}54 \approx 1.8014399e + 16 \\ 0x76 = 0.1110110_ = +0b1.0 \times 2^{\circ}55 \approx 3.6028797e + 16 \\ 0x77 = 0.1110111_ = +0b1.0 \times 2^{\circ}56 \approx 7.2057594e + 16 \\ 0x78 = 0.1111000_ = +0b1.0 \times 2^{\circ}57 \approx 1.4411519e + 17 \\ 0x79 = 0.1111001_ = +0b1.0 \times 2^{\circ}58 \approx 2.8823038e + 17 \end{array}$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{lll} \text{Oxf5} = \text{1.1110101.} & = -0\text{b1.0} \times 2\text{`54} \approx -1.8014399\text{e} + 16 \\ \text{Oxf6} = \text{1.1110110.} & = -0\text{b1.0} \times 2\text{`55} \approx -3.6028797\text{e} + 16 \\ \text{Oxf7} = \text{1.1110111.} & = -0\text{b1.0} \times 2\text{`56} \approx -7.2057594\text{e} + 16 \\ \text{Oxf8} = \text{1.1111000.} & = -0\text{b1.0} \times 2\text{`57} \approx -1.4411519\text{e} + 17 \\ \text{Oxf9} = \text{1.1111001.} & = -0\text{b1.0} \times 2\text{`58} \approx -2.8823038\text{e} + 17 \\ \end{array}$
$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{lll} 0x75 = 0.1110101. = +0b1.0 \times 2^{\circ}54 \approx 1.8014399e + 16 \\ 0x76 = 0.1110110. = +0b1.0 \times 2^{\circ}55 \approx 3.6028797e + 16 \\ 0x77 = 0.1110111. = +0b1.0 \times 2^{\circ}56 \approx 7.2057594e + 16 \\ 0x78 = 0.1111000. = +0b1.0 \times 2^{\circ}57 \approx 1.4411519e + 17 \\ 0x79 = 0.1111001. = +0b1.0 \times 2^{\circ}58 \approx 2.8823038e + 17 \\ 0x7a = 0.1111010. = +0b1.0 \times 2^{\circ}59 \approx 5.7646075e + 17 \\ \end{array}$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{lll} \text{Oxf5} = \text{1.1110101.} & = -0\text{b1.0} \times 2\text{`54} \approx -1.8014399\text{e} + 16 \\ \text{Oxf6} = \text{1.1110110.} & = -0\text{b1.0} \times 2\text{`55} \approx -3.6028797\text{e} + 16 \\ \text{Oxf7} = \text{1.1110111.} & = -0\text{b1.0} \times 2\text{`56} \approx -7.2057594\text{e} + 16 \\ \text{Oxf8} = \text{1.1111000.} & = -0\text{b1.0} \times 2\text{`57} \approx -1.4411519\text{e} + 17 \\ \text{Oxf9} = \text{1.1111001.} & = -0\text{b1.0} \times 2\text{`58} \approx -2.8823038\text{e} + 17 \\ \text{Oxfa} = \text{1.1111010.} & = -0\text{b1.0} \times 2\text{`58} \approx -5.7646075\text{e} + 17 \\ \end{array}$
$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{c} 0x75 = 0.1110101. = +0b1.0 \times 2^{\circ}54 \approx 1.8014399e + 16 \\ 0x76 = 0.1110110. = +0b1.0 \times 2^{\circ}55 \approx 3.6028797e + 16 \\ 0x77 = 0.1110111. = +0b1.0 \times 2^{\circ}56 \approx 7.2057594e + 16 \\ 0x78 = 0.1111000. = +0b1.0 \times 2^{\circ}57 \approx 1.4411519e + 17 \\ 0x79 = 0.1111001. = +0b1.0 \times 2^{\circ}58 \approx 2.8823038e + 17 \\ 0x7a = 0.1111010. = +0b1.0 \times 2^{\circ}59 \approx 5.7646075e + 17 \\ 0x7b = 0.1111011. = +0b1.0 \times 2^{\circ}60 \approx 1.1529215e + 18 \\ \end{array}$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{lll} \text{Oxf5} = \text{1.1110101.} & = -0\text{b}1.0 \times 2\text{`54} \approx -1.8014399\text{e} + 16 \\ \text{Oxf6} = \text{1.1110110.} & = -0\text{b}1.0 \times 2\text{`55} \approx -3.6028797\text{e} + 16 \\ \text{Oxf7} = \text{1.1110111.} & = -0\text{b}1.0 \times 2\text{`56} \approx -7.2057594\text{e} + 16 \\ \text{Oxf8} = \text{1.1111000.} & = -0\text{b}1.0 \times 2\text{`56} \approx -1.4411519\text{e} + 17 \\ \text{Oxf9} = \text{1.1111001.} & = -0\text{b}1.0 \times 2\text{`58} \approx -2.8823038\text{e} + 17 \\ \text{Oxfa} = \text{1.1111010.} & = -0\text{b}1.0 \times 2\text{`59} \approx -5.7646075\text{e} + 17 \\ \text{Oxfb} = \text{1.1111011.} & = -0\text{b}1.0 \times 2\text{`60} \approx -1.1529215\text{e} + 18 \\ \end{array}$
$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{llll} 0x75 = 0.1110101 = +0b1.0 \times 2^{\circ}54 \approx 1.8014399e + 16 \\ 0x76 = 0.1110110 = +0b1.0 \times 2^{\circ}55 \approx 3.6028797e + 16 \\ 0x77 = 0.1110111 = +0b1.0 \times 2^{\circ}56 \approx 7.2057594e + 16 \\ 0x78 = 0.1111000 = +0b1.0 \times 2^{\circ}57 \approx 1.4411519e + 17 \\ 0x79 = 0.1111001 = +0b1.0 \times 2^{\circ}58 \approx 2.8823038e + 17 \\ 0x7a = 0.1111010 = +0b1.0 \times 2^{\circ}59 \approx 5.7646075e + 17 \\ 0x7b = 0.1111011 = +0b1.0 \times 2^{\circ}60 \approx 1.1529215e + 18 \\ 0x7c = 0.1111100 = +0b1.0 \times 2^{\circ}61 \approx 2.305843e + 18 \\ \end{array}$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{lll} \text{Oxf5} = \text{1.1110101.} & = -0\text{b1.0} \times 2\text{`54} \approx -1.8014399\text{e} + 16 \\ \text{Oxf6} = \text{1.1110110.} & = -0\text{b1.0} \times 2\text{`55} \approx -3.6028797\text{e} + 16 \\ \text{Oxf7} = \text{1.1110111.} & = -0\text{b1.0} \times 2\text{`56} \approx -7.2057894\text{e} + 16 \\ \text{Oxf8} = \text{1.1111000.} & = -0\text{b1.0} \times 2\text{`57} \approx -1.4411519\text{e} + 17 \\ \text{Oxf9} = \text{1.1111001.} & = -0\text{b1.0} \times 2\text{`58} \approx -2.8823038\text{e} + 17 \\ \text{Oxfa} = \text{1.1111010.} & = -0\text{b1.0} \times 2\text{`59} \approx -5.7646075\text{e} + 17 \\ \text{Oxfb} = \text{1.1111011.} & = -0\text{b1.0} \times 2\text{`60} \approx -1.1529215\text{e} + 18 \\ \text{Oxfc} = \text{1.1111100.} & = -0\text{b1.0} \times 2\text{`61} \approx -2.305843\text{e} + 18 \\ \end{array}$
$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{llll} 0x75 = 0.1110101 = +0b1.0 \times 2^{\circ}54 \approx 1.8014399e + 16 \\ 0x76 = 0.1110110 = +0b1.0 \times 2^{\circ}55 \approx 3.6028797e + 16 \\ 0x77 = 0.1110111 = +0b1.0 \times 2^{\circ}56 \approx 7.2057594e + 16 \\ 0x78 = 0.1111000 = +0b1.0 \times 2^{\circ}57 \approx 1.4411519e + 17 \\ 0x79 = 0.1111001 = +0b1.0 \times 2^{\circ}58 \approx 2.8823038e + 17 \\ 0x7a = 0.1111010 = +0b1.0 \times 2^{\circ}59 \approx 5.7646075e + 17 \\ 0x7b = 0.1111011 = +0b1.0 \times 2^{\circ}60 \approx 1.1529215e + 18 \\ 0x7c = 0.1111100 = +0b1.0 \times 2^{\circ}61 \approx 2.305843e + 18 \\ 0x7d = 0.1111101 = +0b1.0 \times 2^{\circ}62 \approx 4.611686e + 18 \\ \end{array}$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{llll} \text{Oxf5} &= 1.1110101. = -0b1.0 \times 2 \ 54 \approx -1.8014399 \text{e} + 16 \\ \text{Oxf6} &= 1.1110110. = -0b1.0 \times 2 \ 55 \approx -3.6028797 \text{e} + 16 \\ \text{Oxf7} &= 1.1110111. = -0b1.0 \times 2 \ 56 \approx -7.2057594 \text{e} + 16 \\ \text{Oxf8} &= 1.1111000. = -0b1.0 \times 2 \ 57 \approx -1.4411519 \text{e} + 17 \\ \text{Oxf9} &= 1.1111001. = -0b1.0 \times 2 \ 58 \approx -2.8823038 \text{e} + 17 \\ \text{Oxfa} &= 1.1111010. = -0b1.0 \times 2 \ 59 \approx -5.7646075 \text{e} + 17 \\ \text{Oxfb} &= 1.1111011. = -0b1.0 \times 2 \ 50 \approx -1.1529215 \text{e} + 18 \\ \text{Oxfc} &= 1.1111100. = -0b1.0 \times 2 \ 61 \approx -2.305843 \text{e} + 18 \\ \text{Oxfd} &= 1.1111101. = -0b1.0 \times 2 \ 62 \approx -4.611686 \text{e} + 18 \\ \end{array}$
$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{llll} 0x75 = 0.1110101 = +0b1.0 \times 2^{\circ}54 \approx 1.8014399e + 16 \\ 0x76 = 0.1110110 = +0b1.0 \times 2^{\circ}55 \approx 3.6028797e + 16 \\ 0x77 = 0.1110111 = +0b1.0 \times 2^{\circ}56 \approx 7.2057594e + 16 \\ 0x78 = 0.1111000 = +0b1.0 \times 2^{\circ}57 \approx 1.4411519e + 17 \\ 0x79 = 0.1111001 = +0b1.0 \times 2^{\circ}58 \approx 2.8823038e + 17 \\ 0x7a = 0.1111010 = +0b1.0 \times 2^{\circ}59 \approx 5.7646075e + 17 \\ 0x7b = 0.1111011 = +0b1.0 \times 2^{\circ}60 \approx 1.1529215e + 18 \\ 0x7c = 0.1111100 = +0b1.0 \times 2^{\circ}61 \approx 2.305843e + 18 \\ \end{array}$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{lll} \text{Oxf5} = \text{1.1110101.} & = -0\text{b1.0} \times 2\text{`54} \approx -1.8014399\text{e} + 16 \\ \text{Oxf6} = \text{1.1110110.} & = -0\text{b1.0} \times 2\text{`55} \approx -3.6028797\text{e} + 16 \\ \text{Oxf7} = \text{1.1110111.} & = -0\text{b1.0} \times 2\text{`56} \approx -7.2057594\text{e} + 16 \\ \text{Oxf8} = \text{1.1111000.} & = -0\text{b1.0} \times 2\text{`57} \approx -1.4411519\text{e} + 17 \\ \text{Oxf9} = \text{1.1111001.} & = -0\text{b1.0} \times 2\text{`58} \approx -2.8823038\text{e} + 17 \\ \text{Oxfa} = \text{1.1111010.} & = -0\text{b1.0} \times 2\text{`59} \approx -5.7646075\text{e} + 17 \\ \text{Oxfb} = \text{1.1111011.} & = -0\text{b1.0} \times 2\text{`60} \approx -1.1529215\text{e} + 18 \\ \text{Oxfc} = \text{1.1111100.} & = -0\text{b1.0} \times 2\text{`60} \approx -2.305843\text{e} + 18 \\ \end{array}$

$\textbf{C.2} \quad \textbf{Value Table: P2,} \ \mathsf{P} = 2, \mathsf{emax} = 31$

$0x00 = 0_000000_0 = 0.0$	$0x40 = 0_100000_0 = +0b1.0 \times 2^{\circ} = 1.0$	$0x80 = 1_000000_0 = NaN$	$0xc0 = 1_100000_0 = -0b1.0 \times 20 = -1.0$
$0x01 = 0.000000_1 = +0b0.1 \times 2^-31 \approx 2.3283064E-10$	$0x41 = 0_100000_1 = +0b1.1 \times 2^{\circ}0 = 1.5$	$0x81 = 1_000000_1 = -0b0.1 \times 2^-31 \approx -2.3283064E-10$	$0xc1 = 1_100000_1 = -0b1.1 \times 20 = -1.5$
$0x02 = 0.000001_0 = +0b1.0 \times 2^-31 \approx 4.6566129E-10$	$0x42 = 0.100001.0 = +0b1.0 \times 2^1 = 2.0$	$0x82 = 1.000001.0 = -0b1.0 \times 2^-31 \approx -4.6566129E-10$	$0xc2 = 1_100001_0 = -0b1.0 \times 2^1 = -2.0$
$0x03 = 0.000001_1 = +0b1.1 \times 2^-31 \approx 6.9849193E-10$	$0x43 = 0.100001.1 = +0b1.1 \times 2^1 = 3.0$	$0x83 = 1.000001.1 = -0b1.1 \times 2^{-31} \approx -6.9849193E-10$	$0xc3 = 1.100001.1 = -0b1.1 \times 2^1 = -3.0$
$0x04 = 0.000010.0 = +0b1.0 \times 2^{-30} \approx 9.3132257E-10$	$0x44 = 0_100010_0 = +0b1.0 \times 2^2 = 4.0$	$0x84 = 1.000010.0 = -0b1.0 \times 2^{-30} \approx -9.3132257E-10$	$0xc4 = 1.100010_0 = -0b1.0 \times 2^2 = -4.0$
$0x05 = 0_000010_1 = +0b1.1 \times 2^-30 \approx 1.3969839E-09$	$0x45 = 0_100010_1 = +0b1.1 \times 2^2 = 6.0$	$0x85 = 1_000010_1 = -0b1.1 \times 2^-30 \approx -1.3969839E-09$	$0xc5 = 1_100010_1 = -0b1.1 \times 2^2 = -6.0$
$0 \times 06 = 0.000011.0 = +0b1.0 \times 2^{-29} \approx 1.8626451E-09$	$0x46 = 0.100011.0 = +0b1.0 \times 2^3 = 8.0$	$0x86 = 1.000011.0 = -0b1.0 \times 2^{-29} \approx -1.8626451E-09$	$0xc6 = 1_{-1}00011_{-0} = -0b1.0 \times 2^{3} = -8.0$
$0x07 = 0.000011.1 = +0b1.1 \times 2^{-29} \approx 2.7939677E-09$	$0x47 = 0.100011.1 = +0b1.1 \times 2^3 = 12.0$	$0x87 = 1.000011.1 = -0b1.1 \times 2^{-29} \approx -2.7939677E-09$	$0xc7 = 1.100011.1 = -0b1.1 \times 2^3 = -12.0$
$0x08 = 0.000100_0 = +0b1.0 \times 2^{2} - 28 \approx 3.7252903E - 09$	$0x48 = 0.100100.0 = +0b1.0 \times 2^4 = 16.0$	$0x88 = 1.000100_0 = -0b1.0 \times 2^2 - 28 \approx -3.7252903E - 09$	$0xc8 = 1.100100.0 = -0b1.0 \times 2^4 = -16.0$
$0x09 = 0.000100_1 = +0b1.1 \times 2^-28 \approx 5.5879354E-09$ $0x0a = 0.000101_0 = +0b1.0 \times 2^-27 \approx 7.4505806E-09$	$0x49 = 0.100100_1 = +0b1.1 \times 2^4 = 24.0$	$0x89 = 1.000100.1 = -0b1.1 \times 2^{-}28 \approx -5.5879354E-09$ $0x8a = 1.000101.0 = -0b1.0 \times 2^{-}27 \approx -7.4505806E-09$	$0xc9 = 1.100100.1 = -0b1.1 \times 2^4 = -24.0$ $0xca = 1.100101.0 = -0b1.0 \times 2^5 = -32.0$
$0x0a = 0.000101.0 = +0b1.0 \times 2 - 27 \approx 7.4505806E-09$ $0x0b = 0.000101.1 = +0b1.1 \times 2^{2} - 27 \approx 1.1175871E-08$	$0x4a = 0.100101.0 = +0b1.0 \times 2^5 = 32.0$ $0x4b = 0.100101.1 = +0b1.1 \times 2^5 = 48.0$	$0x8a = 1.000101.0 = -0b1.0 \times 2 - 27 \approx -7.4505806E-09$ $0x8b = 1.000101.1 = -0b1.1 \times 2^2 - 27 \approx -1.1175871E-08$	$0xca = 1.100101.0 = -0b1.0 \times 2.5 = -32.0$ $0xcb = 1.100101.1 = -0b1.1 \times 2.5 = -48.0$
$0x0b = 0.000101.1 = +0b1.1 \times 2 - 27 \approx 1.1175871E-08$ $0x0c = 0.000110.0 = +0b1.0 \times 2^{2} - 26 \approx 1.4901161E-08$	$0x4b = 0.100101.1 = +0b1.1 \times 2.5 = 48.0$ $0x4c = 0.100110.0 = +0b1.0 \times 2^6 = 64.0$	$0x8c = 1.000101.1 = -001.1 \times 2 - 27 \approx -1.1178871E - 08$ $0x8c = 1.000110.0 = -001.0 \times 2^{-2}6 \approx -1.4901161E - 08$	$0 \times cc = 1.100101.1 = -001.1 \times 2.5 = -48.0$ $0 \times cc = 1.100110.0 = -001.0 \times 2^{\circ}6 = -64.0$
$0x0c = 0.000110.0 = +001.0 \times 2 - 26 \approx 1.4901161E-08$ $0x0d = 0.000110.1 = +0b1.1 \times 2^2 - 26 \approx 2.2351742E-08$	$0x4c = 0.100110.0 = +001.0 \times 2.6 = 04.0$ $0x4d = 0.100110.1 = +001.1 \times 2.6 = 96.0$	$0x8d = 1.000110.0 = -001.0 \times 2 - 26 \approx -1.4901101E - 08$ $0x8d = 1.000110.1 = -001.1 \times 2^{-2}6 \approx -2.2351742E - 08$	$0 \times cc = 1.100110_{-0} = -001.0 \times 2.6 = -04.0$ $0 \times cd = 1.100110_{-1} = -001.1 \times 2.6 = -96.0$
$0x00 = 0.000110.1 = +0b1.1 \times 2 + 20 \approx 2.23317422 = 00$ $0x00 = 0.000111.0 = +0b1.0 \times 2^2 - 25 \approx 2.98023222 = 08$	$0x4d = 0.100110.1 = 001.1 \times 2 = 0.000000000000000000000000000000000$	$0x8e = 1.000111.0 = -0b1.0 \times 2^{-25} \approx -2.9802322E-08$	$0xcd = 1.100110.1 = 001.1 \times 2.0 = 30.0$ $0xce = 1.100111.0 = -001.0 \times 2.7 = -128.0$
$0x0f = 0.000111.0 = +0b1.0 \times 2 + 25 \approx 2.30025222 = 00$ $0x0f = 0.000111.1 = +0b1.1 \times 2^{-2}5 \approx 4.4703484E-08$	$0x46 = 0.100111.0 = 0b1.0 \times 27 = 120.0$ $0x4f = 0.100111.1 = +0b1.1 \times 27 = 192.0$	$0x8f = 1.000111.1 = -0b1.1 \times 2^2 - 25 \approx -4.4703484E - 08$	$0xcf = 1.100111.0 = 0b1.0 \times 27 = 120.0$ $0xcf = 1.100111.1 = -0b1.1 \times 27 = -192.0$
$0x10 = 0.0011111 = +001.1 \times 2 + 20 \approx 4.47034041 = 00110 = 0.001000.0 = +001.0 \times 2^{2} = 24 \approx 5.96046451 = 0001000.0 = 0.0010000.0 = 0.001000.0 = 0.001000.0 = 0.001000.0 = 0.001000.0 = 0.001000.0 = 0.001000.0 = 0.001000.0 = 0.001000.0 = 0.001000.0 = 0.001000.0 = 0.001000.0 = 0.001000.0 = 0.0010000.0 = 0.0010000.0 = 0.0010000.0 = 0.0010000.0 = 0.001000.0 = 0.0010000.0 = 0.001000.$	$0x50 = 0.10101111 = +0b1.1 \times 27 = 152.0$ $0x50 = 0.101000.0 = +0b1.0 \times 278 = 256.0$	$0x90 = 1.001000.0 = -0b1.0 \times 2^{-24} \approx -5.9604645E-08$	$0xd0 = 1.100111.1 = 001.1 \times 27 = 132.0$ $0xd0 = 1.101000.0 = -001.0 \times 278 = -256.0$
$0x11 = 0.001000.1 = +0b1.1 \times 2^{2}-24 \approx 8.9406967E-08$	$0x51 = 0.101000.1 = +0b1.1 \times 2\% = 384.0$	$0x91 = 1.001000.1 = -0b1.1 \times 2^{2} = 4 \approx -8.9406967E - 08$	$0xd0 = 1.101000.00 = 001.00 \times 2.00 = 200.00$ $0xd1 = 1.101000.1 = -0b1.1 \times 2.00 = -384.0$
$0x12 = 0.001001.0 = +0b1.0 \times 2^{-23} \approx 1.1920929E-07$	$0x52 = 0.101001.0 = +0b1.0 \times 2^9 = 512.0$	$0x92 = 1.001001.0 = -0b1.0 \times 2^{-23} \approx -1.1920929E-07$	$0xd2 = 1.101001.0 = -0b1.0 \times 2^9 = -512.0$
$0x13 = 0.001001.1 = +0b1.1 \times 2^{-23} \approx 1.7881393E-07$	$0x53 = 0.101001.1 = +0b1.1 \times 2^9 = 768.0$	$0x93 = 1.001001.1 = -0b1.1 \times 2^{-2}3 \approx -1.7881393E-07$	$0xd3 = 1.101001.1 = -0b1.1 \times 2^9 = -768.0$
$0x14 = 0.001010_0 = +0b1.0 \times 2^{-22} \approx 2.3841858E-07$	$0x54 = 0_101010_0 = +0b1.0 \times 2^10 = 1024.0$	$0x94 = 1.001010.0 = -0b1.0 \times 2^{-22} \approx -2.3841858E-07$	$0xd4 = 1_101010_0 = -0b1.0 \times 2^10 = -1024.0$
$0x15 = 0.001010_1 = +0b1.1 \times 2^{-22} \approx 3.5762787E-07$	$0x55 = 0_101010_1 = +0b1.1 \times 2^10 = 1536.0$	$0x95 = 1_001010_1 = -0b1.1 \times 2^-22 \approx -3.5762787E-07$	$0xd5 = 1_101010_1 = -0b1.1 \times 2^10 = -1536.0$
$0x16 = 0.001011.0 = +0b1.0 \times 2^{-21} \approx 4.7683716E-07$	$0x56 = 0_{-}101011_{-}0 = +0b1.0 \times 2^{-}11 = 2048.0$	$0x96 = 1.001011.0 = -0b1.0 \times 2^{-21} \approx -4.7683716E-07$	$0xd6 = 1_{-}101011_{-}0 = -0b1.0 \times 2^{-}11 = -2048.0$
$0x17 = 0.001011.1 = +0b1.1 \times 2^{-21} \approx 7.1525574E-07$	$0x57 = 0_101011_1 = +0b1.1 \times 2^11 = 3072.0$	$0x97 = 1_001011_1 = -0b1.1 \times 2^2 - 21 \approx -7.1525574E - 07$	$0xd7 = 1.101011.1 = -0b1.1 \times 2^11 = -3072.0$
$0x18 = 0.001100_0 = +0b1.0 \times 2^-20 \approx 9.5367432E-07$	$0x58 = 0_101100_0 = +0b1.0 \times 2^12 = 4096.0$	$0x98 = 1_001100_0 = -0b1.0 \times 2^2 - 20 \approx -9.5367432E - 07$	$0xd8 = 1_101100_0 = -0b1.0 \times 2^12 = -4096.0$
$0x19 = 0.001100_1 = +0b1.1 \times 2^-20 \approx 1.4305115E-06$	$0x59 = 0_101100_1 = +0b1.1 \times 2^12 = 6144.0$	$0x99 = 1_001100_1 = -0b1.1 \times 2^2 - 20 \approx -1.4305115E - 06$	$0xd9 = 1_101100_1 = -0b1.1 \times 2^12 = -6144.0$
$0x1a = 0.001101.0 = +0b1.0 \times 2^-19 \approx 1.9073486E-06$	$0x5a = 0.101101.0 = +0b1.0 \times 2^13 = 8192.0$	$0x9a = 1.001101.0 = -0b1.0 \times 2^-19 \approx -1.9073486E-06$	$0xda = 1_{-}101101_{-}0 = -0b1.0 \times 2^{-}13 = -8192.0$
$0x1b = 0.001101_1 = +0b1.1 \times 2^-19 \approx 2.8610229E-06$	$0x5b = 0_101101_1 = +0b1.1 \times 2^13 = 12288.0$	$0x9b = 1_001101_1 = -0b1.1 \times 2^-19 \approx -2.8610229E-06$	$0xdb = 1_101101_1 = -0b1.1 \times 2^13 = -12288.0$
$0x1c = 0_001110_0 = +0b1.0 \times 2^-18 \approx 3.8146973E-06$	$0x5c = 0_101110_0 = +0b1.0 \times 2^14 = 16384.0$	$0x9c = 1_001110_0 = -0b1.0 \times 2^-18 \approx -3.8146973E-06$	$0xdc = 1_101110_0 = -0b1.0 \times 2^14 = -16384.0$
$0x1d = 0_001110_1 = +0b1.1 \times 2^-18 \approx 5.7220459E-06$	$0x5d = 0_101110_1 = +0b1.1 \times 2^14 = 24576.0$	$0x9d = 1_001110_1 = -0b1.1 \times 2^-18 \approx -5.7220459E-06$	$0xdd = 1_101110_1 = -0b1.1 \times 2^14 = -24576.0$
$0x1e = 0.001111.0 = +0b1.0 \times 2^{-17} \approx 7.6293945E-06$	$0x5e = 0.101111_0 = +0b1.0 \times 2^{15} = 32768.0$	$0x9e = 1.0011111.0 = -0b1.0 \times 2^{-17} \approx -7.6293945E-06$	$0xde = 1.101111_{-0} = -0b1.0 \times 2^{-1}5 = -32768.0$
$0x1f = 0.001111.1 = +0b1.1 \times 2^{-1}7 \approx 1.1444092E-05$	$0x5f = 0.101111.1 = +0b1.1 \times 2^{1}5 = 49152.0$	$0x9f = 1.001111.1 = -0b1.1 \times 2^{-17} \approx -1.1444092E-05$	$0xdf = 1.101111.1 = -0b1.1 \times 2^{15} = -49152.0$
$0x20 = 0.010000_0 = +0b1.0 \times 2^{-1}6 \approx 1.5258789E-05$	$0x60 = 0.110000_0 = +0b1.0 \times 2^16 = 65536.0$	$0xa0 = 1.010000.0 = -0b1.0 \times 2^{-1}6 \approx -1.5258789E-05$	$0 \times 0 = 1.110000_0 = -0b1.0 \times 2^16 = -65536.0$
$0x21 = 0.010000_1 = +0b1.1 \times 2^{-1}6 \approx 2.2888184E-05$	$0x61 = 0.110000.1 = +0b1.1 \times 2^{\circ}16 = 98304.0$	$0xa1 = 1_010000_1 = -0b1.1 \times 2^-16 \approx -2.2888184E-05$	$0xe1 = 1_110000_1 = -0b1.1 \times 2^16 = -98304.0$
$0x22 = 0.010001.0 = +0b1.0 \times 2^{-15} \approx 3.0517578E-05$	$0x62 = 0.110001.0 = +0b1.0 \times 2^{2}17 = 131072.0$	$0xa2 = 1.010001.0 = -0b1.0 \times 2^{-1}5 \approx -3.0517578E-05$	$0 \times e2 = 1.110001.0 = -0b1.0 \times 2^{\circ}17 = -131072.0$
$0x23 = 0.010001.1 = +0b1.1 \times 2^{-15} \approx 4.5776367E-05$ $0x24 = 0.010010.0 = +0b1.0 \times 2^{-14} \approx 6.1035156E-05$	$0x63 = 0.110001.1 = +0b1.1 \times 2^{\circ}17 = 196608.0$ $0x64 = 0.110010.0 = +0b1.0 \times 2^{\circ}18 = 262144.0$	$0xa3 = 1.010001.1 = -0b1.1 \times 2^-15 \approx -4.5776367E-05$ $0xa4 = 1.010010.0 = -0b1.0 \times 2^-14 \approx -6.1035156E-05$	$0xe3 = 1.110001.1 = -0b1.1 \times 2^{\circ}17 = -196608.0$ $0xe4 = 1.110010.0 = -0b1.0 \times 2^{\circ}18 = -262144.0$
$0x24 = 0.010010.0 = +001.0 \times 2 - 14 \approx 0.1033130E - 03$ $0x25 = 0.010010.1 = +001.1 \times 2^{-1}4 \approx 9.1552734E - 05$	$0x64 = 0.110010.0 = +001.0 \times 2.18 = 202144.0$ $0x65 = 0.110010.1 = +001.1 \times 2^{1}8 = 393216.0$	$0xa4 = 1.010010.0 = -001.0 \times 2 - 14 \approx -0.1033136E - 03$ $0xa5 = 1.010010.1 = -001.1 \times 2^{-1}4 \approx -9.1552734E - 05$	$0xe4 = 1.110010_{-0} = -0b1.0 \times 2.18 = -262144.0$ $0xe5 = 1.110010_{-1} = -0b1.1 \times 2^{-1}8 = -393216.0$
$0x25 = 0.010010.1 = +001.1 \times 2^{-1}4 \approx 9.1352734E-03$ $0x26 = 0.010011.0 = +001.0 \times 2^{-1}3 \approx 0.00012207031$	$0x66 = 0.110011.0 = +0b1.1 \times 2.10 = 533210.0$ $0x66 = 0.110011.0 = +0b1.0 \times 2.19 = 524288.0$	$0xa6 = 1.010011.0 = -0b1.1 \times 2^{-14} \approx -9.13327342-03$ $0xa6 = 1.010011.0 = -0b1.0 \times 2^{-13} \approx -0.00012207031$	$0xe6 = 1.110010_11 = -0b1.1 \times 2.18 = -333210.0$ $0xe6 = 1.110011_0 = -0b1.0 \times 2^19 = -524288.0$
$0x20 = 0.010011.0 = +001.0 \times 2^{-13} \approx 0.00012207031$ $0x27 = 0.010011.1 = +001.1 \times 2^{-13} \approx 0.00018310547$	$0x67 = 0.110011.1 = +0b1.1 \times 2^19 = 324288.0$ $0x67 = 0.110011.1 = +0b1.1 \times 2^19 = 786432.0$	$0xa7 = 1.010011.1 = -0b1.0 \times 2^{-13} \approx -0.00012207031$ $0xa7 = 1.010011.1 = -0b1.1 \times 2^{-13} \approx -0.00018310547$	$0xe7 = 1.110011.1 = -0b1.1 \times 2^{19} = -324283.0$ $0xe7 = 1.110011.1 = -0b1.1 \times 2^{19} = -786432.0$
$0x28 = 0.0101010 = +0b1.0 \times 2^{-12} = 0.000244140625$	$0x68 = 0.11010111 = +0b1.1 \times 2.13 = +00452.0$ $0x68 = 0.110100.0 = +0b1.0 \times 2^{2}0 = 1048576.0$	$0xa8 = 1.010100.0 = -0b1.0 \times 2^{-12} \approx -0.0001331034$	$0xe8 = 1.11010111 = 00111 \times 2.13 = 700432.0$ $0xe8 = 1.110100.0 = -001.0 \times 2^20 = -1048576.0$
$0x29 = 0.010100_1 = +0b1.1 \times 2^{-12} \approx 0.00036621094$	$0x69 = 0.110100.1 = +0b1.1 \times 2^{\circ}20 = 1572864.0$	$0xa9 = 1_010100_1 = -0b1.1 \times 2^-12 \approx -0.00036621094$	$0xe9 = 1_110100_1 = -0b1.1 \times 2^20 = -1572864.0$
$0x2a = 0.010101.0 = +0b1.0 \times 2^{-11} = 0.00048828125$	$0x6a = 0.110101.0 = +0b1.0 \times 2^21 = 2097152.0$	0 xaa = 1.010101.0 = -0 b1.0×2 $^{-1}$ 1 = -0.00048828125	$0 \text{xea} = 1.110101.0 = -0b1.0 \times 2^2 1 = -2097152.0$
$0x2b = 0.010101.1 = +0b1.1 \times 2^{-11} = 0.000732421875$	$0x6b = 0.110101.1 = +0b1.1 \times 2^21 = 3145728.0$	$0xab = 1.010101.1 = -0b1.1 \times 2^{-1}1 \approx -0.00073242188$	$0 \text{xeb} = 1.110101.1 = -0b1.1 \times 2^2 1 = -3145728.0$
$0x2c = 0.010110_0 = +0b1.0 \times 2^-10 = 0.0009765625$	$0x6c = 0_110110_0 = +0b1.0 \times 2^2 = 4194304.0$	$0xac = 1_010110_0 = -0b1.0 \times 2^-10 = -0.0009765625$	$0 \text{xec} = 1_{-}110110_{-}0 = -0b1.0 \times 2^{2}2 = -4194304.0$
$0x2d = 0.010110_1 = +0b1.1 \times 2^-10 = 0.00146484375$	$0x6d = 0_110110_1 = +0b1.1 \times 2^2 = 6291456.0$	$0xad = 1_010110_1 = -0b1.1 \times 2^-10 = -0.00146484375$	$0xed = 1_110110_1 = -0b1.1 \times 2^2 = -6291456.0$
$0x2e = 0.010111.0 = +0b1.0 \times 2^-9 = 0.001953125$	$0x6e = 0_110111_0 = +0b1.0 \times 2^2 = 8388608.0$	$0xae = 1_010111_0 = -0b1.0 \times 2^-9 = -0.001953125$	$0 \text{xee} = 1.1101111.0 = -0 \text{b} 1.0 \times 2^2 23 = -8388608.0$
$0x2f = 0.010111.1 = +0b1.1 \times 2^-9 = 0.0029296875$	$0x6f = 0_110111_1 = +0b1.1 \times 2^23 = 12582912.0$	$0xaf = 1_010111_1 = -0b1.1 \times 2^-9 = -0.0029296875$	$0xef = 1_110111_1 = -0b1.1 \times 2^2 3 = -12582912.0$
$0x30 = 0.011000_0 = +0b1.0 \times 2^-8 = 0.00390625$	$0x70 = 0_111000_0 = +0b1.0 \times 2^2 4 = 16777216.0$	$0xb0 = 1_011000_0 = -0b1.0 \times 2^-8 = -0.00390625$	$0xf0 = 1_111000_0 = -0b1.0 \times 2^24 = -16777216.0$
$0x31 = 0_011000_1 = +0b1.1 \times 2^-8 = 0.005859375$	$0x71 = 0_111000_1 = +0b1.1 \times 2^24 = 25165824.0$	$0xb1 = 1_011000_1 = -0b1.1 \times 2^-8 = -0.005859375$	$0xf1 = 1_111000_1 = -0b1.1 \times 2^2 4 = -25165824.0$
$0x32 = 0.011001.0 = +0b1.0 \times 2^-7 = 0.0078125$	$0x72 = 0.111001_0 = +0b1.0 \times 2^2 = 33554432.0$	$0xb2 = 1_011001_0 = -0b1.0 \times 2^-7 = -0.0078125$	$0xf2 = 1.111001_0 = -0b1.0 \times 2^2 = -33554432.0$
$0x33 = 0.011001.1 = +0b1.1 \times 2^{-7} = 0.01171875$	$0x73 = 0.111001.1 = +0b1.1 \times 2^25 = 50331648.0$	$0xb3 = 1.011001.1 = -0b1.1 \times 2^{-7} = -0.01171875$	$0xf3 = 1.111001.1 = -0b1.1 \times 2^25 = -50331648.0$
$0x34 = 0.011010_0 = +0b1.0 \times 2^-6 = 0.015625$	$0x74 = 0.111010.0 = +0b1.0 \times 2^26 = 67108864.0$	$0xb4 = 1_011010_0 = -0b1.0 \times 2^-6 = -0.015625$	$0xf4 = 1_111010_0 = -0b1.0 \times 2^26 = -67108864.0$
$0x35 = 0.011010_1 = +0b1.1 \times 2^-6 = 0.0234375$	$0x75 = 0.111010.1 = +0b1.1 \times 2^{\circ}26 = 100663296.0$	$0xb5 = 1_011010_1 = -0b1.1 \times 2^-6 = -0.0234375$	$0xf5 = 1_111010_1 = -0b1.1 \times 2^26 = -100663296.0$
$0x36 = 0.011011.0 = +0b1.0 \times 2^{-5} = 0.03125$ $0x37 = 0.011011.1 = +0b1.1 \times 2^{-5} = 0.046975$	$0x76 = 0.111011.0 = +0b1.0 \times 2^{\circ}27 = 134217728.0$	$0xb6 = 1.011011.0 = -0b1.0 \times 2^{-5} = -0.03125$	$0xf6 = 1.111011.0 = -0b1.0 \times 2^{\circ}27 = -134217728.0$ $0xf7 = 1.111011.1 = -0b1.1 \times 2^{\circ}27 = -201326502.0$
$0x37 = 0.011011.1 = +0b1.1 \times 2^{-5} = 0.046875$ $0x38 = 0.011100.0 = +0b1.0 \times 2^{-4} = 0.0625$	$0x77 = 0.111011.1 = +0b1.1 \times 2^{2}7 = 201326592.0$	$0xb7 = 1.011011.1 = -0b1.1 \times 2^{-5} = -0.046875$ $0xb8 = 1.011100.0 = -0b1.0 \times 2^{-6} = -0.0625$	$0xf7 = 1.111011.1 = -0b1.1 \times 2^{\circ}27 = -201326592.0$ $0xf8 = 1.111100.0 = -0b1.0 \times 2^{\circ}8 = -268425456.0$
$0x38 = 0.011100_0 = +0b1.0 \times 2^-4 = 0.0625$ $0x39 = 0.011100_1 = +0b1.1 \times 2^-4 = 0.09375$	$0x78 = 0.111100.0 = +0b1.0 \times 2^28 = 268435456.0$ $0x79 = 0.111100.1 = +0b1.1 \times 2^28 = 402653184.0$	$0xb8 = 1.011100.0 = -0b1.0 \times 2^-4 = -0.0625$ $0xb9 = 1.011100.1 = -0b1.1 \times 2^-4 = -0.09375$	$0xf8 = 1.111100.0 = -0b1.0 \times 2^28 = -268435456.0$ $0xf9 = 1.111100.1 = -0b1.1 \times 2^28 = -402653184.0$
$0x39 = 0.011100.1 = +0b1.1 \times 2 - 4 = 0.09375$ $0x3a = 0.011101.0 = +0b1.0 \times 2^{-3} = 0.125$	$0x79 = 0.111100_1 = +0b1.1 \times 2.28 = 402653184.0$ $0x7a = 0.111101_0 = +0b1.0 \times 2^29 = 536870912.0$	$0xb9 = 1.011100.1 = -0b1.1 \times 2 - 4 = -0.09375$ $0xba = 1.011101.0 = -0b1.0 \times 2^{-3} = -0.125$	$0xfg = 1_111100_1 = -0b1.1 \times 2.28 = -402653184.0$ $0xfa = 1_111101_0 = -0b1.0 \times 2^2 = -536870912.0$
$0x3a = 0.011101.0 = +0b1.0 \times 2 - 3 = 0.125$ $0x3b = 0.011101.1 = +0b1.1 \times 2^{-3} = 0.1875$	$0x7a = 0.111101.0 = +0b1.0 \times 2.29 = 536870912.0$ $0x7b = 0.111101.1 = +0b1.1 \times 2^29 = 805306368.0$	$0xba = 1.011101.0 = -0b1.0 \times 2 - 3 = -0.125$ $0xbb = 1.011101.1 = -0b1.1 \times 2^{-3} = -0.1875$	$0x1a = 1.111101.0 = -0b1.0 \times 2.29 = -536870912.0$ $0xfb = 1.111101.1 = -0b1.1 \times 2^29 = -805306368.0$
$0x3b = 0.011101.1 = +001.1 \times 2 - 3 = 0.1875$ $0x3c = 0.011110.0 = +0b1.0 \times 2^{2} - 2 = 0.25$	$0x7b = 0.111101.1 = +0b1.1 \times 2.29 = 605306366.0$ $0x7c = 0.111110.0 = +0b1.0 \times 2^30 = 1073741824.0$	$0xbb = 1.011101.1 = -001.1 \times 2 - 3 = -0.1675$ $0xbc = 1.011110.0 = -001.0 \times 2^{-2} = -0.25$	$0xfc = 1.111101.1 = -0b1.1 \times 2.29 = -003306368.0$ $0xfc = 1.111110_0 = -0b1.0 \times 2^30 = -1073741824.0$
$0x3d = 0.011110.0 = +0b1.0 \times 2 = 2 = 0.25$ $0x3d = 0.011110.1 = +0b1.1 \times 2^2 - 2 = 0.375$	$0x7c = 0.111110.0 = +0b1.0 \times 2.30 = 1073741024.0$ $0x7d = 0.111110.1 = +0b1.1 \times 2^30 = 1610612736.0$	$0xbc = 1_011110_0 = -0b1.0 \times 2 - 2 = -0.25$ $0xbd = 1_011110_1 = -0b1.1 \times 2^2 - 2 = -0.375$	$0xfd = 1_1111110_10 = -0b1.0 \times 2.30 = -1073741024.0$ $0xfd = 1_1111110_11 = -0b1.1 \times 2^30 = -1610612736.0$
$0x3d = 0.011110_1 = +0b1.1 \times 2 = 0.575$ $0x3e = 0.011111_0 = +0b1.0 \times 2^-1 = 0.5$	$0x7e = 0.111111.0 = +0b1.0 \times 2^31 = 2147483648.0$	$0xbd = 1_011110_1 = 0b1.1 \times 2 = 0.575$ $0xbe = 1_0111111_0 = -0b1.0 \times 2^-1 = -0.5$	$0x1d = 1_{-1}11110_{-1} = 0b1.1 \times 2.00 = 1010012700.0$ $0xfe = 1_{-1}111111_{-0} = -0b1.0 \times 2^{3}1 = -2147483648.0$
$0x3f = 0.011111.1 = +0b1.1 \times 2^{-1} = 0.05$ $0x3f = 0.011111.1 = +0b1.1 \times 2^{-1} = 0.75$	$0x7f = 0.1111111.0 = 0b1.0 \times 2.01 = 2147403040.0$ 0x7f = 0.1111111.1 = +Inf	$0xbf = 1.011111.1 = -0b1.0 \times 2 \cdot 1 = -0.05$ $0xbf = 1.011111.1 = -0b1.1 \times 2^{-1} = -0.75$	$0xff = 1.111111.0 = 0b1.0 \times 2.01 = 2147403040.0$ 0xff = 1.111111.1 = -Inf
	· · · · · · · · · · · · · · · · · · ·		

$\textbf{C.3} \quad \textbf{Value Table: P3,} \ \mathsf{P} = 3, \mathsf{emax} = 15$

$0x00 = 0.00000_0 = 0.0$	$0x40 = 0_10000_00 = +0b1.00 \times 20 = 1.0$	$0x80 = 1_00000_00 = NaN$	$0xc0 = 1_10000_00 = -0b1.00 \times 2^0 = -1.0$
$0x01 = 0_00000_01 = +0b0.01 \times 2^-15 \approx 7.6293945E-06$	$0x41 = 0_10000_01 = +0b1.01 \times 20 = 1.25$	$0x81 = 1_00000_01 = -0b0.01 \times 2^-15 \approx -7.6293945E-06$	$0xc1 = 1_10000_01 = -0b1.01 \times 2^0 = -1.25$
$0x02 = 0.00000.10 = +0b0.10 \times 2^{-15} \approx 1.5258789E-05$	$0x42 = 0.10000.10 = +0b1.10 \times 20 = 1.5$	$0x82 = 1.00000.10 = -0b0.10 \times 2^{-15} \approx -1.5258789E-05$	$0xc2 = 1_{-}10000_{-}10 = -0b1.10 \times 2^{\circ}0 = -1.5$
$0x03 = 0.00000.11 = +0b0.11 \times 2^{-15} \approx 2.2888184E-05$	$0x43 = 0.10000.11 = +0b1.11 \times 20 = 1.75$	$0x83 = 1.00000.11 = -0b0.11 \times 2^{-15} \approx -2.2888184E-05$	$0xc3 = 1.10000.11 = -0b1.11 \times 2^{\circ}0 = -1.75$
$0x04 = 0.00001.00 = +0b1.00 \times 2^{-15} \approx 3.0517578E-05$	$0x44 = 0.10001.00 = +0b1.00 \times 2^1 = 2.0$	$0x84 = 1.00001.00 = -0b1.00 \times 2^{-15} \approx -3.0517578E-05$	$0xc4 = 1.10001.00 = -0b1.00 \times 2^1 = -2.0$
$0x05 = 0.00001.01 = +0b1.01 \times 2^{-15} \approx 3.8146973E-05$	$0x45 = 0_10001_01 = +0b1.01 \times 2^1 = 2.5$	$0x85 = 1_00001_01 = -0b1.01 \times 2^-15 \approx -3.8146973E-05$	$0xc5 = 1_10001_01 = -0b1.01 \times 2^1 = -2.5$
$0x06 = 0.00001.10 = +0b1.10 \times 2^{-15} \approx 4.5776367E-05$	$0x46 = 0_{-}10001_{-}10 = +0b1.10 \times 2^{2} = 3.0$	$0x86 = 1.00001.10 = -0b1.10 \times 2^-15 \approx -4.5776367E-05$	$0xc6 = 1.10001.10 = -0b1.10 \times 2^1 = -3.0$
$0x07 = 0.00001.11 = +0b1.11 \times 2^{-15} \approx 5.3405762E-05$	$0x47 = 0.10001.11 = +0b1.11 \times 2^1 = 3.5$	$0x87 = 1.00001.11 = -0b1.11 \times 2^-15 \approx -5.3405762E-05$	$0xc7 = 1_{-}10001_{-}11 = -0b1.11 \times 2^{1} = -3.5$
$0x08 = 0.00010.00 = +0b1.00 \times 2^{-14} \approx 6.1035156E-05$	$0x48 = 0_10010_00 = +0b1.00 \times 2^2 = 4.0$	$0x88 = 1_00010_00 = -0b1.00 \times 2^-14 \approx -6.1035156E-05$	$0xc8 = 1_10010_00 = -0b1.00 \times 2^2 = -4.0$
$0x09 = 0.00010.01 = +0b1.01 \times 2^{-14} \approx 7.6293945E-05$	$0x49 = 0_10010_01 = +0b1.01 \times 2^2 = 5.0$	$0x89 = 1_00010_01 = -0b1.01 \times 2^-14 \approx -7.6293945E-05$	$0xc9 = 1_10010_01 = -0b1.01 \times 2^2 = -5.0$
$0x0a = 0.00010_10 = +0b1.10 \times 2^{-14} \approx 9.1552734E-05$	$0x4a = 0.10010.10 = +0b1.10 \times 2^2 = 6.0$	$0x8a = 1.00010.10 = -0b1.10 \times 2^{-14} \approx -9.1552734E-05$	$0xca = 1.10010.10 = -0b1.10 \times 2^2 = -6.0$
$0x0b = 0.00010.11 = +0b1.11 \times 2^{-14} \approx 0.00010681152$	$0x4b = 0.10010.11 = +0b1.11 \times 2^2 = 7.0$	$0x8b = 1_00010_11 = -0b1.11 \times 2^-14 \approx -0.00010681152$	$0xcb = 1.10010.11 = -0b1.11 \times 2^2 = -7.0$
$0x0c = 0.00011.00 = +0b1.00 \times 2^{-13} \approx 0.00012207031$	$0x4c = 0_10011_00 = +0b1.00 \times 2^3 = 8.0$	$0x8c = 1_00011_00 = -0b1.00 \times 2^-13 \approx -0.00012207031$	$0xcc = 1.10011.00 = -0b1.00 \times 2^3 = -8.0$
$0x0d = 0.00011_01 = +0b1.01 \times 2^-13 \approx 0.00015258789$	$0x4d = 0_10011_01 = +0b1.01 \times 2^3 = 10.0$	$0x8d = 1_00011_01 = -0b1.01 \times 2^-13 \approx -0.00015258789$	$0xcd = 1_10011_01 = -0b1.01 \times 2^3 = -10.0$
$0x0e = 0.00011.10 = +0b1.10 \times 2^{-13} \approx 0.00018310547$	$0x4e = 0.10011.10 = +0b1.10 \times 2^3 = 12.0$	$0x8e = 1.00011.10 = -0b1.10 \times 2^{-13} \approx -0.00018310547$	$0xce = 1.10011.10 = -0b1.10 \times 2^3 = -12.0$
$0x0f = 0.00011.11 = +0b1.11 \times 2^{-13} \approx 0.00021362305$	$0x4f = 0_10011_11 = +0b1.11 \times 2^3 = 14.0$	$0x8f = 1.00011.11 = -0b1.11 \times 2^{-13} \approx -0.00021362305$	$0xcf = 1.10011.11 = -0b1.11 \times 2^3 = -14.0$
$0x10 = 0.00100.00 = +0b1.00 \times 2^{-12} = 0.000244140625$	$0x50 = 0_10100_00 = +0b1.00 \times 2^4 = 16.0$	$0x90 = 1.00100.00 = -0b1.00 \times 2^{-12} \approx -0.00024414062$	$0xd0 = 1_10100_00 = -0b1.00 \times 2^4 = -16.0$
$0x11 = 0.00100.01 = +0b1.01 \times 2^{-1}12 \approx 0.00030517578$	$0x51 = 0.10100.01 = +0b1.01 \times 2^4 = 20.0$	$0x91 = 1.00100.01 = -0b1.01 \times 2^{-12} \approx -0.00030517578$	$0xd1 = 1.10100.01 = -0b1.01 \times 2^4 = -20.0$
$0x12 = 0.00100_{-10} = +0b1.10 \times 2^{-12} \approx 0.00036621094$	$0x52 = 0.10100.10 = +0b1.10 \times 2^4 = 24.0$	$0x92 = 1.00100.10 = -0b1.10 \times 2^{-12} \approx -0.00036621094$	$0xd2 = 1.10100.10 = -0b1.10 \times 2^4 = -24.0$
$0x13 = 0.00100_{-}11 = +0b1.11 \times 2^{-}12 \approx 0.00042724609$	$0x53 = 0_10100_11 = +0b1.11 \times 2^4 = 28.0$	$0x93 = 1_00100_11 = -0b1.11 \times 2^-12 \approx -0.00042724609$	$0xd3 = 1_10100_11 = -0b1.11 \times 2^4 = -28.0$
$0x14 = 0.00101.00 = +0b1.00 \times 2^{-11} = 0.00048828125$	$0x54 = 0_10101_00 = +0b1.00 \times 2^5 = 32.0$	$0x94 = 1_00101_00 = -0b1.00 \times 2^-11 = -0.00048828125$	$0xd4 = 1_10101_00 = -0b1.00 \times 2^5 = -32.0$
$0x15 = 0.00101.01 = +0b1.01 \times 2^{-11} \approx 0.00061035156$	$0x55 = 0_10101_01 = +0b1.01 \times 2^5 = 40.0$	$0x95 = 1.00101.01 = -0b1.01 \times 2^{-11} \approx -0.00061035156$	$0xd5 = 1_10101_01 = -0b1.01 \times 2^5 = -40.0$
$0x16 = 0.00101.10 = +0b1.10 \times 2^{-11} = 0.000732421875$	$0x56 = 0.10101.10 = +0b1.10 \times 2^5 = 48.0$	$0x96 = 1.00101.10 = -0b1.10 \times 2^{-11} \approx -0.00073242188$	$0xd6 = 1.10101.10 = -0b1.10 \times 2^5 = -48.0$
$0x17 = 0.00101.11 = +0b1.11 \times 2^{-1}1 \approx 0.00085449219$	$0x57 = 0.10101.11 = +0b1.11 \times 2^5 = 56.0$	$0x97 = 1.00101.11 = -0b1.11 \times 2^{-1}1 \approx -0.00085449219$	$0xd7 = 1.10101.11 = -0b1.11 \times 2^5 = -56.0$
$0x18 = 0.00110.00 = +0b1.00 \times 2^{-1}0 = 0.0009765625$	$0x58 = 0.10110.00 = +0b1.00 \times 2^{\circ}6 = 64.0$	$0x98 = 1.00110.00 = -0b1.00 \times 2^{-1}0 = -0.0009765625$	$0xd8 = 1.10110.00 = -0b1.00 \times 2^{6} = -64.0$
$0x19 = 0.00110.01 = +0b1.01 \times 2^{-10} = 0.001220703125$	$0x59 = 0_10110_01 = +0b1.01 \times 2^6 = 80.0$	$0x99 = 1_00110_01 = -0b1.01 \times 2^-10 \approx -0.0012207031$	$0xd9 = 1_10110_01 = -0b1.01 \times 2^6 = -80.0$
$0x1a = 0.00110.10 = +0b1.10 \times 2^{-10} = 0.00146484375$	$0x5a = 0.10110.10 = +0b1.10 \times 2\% = 96.0$	$0x9a = 1.00110.10 = -0b1.10 \times 2^-10 = -0.00146484375$	$0xda = 1.10110.10 = -0b1.10 \times 2^6 = -96.0$
$0x1b = 0.00110.11 = +0b1.11 \times 2^{-10} = 0.001708984375$	$0x5b = 0.10110.11 = +0b1.11 \times 2\% = 112.0$	$0x9b = 1.00110.11 = -0b1.11 \times 2^-10 \approx -0.0017089844$	$0xdb = 1_{-}10110_{-}11 = -0b1.11 \times 2^{6} = -112.0$
$0x1c = 0.00111.00 = +0b1.00 \times 2^{-9} = 0.001953125$	$0x5c = 0_10111_00 = +0b1.00 \times 27 = 128.0$	$0x9c = 1.00111.00 = -0b1.00 \times 2^-9 = -0.001953125$	$0xdc = 1_10111_00 = -0b1.00 \times 27 = -128.0$
$0x1d = 0.00111_01 = +0b1.01 \times 2^-9 = 0.00244140625$	$0x5d = 0_10111_01 = +0b1.01 \times 27 = 160.0$	$0x9d = 1_00111_01 = -0b1.01 \times 2^-9 = -0.00244140625$	$0xdd = 1_10111_01 = -0b1.01 \times 2^7 = -160.0$
$0x1e = 0.00111_{-10} = +0b1.10 \times 2^{-9} = 0.0029296875$	$0x5e = 0.10111.10 = +0b1.10 \times 27 = 192.0$	$0x9e = 1.00111.10 = -0b1.10 \times 2^{-9} = -0.0029296875$	$0xde = 1.10111.10 = -0b1.10 \times 2.77 = -192.0$
·	·		
$0x1f = 0.00111.11 = +0b1.11 \times 2^{-9} = 0.00341796875$	$0x5f = 0.10111.11 = +0b1.11 \times 27 = 224.0$	$0x9f = 1.00111.11 = -0b1.11 \times 2^{-9} = -0.00341796875$	$0xdf = 1.10111.11 = -0b1.11 \times 27 = -224.0$
$0x20 = 0_01000_00 = +0b1.00 \times 2^-8 = 0.00390625$	$0x60 = 0_11000_00 = +0b1.00 \times 28 = 256.0$	$0xa0 = 1_01000_00 = -0b1.00 \times 2^-8 = -0.00390625$	$0xe0 = 1_11000_00 = -0b1.00 \times 2^8 = -256.0$
$0x21 = 0_01000_01 = +0b1.01 \times 2^-8 = 0.0048828125$	$0x61 = 0_11000_01 = +0b1.01 \times 28 = 320.0$	$0xa1 = 1_01000_01 = -0b1.01 \times 2^-8 = -0.0048828125$	$0xe1 = 1_11000_01 = -0b1.01 \times 2^8 = -320.0$
$0x22 = 0.01000.10 = +0b1.10 \times 2^{-8} = 0.005859375$	$0x62 = 0_{-}11000_{-}10 = +0b1.10 \times 2\% = 384.0$	$0xa2 = 1_01000_10 = -0b1.10 \times 2^-8 = -0.005859375$	$0xe2 = 1.11000.10 = -0b1.10 \times 2^8 = -384.0$
$0x23 = 0.01000.11 = +0b1.11 \times 2^{-8} = 0.0068359375$	$0x63 = 0.11000.11 = +0b1.11 \times 2\% = 448.0$	$0xa3 = 1.01000.11 = -0b1.11 \times 2^-8 = -0.0068359375$	$0xe3 = 1.11000.11 = -0b1.11 \times 2^8 = -448.0$
$0x24 = 0.01001.00 = +0b1.00 \times 2^{-7} = 0.0078125$	$0x64 = 0.11001.00 = +0b1.00 \times 2^9 = 512.0$	$0xa4 = 1.01001.00 = -0b1.00 \times 2^{-7} = -0.0078125$	$0xe4 = 1.11001.00 = -0b1.00 \times 2^9 = -512.0$
$0x25 = 0.01001.00 = +0b1.00 \times 2^{-7} = 0.009765625$	$0x65 = 0.11001.00 = +0b1.01 \times 29 = 640.0$	$0xa5 = 1_01001_01 = -0b1.01 \times 2^-7 = -0.009765625$	$0xe5 = 1_11001_100 = 0b1_100 \times 20 = 012_10$ $0xe5 = 1_11001_101 = -0b1_101 \times 20 = -640_10$
·	·		
$0x26 = 0.01001.10 = +0b1.10 \times 2^{-7} = 0.01171875$	$0x66 = 0.11001.10 = +0b1.10 \times 2^{9} = 768.0$	$0xa6 = 1.01001.10 = -0b1.10 \times 2^{-7} = -0.01171875$	$0xe6 = 1.11001.10 = -0b1.10 \times 2^9 = -768.0$
$0x27 = 0.01001.11 = +0b1.11 \times 2^-7 = 0.013671875$	$0x67 = 0_11001_11 = +0b1.11 \times 2^9 = 896.0$	$0xa7 = 1_01001_11 = -0b1.11 \times 2^-7 = -0.013671875$	$0xe7 = 1_11001_11 = -0b1.11 \times 2^9 = -896.0$
$0x28 = 0_01010_00 = +0b1.00 \times 2^-6 = 0.015625$	$0x68 = 0_11010_00 = +0b1.00 \times 2^10 = 1024.0$	$0xa8 = 1_01010_00 = -0b1.00 \times 2^-6 = -0.015625$	$0xe8 = 1_11010_00 = -0b1.00 \times 2^10 = -1024.0$
$0x29 = 0_01010_01 = +0b1.01 \times 2^-6 = 0.01953125$	$0x69 = 0_11010_01 = +0b1.01 \times 2^10 = 1280.0$	$0xa9 = 1_01010_01 = -0b1.01 \times 2^-6 = -0.01953125$	$0xe9 = 1_11010_01 = -0b1.01 \times 2^10 = -1280.0$
$0x2a = 0.01010.10 = +0b1.10 \times 2^{-6} = 0.0234375$	$0x6a = 0.11010.10 = +0b1.10 \times 2^{10} = 1536.0$	$0xaa = 1.01010.10 = -0b1.10 \times 2^{-6} = -0.0234375$	$0xea = 1.11010.10 = -0b1.10 \times 2^10 = -1536.0$
$0x2b = 0.01010_111 = +0b1.11 \times 2^{-6} = 0.02734375$	$0x6b = 0.11010.11 = +0b1.11 \times 2^10 = 1792.0$	$0xab = 1.01010.11 = -0b1.11 \times 2^{-6} = -0.02734375$	$0xeb = 1.11010.11 = -0b1.11 \times 2^10 = -1792.0$
$0x2c = 0.010111 = +001.11 \times 2 = 0.02134373$ $0x2c = 0.01011_00 = +001.00 \times 2^{-5} = 0.03125$	$0x6c = 0.11010.11 = 001.11 \times 2 10 = 1 02.0$ $0x6c = 0.11011.00 = +0b1.00 \times 2^{\circ}11 = 2048.0$	$0xac = 1.01011.00 = -0b1.00 \times 2^{-5} = -0.03125$	$0 \times 0 = 1.11010.11 = 0.01.11 \times 2.10 = 1732.0$ $0 \times 0 = 1.11011.00 = -0.01.00 \times 2.11 = -2.048.0$
$0x2d = 0.01011.01 = +0b1.01 \times 2^{-5} = 0.0390625$	$0x6d = 0_11011_01 = +0b1.01 \times 2^11 = 2560.0$	$0xad = 1_01011_01 = -0b1.01 \times 2^-5 = -0.0390625$	$0 \text{xed} = 1_11011_01 = -0b1.01 \times 2^11 = -2560.0$
$0x2e = 0.01011.10 = +0b1.10 \times 2^{-5} = 0.046875$	$0x6e = 0_11011_10 = +0b1.10 \times 2^11 = 3072.0$	$0xae = 1_01011_10 = -0b1.10 \times 2^-5 = -0.046875$	$0 \text{xee} = 1.11011.10 = -0b1.10 \times 2^11 = -3072.0$
$0x2f = 0_01011_11 = +0b1.11 \times 2^{-5} = 0.0546875$	$0x6f = 0_11011_11 = +0b1.11 \times 2^11 = 3584.0$	$0xaf = 1_01011_11 = -0b1.11 \times 2^5 = -0.0546875$	$0xef = 1.11011.11 = -0b1.11 \times 2^11 = -3584.0$
$0x30 = 0.01100.00 = +0b1.00 \times 2^{-4} = 0.0625$	$0x70 = 0_11100_00 = +0b1.00 \times 2^12 = 4096.0$	$0xb0 = 1_01100_00 = -0b1.00 \times 2^-4 = -0.0625$	$0xf0 = 1_11100_00 = -0b1.00 \times 2^12 = -4096.0$
$0x31 = 0_01100_01 = +0b1.01 \times 2^-4 = 0.078125$	$0x71 = 0_11100_01 = +0b1.01 \times 2^12 = 5120.0$	$0xb1 = 1_01100_01 = -0b1.01 \times 2^-4 = -0.078125$	$0xf1 = 1_11100_01 = -0b1.01 \times 2^12 = -5120.0$
$0x32 = 0.01100.10 = +0b1.10 \times 2^{-4} = 0.09375$	$0x72 = 0.11100.10 = +0b1.10 \times 2^12 = 6144.0$	$0xb2 = 1.01100.10 = -0b1.10 \times 2^{-4} = -0.09375$	$0xf2 = 1.11100.10 = -0b1.10 \times 2^12 = -6144.0$
$0x33 = 0.01100.11 = +0b1.11 \times 2^{-4} = 0.109375$	$0x73 = 0.11100.11 = +0b1.11 \times 2^12 = 7168.0$	$0xb3 = 1.01100.11 = -0b1.11 \times 2^{-4} = -0.109375$	$0xf3 = 1.11100.11 = -0b1.11 \times 2^12 = -7168.0$
$0x33 = 0.01100.11 = +001.11 \times 2 - 4 = 0.109373$ $0x34 = 0.01101.00 = +001.00 \times 2^{-3} = 0.125$	$0x73 = 0.11100.11 = +001.11 \times 2 \cdot 12 = 7108.0$ $0x74 = 0.11101.00 = +0b1.00 \times 2^13 = 8192.0$	$0xb3 = 1.01100.11 = -0b1.11 \times 2 - 4 = -0.103373$ $0xb4 = 1.01101.00 = -0b1.00 \times 2^{-3} = -0.125$	$0xf3 = 1.11100.11 = -0b1.11 \times 2 \cdot 12 = -7100.0$ $0xf4 = 1.11101.00 = -0b1.00 \times 2^13 = -8192.0$
·	·		
$0x35 = 0_01101_01 = +0b1.01 \times 2^-3 = 0.15625$	$0x75 = 0_11101_01 = +0b1.01 \times 2^13 = 10240.0$	$0xb5 = 1_01101_01 = -0b1.01 \times 2^-3 = -0.15625$	$0xf5 = 1_11101_01 = -0b1.01 \times 2^13 = -10240.0$
$0x36 = 0.01101.10 = +0b1.10 \times 2^{-3} = 0.1875$	$0x76 = 0_11101_10 = +0b1.10 \times 2^13 = 12288.0$	$0xb6 = 1_01101_10 = -0b1.10 \times 2^-3 = -0.1875$	$0xf6 = 1_11101_10 = -0b1.10 \times 2^13 = -12288.0$
$0x37 = 0.01101.11 = +0b1.11 \times 2^{-3} = 0.21875$	$0x77 = 0.11101.11 = +0b1.11 \times 2^{13} = 14336.0$	$0xb7 = 1_01101_11 = -0b1.11 \times 2^-3 = -0.21875$	$0xf7 = 1.11101.11 = -0b1.11 \times 2^13 = -14336.0$
$0x38 = 0_01110_00 = +0b1.00 \times 2^2 = 0.25$	$0x78 = 0_11110_00 = +0b1.00 \times 2^14 = 16384.0$	$0xb8 = 1_01110_00 = -0b1.00 \times 2^2 = -0.25$	$0xf8 = 1_11110_00 = -0b1.00 \times 2^14 = -16384.0$
$0x39 = 0_01110_01 = +0b1.01 \times 2^2 = 0.3125$	$0x79 = 0_11110_01 = +0b1.01 \times 2^14 = 20480.0$	$0xb9 = 1_01110_01 = -0b1.01 \times 2^2 = -0.3125$	$0xf9 = 1_11110_01 = -0b1.01 \times 2^14 = -20480.0$
$0x3a = 0.01110.10 = +0b1.10 \times 2^2 - 2 = 0.375$	$0x7a = 0.11110.10 = +0b1.10 \times 2^14 = 24576.0$	$0xba = 1.01110.01 = 001.01 \times 2^{-2} = 0.0120$ $0xba = 1.01110.10 = -0b1.10 \times 2^{-2} = -0.375$	$0xfa = 1.11110.10 = -0b1.10 \times 2^14 = -24576.0$
$0x3b = 0.01110.11 = +0b1.11 \times 2^{2} - 2 = 0.4375$	$0x7b = 0.11110.11 = +0b1.11 \times 2^{\circ}14 = 28672.0$	$0xbb = 1.01110.11 = -0b1.11 \times 2^{-2} = -0.4375$	$0xfb = 1.11110.11 = -0b1.11 \times 2^{\circ}14 = -28672.0$
$0x3c = 0.01111.00 = +0b1.00 \times 2^{-1} = 0.5$	$0x7c = 0_11111_00 = +0b1.00 \times 2^15 = 32768.0$	$0xbc = 1_01111_00 = -0b1.00 \times 2^-1 = -0.5$	$0xfc = 1_111111_00 = -0b1.00 \times 2^15 = -32768.0$
$0x3d = 0_01111_01 = +0b1.01 \times 2^-1 = 0.625$	$0x7d = 0_11111_01 = +0b1.01 \times 2^15 = 40960.0$	$0xbd = 1_01111_01 = -0b1.01 \times 2^-1 = -0.625$	$0xfd = 1_11111_01 = -0b1.01 \times 2^15 = -40960.0$
$0x3e = 0.01111.10 = +0b1.10 \times 2^-1 = 0.75$	$0x7e = 0.11111.10 = +0b1.10 \times 2^{15} = 49152.0$	$0xbe = 1_01111_10 = -0b1.10 \times 2^-1 = -0.75$	$0xfe = 1.11111.10 = -0b1.10 \times 2^15 = -49152.0$
$0x3f = 0_01111_11 = +0b1.11 \times 2^-1 = 0.875$	0x7f = 0.11111.11 = +Inf	$0xbf = 1_01111_11 = -0b1.11 \times 2^-1 = -0.875$	0xff = 1.11111.11 = -Inf

C.4 Value Table: P4, P = 4, emax = 7

 $0x00 = 0.0000_000 = 0.0$ $0x40 = 0_1000_000 = +0b1.000 \times 2^{\circ} = 1.0$ $0x80 = 1_0000_000 = NaN$ $0xc0 = 1_1000_000 = -0b1.000 \times 2^{\circ}0 = -1.0$ $0x01 = 0.0000.001 = +0b0.001 \times 2^{-7} = 0.0009765625$ $0x81 = 1_0000_001 = -0b0.001 \times 2^-7 = -0.0009765625$ $0x41 = 0.1000.001 = +0b1.001 \times 2^{\circ} = 1.125$ $0xc1 = 1_1000_001 = -0b1.001 \times 2^0 = -1.125$ $0x02 = 0.0000.010 = +0b0.010 \times 2^{-7} = 0.001953125$ $0x42 = 0.1000.010 = +0b1.010 \times 2^{\circ} = 1.25$ $0x82 = 1.0000.010 = -0b0.010 \times 2^{-7} = -0.001953125$ $0xc2 = 1.1000.010 = -0b1.010 \times 2^{\circ} = -1.25$ $0x03 = 0.0000_011 = +0b0.011 \times 2^{-7} = 0.0029296875$ $0x43 = 0.1000.011 = +0b1.011 \times 2^{\circ}0 = 1.375$ $0x83 = 1.0000_011 = -0b0.011 \times 2^-7 = -0.0029296875$ $0xc3 = 1.1000.011 = -0b1.011 \times 2^{\circ} = -1.375$ $0x04 = 0.0000.100 = +0b0.100 \times 2^{-7} = 0.00390625$ $0x44 = 0_1000_100 = +0b1.100 \times 2^{\circ} = 1.5$ $0x84 = 1_0000_100 = -0b0.100 \times 2^{-7} = -0.00390625$ $0xc4 = 1_{-}1000_{-}100 = -0b1.100 \times 2^{\circ}0 = -1.5$ $0x05 = 0.0000_101 = +0b0.101 \times 2^{-7} = 0.0048828125$ $0x45 = 0.1000.101 = +0b1.101 \times 2^{\circ} = 1.625$ $0x85 = 1_0000_101 = -0b0.101 \times 2^-7 = -0.0048828125$ $0xc5 = 1_{-1000_{-101}} = -0b1.101 \times 2^{\circ} = -1.625$ $0x06 = 0.0000_{-}110 = +0b0.110 \times 2^{-}7 = 0.005859375$ $0x46 = 0.1000.110 = +0b1.110 \times 2^{\circ} = 1.75$ $0x86 = 1.0000.110 = -0b0.110 \times 2^{-7} = -0.005859375$ $0xc6 = 1.1000.110 = -0b1.110 \times 2^{\circ}0 = -1.75$ $0x07 = 0.0000_{-}111 = +0b0.111 \times 2^{-}7 = 0.0068359375$ $0x47 = 0.1000.111 = +0b1.111 \times 20 = 1.875$ $0x87 = 1.0000_{-}111 = -0b0.111 \times 2^{-}7 = -0.0068359375$ $0xc7 = 1.1000.111 = -0b1.111 \times 2^{\circ} = -1.875$ $0x08 = 0.0001.000 = +0b1.000 \times 2^{-7} = 0.0078125$ $0x88 = 1_0001_000 = -0b1.000 \times 2^-7 = -0.0078125$ $0xc8 = 1_1001_000 = -0b1.000 \times 2^1 = -2.0$ $0x48 = 0_1001_000 = +0b1.000 \times 2^1 = 2.0$ $0x09 = 0.0001.001 = +0b1.001 \times 2^{-7} = 0.0087890625$ $0x49 = 0_1001_001 = +0b1.001 \times 2^1 = 2.25$ $0x89 = 1_0001_001 = -0b1.001 \times 2^-7 = -0.0087890625$ $0xc9 = 1_1001_001 = -0b1.001 \times 2^1 = -2.25$ $0x0a = 0.0001.010 = +0b1.010 \times 2^{-7} = 0.009765625$ $0x4a = 0.1001.010 = +0b1.010 \times 2^1 = 2.5$ $0x8a = 1.0001.010 = -0b1.010 \times 2^{-7} = -0.009765625$ $0xca = 1.1001.010 = -0b1.010 \times 2^1 = -2.5$ $0x0b = 0.0001.011 = +0b1.011 \times 2^{-7} = 0.0107421875$ $0x4b = 0_1001_011 = +0b1.011 \times 2^1 = 2.75$ $0x8b = 1.0001.011 = -0b1.011 \times 2^{-7} = -0.0107421875$ $0xcb = 1_1001_011 = -0b1.011 \times 2^1 = -2.75$ $0x0c = 0.0001.100 = +0b1.100 \times 2^{-7} = 0.01171875$ $0x4c = 0_{-}1001_{-}100 = +0b1.100 \times 2^{2} = 3.0$ $0x8c = 1_0001_100 = -0b1.100 \times 2^{-7} = -0.01171875$ $0xcc = 1_1001_100 = -0b1.100 \times 2^1 = -3.0$ $0x0d = 0.0001.101 = +0b1.101 \times 2^{-7} = 0.0126953125$ $0x4d = 0_1001_101 = +0b1.101 \times 2^1 = 3.25$ $0x8d = 1_0001_101 = -0b1.101 \times 2^-7 = -0.0126953125$ $0xcd = 1_1001_101 = -0b1.101 \times 2^1 = -3.25$ $0x0e = 0.0001.110 = +0b1.110 \times 2^-7 = 0.013671875$ $0x4e = 0.1001.110 = +0b1.110 \times 2^1 = 3.5$ $0x8e = 1.0001.110 = -0b1.110 \times 2^{-7} = -0.013671875$ $0xce = 1_{-}1001_{-}110 = -0b1.110 \times 2^{-}1 = -3.5$ $0x0f = 0.0001.111 = +0b1.111 \times 2^{-7} = 0.0146484375$ $0x4f = 0.1001.111 = +0b1.111 \times 2^1 = 3.75$ $0x8f = 1.0001.111 = -0b1.111 \times 2^{-7} = -0.0146484375$ $0xcf = 1.1001.111 = -0b1.111 \times 2^1 = -3.75$ $0x10 = 0.0010.000 = +0b1.000 \times 2^{-6} = 0.015625$ $0x90 = 1_0010_000 = -0b1.000 \times 2^-6 = -0.015625$ $0xd0 = 1_1010_000 = -0b1.000 \times 2^2 = -4.0$ $0x50 = 0_1010_000 = +0b1.000 \times 2^2 = 4.0$ $0x11 = 0_0010_001 = +0b1.001 \times 2^-6 = 0.017578125$ $0x51 = 0.1010.001 = +0b1.001 \times 2^2 = 4.5$ $0x91 = 1_0010_001 = -0b1.001 \times 2^-6 = -0.017578125$ $0xd1 = 1_1010_001 = -0b1.001 \times 2^2 = -4.5$ $0xd2 = 1_{-}1010_{-}010 = -0b1.010 \times 2^2 = -5.0$ $0x12 = 0.0010.010 = +0b1.010 \times 2^{-6} = 0.01953125$ $0x52 = 0.1010.010 = +0b1.010 \times 2^2 = 5.0$ $0x92 = 1.0010.010 = -0b1.010 \times 2^{-6} = -0.01953125$ $0x53 = 0.1010.011 = +0b1.011 \times 2^2 = 5.5$ $0x13 = 0.0010.011 = +0b1.011 \times 2^{-6} = 0.021484375$ $0x93 = 1.0010.011 = -0b1.011 \times 2^-6 = -0.021484375$ $0xd3 = 1.1010.011 = -0b1.011 \times 2^2 = -5.5$ $0x14 = 0.0010.100 = +0b1.100 \times 2^{-6} = 0.0234375$ $0x54 = 0.1010.100 = +0b1.100 \times 2^2 = 6.0$ $0x94 = 1.0010.100 = -0b1.100 \times 2^{-6} = -0.0234375$ $0xd4 = 1_1010_100 = -0b1.100 \times 2^2 = -6.0$ $0x15 = 0.0010_101 = +0b1.101 \times 2^-6 = 0.025390625$ $0x55 = 0.1010.101 = +0b1.101 \times 2^2 = 6.5$ $0x95 = 1.0010.101 = -0b1.101 \times 2^{-6} = -0.025390625$ $0xd5 = 1_1010_101 = -0b1.101 \times 2^2 = -6.5$ $0x16 = 0.0010.110 = +0b1.110 \times 2^{-6} = 0.02734375$ $0x56 = 0.1010.110 = +0b1.110 \times 2^2 = 7.0$ $0x96 = 1.0010.110 = -0b1.110 \times 2^{-6} = -0.02734375$ $0xd6 = 1.1010.110 = -0b1.110 \times 2^2 = -7.0$ $0x17 = 0.0010_{-}111 = +0b1.111 \times 2^{-}6 = 0.029296875$ $0x57 = 0.1010.111 = +0b1.111 \times 2^2 = 7.5$ $0x97 = 1.0010.111 = -0b1.111 \times 2^{-6} = -0.029296875$ $0xd7 = 1_1010_111 = -0b1.111 \times 2^2 = -7.5$ $0x18 = 0.0011.000 = +0b1.000 \times 2^{-5} = 0.03125$ $0x58 = 0_1011_000 = +0b1.000 \times 2^3 = 8.0$ $0x98 = 1.0011.000 = -0b1.000 \times 2^{-5} = -0.03125$ $0xd8 = 1_1011_000 = -0b1.000 \times 2^3 = -8.0$ $0x19 = 0_0011_001 = +0b1.001 \times 2^-5 = 0.03515625$ $0x59 = 0_1011_001 = +0b1.001 \times 2^3 = 9.0$ $0x99 = 1_0011_001 = -0b1.001 \times 2^{-5} = -0.03515625$ $0xd9 = 1_1011_001 = -0b1.001 \times 2^3 = -9.0$ $0x1a = 0.0011.010 = +0b1.010 \times 2^{-5} = 0.0390625$ $0x5a = 0.1011.010 = +0b1.010 \times 2^3 = 10.0$ $0x9a = 1.0011.010 = -0b1.010 \times 2^{-5} = -0.0390625$ $0xda = 1.1011.010 = -0b1.010 \times 2^3 = -10.0$ $0x1b = 0.0011.011 = +0b1.011 \times 2^{-5} = 0.04296875$ $0x5b = 0_1011_011 = +0b1.011 \times 2^3 = 11.0$ $0x9b = 1.0011.011 = -0b1.011 \times 2^{-5} = -0.04296875$ $0xdb = 1.1011.011 = -0b1.011 \times 2^3 = -11.0$ $0x1c = 0.0011.100 = +0b1.100 \times 2^{-5} = 0.046875$ $0x5c = 0_1011_100 = +0b1.100 \times 2^3 = 12.0$ $0x9c = 1_0011_100 = -0b1.100 \times 2^5 = -0.046875$ $0xdc = 1_1011_100 = -0b1.100 \times 2^3 = -12.0$ $0 \texttt{x1d} = 0_0011_101 = +0 \texttt{b1.101} \times 2 \texttt{^--5} = 0.05078125$ $0x9d = 1_0011_101 = -0b1.101 \times 2^-5 = -0.05078125$ $0x5d = 0_1011_101 = +0b1.101 \times 2^3 = 13.0$ $0xdd = 1_1011_101 = -0b1.101 \times 2^3 = -13.0$ $0xde = 1.1011.110 = -0b1.110 \times 2^3 = -14.0$ $0x1e = 0.0011.110 = +0b1.110 \times 2^{-5} = 0.0546875$ $0x5e = 0.1011.110 = +0b1.110 \times 2^3 = 14.0$ $0x9e = 1.0011.110 = -0b1.110 \times 2^{-5} = -0.0546875$ $0x9f = 1.0011.111 = -0b1.111 \times 2^{-5} = -0.05859375$ $0x1f = 0.0011.111 = +0b1.111 \times 2^{-5} = 0.05859375$ $0x5f = 0.1011.111 = +0b1.111 \times 2^3 = 15.0$ $0xdf = 1.1011.111 = -0b1.111 \times 2^3 = -15.0$ $0x20 = 0.0100.000 = +0b1.000 \times 2^{-4} = 0.0625$ $0x60 = 0_1100_000 = +0b1.000 \times 2^4 = 16.0$ $0xa0 = 1_0100_000 = -0b1.000 \times 2^4 = -0.0625$ $0xe0 = 1_1100_000 = -0b1.000 \times 2^4 = -16.0$ $0x21 = 0_0100_001 = +0b1.001 \times 2^-4 = 0.0703125$ $0x61 = 0_1100_001 = +0b1.001 \times 2^4 = 18.0$ $0xa1 = 1_0100_001 = -0b1.001 \times 2^-4 = -0.0703125$ $0xe1 = 1_1100_001 = -0b1.001 \times 2^4 = -18.0$ $0x22 = 0.0100.010 = +0b1.010 \times 2^{-4} = 0.078125$ $0x62 = 0.1100.010 = +0b1.010 \times 2^4 = 20.0$ $0xa2 = 1.0100.010 = -0b1.010 \times 2^{-4} = -0.078125$ $0xe2 = 1_1100_010 = -0b1.010 \times 2^4 = -20.0$ $0x23 = 0.0100.011 = +0b1.011 \times 2^{-4} = 0.0859375$ $0x63 = 0.1100.011 = +0b1.011 \times 2^4 = 22.0$ $0xa3 = 1.0100.011 = -0b1.011 \times 2^{-4} = -0.0859375$ $0xe3 = 1.1100.011 = -0b1.011 \times 2^4 = -22.0$ $0x24 = 0.0100.100 = +0b1.100 \times 2^-4 = 0.09375$ $0x64 = 0_1100_100 = +0b1.100 \times 2^4 = 24.0$ $0xa4 = 1_0100_100 = -0b1.100 \times 2^-4 = -0.09375$ $0xe4 = 1_1100_100 = -0b1.100 \times 2^4 = -24.0$ $0x25 = 0.0100.101 = +0b1.101 \times 2^{-4} = 0.1015625$ $0xa5 = 1_0100_101 = -0b1.101 \times 2^-4 = -0.1015625$ $0xe5 = 1_1100_101 = -0b1.101 \times 2^4 = -26.0$ $0x65 = 0_1100_101 = +0b1.101 \times 2^4 = 26.0$ $0x26 = 0.0100.110 = +0b1.110 \times 2^{-4} = 0.109375$ $0x66 = 0.1100.110 = +0b1.110 \times 2^4 = 28.0$ $0xa6 = 1.0100.110 = -0b1.110 \times 2^{-4} = -0.109375$ $0xe6 = 1.1100.110 = -0b1.110 \times 2^4 = -28.0$ $0x27 = 0.0100.111 = +0b1.111 \times 2^-4 = 0.1171875$ $0xa7 = 1.0100.111 = -0b1.111 \times 2^-4 = -0.1171875$ $0xe7 = 1.1100.111 = -0b1.111 \times 2^4 = -30.0$ $0x67 = 0.1100.111 = +0b1.111 \times 2^4 = 30.0$ $0x28 = 0_0101_000 = +0b1.000 \times 2^-3 = 0.125$ $0xa8 = 1_0101_000 = -0b1.000 \times 2^{-3} = -0.125$ $0xe8 = 1_1101_000 = -0b1.000 \times 2^5 = -32.0$ $0x68 = 0_1101_000 = +0b1.000 \times 2^5 = 32.0$ $0xa9 = 1_0101_001 = -0b1.001 \times 2^-3 = -0.140625$ $0xe9 = 1_1101_001 = -0b1.001 \times 2^5 = -36.0$ $0x29 = 0_0101_001 = +0b1.001 \times 2^-3 = 0.140625$ $0x69 = 0_1101_001 = +0b1.001 \times 25 = 36.0$ $0x2a = 0.0101.010 = +0b1.010 \times 2^{-3} = 0.15625$ $0x6a = 0.1101.010 = +0b1.010 \times 25 = 40.0$ $0xaa = 1.0101.010 = -0b1.010 \times 2^{-3} = -0.15625$ $0xea = 1.1101.010 = -0b1.010 \times 2^5 = -40.0$ $0x2b = 0.0101.011 = +0b1.011 \times 2^{-3} = 0.171875$ $0x6b = 0_1101_011 = +0b1.011 \times 2^5 = 44.0$ $0xab = 1.0101.011 = -0b1.011 \times 2^{-3} = -0.171875$ $0xeb = 1.1101.011 = -0b1.011 \times 2^5 = -44.0$ $0x2c = 0.0101.100 = +0b1.100 \times 2^{-3} = 0.1875$ $0x6c = 0_1101_100 = +0b1.100 \times 25 = 48.0$ $0xac = 1_0101_100 = -0b1.100 \times 2^{-3} = -0.1875$ $0 \text{xec} = 1_{-}1101_{-}100 = -0 \text{b}1.100 \times 2^{5} = -48.0$ $0x2d = 0.0101.101 = +0b1.101 \times 2^{-3} = 0.203125$ $0x6d = 0_1101_101 = +0b1.101 \times 2^5 = 52.0$ $0xad = 1_0101_101 = -0b1.101 \times 2^{-3} = -0.203125$ $0xed = 1_1101_101 = -0b1.101 \times 2^5 = -52.0$ $0x2e = 0.0101.110 = +0b1.110 \times 2^{-3} = 0.21875$ $0x6e = 0.1101.110 = +0b1.110 \times 2^5 = 56.0$ $0xae = 1.0101.110 = -0b1.110 \times 2^{-3} = -0.21875$ $0xee = 1.1101.110 = -0b1.110 \times 2^5 = -56.0$ $0x2f = 0.0101.111 = +0b1.111 \times 2^{-3} = 0.234375$ $0x6f = 0.1101.111 = +0b1.111 \times 2^5 = 60.0$ $0xaf = 1_0101_111 = -0b1.111 \times 2^{-3} = -0.234375$ $0xef = 1.1101.111 = -0b1.111 \times 2^5 = -60.0$ $0x30 = 0.0110.000 = +0b1.000 \times 2^{-2} = 0.25$ $0x70 = 0.1110.000 = +0b1.000 \times 2^{6} = 64.0$ $0xb0 = 1_0110_000 = -0b1.000 \times 2^2 = -0.25$ $0xf0 = 1_1110_000 = -0b1.000 \times 2^6 = -64.0$ $0x31 = 0_0110_001 = +0b1.001 \times 2^-2 = 0.28125$ $0x71 = 0_1110_001 = +0b1.001 \times 2^6 = 72.0$ $0xb1 = 1_0110_001 = -0b1.001 \times 2^2 = -0.28125$ $0xf1 = 1_1110_001 = -0b1.001 \times 26 = -72.0$ $0x32 = 0.0110.010 = +0b1.010 \times 2^{-2} = 0.3125$ $0x72 = 0.1110.010 = +0b1.010 \times 2^6 = 80.0$ $0xb2 = 1_0110_010 = -0b1.010 \times 2^2 = -0.3125$ $0xf2 = 1.1110.010 = -0b1.010 \times 2\% = -80.0$ $0x33 = 0.0110.011 = +0b1.011 \times 2^{-2} = 0.34375$ $0x73 = 0.1110.011 = +0b1.011 \times 2^6 = 88.0$ $0xb3 = 1_0110_011 = -0b1.011 \times 2^2 = -0.34375$ $0xf3 = 1_1110_011 = -0b1.011 \times 26 = -88.0$ $0xb4 = 1_0110_100 = -0b1.100 \times 2^2 = -0.375$ $0x34 = 0.0110.100 = +0b1.100 \times 2^{-2} = 0.375$ $0x74 = 0_{1110}100 = +0b1.100 \times 26 = 96.0$ $0xf4 = 1_1110_100 = -0b1.100 \times 2^6 = -96.0$ $0x35 = 0.0110.101 = +0b1.101 \times 2^{-2} = 0.40625$ $0x75 = 0.1110.101 = +0b1.101 \times 2^6 = 104.0$ $0xb5 = 1_0110_101 = -0b1.101 \times 2^2 = -0.40625$ $0xf5 = 1_1110_101 = -0b1.101 \times 2^6 = -104.0$ $0x36 = 0.0110.110 = +0b1.110 \times 2^{-2} = 0.4375$ $0x76 = 0.1110.110 = +0b1.110 \times 2^6 = 112.0$ $0xb6 = 1.0110.110 = -0b1.110 \times 2^{-2} = -0.4375$ $0xf6 = 1.1110.110 = -0b1.110 \times 2^6 = -112.0$ $0x37 = 0.0110.111 = +0b1.111 \times 2^{-2} = 0.46875$ $0x77 = 0.1110.111 = +0b1.111 \times 2^6 = 120.0$ $0xb7 = 1_0110_111 = -0b1.111 \times 2^2 = -0.46875$ $0xf7 = 1_1110_111 = -0b1.111 \times 2^6 = -120.0$ $0x38 = 0_0111_000 = +0b1.000 \times 2^-1 = 0.5$ $0x78 = 0_1111_000 = +0b1.000 \times 27 = 128.0$ $0xb8 = 1_0111_000 = -0b1.000 \times 2^-1 = -0.5$ $0xf8 = 1_1111_000 = -0b1.000 \times 27 = -128.0$ $0x39 = 0.0111.001 = +0b1.001 \times 2^{-1} = 0.5625$ $0x79 = 0_1111_001 = +0b1.001 \times 27 = 144.0$ $0xb9 = 1_0111_001 = -0b1.001 \times 2^-1 = -0.5625$ $0xf9 = 1_1111_001 = -0b1.001 \times 2^7 = -144.0$ $0x3a = 0.0111.010 = +0b1.010 \times 2^{-1} = 0.625$ $0x7a = 0.1111.010 = +0b1.010 \times 27 = 160.0$ $0xba = 1.0111.010 = -0b1.010 \times 2^-1 = -0.625$ $0xfa = 1.1111.010 = -0b1.010 \times 27 = -160.0$ $0x3b = 0.0111.011 = +0b1.011 \times 2^-1 = 0.6875$ $0x7b = 0_1111_011 = +0b1.011 \times 27 = 176.0$ $0xbb = 1_0111_011 = -0b1.011 \times 2^-1 = -0.6875$ $0xfb = 1_1111_011 = -0b1.011 \times 2^7 = -176.0$ $0x3c = 0_0111_100 = +0b1.100 \times 2^{-1} = 0.75$ $0x7c = 0_1111_100 = +0b1.100 \times 27 = 192.0$ $0xbc = 1_0111_100 = -0b1.100 \times 2^-1 = -0.75$ $0xfc = 1_1111_100 = -0b1.100 \times 27 = -192.0$ $0x3d = 0_0111_101 = +0b1.101 \times 2^-1 = 0.8125$ $0x7d = 0_1111_101 = +0b1.101 \times 27 = 208.0$ $\mathtt{0xbd} = \mathtt{1_0111_101} = -\mathtt{0b1.101} \times \mathtt{2^--1} = -0.8125$ $0xfd = 1_1111_101 = -0b1.101 \times 27 = -208.0$ $0x3e = 0.0111.110 = +0b1.110 \times 2^-1 = 0.875$ $0x7e = 0_{-}1111_{-}110 = +0b1.110 \times 27 = 224.0$ $0xbe = 1_0111_110 = -0b1.110 \times 2^-1 = -0.875$ $0xfe = 1.1111.110 = -0b1.110 \times 27 = -224.0$ $0x3f = 0_0111_111 = +0b1.111 \times 2^-1 = 0.9375$ $0xbf = 1_0111_111 = -0b1.111 \times 2^-1 = -0.9375$ $0x7f = 0_1111_1111 = +Inf$ 0xff = 1.1111.111 = -Inf

C.5 Value Table: P5, P = 5, emax = 3

```
0x00 = 0.000_0000 = 0.0
                                                            0x40 = 0.100.0000 = +0b1.0000 \times 2^{\circ} = 1.0
                                                                                                                  0x80 = 1_000_0000 = NaN
                                                                                                                                                                                0xc0 = 1.100.0000 = -0b1.0000 \times 2^{\circ}0 = -1.0
0x01 = 0.000.0001 = +0b0.0001 \times 2^{-3} = 0.0078125
                                                           0x41 = 0.100.0001 = +0b1.0001 \times 2^{\circ}0 = 1.0625
                                                                                                                  0x81 = 1_000_0001 = -0b0.0001 \times 2^{-3} = -0.0078125
                                                                                                                                                                               0xc1 = 1_100_0001 = -0b1.0001 \times 2^{\circ} = -1.0625
0x02 = 0.000.0010 = +0b0.0010 \times 2^{-3} = 0.015625
                                                            0x42 = 0.100.0010 = +0b1.0010 \times 2^{\circ}0 = 1.125
                                                                                                                  0x82 = 1.000.0010 = -0b0.0010 \times 2^{-3} = -0.015625
                                                                                                                                                                               0xc2 = 1.100.0010 = -0b1.0010 \times 2^{\circ}0 = -1.125
0x03 = 0.000.0011 = +0b0.0011 \times 2^{-3} = 0.0234375
                                                           0x43 = 0.100.0011 = +0b1.0011 \times 2^{\circ} = 1.1875
                                                                                                                  0x83 = 1.000 \cdot 0011 = -0b0 \cdot 0011 \times 2^{-3} = -0.0234375
                                                                                                                                                                               0xc3 = 1.100.0011 = -0b1.0011 \times 2^{\circ}0 = -1.1875
0x04 = 0.000.0100 = +0b0.0100 \times 2^{-3} = 0.03125
                                                            0x44 = 0.100.0100 = +0b1.0100 \times 2^{\circ} = 1.25
                                                                                                                  0x84 = 1.000.0100 = -0b0.0100 \times 2^{-3} = -0.03125
                                                                                                                                                                               0xc4 = 1.100.0100 = -0b1.0100 \times 2^{\circ} = -1.25
0x05 = 0.000_0101 = +0b0.0101 \times 2^{-3} = 0.0390625
                                                           0x45 = 0.100.0101 = +0b1.0101 \times 2^{\circ} = 1.3125
                                                                                                                  0x85 = 1_000_0101 = -0b0.0101 \times 2^{-3} = -0.0390625
                                                                                                                                                                               0xc5 = 1_100_0101 = -0b1.0101 \times 2^{\circ} = -1.3125
0x06 = 0.000.0110 = +0b0.0110 \times 2^{-3} = 0.046875
                                                           0x46 = 0.100.0110 = +0b1.0110 \times 2^{\circ}0 = 1.375
                                                                                                                  0x86 = 1.000.0110 = -0b0.0110 \times 2^{-3} = -0.046875
                                                                                                                                                                               0xc6 = 1.100.0110 = -0b1.0110 \times 2^{\circ} = -1.375
0x07 = 0.000.0111 = +0b0.0111 \times 2^{-3} = 0.0546875
                                                           0x47 = 0.100.0111 = +0b1.0111 \times 2^{\circ} = 1.4375
                                                                                                                  0x87 = 1.000_0111 = -0b0.0111 \times 2^{-3} = -0.0546875
                                                                                                                                                                               0xc7 = 1.100.0111 = -0b1.0111 \times 2^{\circ} = -1.4375
0x08 = 0.000_1000 = +0b0.1000 \times 2^{-3} = 0.0625
                                                                                                                  0x88 = 1.000.1000 = -0b0.1000 \times 2^{-3} = -0.0625
                                                                                                                                                                               0xc8 = 1_100_1000 = -0b1.1000 \times 2^0 = -1.5
                                                            0x48 = 0_100_1000 = +0b1.1000 \times 2^0 = 1.5
                                                           0x49 = 0_100_1001 = +0b1.1001 \times 2^{\circ}0 = 1.5625
0x09 = 0.000_1001 = +0b0.1001 \times 2^{-3} = 0.0703125
                                                                                                                  0x89 = 1_000_1001 = -0b0.1001 \times 2^{-3} = -0.0703125
                                                                                                                                                                               0xc9 = 1_100_1001 = -0b1.1001 \times 20 = -1.5625
0x0a = 0.000_{-}1010 = +0b0.1010 \times 2^{-}3 = 0.078125
                                                            0x4a = 0.100.1010 = +0b1.1010 \times 2^{\circ}0 = 1.625
                                                                                                                  0x8a = 1.000.1010 = -0b0.1010 \times 2^{-3} = -0.078125
                                                                                                                                                                               0xca = 1.100.1010 = -0b1.1010 \times 2^{\circ}0 = -1.625
0x0b = 0.000 \cdot 1011 = +0b0 \cdot 1011 \times 2^{-3} = 0.0859375
                                                            0x4b = 0.100.1011 = +0b1.1011 \times 2^{\circ} = 1.6875
                                                                                                                  0x8b = 1.000_1011 = -0b0.1011 \times 2^{-3} = -0.0859375
                                                                                                                                                                               0xcb = 1.100.1011 = -0b1.1011 \times 2^{\circ}0 = -1.6875
0x0c = 0.000_{-}1100 = +0b0.1100 \times 2^{-}3 = 0.09375
                                                            0x4c = 0_100_1100 = +0b1.1100 \times 2^{\circ} = 1.75
                                                                                                                  0x8c = 1_000_1100 = -0b0.1100 \times 2^{-3} = -0.09375
                                                                                                                                                                               0xcc = 1.100.1100 = -0b1.1100 \times 2^{\circ} = -1.75
0x0d = 0.000_1101 = +0b0.1101 \times 2^{-3} = 0.1015625
                                                           0x4d = 0.100.1101 = +0b1.1101 \times 2^{\circ} = 1.8125
                                                                                                                  0x8d = 1_000_1101 = -0b0.1101 \times 2^{-3} = -0.1015625
                                                                                                                                                                               0xcd = 1_100_1101 = -0b1.1101 \times 2^0 = -1.8125
0x0e = 0.000_{-}1110 = +0b0.1110 \times 2^{-}3 = 0.109375
                                                            0x4e = 0.100.1110 = +0b1.1110 \times 2^{\circ}0 = 1.875
                                                                                                                  0x8e = 1.000.1110 = -0b0.1110 \times 2^{-3} = -0.109375
                                                                                                                                                                               0xce = 1.100.1110 = -0b1.1110 \times 2^{\circ} = -1.875
0x0f = 0.000.1111 = +0b0.1111 \times 2^{-3} = 0.1171875
                                                           0x4f = 0.100.1111 = +0b1.1111 \times 2^{\circ} = 1.9375
                                                                                                                  0x8f = 1.000_11111 = -0b0.1111 \times 2^{-3} = -0.1171875
                                                                                                                                                                               0xcf = 1.100.1111 = -0b1.1111 \times 2^{\circ} = -1.9375
                                                                                                                                                                               0xd0 = 1_101_0000 = -0b1.0000 \times 2^1 = -2.0
0x10 = 0.001.0000 = +0b1.0000 \times 2^{-3} = 0.125
                                                            0x50 = 0.101.0000 = +0b1.0000 \times 2^1 = 2.0
                                                                                                                  0x90 = 1_001_0000 = -0b1.0000 \times 2^{-3} = -0.125
0x11 = 0.001.0001 = +0b1.0001 \times 2^{-3} = 0.1328125
                                                           0x51 = 0_101_0001 = +0b1.0001 \times 2^1 = 2.125
                                                                                                                  0x91 = 1_001_0001 = -0b1.0001 \times 2^{-3} = -0.1328125
                                                                                                                                                                               0xd1 = 1_101_0001 = -0b1.0001 \times 2^1 = -2.125
0x12 = 0.001.0010 = +0b1.0010 \times 2^{-3} = 0.140625
                                                            0x52 = 0.101.0010 = +0b1.0010 \times 2^1 = 2.25
                                                                                                                  0x92 = 1.001.0010 = -0b1.0010 \times 2^{-3} = -0.140625
                                                                                                                                                                               0xd2 = 1.101.0010 = -0b1.0010 \times 2^1 = -2.25
                                                           0x53 = 0_101_0011 = +0b1.0011 \times 2^1 = 2.375
                                                                                                                                                                               0xd3 = 1.101.0011 = -0b1.0011 \times 2^1 = -2.375
0x13 = 0.001.0011 = +0b1.0011 \times 2^{-3} = 0.1484375
                                                                                                                  0x93 = 1.001.0011 = -0b1.0011 \times 2^{-3} = -0.1484375
0x14 = 0.001.0100 = +0b1.0100 \times 2^{-3} = 0.15625
                                                            0x54 = 0_101_0100 = +0b1.0100 \times 2^1 = 2.5
                                                                                                                  0x94 = 1.001.0100 = -0b1.0100 \times 2^{-3} = -0.15625
                                                                                                                                                                               0xd4 = 1_101_0100 = -0b1.0100 \times 2^1 = -2.5
0x15 = 0.001.0101 = +0b1.0101 \times 2^{-3} = 0.1640625
                                                           0x55 = 0_101_0101 = +0b1.0101 \times 2^1 = 2.625
                                                                                                                  0x95 = 1_001_0101 = -0b1.0101 \times 2^{-3} = -0.1640625
                                                                                                                                                                               0xd5 = 1.101.0101 = -0b1.0101 \times 2^1 = -2.625
0x16 = 0.001.0110 = +0b1.0110 \times 2^{-3} = 0.171875
                                                            0x56 = 0.101.0110 = +0b1.0110 \times 2^1 = 2.75
                                                                                                                  0x96 = 1.001.0110 = -0b1.0110 \times 2^{-3} = -0.171875
                                                                                                                                                                               0xd6 = 1_{-}101_{-}0110 = -0b1_{-}0110 \times 2^{-}1 = -2.75
0x17 = 0.001_0111 = +0b1.0111 \times 2^{-3} = 0.1796875
                                                           0x57 = 0.101.0111 = +0b1.0111 \times 2^1 = 2.875
                                                                                                                  0x97 = 1.001.0111 = -0b1.0111 \times 2^{-3} = -0.1796875
                                                                                                                                                                               0xd7 = 1.101.0111 = -0b1.0111 \times 2^1 = -2.875
0x18 = 0.001.1000 = +0b1.1000 \times 2^{-3} = 0.1875
                                                            0x58 = 0_101_1000 = +0b1.1000 \times 2^1 = 3.0
                                                                                                                  0x98 = 1.001.1000 = -0b1.1000 \times 2^{-3} = -0.1875
                                                                                                                                                                               0xd8 = 1_101_1000 = -0b1.1000 \times 2^1 = -3.0
0x19 = 0.001_1001 = +0b1.1001 \times 2^{-3} = 0.1953125
                                                           0x59 = 0_101_1001 = +0b1.1001 \times 2^1 = 3.125
                                                                                                                  0x99 = 1_001_1001 = -0b1.1001 \times 2^{-3} = -0.1953125
                                                                                                                                                                               0xd9 = 1_101_1001 = -0b1.1001 \times 2^1 = -3.125
0x1a = 0.001.1010 = +0b1.1010 \times 2^{-3} = 0.203125
                                                            0x5a = 0.101.1010 = +0b1.1010 \times 2^1 = 3.25
                                                                                                                  0x9a = 1.001.1010 = -0b1.1010 \times 2^{-3} = -0.203125
                                                                                                                                                                               0xda = 1.101.1010 = -0b1.1010 \times 2^1 = -3.25
0x1b = 0.001.1011 = +0b1.1011 \times 2^{-3} = 0.2109375
                                                           0x5b = 0.101.1011 = +0b1.1011 \times 2^1 = 3.375
                                                                                                                  0x9b = 1.001.1011 = -0b1.1011 \times 2^{-3} = -0.2109375
                                                                                                                                                                               0xdb = 1.101.1011 = -0b1.1011 \times 2^1 = -3.375
0x1c = 0.001.1100 = +0b1.1100 \times 2^{-3} = 0.21875
                                                            0x5c = 0_101_1100 = +0b1.1100 \times 2^1 = 3.5
                                                                                                                  0x9c = 1_001_1100 = -0b1.1100 \times 2^3 = -0.21875
                                                                                                                                                                               0xdc = 1_101_1100 = -0b1.1100 \times 2^1 = -3.5
                                                                                                                  0x9d = 1_001_1101 = -0b1.1101 \times 2^-3 = -0.2265625
0x1d = 0.001_1101 = +0b1.1101 \times 2^{-3} = 0.2265625
                                                           0x5d = 0_101_1101 = +0b1.1101 \times 2^1 = 3.625
                                                                                                                                                                               0xdd = 1_101_1101 = -0b1.1101 \times 2^1 = -3.625
0x1e = 0.001.1110 = +0b1.1110 \times 2^{-3} = 0.234375
                                                                                                                  0x9e = 1.001.1110 = -0b1.1110 \times 2^{-3} = -0.234375
                                                            0x5e = 0.101.1110 = +0b1.1110 \times 2^1 = 3.75
                                                                                                                                                                               0xde = 1.101.1110 = -0b1.1110 \times 2^1 = -3.75
0x1f = 0.001.1111 = +0b1.1111 \times 2^{-3} = 0.2421875
                                                           0x5f = 0.101.1111 = +0b1.1111 \times 2^1 = 3.875
                                                                                                                  0x9f = 1.001.1111 = -0b1.1111 \times 2^{-3} = -0.2421875
                                                                                                                                                                               0xdf = 1.101.1111 = -0b1.1111 \times 2^1 = -3.875
0x20 = 0.010.0000 = +0b1.0000 \times 2^{-2} = 0.25
                                                            0x60 = 0_110_0000 = +0b1.0000 \times 2^2 = 4.0
                                                                                                                  0xa0 = 1.010.0000 = -0b1.0000 \times 2^{-2} = -0.25
                                                                                                                                                                               0xe0 = 1.110.0000 = -0b1.0000 \times 2^2 = -4.0
0x21 = 0_010_0001 = +0b1.0001 \times 2^2 = 0.265625
                                                            0x61 = 0_110_0001 = +0b1.0001 \times 2^2 = 4.25
                                                                                                                  0xa1 = 1_010_0001 = -0b1.0001 \times 2^2 = -0.265625
                                                                                                                                                                               0xe1 = 1_110_0001 = -0b1.0001 \times 2^2 = -4.25
0x22 = 0.010.0010 = +0b1.0010 \times 2^{-2} = 0.28125
                                                            0x62 = 0.110.0010 = +0b1.0010 \times 2^2 = 4.5
                                                                                                                  0xa2 = 1.010.0010 = -0b1.0010 \times 2^{-2} = -0.28125
                                                                                                                                                                               0xe2 = 1.110.0010 = -0b1.0010 \times 2^2 = -4.5
0x23 = 0.010.0011 = +0b1.0011 \times 2^{-2} = 0.296875
                                                            0x63 = 0.110.0011 = +0b1.0011 \times 2^2 = 4.75
                                                                                                                  0xa3 = 1.010.0011 = -0b1.0011 \times 2^{-2} = -0.296875
                                                                                                                                                                               0xe3 = 1.110.0011 = -0b1.0011 \times 2^2 = -4.75
0x24 = 0_010_0100 = +0b1.0100 \times 2^2 = 0.3125
                                                            0x64 = 0_110_0100 = +0b1.0100 \times 2^2 = 5.0
                                                                                                                  0xa4 = 1_010_0100 = -0b1.0100 \times 2^2 = -0.3125
                                                                                                                                                                               0xe4 = 1_110_0100 = -0b1.0100 \times 2^2 = -5.0
0x25 = 0.010.0101 = +0b1.0101 \times 2^{-2} = 0.328125
                                                           0x65 = 0_110_0101 = +0b1.0101 \times 2^2 = 5.25
                                                                                                                  0xa5 = 1_010_0101 = -0b1.0101 \times 2^2 = -0.328125
                                                                                                                                                                               0xe5 = 1_110_0101 = -0b1.0101 \times 2^2 = -5.25
0x26 = 0.010.0110 = +0b1.0110 \times 2^{-2} = 0.34375
                                                           0x66 = 0.110.0110 = +0b1.0110 \times 2^2 = 5.5
                                                                                                                  0xa6 = 1.010.0110 = -0b1.0110 \times 2^{-2} = -0.34375
                                                                                                                                                                               0xe6 = 1_110_0110 = -0b1.0110 \times 2^2 = -5.5
0x27 = 0_010_0111 = +0b1.0111 \times 2^2 = 0.359375
                                                           0x67 = 0.110.0111 = +0b1.0111 \times 2^2 = 5.75
                                                                                                                  0xa7 = 1.010.0111 = -0b1.0111 \times 2^{-2} = -0.359375
                                                                                                                                                                               0xe7 = 1.110.0111 = -0b1.0111 \times 2^2 = -5.75
0 \\ x \\ 28 = 0 \\ \_010 \\ \_1000 = +0 \\ b1.1000 \\ \times 2^-2 = 0.375
                                                            0x68 = 0_110_1000 = +0b1.1000 \times 2^2 = 6.0
                                                                                                                  0xa8 = 1_010_1000 = -0b1.1000 \times 2^2 = -0.375
                                                                                                                                                                               0xe8 = 1_110_1000 = -0b1.1000 \times 2^2 = -6.0
0x29 = 0_010_1001 = +0b1.1001 \times 2^2 = 0.390625
                                                           0x69 = 0_110_1001 = +0b1.1001 \times 2^2 = 6.25
                                                                                                                  0xa9 = 1_010_1001 = -0b1.1001 \times 2^2 = -0.390625
                                                                                                                                                                               0xe9 = 1_110_1001 = -0b1.1001 \times 2^2 = -6.25
0x2a = 0.010.1010 = +0b1.1010 \times 2^{-2} = 0.40625
                                                            0x6a = 0.110.1010 = +0b1.1010 \times 2^2 = 6.5
                                                                                                                  0xaa = 1.010.1010 = -0b1.1010 \times 2^{-2} = -0.40625
                                                                                                                                                                               0xea = 1.110.1010 = -0b1.1010 \times 2^2 = -6.5
0x2b = 0.010.1011 = +0b1.1011 \times 2^{-2} = 0.421875
                                                           0x6b = 0.110.1011 = +0b1.1011 \times 2^2 = 6.75
                                                                                                                  0xab = 1.010.1011 = -0b1.1011 \times 2^{-2} = -0.421875
                                                                                                                                                                               0xeb = 1.110.1011 = -0b1.1011 \times 2^2 = -6.75
0x2c = 0_010_1100 = +0b1.1100 \times 2^2 = 0.4375
                                                            0x6c = 0.110.1100 = +0b1.1100 \times 2^2 = 7.0
                                                                                                                  0xac = 1_010_1100 = -0b1.1100 \times 2^2 = -0.4375
                                                                                                                                                                               0 \text{xec} = 1.110.1100 = -0b1.1100 \times 2^2 = -7.0
0x2d = 0.010.1101 = +0b1.1101 \times 2^{-2} = 0.453125
                                                           0x6d = 0_110_1101 = +0b1.1101 \times 2^2 = 7.25
                                                                                                                  0xad = 1_010_1101 = -0b1.1101 \times 2^2 = -0.453125
                                                                                                                                                                               0xed = 1_110_1101 = -0b1.1101 \times 2^2 = -7.25
0x2e = 0.010.1110 = +0b1.1110 \times 2^{-2} = 0.46875
                                                            0x6e = 0.110.1110 = +0b1.1110 \times 2^2 = 7.5
                                                                                                                  0xae = 1.010.1110 = -0b1.1110 \times 2^{-2} = -0.46875
                                                                                                                                                                               0xee = 1.110.1110 = -0b1.1110 \times 2^2 = -7.5
0x2f = 0.010.1111 = +0b1.1111 \times 2^{-2} = 0.484375
                                                           0x6f = 0_110_1111 = +0b1.1111 \times 2^2 = 7.75
                                                                                                                  0xaf = 1.010.1111 = -0b1.1111 \times 2^{-2} = -0.484375
                                                                                                                                                                               0xef = 1.110.1111 = -0b1.1111 \times 2^2 = -7.75
0x30 = 0.011.0000 = +0b1.0000 \times 2^{-1} = 0.5
                                                           0x70 = 0_111_0000 = +0b1.0000 \times 2^3 = 8.0
                                                                                                                  0xb0 = 1_011_0000 = -0b1.0000 \times 2^{-1} = -0.5
                                                                                                                                                                               0xf0 = 1_111_0000 = -0b1.0000 \times 2^3 = -8.0
0x31 = 0_011_0001 = +0b1.0001 \times 2^-1 = 0.53125
                                                           0x71 = 0_111_0001 = +0b1.0001 \times 2^3 = 8.5
                                                                                                                  0xb1 = 1_011_0001 = -0b1.0001 \times 2^-1 = -0.53125
                                                                                                                                                                               0xf1 = 1_111_0001 = -0b1.0001 \times 2^3 = -8.5
0x32 = 0.011.0010 = +0b1.0010 \times 2^-1 = 0.5625
                                                           0x72 = 0.111.0010 = +0b1.0010 \times 2^3 = 9.0
                                                                                                                  0xb2 = 1.011.0010 = -0b1.0010 \times 2^{-1} = -0.5625
                                                                                                                                                                               0xf2 = 1.111.0010 = -0b1.0010 \times 2^3 = -9.0
0x33 = 0.011.0011 = +0b1.0011 \times 2^{-1} = 0.59375
                                                           0x73 = 0_111_0011 = +0b1.0011 \times 2^3 = 9.5
                                                                                                                  0xb3 = 1_011_0011 = -0b1.0011 \times 2^-1 = -0.59375
                                                                                                                                                                               0xf3 = 1_111_0011 = -0b1.0011 \times 2^3 = -9.5
0x34 = 0.011.0100 = +0b1.0100 \times 2^{-1} = 0.625
                                                            0x74 = 0_111_0100 = +0b1.0100 \times 2^3 = 10.0
                                                                                                                  0xb4 = 1_011_0100 = -0b1.0100 \times 2^-1 = -0.625
                                                                                                                                                                               0xf4 = 1_111_0100 = -0b1.0100 \times 2^3 = -10.0
0x35 = 0.011.0101 = +0b1.0101 \times 2^{-1} = 0.65625
                                                            0x75 = 0.111_0101 = +0b1.0101 \times 2^3 = 10.5
                                                                                                                  0xb5 = 1_011_0101 = -0b1.0101 \times 2^-1 = -0.65625
                                                                                                                                                                               0xf5 = 1_111_0101 = -0b1.0101 \times 2^3 = -10.5
0x36 = 0.011.0110 = +0b1.0110 \times 2^{-1} = 0.6875
                                                            0x76 = 0.111.0110 = +0b1.0110 \times 2^3 = 11.0
                                                                                                                  0xb6 = 1.011.0110 = -0b1.0110 \times 2^{-1} = -0.6875
                                                                                                                                                                               0xf6 = 1.111.0110 = -0b1.0110 \times 2^3 = -11.0
0x37 = 0.011.0111 = +0b1.0111 \times 2^-1 = 0.71875
                                                            0x77 = 0.111.0111 = +0b1.0111 \times 2^3 = 11.5
                                                                                                                  0xb7 = 1_011_0111 = -0b1.0111 \times 2^-1 = -0.71875
                                                                                                                                                                               0xf7 = 1_111_0111 = -0b1.0111 \times 2^3 = -11.5
0x38 = 0_011_1000 = +0b1.1000 \times 2^-1 = 0.75
                                                            0x78 = 0_111_1000 = +0b1.1000 \times 2^3 = 12.0
                                                                                                                  0xb8 = 1_011_1000 = -0b1.1000 \times 2^-1 = -0.75
                                                                                                                                                                               0xf8 = 1_111_1000 = -0b1.1000 \times 2^3 = -12.0
0x39 = 0_011_1001 = +0b1.1001 \times 2^-1 = 0.78125
                                                            0x79 = 0_111_1001 = +0b1.1001 \times 2^3 = 12.5
                                                                                                                  0xb9 = 1_011_1001 = -0b1.1001 \times 2^-1 = -0.78125
                                                                                                                                                                               0xf9 = 1_111_1001 = -0b1.1001 \times 2^3 = -12.5
0x3a = 0.011.1010 = +0b1.1010 \times 2^{-1} = 0.8125
                                                            0x7a = 0.111.1010 = +0b1.1010 \times 2^3 = 13.0
                                                                                                                  0xba = 1.011.1010 = -0b1.1010 \times 2^{-1} = -0.8125
                                                                                                                                                                               0xfa = 1.111.1010 = -0b1.1010 \times 2^3 = -13.0
0x3b = 0_011_1011 = +0b1.1011 \times 2^-1 = 0.84375
                                                           0x7b = 0_111_1011 = +0b1.1011 \times 2^3 = 13.5
                                                                                                                  0xbb = 1_011_1011 = -0b1.1011 \times 2^-1 = -0.84375
                                                                                                                                                                               0xfb = 1_111_1011 = -0b1.1011 \times 2^3 = -13.5
                                                            0x7c = 0_111_1100 = +0b1.1100 \times 2^3 = 14.0
                                                                                                                  0xbc = 1_011_1100 = -0b1.1100 \times 2^-1 = -0.875
0x3c = 0_011_1100 = +0b1.1100 \times 2^{-1} = 0.875
                                                                                                                                                                               0xfc = 1_111_1100 = -0b1.1100 \times 2^3 = -14.0
0x3d = 0_011_1101 = +0b1.1101 \times 2^-1 = 0.90625
                                                           \mathtt{0x7d} = \mathtt{0\_111\_1101} = +\mathtt{0b1.1101} {\times} \mathtt{2^3} = \mathtt{14.5}
                                                                                                                  0xbd = 1\_011\_1101 = -0b1.1101 \times 2^-1 = -0.90625
                                                                                                                                                                               0xfd = 1_111_1101 = -0b1.1101 \times 2^3 = -14.5
                                                                                                                  0 \texttt{xbe} = 1 \text{-} 011 \text{-} 1110 = -0 \text{b} 1.1110 \times 2 \text{-} 1 = -0.9375
0x3e = 0.011.1110 = +0b1.1110 \times 2^{-1} = 0.9375
                                                           0x7e = 0.111.1110 = +0b1.1110 \times 2^3 = 15.0
                                                                                                                                                                               0xfe = 1.111.1110 = -0b1.1110 \times 2^3 = -15.0
{\tt 0x3f} = {\tt 0\_011\_1111} = +0{\tt b1.1111} \times 2 \hat{\ \ } -1 = 0.96875
                                                           0x7f = 0_{-}111_{-}1111 = +Inf
                                                                                                                  0xbf = 1_011_1111 = -0b1.1111 \times 2^-1 = -0.96875
                                                                                                                                                                               0xff = 1_111_1111 = -Inf
```

$\textbf{C.6} \quad \textbf{Value Table: P6, } \mathsf{P} = 6, \mathsf{emax} = 1$

0x00 = 0.0000000 = 0.0	$0x40 = 0.10.00000 = +0b1.00000 \times 2^{\circ}0 = 1.0$	$0x80 = 1_00_00000 = NaN$	$0xc0 = 1_10_00000 = -0b1.00000 \times 2^{\circ} = -1.0$
$0x01 = 0_00_00001 = +0b0.00001 \times 2^-1 = 0.015625$	$0x41 = 0_{-}10_{-}00001 = +0b1.00001 \times 20 = 1.03125$	$0x81 = 1_00_00001 = -0b0.00001 \times 2^-1 = -0.015625$	$0xc1 = 1_10_00001 = -0b1.00001 \times 2^0 = -1.03125$
$0x02 = 0.00.00010 = +0b0.00010 \times 2^{-1} = 0.03125$	$0x42 = 0.10.00010 = +0b1.00010 \times 20 = 1.0625$	$0x82 = 1.00.00010 = -0b0.00010 \times 2^{-1} = -0.03125$	$0xc2 = 1.10.00010 = -0b1.00010 \times 20 = -1.0625$
$0x03 = 0.00.00011 = +0b0.00011 \times 2^{-1} = 0.046875$ $0x04 = 0.00.00100 = +0b0.00100 \times 2^{-1} = 0.0625$	$0x43 = 0.10.00011 = +0b1.00011 \times 2^{\circ} = 1.09375$ $0x44 = 0.10.00100 = +0b1.00100 \times 2^{\circ} = 1.125$	$0x83 = 1.00.00011 = -0b0.00011 \times 2^{-1} = -0.046875$ $0x84 = 1.00.00100 = -0b0.00100 \times 2^{-1} = -0.0625$	$0xc3 = 1.10.00011 = -0b1.00011 \times 2^{\circ} = -1.09375$ $0xc4 = 1.10.00100 = -0b1.00100 \times 2^{\circ} = -1.125$
$0x04 = 0.00.00100 = +000.00100 \times 2^{-1} = 0.0025$ $0x05 = 0.00.00101 = +000.00101 \times 2^{-1} = 0.078125$	$0x44 = 0.10.00100 = +001.00100 \times 2.0 = 1.125$ $0x45 = 0.10.00101 = +001.00101 \times 2.0 = 1.15625$	$0x84 = 1.00.00100 = -0b0.00100 \times 2^{-1} = -0.0025$ $0x85 = 1.00.00101 = -0b0.00101 \times 2^{-1} = -0.078125$	$0xc4 = 1.10.00100 = -001.00100 \times 20 = -1.125$ $0xc5 = 1.10.00101 = -001.00101 \times 20 = -1.15625$
$0x06 = 0.00.00110 = +0b0.00110 \times 2^{-1} = 0.09375$	$0x46 = 0.10.00110 = +0b1.00110 \times 2\% = 1.1875$	$0x86 = 1.00.00110 = -0b0.00110 \times 2^{-1} = -0.09375$	$0xc6 = 1.10.00110 = -0b1.00110 \times 2^{\circ} = -1.1875$
$0x07 = 0.00.00111 = +0b0.00111 \times 2^{-1} = 0.109375$	$0x47 = 0.10.00111 = +0b1.00111 \times 2\% = 1.21875$	$0x87 = 1.00.00111 = -0b0.00111 \times 2^{-1} = -0.109375$	$0xc7 = 1.10.00111 = -0b1.00111 \times 2^{\circ} = -1.21875$
$0x08 = 0.00.01000 = +0b0.01000 \times 2^{-1} = 0.125$	$0x48 = 0_{-}10_{-}01000 = +0b1.01000 \times 2\% = 1.25$	$0x88 = 1_00_01000 = -0b0.01000 \times 2^-1 = -0.125$	$0xc8 = 1_10_01000 = -0b1.01000 \times 2^0 = -1.25$
$0x09 = 0.00_01001 = +0b0.01001 \times 2^{-1} = 0.140625$	$0x49 = 0.10.01001 = +0b1.01001 \times 2\% = 1.28125$	$0x89 = 1.00.01001 = -0b0.01001 \times 2^{-1} = -0.140625$	$0xc9 = 1.10.01001 = -0b1.01001 \times 2^{\circ}0 = -1.28125$
$0x0a = 0.00.01010 = +0b0.01010 \times 2^{-1} = 0.15625$ $0x0b = 0.00.01011 = +0b0.01011 \times 2^{-1} = 0.171875$	$0x4a = 0.10.01010 = +0b1.01010 \times 20 = 1.3125$	$0x8a = 1.00.01010 = -0b0.01010 \times 2^{-1} = -0.15625$	$0xca = 1.10.01010 = -0b1.01010 \times 20 = -1.3125$ $0xcb = 1.10.01011 = .0b1.01011 \times 20 = .1.34375$
$0x0b = 0.00.01011 = +0b0.01011 \times 2^{-1} = 0.171875$ $0x0c = 0.00.01100 = +0b0.01100 \times 2^{-1} = 0.1875$	$0x4b = 0.10.01011 = +0b1.01011 \times 2^{\circ} = 1.34375$ $0x4c = 0.10.01100 = +0b1.01100 \times 2^{\circ} = 1.375$	$0x8b = 1.00.01011 = -0b0.01011 \times 2^{-1} = -0.171875$ $0x8c = 1.00.01100 = -0b0.01100 \times 2^{-1} = -0.1875$	$0xcb = 1.10.01011 = -0b1.01011 \times 2^{\circ} = -1.34375$ $0xcc = 1.10.01100 = -0b1.01100 \times 2^{\circ} = -1.375$
$0 \times 0 = 0.00.01101 = +0.00.01101 \times 2^{-1} = 0.203125$	$0x4d = 0.10.01101 = +0b1.01101 \times 2\% = 1.40625$	$0x8d = 1.00.01101 = -0b0.01101 \times 2^{-1} = -0.203125$	$0xcd = 1.10.01101 = -0b1.01101 \times 2^{\circ} = -1.40625$
$0x0e = 0.00.01110 = +0b0.01110 \times 2^{-1} = 0.21875$	$0x4e = 0.10.01110 = +0b1.01110 \times 2\% = 1.4375$	$0x8e = 1.00.01110 = -0b0.01110 \times 2^-1 = -0.21875$	$0xce = 1.10.01110 = -0b1.01110 \times 2^{\circ} = -1.4375$
$0x0f = 0.00.01111 = +0b0.01111 \times 2^-1 = 0.234375$	$0x4f = 0_{-}10_{-}01111 = +0b1.01111 \times 20 = 1.46875$	$0x8f = 1.00.01111 = -0b0.01111 \times 2^{-1} = -0.234375$	$0xcf = 1.10.01111 = -0b1.01111 \times 2^{\circ} = -1.46875$
$0x10 = 0.00_10000 = +0b0.10000 \times 2^{-1} = 0.25$	$0x50 = 0.10.10000 = +0b1.10000 \times 20 = 1.5$	$0x90 = 1.00.10000 = -0b0.10000 \times 2^{-1} = -0.25$	$0xd0 = 1.10.10000 = -0b1.10000 \times 2^{\circ}0 = -1.5$
$0x11 = 0.00_10001 = +0b0.10001 \times 2^{-1} = 0.265625$	$0x51 = 0.10 \cdot 10001 = +0b1 \cdot 10001 \times 20 = 1.53125$	$0x91 = 1_00_10001 = -0b0.10001 \times 2^{-1} = -0.265625$	$0xd1 = 1_{-1}0_{-1}0001 = -0b1.10001 \times 2^{\circ} = -1.53125$
$0x12 = 0.00.10010 = +0b0.10010 \times 2^{-1} = 0.28125$ $0x13 = 0.00.10011 = +0b0.10011 \times 2^{-1} = 0.296875$	$0x52 = 0.10.10010 = +0b1.10010 \times 2^{\circ} = 1.5625$ $0x53 = 0.10.10011 = +0b1.10011 \times 2^{\circ} = 1.59375$	$0x92 = 1.00.10010 = -0b0.10010 \times 2^{-1} = -0.28125$ $0x93 = 1.00.10011 = -0b0.10011 \times 2^{-1} = -0.296875$	$0xd2 = 1.10.10010 = -0b1.10010 \times 2^{\circ} = -1.5625$ $0xd3 = 1.10.10011 = -0b1.10011 \times 2^{\circ} = -1.59375$
$0x13 = 0.00110011 = +000.10011 \times 2^{-1} = 0.250073$ $0x14 = 0.00.10100 = +000.10100 \times 2^{-1} = 0.3125$	$0x53 = 0.10.10011 = +001.10011 \times 2.0 = 1.39373$ $0x54 = 0.10.10100 = +0b1.10100 \times 2.0 = 1.625$	$0x94 = 1.00.101011 = -0b0.101011 \times 2^{-1} = -0.290873$ $0x94 = 1.00.10100 = -0b0.10100 \times 2^{-1} = -0.3125$	$0xd3 = 1.10.10011 = -001.10011 \times 20 = -1.39373$ $0xd4 = 1.10.10100 = -001.10100 \times 20 = -1.625$
$0x15 = 0.00_10101 = +0b0.10101 \times 2^{-1} = 0.328125$	$0x55 = 0.10.10101 = +0b1.10101 \times 2\% = 1.65625$	$0x95 = 1.00.10101 = -0b0.10101 \times 2^{-1} = -0.328125$	$0xd5 = 1.10.10101 = -0b1.10101 \times 2^{\circ} = -1.65625$
$0x16 = 0.00_{-}10110 = +0b0.10110 \times 2^{-}1 = 0.34375$	$0x56 = 0.10.10110 = +0b1.10110 \times 2\% = 1.6875$	$0x96 = 1.00.10110 = -0b0.10110 \times 2^{-1} = -0.34375$	$0xd6 = 1.10.10110 = -0b1.10110 \times 2^{\circ} = -1.6875$
$0x17 = 0.00_10111 = +0b0.10111 \times 2^{-1} = 0.359375$	$0x57 = 0.10.10111 = +0b1.10111 \times 2\% = 1.71875$	$0x97 = 1.00.10111 = -0b0.10111 \times 2^{-1} = -0.359375$	$0xd7 = 1.10.10111 = -0b1.10111 \times 2^{\circ} = -1.71875$
$0x18 = 0.00_{-}11000 = +0b0.11000 \times 2^{-}1 = 0.375$	$0x58 = 0.10.11000 = +0b1.11000 \times 20 = 1.75$	$0x98 = 1.00.11000 = -0b0.11000 \times 2^{-1} = -0.375$	$0xd8 = 1.10.11000 = -0b1.11000 \times 2^{\circ}0 = -1.75$
$0x19 = 0.00_{-}11001 = +0b0.11001 \times 2^{-}1 = 0.390625$	$0x59 = 0.10_{-}11001 = +0b1.11001 \times 20 = 1.78125$	$0x99 = 1.00.11001 = -0b0.11001 \times 2^{-1} = -0.390625$	$0xd9 = 1.10.11001 = -0b1.11001 \times 2^{\circ} = -1.78125$
$0x1a = 0.00.11010 = +0b0.11010 \times 2^{-1} = 0.40625$ $0x1b = 0.00.11011 = +0b0.11011 \times 2^{-1} = 0.421875$	$0x5a = 0.10.11010 = +0b1.11010 \times 2^{\circ} = 1.8125$ $0x5b = 0.10.11011 = +0b1.11011 \times 2^{\circ} = 1.84375$	$0x9a = 1.00.11010 = -0b0.11010 \times 2^{-1} = -0.40625$ $0x9b = 1.00.11011 = -0b0.11011 \times 2^{-1} = -0.421875$	$0xda = 1.10.11010 = -0b1.11010 \times 2^{\circ} = -1.8125$ $0xdb = 1.10.11011 = -0b1.11011 \times 2^{\circ} = -1.84375$
$0x1c = 0.00.11011 = +0b0.11011 \times 2^{-1} = 0.421075$ $0x1c = 0.00.11100 = +0b0.11100 \times 2^{-1} = 0.4375$	$0x5c = 0.10.11011 = +0b1.11011 \times 20 = 1.04575$ $0x5c = 0.10.11100 = +0b1.11100 \times 20 = 1.875$	$0x9c = 1.00.111011 = 000.11011 \times 2^{-1} = 0.421070$ $0x9c = 1.00.11100 = -0b0.11100 \times 2^{-1} = -0.4375$	$0xdc = 1.10.11011 = 001.11011 \times 20 = 1.04575$ $0xdc = 1.10.11100 = -001.11100 \times 20 = -1.875$
$0x1d = 0.00_11101 = +0b0.11101 \times 2^{-1} = 0.453125$	$0x5d = 0.10.11101 = +0b1.11101 \times 2^{\circ} = 1.90625$	$0x9d = 1.00_11101 = -0b0.11101 \times 2^{-1} = -0.453125$	$0xdd = 1_10_11101 = -0b1.11101 \times 2^{\circ} = -1.90625$
$0x1e = 0.00.111110 = +0b0.11110 \times 2^{-1} = 0.46875$	$0x5e = 0.10.111110 = +0b1.111110 \times 2\% = 1.9375$	$0x9e = 1.00.11110 = -0b0.11110 \times 2^-1 = -0.46875$	$0xde = 1.10.111110 = -0b1.111110 \times 2\% = -1.9375$
$0x1f = 0.00_111111 = +0b0.111111 \times 2^{-1} = 0.484375$	$0x5f = 0_10_111111 = +0b1.111111 \times 20 = 1.96875$	$0x9f = 1.00.111111 = -0b0.111111 \times 2^{-1} = -0.484375$	$0xdf = 1.10.11111 = -0b1.111111 \times 2^{\circ} = -1.96875$
$0x20 = 0_01_00000 = +0b1.00000 \times 2^-1 = 0.5$	$0x60 = 0_11_00000 = +0b1.00000 \times 2^1 = 2.0$	$0xa0 = 1_01_00000 = -0b1.00000 \times 2^-1 = -0.5$	$0xe0 = 1.11.00000 = -0b1.00000 \times 2^1 = -2.0$
$0x21 = 0.01.00001 = +0b1.00001 \times 2^{-1} = 0.515625$ $0x22 = 0.01.00010 = +0b1.00010 \times 2^{-1} = 0.53125$	$0x61 = 0.11.00001 = +0b1.00001 \times 2^1 = 2.0625$ $0x62 = 0.11.00010 = +0b1.00010 \times 2^1 = 2.125$	$0xa1 = 1_01_00001 = -0b1.00001 \times 2^-1 = -0.515625$ $0xa2 = 1_01_00010 = -0b1.00010 \times 2^-1 = -0.53125$	$0xe1 = 1_11_00001 = -0b1.00001 \times 2^1 = -2.0625$ $0xe2 = 1_11_00010 = -0b1.00010 \times 2^1 = -2.125$
$0x22 = 0.01.00010 = +001.00010 \times 2^{-1} = 0.53125$ $0x23 = 0.01.00011 = +001.00011 \times 2^{-1} = 0.546875$	$0x62 = 0.11.00010 = +001.00010 \times 21 = 2.125$ $0x63 = 0.11.00011 = +0b1.00011 \times 2^{2} = 2.1875$	$0xa2 = 1.01.00010 = -0b1.00010 \times 2 - 1 = -0.53125$ $0xa3 = 1.01.00011 = -0b1.00011 \times 2^{-1} = -0.546875$	$0xe2 = 1.11.00010 = -0b1.00010 \times 21 = -2.125$ $0xe3 = 1.11.00011 = -0b1.00011 \times 21 = -2.1875$
$0x24 = 0.01.00100 = +0b1.00100 \times 2^{-1} = 0.5625$	$0x64 = 0.11.00100 = +0b1.00100 \times 2^1 = 2.15$	$0xa4 = 1_01_00100 = -0b1.00100 \times 2^{-1} = -0.5625$	$0xe4 = 1.11.00100 = -0b1.00100 \times 2^1 = -2.25$
$0x25 = 0_01_00101 = +0b1.00101 \times 2^-1 = 0.578125$	$0x65 = 0_11_00101 = +0b1.00101 \times 2^1 = 2.3125$	$0xa5 = 1_01_00101 = -0b1.00101 \times 2^-1 = -0.578125$	$0xe5 = 1_11_00101 = -0b1.00101 \times 2^1 = -2.3125$
$0x26 = 0.01.00110 = +0b1.00110 \times 2^-1 = 0.59375$	$0x66 = 0_{-}11_{-}00110 = +0b1.00110 \times 2^{-}1 = 2.375$	$0xa6 = 1_01_00110 = -0b1.00110 \times 2^-1 = -0.59375$	$0xe6 = 1_11_00110 = -0b1.00110 \times 2^1 = -2.375$
$0x27 = 0.01.00111 = +0b1.00111 \times 2^{-1} = 0.609375$	$0x67 = 0.11.00111 = +0b1.00111 \times 2^1 = 2.4375$	$0xa7 = 1_01_00111 = -0b1.00111 \times 2^-1 = -0.609375$	$0xe7 = 1.11.00111 = -0b1.00111 \times 2^1 = -2.4375$
$0x28 = 0.01.01000 = +0b1.01000 \times 2^{-1} = 0.625$	$0x68 = 0.11.01000 = +0b1.01000 \times 2^{\circ}1 = 2.5$	$0xa8 = 1.01.01000 = -0b1.01000 \times 2^{-1} = -0.625$	$0xe8 = 1.11.01000 = -0b1.01000 \times 2^{\circ}1 = -2.5$
$0x29 = 0.01.01001 = +0b1.01001 \times 2^{-1} = 0.640625$ $0x2a = 0.01.01010 = +0b1.01010 \times 2^{-1} = 0.65625$	$0x69 = 0.11.01001 = +0b1.01001 \times 2^1 = 2.5625$ $0x6a = 0.11.01010 = +0b1.01010 \times 2^1 = 2.625$	$0xa9 = 1.01.01001 = -0b1.01001 \times 2^{-1} = -0.640625$ $0xaa = 1.01.01010 = -0b1.01010 \times 2^{-1} = -0.65625$	$0xe9 = 1.11.01001 = -0b1.01001 \times 2^1 = -2.5625$ $0xea = 1.11.01010 = -0b1.01010 \times 2^1 = -2.625$
$0x2b = 0.01.01011 = +0b1.01011 \times 2^{-1} = 0.03025$	$0x6b = 0.11.01010 = +0b1.01010 \times 21 = 2.023$ $0x6b = 0.11.01011 = +0b1.01011 \times 2^1 = 2.6875$	$0xab = 1.01.01011 = -0b1.01011 \times 2^{-1} = -0.671875$	$0 \times 0 = 1.11.01010 = 0.01.01010 \times 2.1 = 2.025$ $0 \times 0 = 1.11.01011 = -0.01.01011 \times 2.1 = -2.6875$
$0x2c = 0.01.01100 = +0b1.01100 \times 2^{-1} = 0.6875$	$0x6c = 0_11_01100 = +0b1.01100 \times 2^1 = 2.75$	$0 \text{xac} = 1.01.01100 = -0b1.01100 \times 2^{-1} = -0.6875$	$0 \text{xec} = 1.11.01100 = -0b1.01100 \times 2^1 = -2.75$
$0x2d = 0_01_01101 = +0b1.01101 \times 2^-1 = 0.703125$	$0x6d = 0_11_01101 = +0b1.01101 \times 2^1 = 2.8125$	$0xad = 1_01_01101 = -0b1.01101 \times 2^-1 = -0.703125$	$0xed = 1_11_01101 = -0b1.01101 \times 2^1 = -2.8125$
$0x2e = 0.01.01110 = +0b1.01110 \times 2^{-1} = 0.71875$	$0x6e = 0.11.01110 = +0b1.01110 \times 2^1 = 2.875$	$0xae = 1.01.01110 = -0b1.01110 \times 2^{-1} = -0.71875$	$0 \text{xee} = 1.11.01110 = -0b1.01110 \times 2^1 = -2.875$
$0x2f = 0.01.01111 = +0b1.01111 \times 2^{-1} = 0.734375$	$0x6f = 0.11.01111 = +0b1.01111 \times 2^{2}1 = 2.9375$	$0xaf = 1.01.01111 = -0b1.01111 \times 2^{-1} = -0.734375$	$0 \times \text{ef} = 1.11.01111 = -0b1.01111 \times 2^{\circ}1 = -2.9375$
$0x30 = 0.01.10000 = +0b1.10000 \times 2^{-1} = 0.75$ $0x31 = 0.01.10001 = +0b1.10001 \times 2^{-1} = 0.765625$	$0x70 = 0.11.10000 = +0b1.10000 \times 2^1 = 3.0$ $0x71 = 0.11.10001 = +0b1.10001 \times 2^1 = 3.0625$	$0xb0 = 1.01.10000 = -0b1.10000 \times 2^{-1} = -0.75$ $0xb1 = 1.01.10001 = -0b1.10001 \times 2^{-1} = -0.765625$	$0xf0 = 1.11.10000 = -0b1.10000 \times 2^{1} = -3.0$ $0xf1 = 1.11.10001 = -0b1.10001 \times 2^{1} = -3.0625$
$0x31 = 0.01.10001 = +0b1.10001 \times 2^{-1} = 0.760020$ $0x32 = 0.01.10010 = +0b1.10010 \times 2^{-1} = 0.78125$	$0x72 = 0.11.10010 = +0b1.10010 \times 2^{2}1 = 3.1053$ $0x72 = 0.11.10010 = +0b1.10010 \times 2^{2}1 = 3.125$	$0xb2 = 1_01_10001 = 0b1.10001 \times 2^{-1} = 0.765025$ $0xb2 = 1_01_10010 = -0b1.10010 \times 2^{-1} = -0.78125$	$0xf2 = 1.11.10001 = 0b1.10001 \times 2^{-1} = 3.1025$ $0xf2 = 1.11.10010 = -0b1.10010 \times 2^{-1} = -3.125$
$0x33 = 0.01.10011 = +0b1.10011 \times 2^{-1} = 0.796875$	$0x73 = 0.11.10011 = +0b1.10011 \times 2^{\circ}1 = 3.1875$	$0xb3 = 1.01.10011 = -0b1.10011 \times 2^{-1} = -0.796875$	$0xf3 = 1.11.10011 = -0b1.10011 \times 2^1 = -3.1875$
$0x34 = 0_01_10100 = +0b1.10100 \times 2^-1 = 0.8125$	$0x74 = 0_11_10100 = +0b1.10100 \times 2^1 = 3.25$	$0xb4 = 1_01_10100 = -0b1.10100 \times 2^-1 = -0.8125$	$0xf4 = 1_11_10100 = -0b1.10100 \times 2^1 = -3.25$
$0x35 = 0_01_10101 = +0b1.10101 \times 2^-1 = 0.828125$	$0x75 = 0_11_10101 = +0b1.10101 \times 2^1 = 3.3125$	$0xb5 = 1_01_10101 = -0b1.10101 \times 2^-1 = -0.828125$	$0xf5 = 1_11_10101 = -0b1.10101 \times 2^1 = -3.3125$
$0x36 = 0.01.10110 = +0b1.10110 \times 2^{-1} = 0.84375$	$0x76 = 0.11.10110 = +0b1.10110 \times 2^{\circ}1 = 3.375$	$0xb6 = 1.01.10110 = -0b1.10110 \times 2^{-1} = -0.84375$	$0xf6 = 1.11.10110 = -0b1.10110 \times 2^{-1} = -3.375$
$0x37 = 0.01.10111 = +0b1.10111 \times 2^{-1} = 0.859375$ $0x38 = 0.01.11000 = +0b1.11000 \times 2^{-1} = 0.875$	$0x77 = 0.11.10111 = +0b1.10111 \times 2^{2} = 3.4375$ $0x78 = 0.11.11000 = +0b1.11000 \times 2^{2} = 3.5$	$0xb7 = 1_01_10111 = -0b1.10111 \times 2^-1 = -0.859375$ $0xb8 = 1_01_11000 = -0b1.11000 \times 2^-1 = -0.875$	$0xf7 = 1.11.10111 = -0b1.10111 \times 2^1 = -3.4375$ $0xf8 = 1.11.11000 = -0b1.11000 \times 2^1 = -3.5$
$0x38 = 0.01.11000 = +0b1.11000 \times 2^{-1} = 0.890625$ $0x39 = 0.01.11001 = +0b1.11001 \times 2^{-1} = 0.890625$	$0x78 = 0.11.11000 = +001.11000 \times 21 = 3.5$ $0x79 = 0.11.11001 = +001.11001 \times 21 = 3.5625$	$0xb8 = 1.01.11000 = -0b1.11000 \times 2 - 1 = -0.878$ $0xb9 = 1.01.11001 = -0b1.11001 \times 2^{-1} = -0.890625$	$0xf9 = 1_11_11000 = -0b1.11000 \times 21 = -3.5625$ $0xf9 = 1_11_11001 = -0b1.11001 \times 21 = -3.5625$
$0x3a = 0.01.11010 = +0b1.11010 \times 2^{-1} = 0.90625$	$0x7a = 0.11.11010 = +0b1.11010 \times 2^1 = 3.625$	$0xba = 1_01_11001 = 0b1.11001 \times 2^{-1} = 0.00025$ $0xba = 1_01_11010 = -0b1.11010 \times 2^{-1} = -0.90625$	$0xfa = 1.11.11010 = -0b1.11010 \times 2^1 = -3.625$
$0x3b = 0.01.11011 = +0b1.11011 \times 2^-1 = 0.921875$	$0x7b = 0_11_11011 = +0b1.11011 \times 2^1 = 3.6875$	$0xbb = 1.01.11011 = -0b1.11011 \times 2^-1 = -0.921875$	$0xfb = 1.11.11011 = -0b1.11011 \times 2^1 = -3.6875$
$0x3c = 0_01_11100 = +0b1.11100 \times 2^-1 = 0.9375$	$0x7c = 0_11_11100 = +0b1.11100 \times 2^1 = 3.75$	$0 \text{xbc} = 1_0 1_1 1100 = -0 \text{b} 1.11100 \times 2^- 1 = -0.9375$	$0xfc = 1_11_11100 = -0b1.11100 \times 2^1 = -3.75$
$0x3d = 0_01_11101 = +0b1.11101 \times 2^-1 = 0.953125$	$0x7d = 0_11_11101 = +0b1.11101 \times 2^1 = 3.8125$	$0xbd = 1_01_11101 = -0b1.11101 \times 2^-1 = -0.953125$	$0xfd = 1_11_11101 = -0b1.11101 \times 2^1 = -3.8125$
$0x3e = 0.01.11110 = +0b1.11110 \times 2^{-1} = 0.96875$	$0x7e = 0.11.11110 = +0b1.11110 \times 2^1 = 3.875$ 0x7f = 0.11.11111 = +Inf	$0xbe = 1.01.11110 = -0b1.11110 \times 2^{-1} = -0.96875$ $0xbf = 1.01.11111 = 0b1.11111 \times 2^{-1} = 0.084275$	$0xfe = 1.11.11110 = -0b1.111110 \times 2^1 = -3.875$ 0xff = 1.11.11111 = -Inf
$0x3f = 0.01.11111 = +0b1.111111 \times 2^-1 = 0.984375$	0X11 — 0.11.11111 — +1III	$0xbf = 1_01_111111 = -0b1.111111 \times 2^-1 = -0.984375$	OVII — 1-11-11111 — — IIII

C.7 Value Table: P7 (Linear), P = 7, emax = 0

```
0x00 = 0_0000000 = 0.0
                                                              0x40 = 0_1.000000 = +0b1.000000 \times 2^{0} = 1.0
                                                                                                                            0x80 = 1_0_0000000 = NaN
                                                                                                                                                                                           0xc0 = 1_1000000 = -0b1.000000 \times 20 = -1.0
0x01 = 0_0000001 = +0b0.000001 \times 2^0 = 0.015625
                                                                                                                           0x81 = 1_0000001 = -0b0.000001 \times 20 = -0.015625
                                                              0x41 = 0_1.000001 = +0b1.000001 \times 2^{\circ} = 1.015625
                                                                                                                                                                                           0xc1 = 1_1_000001 = -0b1.000001 \times 2^0 = -1.015625
0x02 = 0.0.000010 = +0b0.000010 \times 20 = 0.03125
                                                              0x42 = 0_{-1} - 000010 = +0b1.000010 \times 2^{\circ} = 1.03125
                                                                                                                            0x82 = 1.0.000010 = -0b0.000010 \times 2^{\circ}0 = -0.03125
                                                                                                                                                                                           0xc2 = 1_{-1} - 000010 = -0b1.000010 \times 2^{\circ} = -1.03125
0x03 = 0.0.000011 = +0b0.000011 \times 2^{\circ}0 = 0.046875
                                                              0x43 = 0_1.000011 = +0b1.000011 \times 2^{\circ} = 1.046875
                                                                                                                           0x83 = 1.0.000011 = -0b0.000011 \times 2^{\circ}0 = -0.046875
                                                                                                                                                                                           0xc3 = 1_1_000011 = -0b1.000011 \times 2^0 = -1.046875
0x04 = 0_0000100 = +0b0.000100 \times 2^0 = 0.0625
                                                              0x44 = 0_1.000100 = +0b1.000100 \times 2^{\circ} = 1.0625
                                                                                                                            0x84 = 1_0.000100 = -0b0.000100 \times 2^0 = -0.0625
                                                                                                                                                                                           0xc4 = 1_1.000100 = -0b1.000100 \times 2^{\circ} = -1.0625
0x05 = 0_0000101 = +0b0.000101 \times 2^{\circ} = 0.078125
                                                                                                                           0x85 = 1_0000101 = -0b0.000101 \times 2^{\circ}0 = -0.078125
                                                              0x45 = 0_1.000101 = +0b1.000101 \times 2^{\circ} = 1.078125
                                                                                                                                                                                           0xc5 = 1_1_000101 = -0b1.000101 \times 2^0 = -1.078125
0x06 = 0.0.000110 = +0b0.000110 \times 2^{\circ}0 = 0.09375
                                                              0x46 = 0_{-1} = 000110 = +0b1.000110 \times 2^{\circ} = 1.09375
                                                                                                                            0x86 = 1.0.000110 = -0b0.000110 \times 2^{\circ}0 = -0.09375
                                                                                                                                                                                           0xc6 = 1_{-}1_{-}000110 = -0b1.000110 \times 2^{\circ}0 = -1.09375
                                                              0x47 = 0.1.000111 = +0b1.000111 \times 20 = 1.109375
0x07 = 0_0000111 = +0b0.000111 \times 2^0 = 0.109375
                                                                                                                           0x87 = 1.0.000111 = -0b0.000111 \times 2^{\circ}0 = -0.109375
                                                                                                                                                                                           0xc7 = 1_{-1}.000111 = -0b1.000111 \times 2^{\circ}0 = -1.109375
                                                                                                                            0x88 = 1_0 - 001000 = -0b0.001000 \times 2^0 = -0.125
                                                                                                                                                                                           0 \texttt{xc8} = 1\_1\_001000 = -0 \texttt{b} 1.001000 \times 2 \texttt{`0} = -1.125
0x08 = 0_001000 = +0b0.001000 \times 2^0 = 0.125
                                                              0x48 = 0_1.001000 = +0b1.001000 \times 2^{\circ} = 1.125
0x09 = 0_0001001 = +0b0.001001 \times 2^{\circ} = 0.140625
                                                                                                                            0x89 = 1_0.001001 = -0b0.001001 \times 2^{\circ}0 = -0.140625
                                                              0x49 = 0_1.001001 = +0b1.001001 \times 2^{\circ} = 1.140625
                                                                                                                                                                                           0xc9 = 1_1_001001 = -0b1.001001 \times 2^{\circ} = -1.140625
0x0a = 0.0.001010 = +0b0.001010 \times 2^{\circ}0 = 0.15625
                                                              0x4a = 0_{-1}.001010 = +0b1.001010 \times 2^{\circ} = 1.15625
                                                                                                                            0x8a = 1.0.001010 = -0b0.001010 \times 2^{\circ}0 = -0.15625
                                                                                                                                                                                           0xca = 1_{-1}.001010 = -0b1.001010 \times 2^{\circ} = -1.15625
0x0b = 0.0.001011 = +0b0.001011 \times 2^{\circ}0 = 0.171875
                                                              0x4b = 0_1.001011 = +0b1.001011 \times 2^{\circ}0 = 1.171875
                                                                                                                            0x8b = 1.0.001011 = -0b0.001011 \times 2^{\circ}0 = -0.171875
                                                                                                                                                                                           0xcb = 1_1_001011 = -0b1.001011 \times 2^{\circ} = -1.171875
0x0c = 0_0.001100 = +0b0.001100 \times 2^{\circ} = 0.1875
                                                              0x4c = 0_1.001100 = +0b1.001100 \times 2^{\circ} = 1.1875
                                                                                                                            0x8c = 1_0_001100 = -0b0.001100 \times 2^{\circ} = -0.1875
                                                                                                                                                                                           0xcc = 1_1_001100 = -0b1.001100 \times 2^0 = -1.1875
0x0d = 0_001101 = +0b0.001101 \times 20 = 0.203125
                                                              0x4d = 0_1.001101 = +0b1.001101 \times 2^0 = 1.203125
                                                                                                                            0x8d = 1_0.001101 = -0b0.001101 \times 2^{\circ} = -0.203125
                                                                                                                                                                                           0xcd = 1_{-1} \cdot 001101 = -0b1.001101 \times 2^{\circ} = -1.203125
0x0e = 0.0.001110 = +0b0.001110 \times 20 = 0.21875
                                                              0x4e = 0_{-1}.001110 = +0b1.001110 \times 2^{\circ} = 1.21875
                                                                                                                            0x8e = 1_0.001110 = -0b0.001110 \times 2^{\circ} = -0.21875
                                                                                                                                                                                           0xce = 1_{-1} - 001110 = -0b1.001110 \times 2^{\circ}0 = -1.21875
0x0f = 0.0.001111 = +0b0.001111 \times 2^{\circ} = 0.234375
                                                              0x4f = 0.1.001111 = +0b1.001111 \times 2^{\circ} = 1.234375
                                                                                                                            0x8f = 1_0.001111 = -0b0.001111 \times 2^{\circ} = -0.234375
                                                                                                                                                                                           0xcf = 1_1_001111 = -0b1.001111 \times 2^0 = -1.234375
                                                                                                                            0x90 = 1_0_010000 = -0b0.010000 \times 2^0 = -0.25
                                                                                                                                                                                           0xd0 = 1_1_010000 = -0b1.010000 \times 2^0 = -1.25
0x10 = 0_0_010000 = +0b0.010000 \times 2^0 = 0.25
                                                              0x50 = 0_1.010000 = +0b1.010000 \times 2^{\circ} = 1.25
                                                                                                                            0x91 = 1_0_010001 = -0b0.010001 \times 20 = -0.265625
0x11 = 0_0010001 = +0b0.010001 \times 2^0 = 0.265625
                                                              0x51 = 0_1.010001 = +0b1.010001 \times 20 = 1.265625
                                                                                                                                                                                           0xd1 = 1_1010001 = -0b1.010001 \times 20 = -1.265625
0x12 = 0.0.010010 = +0b0.010010 \times 20 = 0.28125
                                                              0x52 = 0_{-1} - 010010 = +0b1.010010 \times 2^{\circ} = 1.28125
                                                                                                                            0x92 = 1.0.010010 = -0b0.010010 \times 2^{\circ}0 = -0.28125
                                                                                                                                                                                           0xd2 = 1_{-}1_{-}010010 = -0b1.010010 \times 2^{\circ}0 = -1.28125
                                                              0x53 = 0.1.010011 = +0b1.010011 \times 2^{\circ} = 1.296875
0x13 = 0.0.010011 = +0b0.010011 \times 2^{\circ}0 = 0.296875
                                                                                                                            0x93 = 1.0.010011 = -0b0.010011 \times 2^{\circ}0 = -0.296875
                                                                                                                                                                                           0xd3 = 1_1_010011 = -0b1.010011 \times 2^0 = -1.296875
0x14 = 0.0.010100 = +0b0.010100 \times 20 = 0.3125
                                                              0x54 = 0_1.010100 = +0b1.010100 \times 20 = 1.3125
                                                                                                                            0x94 = 1 \ 0 \ 010100 = -0b0.010100 \times 20 = -0.3125
                                                                                                                                                                                           0xd4 = 1_1010100 = -0b1.010100 \times 20 = -1.3125
0x15 = 0.0.010101 = +0b0.010101 \times 2^{\circ}0 = 0.328125
                                                              0x55 = 0_1.010101 = +0b1.010101 \times 2^{\circ}0 = 1.328125
                                                                                                                            0x95 = 1_0.010101 = -0b0.010101 \times 2^{\circ} = -0.328125
                                                                                                                                                                                           0xd5 = 1_1010101 = -0b1.010101 \times 2^{\circ} = -1.328125
0x16 = 0.0.010110 = +0b0.010110 \times 20 = 0.34375
                                                              0x56 = 0_{-1} \cdot 010110 = +0b1.010110 \times 2^{\circ} = 1.34375
                                                                                                                            0x96 = 1.0.010110 = -0b0.010110 \times 2^{\circ}0 = -0.34375
                                                                                                                                                                                           0xd6 = 1_{-1} \cdot 010110 = -0b1.010110 \times 2^{\circ}0 = -1.34375
                                                                                                                            0x97 = 1.0.010111 = -0b0.010111 \times 2^{\circ}0 = -0.359375
0x17 = 0.0.010111 = +0b0.010111 \times 2^{\circ} = 0.359375
                                                              0x57 = 0_1.010111 = +0b1.010111 \times 20 = 1.359375
                                                                                                                                                                                           0xd7 = 1_1010111 = -0b1.010111 \times 2^{\circ} = -1.359375
0x18 = 0_0011000 = +0b0.011000 \times 2^0 = 0.375
                                                              0x58 = 0_1_011000 = +0b1.011000 \times 2^0 = 1.375
                                                                                                                            0x98 = 1.0.011000 = -0b0.011000 \times 2^{\circ}0 = -0.375
                                                                                                                                                                                           0xd8 = 1_1_011000 = -0b1.011000 \times 2^{\circ} = -1.375
0x19 = 0_0011001 = +0b0.011001 \times 2^{\circ} = 0.390625
                                                              0x59 = 0_1011001 = +0b1.011001 \times 20 = 1.390625
                                                                                                                            0x99 = 1_0_011001 = -0b0.011001 \times 2^{\circ} = -0.390625
                                                                                                                                                                                           0xd9 = 1_1_011001 = -0b1.011001 \times 2^0 = -1.390625
0x1a = 0.0.011010 = +0b0.011010 \times 2^{\circ} = 0.40625
                                                              0x5a = 0_1.011010 = +0b1.011010 \times 2^{\circ} = 1.40625
                                                                                                                            0x9a = 1.0.011010 = -0b0.011010 \times 2^{\circ}0 = -0.40625
                                                                                                                                                                                           0xda = 1_{-1} - 011010 = -0b1.011010 \times 2^{\circ} = -1.40625
0x1b = 0.0.011011 = +0b0.011011 \times 2^{\circ} = 0.421875
                                                              0x5b = 0_1.011011 = +0b1.011011 \times 2^{\circ} = 1.421875
                                                                                                                           0x9b = 1.0.011011 = -0b0.011011 \times 2^{\circ}0 = -0.421875
                                                                                                                                                                                           0xdb = 1_1_011011 = -0b1.011011 \times 2^0 = -1.421875
0x1c = 0_00_111100 = +0b0.011100 \times 2^0 = 0.4375
                                                              0x5c = 0_1.011100 = +0b1.011100 \times 2^{\circ} = 1.4375
                                                                                                                            0x9c = 1_0_011100 = -0b0.011100 \times 2^0 = -0.4375
                                                                                                                                                                                           0xdc = 1_1_011100 = -0b1.011100 \times 2^0 = -1.4375
                                                                                                                                                                                           0xdd = 1_1_011101 = -0b1.011101 \times 2^0 = -1.453125
0x1d = 0_0011101 = +0b0.011101 \times 2^0 = 0.453125
                                                                                                                            0x9d = 1_0.011101 = -0b0.011101 \times 2^{\circ} = -0.453125
                                                              0x5d = 0_1.011101 = +0b1.011101 \times 2^{\circ} = 1.453125
                                                              0x5e = 0_1.011110 = +0b1.011110 \times 20 = 1.46875
0x1e = 0_00_011110 = +0b0.011110 \times 2^{\circ} = 0.46875
                                                                                                                            0x9e = 1.0.011110 = -0b0.011110 \times 2^{\circ}0 = -0.46875
                                                                                                                                                                                           0xde = 1_{-1}_{-0}111110 = -0b1.0111110 \times 2^{\circ} = -1.46875
0x1f = 0.0.011111 = +0b0.0111111 \times 2^{\circ} = 0.484375
                                                                                                                            0x9f = 1.0.011111 = -0b0.0111111 \times 20 = -0.484375
                                                              0x5f = 0.1.011111 = +0b1.0111111 \times 2^{\circ} = 1.484375
                                                                                                                                                                                           0xdf = 1_1_011111 = -0b1.0111111 \times 2^{\circ} = -1.484375
0x20 = 0.0100000 = +0b0.100000 \times 2^{\circ} = 0.5
                                                              0x60 = 0_1100000 = +0b1.100000 \times 2^{\circ}0 = 1.5
                                                                                                                            0xa0 = 1_0100000 = -0b0.100000 \times 2^0 = -0.5
                                                                                                                                                                                           0xe0 = 1_1100000 = -0b1.100000 \times 2^{\circ} = -1.5
0x21 = 0_0100001 = +0b0.100001 \times 2^{\circ} = 0.515625
                                                              0x61 = 0_1100001 = +0b1.100001 \times 2^{\circ} = 1.515625
                                                                                                                            0xa1 = 1_0_100001 = -0b0.100001 \times 2^0 = -0.515625
                                                                                                                                                                                           0xe1 = 1_1100001 = -0b1.100001 \times 2^{\circ} = -1.515625
0x22 = 0.0.100010 = +0b0.100010 \times 2^{\circ}0 = 0.53125
                                                              0x62 = 0_{-1}100010 = +0b1.100010 \times 2^{\circ} = 1.53125
                                                                                                                            0xa2 = 1.0.100010 = -0b0.100010 \times 2^{\circ}0 = -0.53125
                                                                                                                                                                                           0xe2 = 1_{-1}100010 = -0b1.100010 \times 2^{\circ} = -1.53125
0x23 = 0.0.100011 = +0b0.100011 \times 2^{\circ}0 = 0.546875
                                                              0x63 = 0.1.100011 = +0b1.100011 \times 2^{\circ}0 = 1.546875
                                                                                                                            0xa3 = 1_0100011 = -0b0.100011 \times 2^{\circ} = -0.546875
                                                                                                                                                                                           0xe3 = 1_1100011 = -0b1.100011 \times 2^{\circ} = -1.546875
0x24 = 0_0100100 = +060.100100 \times 2^{\circ} = 0.5625
                                                              0x64 = 0_1100100 = +0b1.100100 \times 2^{\circ} = 1.5625
                                                                                                                            0xa4 = 1_0_100100 = -0b0.100100 \times 2^0 = -0.5625
                                                                                                                                                                                           0xe4 = 1_1100100 = -0b1.100100 \times 2^{\circ} = -1.5625
0x25 = 0_0100101 = +0b0.100101 \times 2^{\circ} = 0.578125
                                                              0x65 = 0_1100101 = +0b1.100101 \times 2^{\circ} = 1.578125
                                                                                                                            0xa5 = 1_0_100101 = -0b0.100101 \times 2^{\circ} = -0.578125
                                                                                                                                                                                           0xe5 = 1_1100101 = -0b1.100101 \times 2^{\circ}0 = -1.578125
0x26 = 0_0100110 = +0b0.100110 \times 2^{\circ} = 0.59375
                                                              0x66 = 0_{-1}100110 = +0b1.100110 \times 2^{\circ} = 1.59375
                                                                                                                            0xa6 = 1_0_100110 = -0b0.100110 \times 2^0 = -0.59375
                                                                                                                                                                                           0xe6 = 1_{-}1_{-}100110 = -0b1.100110 \times 2^{\circ}0 = -1.59375
0x27 = 0_0100111 = +0b0.100111 \times 2^0 = 0.609375
                                                              0x67 = 0.1.100111 = +0b1.100111 \times 20 = 1.609375
                                                                                                                            0xa7 = 1.0.100111 = -0b0.100111 \times 2^{\circ}0 = -0.609375
                                                                                                                                                                                           0xe7 = 1_1100111 = -0b1.100111 \times 2^{\circ}0 = -1.609375
0x28 = 0_0101000 = +0b0.101000 \times 2^0 = 0.625
                                                              0x68 = 0_1101000 = +0b1.101000 \times 20 = 1.625
                                                                                                                            0xa8 = 1.0.101000 = -0b0.101000 \times 2^{\circ}0 = -0.625
                                                                                                                                                                                           0xe8 = 1_1101000 = -0b1.101000 \times 2^{\circ} = -1.625
0\texttt{x29} = 0\_0\_101001 = +0\texttt{b}0.101001 \times 2 \\ \texttt{?0} = 0.640625
                                                                                                                            0xa9 = 1_0_101001 = -0b0.101001 \times 2^{\circ} = -0.640625
                                                                                                                                                                                           0xe9 = 1_1101001 = -0b1.101001 \times 2^{\circ}0 = -1.640625
                                                              0x69 = 0_1101001 = +0b1.101001 \times 20 = 1.640625
0x2a = 0.0.101010 = +0b0.101010 \times 2^{\circ}0 = 0.65625
                                                              0x6a = 0_{-1}101010 = +0b1.101010 \times 2^{\circ}0 = 1.65625
                                                                                                                            0xaa = 1.0.101010 = -0b0.101010 \times 2^{\circ} = -0.65625
                                                                                                                                                                                           0xea = 1_{-1}101010 = -0b1.101010 \times 2^{\circ}0 = -1.65625
0x2b = 0.0.101011 = +0b0.101011 \times 2^{\circ}0 = 0.671875
                                                              0x6b = 0_1101011 = +0b1.101011 \times 2^{\circ}0 = 1.671875
                                                                                                                            0xab = 1_0 101011 = -0b0.101011 \times 2^{\circ} = -0.671875
                                                                                                                                                                                           0xeb = 1_11_01011 = -0b1_101011 \times 2^{\circ} = -1.671875
                                                                                                                            0xac = 1_0_101100 = -0b0.101100 \times 20 = -0.6875
0x2c = 0_0101100 = +0b0.101100 \times 2^{\circ} = 0.6875
                                                              0x6c = 0_1101100 = +0b1.101100 \times 2^{\circ} = 1.6875
                                                                                                                                                                                           0 \text{xec} = 1_{-1} \cdot 101100 = -0b1 \cdot 101100 \times 2^{\circ} = -1.6875
0x2d = 0_0_101101 = +0b0.101101 \times 2^{\circ} = 0.703125
                                                              0x6d = 0_1101101 = +0b1.101101 \times 2^{\circ} = 1.703125
                                                                                                                            0xad = 1_0_101101 = -0b0.101101 \times 2^{\circ} = -0.703125
                                                                                                                                                                                           0xed = 1_1101101 = -0b1.101101 \times 2^{\circ} = -1.703125
0x2e = 0_0101110 = +0b0.101110 \times 2^{\circ} = 0.71875
                                                              0x6e = 0_{-1}101110 = +0b1.101110 \times 2^{\circ} = 1.71875
                                                                                                                            0xae = 1_0_101110 = -0b0.101110 \times 2^0 = -0.71875
                                                                                                                                                                                           0xee = 1_{-1}.101110 = -0b1.101110 \times 2^{\circ} = -1.71875
0x2f = 0_0101111 = +0b0.101111 \times 2^{\circ} = 0.734375
                                                              0x6f = 0_1.101111 = +0b1.1011111 \times 2^{\circ} = 1.734375
                                                                                                                           0xaf = 1_0 - 101111 = -0b0.101111 \times 2^0 = -0.734375
                                                                                                                                                                                           0xef = 1_11_011111 = -0b1.1011111 \times 2^{\circ} = -1.734375
                                                                                                                            0xb0 = 1_0_110000 = -0b0.110000 \times 2^0 = -0.75
0x30 = 0_0110000 = +0b0.110000 \times 2^0 = 0.75
                                                              0x70 = 0_1110000 = +0b1.110000 \times 2^{\circ} = 1.75
                                                                                                                                                                                           0xf0 = 1_1110000 = -0b1.110000 \times 2^{\circ} = -1.75
0x31 = 0_0110001 = +0b0.110001 \times 2^{\circ} = 0.765625
                                                              0x71 = 0_1110001 = +0b1.110001 \times 20 = 1.765625
                                                                                                                            0xb1 = 1_0_110001 = -0b0.110001 \times 2^0 = -0.765625
                                                                                                                                                                                           0xf1 = 1_110001 = -0b1.110001 \times 2^{\circ} = -1.765625
0x32 = 0_0110010 = +0b0.110010 \times 20 = 0.78125
                                                              0x72 = 0_{-1}10010 = +0b1.110010 \times 2^{\circ} = 1.78125
                                                                                                                            0xb2 = 1.0.110010 = -0b0.110010 \times 2^{\circ}0 = -0.78125
                                                                                                                                                                                           0xf2 = 1_{-}1_{-}110010 = -0b1.110010 \times 2^{\circ} = -1.78125
0x33 = 0_0110011 = +0b0.110011 \times 2^{\circ} = 0.796875
                                                              0x73 = 0_1110011 = +0b1.110011 \times 2^{\circ} = 1.796875
                                                                                                                           0xb3 = 1_0_110011 = -0b0.110011 \times 2^{\circ} = -0.796875
                                                                                                                                                                                           0xf3 = 1_110011 = -0b1.110011 \times 2^{\circ} = -1.796875
0x34 = 0_0110100 = +0b0.110100 \times 2^{\circ} = 0.8125
                                                                                                                            0xb4 = 1_0_110100 = -0b0.110100 \times 2^{\circ} = -0.8125
                                                              0x74 = 0_1110100 = +0b1.110100 \times 2^{\circ} = 1.8125
                                                                                                                                                                                           0xf4 = 1_110100 = -0b1.110100 \times 2^{\circ} = -1.8125
0x35 = 0.0.110101 = +0b0.110101 \times 2^{\circ}0 = 0.828125
                                                              0x75 = 0_1110101 = +0b1.110101 \times 2^{\circ}0 = 1.828125
                                                                                                                            0xb5 = 1_0_110101 = -0b0.110101 \times 2^{\circ} = -0.828125
                                                                                                                                                                                           0xf5 = 1_110101 = -0b1.110101 \times 2^{\circ} = -1.828125
0x36 = 0.0.110110 = +0b0.110110 \times 20 = 0.84375
                                                              0x76 = 0_{-1}110110 = +0b1.110110 \times 2^{\circ} = 1.84375
                                                                                                                            0xb6 = 1_0_110110 = -0b0.110110 \times 2^{\circ} = -0.84375
                                                                                                                                                                                           0xf6 = 1_{-1}10110 = -0b1.110110 \times 2^{\circ} = -1.84375
0x37 = 0.0.110111 = +0b0.110111 \times 2^{\circ} = 0.859375
                                                              0x77 = 0_1110111 = +0b1.110111 \times 2^{\circ} = 1.859375
                                                                                                                            0xb7 = 1_0_110111 = -0b0.110111 \times 2^0 = -0.859375
                                                                                                                                                                                           0xf7 = 1_110111 = -0b1.110111 \times 2^{\circ} = -1.859375
0x38 = 0_0_111000 = +0b0.111000 \times 2^0 = 0.875
                                                              0x78 = 0_1111000 = +0b1.111000 \times 2^{\circ} = 1.875
                                                                                                                            0xb8 = 1_0_111000 = -0b0.111000 \times 2^0 = -0.875
                                                                                                                                                                                           0xf8 = 1_1111000 = -0b1.111000 \times 2^{\circ}0 = -1.875
0x39 = 0_0111001 = +0b0.111001 \times 2^{\circ} = 0.890625
                                                              0x79 = 0_1111001 = +0b1.111001 \times 2^{\circ} = 1.890625
                                                                                                                            0xb9 = 1_0_111001 = -0b0.111001 \times 2^{\circ} = -0.890625
                                                                                                                                                                                           0xf9 = 1_1111001 = -0b1.111001 \times 2^{\circ} = -1.890625
0x3a = 0.0.111010 = +0b0.111010 \times 2^{\circ} = 0.90625
                                                              0x7a = 0_1111010 = +0b1.111010 \times 2^{\circ} = 1.90625
                                                                                                                            0xba = 1_0.111010 = -0b0.111010 \times 2^{\circ} = -0.90625
                                                                                                                                                                                           0xfa = 1_1111010 = -0b1.111010 \times 2^{\circ}0 = -1.90625
0x3b = 0_0111011 = +0b0.111011 \times 2^{\circ} = 0.921875
                                                              0x7b = 0_1111011 = +0b1.111011 \times 2^{\circ} = 1.921875
                                                                                                                            0xbb = 1_0_111011 = -0b0.111011 \times 2^{\circ} = -0.921875
                                                                                                                                                                                           0xfb = 1_1111011 = -0b1.111011 \times 2^{\circ} = -1.921875
0x3c = 0_0111100 = +0b0.111100 \times 2^{\circ} = 0.9375
                                                              0x7c = 0_1111100 = +0b1.1111100 \times 2^{\circ} = 1.9375
                                                                                                                            0xbc = 1_0_1111100 = -0b0.1111100 \times 2^{\circ} = -0.9375
                                                                                                                                                                                           0xfc = 1_1111100 = -0b1.1111100 \times 2^{\circ} = -1.9375
0x3d = 0_0_1111101 = +0b0.1111101 \times 2^0 = 0.953125
                                                              0x7d = 0_1111101 = +0b1.111101 \times 2^{\circ} = 1.953125
                                                                                                                            0xbd = 1_0_1111101 = -0b0.111101 \times 2^{\circ} = -0.953125
                                                                                                                                                                                           0xfd = 1_1111101 = -0b1.111101 \times 2^{\circ} = -1.953125
0x3e = 0_01111110 = +0b0.1111110 \times 2^{\circ} = 0.96875
                                                              0x7e = 0_11111110 = +0b1.1111110 \times 2^{\circ} = 1.96875
                                                                                                                            0xbe = 1.0.1111110 = -0b0.1111110 \times 2^{\circ}0 = -0.96875
                                                                                                                                                                                           0xfe = 1_1111110 = -0b1.1111110 \times 2^{\circ} = -1.96875
0x3f = 0_01111111 = +0b0.1111111 \times 2^0 = 0.984375
                                                                                                                            0xbf = 1_0_1111111 = -0b0.1111111 \times 2^0 = -0.984375
                                                             0x7f = 0_1_1111111 = +Inf
                                                                                                                                                                                           0xff = 1_1_1111111 = -Inf
```

References

- [1] PyTorch authors. Pytorch torchtext package: _t5_multi_head_attention_forward . https:
 //github.com/pytorch/text/blob/a933cbe5a008bc2cb61d985cf5864069194157eb/
 torchtext/prototype/models/t5/modules.py#L236.
- [2] Ian Goodfellow, Yoshua Bengio, and Aaron Courville. *Deep Learning*, chapter 6.2.2.3 Softmax Units for Multinoulli Output Distributions, pages 180–184. MIT Press, 2016.
- [3] Google. Jax lax package: _float_to_int_for_sort . https://github.com/google/jax/blob/fc5960f2b8b7a0ef74dbae4e27c5c08ff1564cff/jax/_src/lax/lax.py#L3934.
- [4] W. Kahan. Branch cuts for complex elementary functions or much ado about nothing's sign bit. *Inst. Math. Appl. Conf. Ser. New Ser.*, 1987.
- [5] W. Kahan and J. W. Thomas. Augmenting a programming language with complex arithmetic. Technical report, EECS Department, University of California, Berkeley, 1991.
- [6] P. Micikevicius, S. Oberman, P. Dubey, M. Cornea, A. Rodriguez, I. Bratt, R. Grisenthwaite, N. Jouppi, C. Chou, A. Huffman, M. Schulte, R. Wittig, D. Jani, and S. Deng. OCP 8-bit floating point specification (OFP8). Technical report, opencompute.org, 2023. https://www.opencompute.org/documents/ocp-8-bit-floating-point-specification-ofp8-revision-1-0-2023-06-20-pdf.
- [7] B. Noune, P. Jones, D. Justus, D. Masters, and C. Luschi. Adaptive loss scaling for mixed precision training. Technical report, arXiv cs.LG, 2019. https://arxiv.org/abs/1910.12385.
- [8] B. Noune, P. Jones, D. Justus, D. Masters, and C. Luschi. 8-bit numerical formats for deep neural networks. Technical report, arXiv cs.LG, 2022. https://arxiv.org/abs/2206.02915.
- [9] Tesla, Inc. Tesla Dojo Technology: A guide to Tesla's configurable floating point formats and arithmetic, 2023. https://web.archive.org/web/20230503235751/https://tesla-cdn.thron.com/static/MXMU3S_tesla-dojo-technology_1WDVZN.pdf.