# IEEE Working Group P3109 Interim Report on 8-bit Binary Floating-point Formats

Questions and comments via GitHub issues at https://github.com/P3109/Public

Initial release: 18 September 2023 Version 0.5.1: 24 November 2023

Copyright © 2023 by The Institute of Electrical and Electronics Engineers, Inc. Three Park Avenue
New York, New York 10016-5997, USA
All rights reserved.

This document is an unapproved draft of a proposed IEEE Standard. As such, this document is subject to change. USE AT YOUR OWN RISK! IEEE copyright statements SHALL NOT BE REMOVED from draft or approved IEEE standards, or modified in any way. Because this is an unapproved draft, this document must not be utilized for conformance / compliance purposes.

# Contents

1	Intr	oduction	3
	1.1	Typographical conventions and notation	3
2	Valu	ies	4
	2.1	Subnormals	5
	2.2	Not a number (NaN)	5
	2.3	Zero	6
	2.4	Infinities	6
	2.5	Extremal Values	7
3	Clas	ssification operators	8
4	Con	nparison operators	9
	4.1	The totalOrder predicate	9
A	Nun	nerical Examples	10
	A.1	Mask Values	10
	A.2	Overflow to Infinity	10
В	Con	nparison table	11
C	Valu	ne Tables	11
	C.1	Value Table: P2, $p=2$ , emax = $31$	12
	C.2	Value Table: P3, $p=3$ , emax = $15 \dots \dots$	
	C.3	Value Table: P4, $p=4$ , emax = 7	
	C.4	Value Table: P5, $p = 5$ , emax = $3$	
	C.5	Value Table: P6, $p=6$ , emax $=1$	16
	C.6	Value Table: P7 (Linear), $p = 7$ , emax = $0 \dots $	17

# 1 Introduction

This document represents ongoing discussions and current matters of consensus from IEEE Working Group P3109, "Standard for Arithmetic Formats for Machine Learning". The Project Authorization Request (PAR) for P3109 defines the scope, need, and stakeholders as follows:

**Scope of proposed standard**: This standard defines a binary arithmetic and data format for machine learning-optimized domains. It also specifies the default handling of exceptions that occur in this arithmetic. This standard provides a consistent and flexible arithmetic framework optimized for Machine Learning Systems (MLS) in hardware and/or software implementations to minimize the work required to make MLS interoperable with each other, as well as other dependent systems. This standard is aligned with IEEE Std 754-2019 for Floating-Point Arithmetic.

**Need for this Work**: Machine Learning Systems have different arithmetic requirements from most other domains. Precisions tend to be lower, and accuracy is measured in dimensions other than just numerical (e.g. inference accuracy). Furthermore, machine learning systems are often integrated into mission-critical and safety-critical systems. With no standards specifically addressing these needs, Machine Learning Systems are built with inconsistent expectations and assumptions that hinder the compatibility and reuse of machine learning hardware, software, and training data.

**Stakeholders for the Standard**: System developers, vendors, and users of machine learning applications across many industries and interests including but not limited to computation, storage, medical, telecommunications, e-commerce, fleet management, automotive, robotics, and security.

The scope of this interim release is interchange formats only. The working group continues to deliberate on the specification of operations.

# 1.1 Typographical conventions and notation

**Bold text** describes the decisions and specifications of this document.

Text that is not bold is background material, typically providing rationale and arguments that represent discussions of the working group leading to a decision and specification.

This document specifies 8-bit floating-point interchange formats (binary formats) and associated operations. Binary formats are parameterized by their width, the number of bits spanned in memory (here, 8); and their precision (p), the number of bits spanned by the true significand (this is one more than the bits of the significand that are stored explicitly).

The formats defined herein shall be referred to as "binary8" formats, and further qualified by precision yielding names "binary8pp".

For example, "binary8p3" is a format with 3 bits of precision (one implied - "the hidden bit" - and two explicit),

# 2 Values

This section describes the set of values that a binary8 format shall represent. The universe of values in existing floating point usage encompasses some finite real numerical values, the non-finite numerical values positive and negative infinity  $(-\ln f, +\ln f)$ , the non-numeric not-a-number values (NaN, NaN<sub>1</sub>, . . .), and negative zero (-0.0). The value set for each binary8 format specifies the set of values that are available in that format.

**Each binary format shall be associated with a unique encoding.** An 8-bit binary encoding is a mapping from 8-bit strings to values. Some of these mappings are included in Appendix C.

Values are considered either "special" or "ordinary". The special values are Zero,  $\pm$ Inf, NaN. The ordinary values consist of the normal and subnormal values. The special values have encodings that are shared by all binary8 formats:

Special Value	Hexadecimal Encoding	Bit Sequence
Zero	0x00	0000 0000
Positive Infinity (+Inf)	0x7F	0111 1111
Negative Infinity (-Inf)	OxFF	1111 1111
Not a Number (NaN)	0x80	1000 0000

Table 1: Special Value Encodings

These mappings are shared by all binary8 formats.

Parameter	binary $8p\{p\}$	binary8p5	binary8p4	binary8p3	binary16	binary32	binary64
Storage width in bits k	8	8	8	8	16	32	64
Precision in bits p	р	5	4	3	11	24	53
Max exponent emax	$\lceil 2^{8-p-1} - 1 \rceil$	3	7	15	15	127	1023
Sign bit	1	1	1	1	1	1	1
Exponent field width $w$	8-p	3	4	5	5	8	11
Exponent bias, bias	emax + (p > 1)	4	8	16	15	127	1023
Trailing significand field width in bits $t$	p-1	4	3	2	10	23	52

Table 2: Parameters for binary formats

Format-defining parameters in bold, derived parameters in normal font. Adapted from Table 3.5 of IEEE Std 754-2019, and extended to include the binary8pp formats. Concepts are explained in detail in this section.

The finite floating-point numbers representable with a binary format is determined by two *format-defining* parameters:

- Precision p, the number of digits in the significand including the implicit leading bit.
- Maximum exponent emax, the exponent of the largest finite value.

IEEE Std 754-2019 includes the radix b and the minimum exponent emin in a list of format-defining parameters, this document excludes both of them for these two reasons:

• This document covers binary (radix 2) formats only, so b is not a format parameter.

• The quantity *emin* is determined by *p* and emax; it cannot be varied independently, and so cannot be a format-defining parameter.

**P3109 formats shall define emax**(p) to be  $\lceil 2^{8-p-1} - 1 \rceil$ . In IEEE-754, emax was set for all defined formats to be  $2^{w-1} - 1$ , where w is the exponent field width in bits. In this report, this convention is formalized: emax is a fixed function of p, written emax(p), with the formula as given above.

This choice of formula yields the following properties:

- the binary8pp value sets are subsets of the IEEE-754 binary16 value set for p > 2
- values are distributed close to symmetrically below and above the value 1.

For p=8, the IEEE-754 formula yields emax  $=-\frac{1}{2}$ , meaning all non-special values are irrational. Rounding the computation upward yields emax(8) = 0, with the consequence that the value sets and encodings for binary8p7 and binary8p8 are identical.

The choice of emax for a given format then determines the exponent bias for that format. The bias is chosen so that the exponent of the largest finite value is emax. For IEEE-754 formats, the largest finite value corresponds to an exponent field which has all but the zeroth bit set (e.g. 11110 for binary16), because all of the values with all-bits-one exponents (ABOE values) are occupied by non-finite values (Not-a-Numbers or Infinities). Thus, the biased exponent of the largest finite value is  $2^w - 2$ , from which bias is computed as

$$emax = (2^w - 2) - bias \implies bias = (2^w - 2) - (2^{w-1} - 1) = 2^{w-1} - 2 + 1 = emax$$

For the binary8 formats in this document where p > 1, only one of the ABOE values is non-finite ( $\pm$ Infinity), so the biased exponent of the largest finite value is  $2^w - 1$ . Hence the bias calculation becomes

bias = 
$$(2^w - 1) - (2^{w-1} - 1) = 2^{w-1} - 1 + 1 = \text{emax} + 1$$

For p = 1, there are zero trailing significand bits, so all ABOE values are special, and again bias = emax.

### 2.1 Subnormals

### Binary8 value sets shall include subnormals.

IEEE-754 value sets include subnormals. A value with trailing significand field m and exponent e is interpreted as  $1.m \times 2^{e-b}$  except when all bits of the exponent bitfield are 0, in which case the value is  $0.m \times 2^{e-b}$ .

When training models, it is common to represent near-zero values for gradients. Subnormal numbers induce equal quantization steps around zero; this expands the reach of binary8 trainable models. In statistical applications, the subnormal range is useful for uniform and similar distributions; subnormals are uniformly spaced around zero. They also support working with Gaussian-like distributions, where numbers around zero are more probable.

### 2.2 Not a number (NaN)

### Binary8 value sets shall include exactly one NaN, which shall not signal.

Other floating-point formats define several NaN values, denoted (NaN, NaN<sub>1</sub>, ...). NaNs are returned from operations with results outside the set of values. For example, DIV(0,0), or ADD(Inf, -Inf). Multiple NaN encodings are used in other formats to allow different exceptional conditions to be distinguished.

In the context of machine learning systems, uses of NaN include:

- Debugging of code running on accelerator hardware. In AI accelerators, exceptions may be difficult or expensive
  to convey back to user code, so it is common practice to allow NaN values to propagate through calculations to
  indicate that an error has occurred.
- Use as a 'notable value' indicator. In some datasets, for example, tabular data, values may be missing. It is useful to use a value outside the normal numeric range to indicate the position of these values. Particularly when memory usage is a concern, as may be expected in applications where 8-bit formats are being considered, the use of a separate "mask" array, or a list of indices, imposes additional memory overhead. In some cases, Inf can be used as a missing value, but given the restricted range of binary8 formats, it is likely that infinity shall be used as a separate indicator of rounding from values outside of the finite range.
- The use of multiple NaN payloads is known in statistical code (e.g. the R system has NaN and N/A), but it is not widely used, and in the context of binary8, multiple NaNs impose either additional hardware complexity (using only a subset of the significand range), or a large reduction in encoding space (e.g. 8 codes for E5, 16 codes for E4, 32 codes for E3).

### 2.3 Zero

#### Binary8 formats shall have exactly one zero. This zero value is nonnegative.

The inclusion of negative zero would incur the cost of an additional code point. Given the decision to encode only a single NaN, placing that NaN at the negative zero code point enables the strictly positive and strictly negative number ranges to be symmetric.

A key rationale for including -0 in IEEE-754 was the consistent implementation of branch cuts in the atan2 function [4, 5]. Although the atan function is common in deep learning, it is generally used as an activation function, rather than a trigonometric operation, and the atan2 function is rare, if not unknown, in deep learning applications. Furthermore, it is not expected that this standard shall define either atan or atan2.

A secondary reason for providing -0 is the hardware simplification offered by its presence in the implementation of sign/magnitude arithmetic. However, the existence of in-market implementations is evidence that the small hardware simplification has not been sufficient to balance the loss of one code point.

It might be considered that the use of integer comparisons in sorting would argue against placing NaN at the negative zero code point. For example, the JAX machine learning framework is known to sort using integer comparison [3]. However, such sorting still requires O(n) preprocessing and postprocessing steps to enable the use of twos-complement integer comparison, and already has special treatment of NaN and -0, so eliminating -0 and placing NaN in the -0 position imposes negligible additional burden. Sorting using comparison operations, as typically implemented, is undefined in the presence of NaNs. However, existing practice is to sort NaNs using totalOrder.

### 2.4 Infinities

### Binary8 formats shall include positive and negative infinities.

This decision causes a reduction in dynamic range (252 values rather than 254), while offering improved numerical robustness in important machine learning use cases.

Two generic classes of such usage are:

• Mask values, for example, in Transformer models in machine learning [1].

• Representation of overflow.

As illustrated in Appendix A, both usages are facilitated by the presence of infinity.

# 2.5 Extremal Values

Format	minSubnormal	maxSubnormal	minNormal	maxNormal	maxFinite
p2	$1 \times 2^{-32}$	$1 \times 2^{-32}$	$1 \times 2^{-31}$	$1 \times 2^{31}$	$1 \times 2^{31}$
p3	$1 \times 2^{-17}$	$3/2 \times 2^{-16}$	$1 \times 2^{-15}$	$3/2 \times 2^{15}$	$3/2 \times 2^{15}$
p4	$1 \times 2^{-10}$	$7/4 \times 2^{-8}$	$1 \times 2^{-7}$	$7/4 \times 2^{7}$	$7/4 \times 2^{7}$
p5	$1 \times 2^{-7}$	$15/8 \times 2^{-4}$	$1 \times 2^{-3}$	$15/8 \times 2^{3}$	$15/8 \times 2^{3}$
p6	$1 \times 2^{-6}$	$31/16 \times 2^{-2}$	$1 \times 2^{-1}$	$31/16 \times 2^{1}$	$31/16 \times 2^{1}$
p7	$1 \times 2^{-6}$	$63/32 \times 2^{-1}$	$1 \times 2^0$	$63/32 \times 2^{0}$	$63/32 \times 2^{0}$

Table 3: Extremal values

Table 3 shows these values in binary8 formats for 1 .

# 3 Classification operators

Conforming implementations shall provide these classification predicates and the classifier function. The classification predicates and the classifier function shall not signal exceptions.

The classification operators comprise: 1) a set of functions with a boolean return value, taking a single binary8 value as input; 2) a function class(x) that returns a single value of enumeration type, describing the input value's properties.

Predicates shall behave as follows:

isNaN iff x isInfinite iff x isFinite iff x isNormal iff x isSubnormal iff x	

aiff abbreviates "if and only if"

Table 4: Classification Predicates

The Classifier function class(x) shall return enumeration values as follows:

Enumeration	Condition
NaN	isNaN(x)
Zero	isZero(x)
positiveInfinity	<pre>isInfinite(x) and not(isSignMinus(x))</pre>
positiveNormal	<pre>isNormal(x) and not(isSignMinus(x))</pre>
positiveSubnormal	<pre>isSubnormal(x) and not(isSignMinus(x))</pre>
negativeInfinity	isInfinite(x) and isSignMinus(x)
negativeNormal	isNormal(x) and isSignMinus(x)
negativeSubnormal	isSubnormal(x) and isSignMinus(x)

Table 5: Classifier Logic

<sup>&</sup>lt;sup>b</sup>isSignMinus(NaN) is True: NaN is 0x80 (0b10000000).

<sup>&</sup>lt;sup>c</sup>There are no non-canonical binary8 interchange formats.

<sup>&</sup>lt;sup>d</sup>All binary8 formats have one NaN; it does not signal.

# 4 Comparison operators

Conforming implementations shall provide the following comparison operators and the totalOrder(x,y) function.

Comparison operators are two argument predicates and their negations that return True or False. Comparisons shall not raise exceptions. Comparisons may be ordered or unordered. A comparison is unordered iff either argument is NaN. All other comparisons are ordered.

For  $\{=, >, \geq, <, \leq, \leq\}$ , if any argument is NaN, the result is False.

For  $\{\neq, \not>, \not\geq, \not<, \not\leq, \not\leq\}$ , if any argument is NaN, the result is True.

Otherwise, the result of a comparison shall match the mathematical result.

math symbol	predicate true relations	math symbol	negation true relations
=	CompareEqual equal	$\neq$ , not =	CompareNotEqual less than, greater than, unordered
>	CompareGreater greater than	≯, NOT >	CompareNotGreater less than, equal, unordered
>	CompareGreaterEqual equal, greater than	$\not\geq$ , not $\geq$	CompareLessUnordered less than, unordered
<	CompareLess less than	≮, NOT <	CompareNotLess greater than, equal, unordered
<b>≤</b>	CompareLessEqual less than, equal	$\not\leq$ , not $\leq$	CompareGreaterUnordered greater than, unordered
<u> </u>	CompareOrdered less than, equal, greater than	≸, NOT ≶	CompareUnordered unordered

Table 6: Comparison Predicates and Negations

### 4.1 The totalOrder predicate

totalOrder(x, y) provides a total ordering over each binary8 format's value set.

The predicate totalOrder(x, y) shall return { True, False } in accord with the logic given below. It shall not raise any exceptions.

```
boolean totalOrder(x, y)
    if isNaN(x): return True
    if isNaN(y): return False
    return compareLessEqual(x, y)
end
```

Note: Following 754's definition of totalOrder(x, y), binary8 NaNs (0x80) compare as the most negative value. The most significant bit of NaN is set, so to be consistent with 754, NaN is ordered before all numerical values.

# **A Numerical Examples**

### A.1 Mask Values

A common use for  $\infty$  is to create masks, for example, in Transformer models in machine learning, [1].

These values, assembled in mask matrix M with values  $M_{ij}in\{0, -\infty\}$  are typically added to computed values A, in a computation such as:

$$\log(\sup(\exp(\tau * (A+M))))$$

where  $\tau$  is a "temperature" or "base" parameter [2]. This calculation depends on the property  $\exp(\tau * (A_{ij} - \infty)) = 0$ .

If a floating point encoding does not provide infinity, then instead  $M_{ij}$  will be replaced by a large float (e.g. 480). This is not in itself a difficulty: if all the A values are bounded (e.g. the results of a softmax operation), then  $\exp(1.0-480)$  is an extremely small number, which will certainly round to zero. Therefore, an explicit representation of infinity is *not* needed in order for this computation to yield its desired value.

However, careful implementations do not execute the calculation as written, and instead fuse the  $\log(\text{sum}(\exp(v)))$  operation into a single operation  $\log \text{sum}(\exp(v))$ , whose implementation makes use of the identity transformation

$$logsumexp(v) \rightarrow logsumexp(v - max(v)) + max(v)$$

Without the "sticky" properties of Inf, this would produce incorrect answers. For example, in a format where MaxFloat=240 without Inf, and MaxFloat=224 with Inf:

$$logsumexp(\tau * [-224, -\infty]) \rightarrow logsumexp(\tau * [0, -\infty])$$

while

$$logsumexp(\tau * [-224, -240]) \rightarrow logsumexp(\tau * [0, -16])$$

If  $\tau=1$  and all calculations are done in 8-bit floating point, then the answer will be the same, because  $\exp(-16)\approx 1.1\times 10^{-7}$ , which will round to zero in all precisions p>2; but if  $\tau$  is small, or calculations are done in mixed precision, as is common with 8-bit floating point, the loss of "stickiness" will silently yield unexpected answers. It is not expected that the full calculation shall be done in 8-bit floating point, but the subtraction of the maximum value (and computation of the maximum) might reasonably be in 8-bit floating point.

### A.2 Overflow to Infinity

A second use of infinity is to indicate overflow on conversion to the binary8 type. Existing implementations offer several behaviors on overflow: overflow to infinity, saturation to MaxFloat, and overflow to NaN. The existence of a code point for infinity allows any of these options to be implemented in a given instantiation, while removing the code point removes the possibility of implementing the first.

# **B** Comparison table

This table summarizes the points of difference and agreement between the formats proposed in this document and a number of existing formats, some of which have hardware implementations.

OCP: Open Compute Platform [6], describing hardware implementations including nVidia, Intel, and ARM.

AGQ: AMD, Graphcore, Qualcomm[7], implemented in Graphcore's C600 product, and AMD's gfx940.

TSL: Tesla Dojo Technology [8], A Guide to Tesla's Configurable Floating Point Formats & Arithmetic

Format		P3109	)	O	СР	AC	GQ	TS	SL
Subformat	P3	P4	P5	E5	E4	E5	E4	E4	E5
Special values shared by all subformats		Y		N		Y		N	
Exactly one NaN	Y		N		Y		Y		
Positive and negative infinity		Y		N	Y	N	1	1	1
Include negative zero	N		N	1	7	Y	1	1	
Max exponent emax	15	7	3	15	8	15	7	N/A	N/A

# C Value Tables

Value tables mapping 8-bit strings to value sets are provided in this section.

A typical entry is of the form:

```
HEX BINARY = BINARY_FLOAT = DECIMAL

0x01 = 0_00000_01 = +0b0.01 x 2^-15 = 7.62939453125E-06
```

Where the fields are interpreted as follows:

HEX Hexadecimal encoding of the code point

BINARY Binary expansion of the code point, underscores separate sign\_exponent\_significand

BINARY\_FLOAT The precise float value as a binary fraction followed by 2 ê with decimal exponent e

DECIMAL The decimal expansion of the value. If the decimal expansion is not an exact representation

of the precise float value, the preceding equals sign is replaced by "approximately equals"  $\approx$ .

# 

0x00 = 0.0000000 = 0.0	$0x40 = 0_100000_0 = +0b1.0 \times 2^0 = 1.0$	$0x80 = 1_000000_0 = NaN$	$0xc0 = 1.100000.0 = -0b1.0 \times 2^{\circ} = -1.0$
$0x01 = 0.000000_1 = +0b0.1 \times 2^-31 \approx 2.3283064E-10$	$0x41 = 0_100000_1 = +0b1.1 \times 2^{\circ} = 1.5$	$0x81 = 1_000000_1 = -0b0.1 \times 2^-31 \approx -2.3283064E-10$	$0xc1 = 1_100000_1 = -0b1.1 \times 2^{\circ} = -1.5$
$0x02 = 0.000001_0 = +0b1.0 \times 2^{-31} \approx 4.6566129E-10$	$0x42 = 0_{-}100001_{-}0 = +0b1.0 \times 2^{-}1 = 2.0$	$0x82 = 1.000001.0 = -0b1.0 \times 2^{-31} \approx -4.6566129E-10$	$0xc2 = 1.100001.0 = -0b1.0 \times 2^1 = -2.0$
$0x03 = 0.000001_1 = +0b1.1 \times 2^{-3}1 \approx 6.9849193E-10$	$0x43 = 0.100001.1 = +0b1.1 \times 2^1 = 3.0$	$0x83 = 1.000001.1 = -0b1.1 \times 2^{-3}1 \approx -6.9849193E-10$	$0xc3 = 1.100001.1 = -0b1.1 \times 2^1 = -3.0$
$0x04 = 0.000010.0 = +0b1.0 \times 2^{-30} \approx 9.3132257E-10$	$0x44 = 0.100010.0 = +0b1.0 \times 2^2 = 4.0$	$0x84 = 1.000010.0 = -0b1.0 \times 2^{-30} \approx -9.3132257E-10$	$0xc4 = 1.100010_0 = -0b1.0 \times 2^2 = -4.0$
$0x05 = 0.000010.1 = +0b1.1 \times 2^{-30} \approx 1.3969839E-09$	$0x45 = 0.100010.1 = +0b1.1 \times 2^{\circ}2 = 6.0$	$0x85 = 1.000010.1 = -0b1.1 \times 2^{-30} \approx -1.3969839E-09$	$0xc5 = 1.100010.1 = -0b1.1 \times 2^2 = -6.0$
$0x06 = 0.000011.0 = +0b1.0 \times 2^{-2}9 \approx 1.8626451E-09$	$0x46 = 0.100010.1 = +0b1.1 \times 2.2 = 0.0$ $0x46 = 0.100011.0 = +0b1.0 \times 2^3 = 8.0$	$0x86 = 1.000011.0 = -0b1.0 \times 2^{-29} \approx -1.8626451E-09$	$0xc6 = 1.100010.1 = 001.1 \times 22 = 0.0$ $0xc6 = 1.100011.0 = -001.0 \times 2^3 = -8.0$
$0x00 = 0.000011.0 = +001.0 \times 2 + 25 \approx 1.00204016 = 0$ $0x07 = 0.000011.1 = +001.1 \times 2^2 - 29 \approx 2.7939677E - 09$	$0x40 = 0.100011.0 =  001.0 \times 2.0 = 0.0$ $0x47 = 0.100011.1 = +001.1 \times 2^3 = 12.0$	$0x87 = 1.000011.1 = -0b1.1 \times 2^{-29} \approx -2.7939677E-09$	$0xc7 = 1.100011.1 = -0b1.1 \times 2^3 = -12.0$
$0x07 = 0.000011.1 = +001.1 \times 2 - 29 \approx 2.7939077E - 09$ $0x08 = 0.000100.0 = +001.0 \times 2^{2} - 28 \approx 3.7252903E - 09$	$0x47 = 0.100011.1 = +001.1 \times 2.3 = 12.0$ $0x48 = 0.100100.0 = +001.0 \times 2.4 = 16.0$	$0x88 = 1.0001101 = -0b1.1 \times 2^{-29} \approx -2.733077 = -09$ $0x88 = 1.000100.0 = -0b1.0 \times 2^{-28} \approx -3.7252903 = -09$	$0xc8 = 1.10010111 = -0b1.1 \times 2.3 = -12.0$ $0xc8 = 1.100100.0 = -0b1.0 \times 2^4 = -16.0$
$0x00 = 0.000100.0 = +0.01.0 \times 2 = 20 \approx 0.72525052 = 0.0009 = 0.000100.1 = +0.01.1 \times 2^{-2.8} \approx 5.5879354E-09$	$0x49 = 0.100100.0 =  001.0 \times 2.4 = 10.0$ $0x49 = 0.100100.1 = +001.1 \times 2^4 = 24.0$	$0x89 = 1.000100.1 = -0b1.1 \times 2^{2} = 0.5879354E-09$	$0xc9 = 1_100100_10 = 0b1.0 \times 24 = 10.0$ $0xc9 = 1_100100_1 = -0b1.1 \times 2^4 = -24.0$
$0x03 = 0.000100.1 = +001.1 \times 2 - 20 \approx 3.3879334E - 09$ $0x0a = 0.000101.0 = +0b1.0 \times 2^2 - 27 \approx 7.4505806E - 09$	$0x49 = 0.100100.1 = +001.1 \times 24 = 24.0$ $0x4a = 0.100101.0 = +001.0 \times 2^5 = 32.0$	$0x8a = 1.000100.1 = -0b1.1 \times 2 - 28 \approx -3.36733342-09$ $0x8a = 1.000101.0 = -0b1.0 \times 2^{-27} \approx -7.4505806E-09$	$0xcs = 1.100100.1 = -0b1.1 \times 24 = -24.0$ $0xca = 1.100101.0 = -0b1.0 \times 2^5 = -32.0$
$0x0b = 0.000101.0 = +001.0 \times 2 - 27 \approx 7.4303800E-09$ $0x0b = 0.000101.1 = +0b1.1 \times 2^2 - 27 \approx 1.1175871E-08$	$0x4b = 0.100101.0 = +0b1.0 \times 2.5 = 32.0$ $0x4b = 0.100101.1 = +0b1.1 \times 2.5 = 48.0$	$0x8b = 1.000101.0 = -0b1.0 \times 2 - 27 \approx -7.4505600E - 09$ $0x8b = 1.000101.1 = -0b1.1 \times 2^2 - 27 \approx -1.1175871E - 08$	$0xcb = 1.100101.0 = -0b1.0 \times 2.5 = -32.0$ $0xcb = 1.100101.1 = -0b1.1 \times 2.5 = -48.0$
$0x00 = 0.000101.1 = +001.1 \times 2 - 27 \approx 1.1175871E-08$ $0x0c = 0.000110.0 = +001.0 \times 2^{2} - 26 \approx 1.4901161E-08$	$0x4b = 0.100101.1 = +001.1 \times 2.5 = 46.0$ $0x4c = 0.100110.0 = +0b1.0 \times 2.6 = 64.0$	$0x8c = 1.000101.1 = -001.1 \times 2 - 27 \approx -1.1173671E - 08$ $0x8c = 1.000110.0 = -001.0 \times 2^{-2}6 \approx -1.4901161E - 08$	$0 \times 0 = 1.100101.1 = -001.1 \times 2.5 = -48.0$ $0 \times 0 = 1.100110.0 = -001.0 \times 2.6 = -64.0$
$0x00 = 0.000110.0 = +001.0 \times 2 - 26 \approx 1.4901161E-08$ $0x0d = 0.000110.1 = +0b1.1 \times 2^2 - 26 \approx 2.2351742E-08$	$0x4c = 0.100110.0 = +001.0 \times 2.6 = 04.0$ $0x4d = 0.100110.1 = +001.1 \times 2.6 = 96.0$	$0x8d = 1.000110.0 = -001.0 \times 2 - 26 \approx -1.4901101E - 08$ $0x8d = 1.000110.1 = -001.1 \times 2^{-2}6 \approx -2.2351742E - 08$	$0 \times 0 = 1.100110_{-0} = -001.0 \times 2.6 = -04.0$ $0 \times 0 = 1.100110_{-1} = -001.1 \times 2.6 = -96.0$
$0x0d = 0.000110.1 = +001.1 \times 2 - 26 \approx 2.2551742E - 08$ $0x0e = 0.000111.0 = +0b1.0 \times 2^2 - 25 \approx 2.9802322E - 08$	$0x4d = 0.100110.1 = +001.1 \times 2.6 = 96.0$ $0x4e = 0.100111.0 = +001.0 \times 2.7 = 128.0$	$0x80 = 1.000110.1 = -001.1 \times 2 - 20 \approx -2.2331742E - 00$ $0x8e = 1.000111.0 = -001.0 \times 2^{-25} \approx -2.9802322E - 08$	$0 \times cd = 1.100110.1 = -001.1 \times 2.6 = -96.0$ $0 \times ce = 1.100111.0 = -001.0 \times 2.7 = -128.0$
$0x06 = 0.000111.0 = +0b1.0 \times 2 - 25 \approx 2.9802322E - 08$ $0x0f = 0.000111.1 = +0b1.1 \times 2^2 - 25 \approx 4.4703484E - 08$	$0x46 = 0.100111.0 = +001.0 \times 27 = 128.0$ $0x4f = 0.100111.1 = +001.1 \times 27 = 192.0$	$0x86 = 1.000111.0 = -001.0 \times 2 - 25 \approx -2.9802322E - 08$ $0x8f = 1.000111.1 = -001.1 \times 2^{-2}5 \approx -4.4703484E - 08$	$0xce = 1.100111.0 = -0b1.0 \times 27 = -128.0$ $0xcf = 1.100111.1 = -0b1.1 \times 27 = -192.0$
·	·		
$0x10 = 0.001000.0 = +0b1.0 \times 2^{2}-24 \approx 5.9604645E-08$	$0x50 = 0.101000.0 = +0b1.0 \times 2\% = 256.0$	$0x90 = 1.001000.0 = -0b1.0 \times 2^{2} = 4 \approx -5.9604645E - 08$	$0xd0 = 1.101000.0 = -0b1.0 \times 2^{\circ}8 = -256.0$
$0x11 = 0.001000_1 = +0b1.1 \times 2^{-2}4 \approx 8.9406967E-08$	$0x51 = 0.101000_1 = +0b1.1 \times 2\% = 384.0$	$0x91 = 1.001000_1 = -0b1.1 \times 2^2 - 24 \approx -8.9406967E - 08$	$0xd1 = 1.101000.1 = -0b1.1 \times 2^{\circ}8 = -384.0$
$0x12 = 0.001001.0 = +0b1.0 \times 2^{2}-23 \approx 1.1920929E-07$	$0x52 = 0.101001.0 = +0b1.0 \times 2^9 = 512.0$	$0x92 = 1.001001.0 = -0b1.0 \times 2^{2}-23 \approx -1.1920929E-07$	$0xd2 = 1.101001.0 = -0b1.0 \times 2^{\circ}9 = -512.0$
$0x13 = 0.001001.1 = +0b1.1 \times 2^{-2}3 \approx 1.7881393E-07$	$0x53 = 0.101001.1 = +0b1.1 \times 2^{\circ}9 = 768.0$	$0x93 = 1.001001.1 = -0b1.1 \times 2^{2}-23 \approx -1.7881393E-07$	$0xd3 = 1.101001.1 = -0b1.1 \times 2^9 = -768.0$
$0x14 = 0.001010_0 = +0b1.0 \times 2^{-2}2 \approx 2.3841858E-07$	$0x54 = 0.101010_{-0} = +0b1.0 \times 2^{-1}0 = 1024.0$	$0x94 = 1.001010.0 = -0b1.0 \times 2^{-2}2 \approx -2.3841858E-07$	$0xd4 = 1.101010_0 = -0b1.0 \times 2^10 = -1024.0$
$0x15 = 0.001010.1 = +0b1.1 \times 2^{-2} \approx 3.5762787E-07$	$0x55 = 0.101010_1 = +0b1.1 \times 2^10 = 1536.0$	$0x95 = 1.001010_1 = -0b1.1 \times 2^2 - 22 \approx -3.5762787E - 07$	$0xd5 = 1_101010_1 = -0b1.1 \times 2^10 = -1536.0$
$0x16 = 0.001011.0 = +0b1.0 \times 2^{-2}1 \approx 4.7683716E-07$	$0x56 = 0.101011_0 = +0b1.0 \times 2^11 = 2048.0$	$0x96 = 1.001011.0 = -0b1.0 \times 2^{-2}1 \approx -4.7683716E-07$	$0xd6 = 1.101011.0 = -0b1.0 \times 2^11 = -2048.0$
$0x17 = 0.001011.1 = +0b1.1 \times 2^-21 \approx 7.1525574E-07$	$0x57 = 0.101011.1 = +0b1.1 \times 2^11 = 3072.0$	$0x97 = 1_001011_1 = -0b1.1 \times 2^-21 \approx -7.1525574E-07$	$0xd7 = 1.101011.1 = -0b1.1 \times 2^11 = -3072.0$
$0x18 = 0.001100.0 = +0b1.0 \times 2^{-20} \approx 9.5367432E-07$	$0x58 = 0_101100_0 = +0b1.0 \times 2^12 = 4096.0$	$0x98 = 1_001100_0 = -0b1.0 \times 2^-20 \approx -9.5367432E-07$	$0xd8 = 1.101100_0 = -0b1.0 \times 2^12 = -4096.0$
$0x19 = 0.001100_1 = +0b1.1 \times 2^-20 \approx 1.4305115E-06$	$0x59 = 0_101100_1 = +0b1.1 \times 2^12 = 6144.0$	$0x99 = 1_001100_1 = -0b1.1 \times 2^-20 \approx -1.4305115E-06$	$0xd9 = 1_101100_1 = -0b1.1 \times 2^12 = -6144.0$
$0x1a = 0.001101_0 = +0b1.0 \times 2^-19 \approx 1.9073486E-06$	$0x5a = 0.101101.0 = +0b1.0 \times 2^{13} = 8192.0$	$0x9a = 1.001101.0 = -0b1.0 \times 2^{-1}9 \approx -1.9073486E-06$	$0xda = 1.101101.0 = -0b1.0 \times 2^13 = -8192.0$
$0x1b = 0.001101_1 = +0b1.1 \times 2^-19 \approx 2.8610229E-06$	$0x5b = 0_101101_1 = +0b1.1 \times 2^13 = 12288.0$	$0x9b = 1.001101.1 = -0b1.1 \times 2^-19 \approx -2.8610229E-06$	$0xdb = 1.101101.1 = -0b1.1 \times 2^13 = -12288.0$
$0x1c = 0.001110_0 = +0b1.0 \times 2^-18 \approx 3.8146973E-06$	$0x5c = 0_101110_0 = +0b1.0 \times 2^14 = 16384.0$	$0x9c = 1_001110_0 = -0b1.0 \times 2^-18 \approx -3.8146973E-06$	$0xdc = 1_101110_0 = -0b1.0 \times 2^14 = -16384.0$
$0x1d = 0.001110_1 = +0b1.1 \times 2^-18 \approx 5.7220459E-06$	$0x5d = 0_101110_1 = +0b1.1 \times 2^14 = 24576.0$	$0x9d = 1_001110_1 = -0b1.1 \times 2^-18 \approx -5.7220459E-06$	$0xdd = 1_101110_1 = -0b1.1 \times 2^14 = -24576.0$
$0x1e = 0.001111.0 = +0b1.0 \times 2^{-17} \approx 7.6293945E-06$	$0x5e = 0.101111.0 = +0b1.0 \times 2^15 = 32768.0$	$0x9e = 1_001111_0 = -0b1.0 \times 2^-17 \approx -7.6293945E-06$	$0xde = 1_101111_0 = -0b1.0 \times 2^15 = -32768.0$
$0x1f = 0.001111_1 = +0b1.1 \times 2^-17 \approx 1.1444092E-05$	$0x5f = 0.101111.1 = +0b1.1 \times 2^15 = 49152.0$	$0x9f = 1_001111_1 = -0b1.1 \times 2^-17 \approx -1.1444092E-05$	$0xdf = 1_101111_1 = -0b1.1 \times 2^15 = -49152.0$
$0x20 = 0_010000_0 = +0b1.0 \times 2^-16 \approx 1.5258789E-05$	$0x60 = 0_110000_0 = +0b1.0 \times 2^16 = 65536.0$	$0xa0 = 1_010000_0 = -0b1.0 \times 2^-16 \approx -1.5258789E-05$	$0xe0 = 1_110000_0 = -0b1.0 \times 2^16 = -65536.0$
$0x21 = 0_010000_1 = +0b1.1 \times 2^-16 \approx 2.2888184E-05$	$0x61 = 0_110000_1 = +0b1.1 \times 2^16 = 98304.0$	$0xa1 = 1_010000_1 = -0b1.1 \times 2^-16 \approx -2.2888184E-05$	$0xe1 = 1_110000_1 = -0b1.1 \times 2^16 = -98304.0$
$0x22 = 0.010001.0 = +0b1.0 \times 2^-15 \approx 3.0517578E-05$	$0x62 = 0_{-}110001_{-}0 = +0b1.0 \times 2^{-}17 = 131072.0$	$0xa2 = 1.010001.0 = -0b1.0 \times 2^-15 \approx -3.0517578E-05$	$0xe2 = 1_110001_0 = -0b1.0 \times 2^17 = -131072.0$
$0x23 = 0_010001_1 = +0b1.1 \times 2^-15 \approx 4.5776367E-05$	$0x63 = 0.110001.1 = +0b1.1 \times 2^17 = 196608.0$	$0xa3 = 1_010001_1 = -0b1.1 \times 2^-15 \approx -4.5776367E-05$	$0xe3 = 1.110001.1 = -0b1.1 \times 2^17 = -196608.0$
$0x24 = 0.010010.0 = +0b1.0 \times 2^-14 \approx 6.1035156E-05$	$0x64 = 0_110010_0 = +0b1.0 \times 2^18 = 262144.0$	$0xa4 = 1_010010_0 = -0b1.0 \times 2^-14 \approx -6.1035156E-05$	$0xe4 = 1_110010_0 = -0b1.0 \times 2^18 = -262144.0$
$0x25 = 0_010010_1 = +0b1.1 \times 2^-14 \approx 9.1552734E-05$	$0x65 = 0_110010_1 = +0b1.1 \times 2^18 = 393216.0$	$0xa5 = 1_010010_1 = -0b1.1 \times 2^-14 \approx -9.1552734E-05$	$0xe5 = 1_110010_1 = -0b1.1 \times 2^18 = -393216.0$
$0x26 = 0.010011.0 = +0b1.0 \times 2^-13 \approx 0.00012207031$	$0x66 = 0.110011.0 = +0b1.0 \times 2^{19} = 524288.0$	$0xa6 = 1.010011.0 = -0b1.0 \times 2^-13 \approx -0.00012207031$	$0xe6 = 1_110011_0 = -0b1.0 \times 2^19 = -524288.0$
$0x27 = 0.010011.1 = +0b1.1 \times 2^{-13} \approx 0.00018310547$	$0x67 = 0.110011.1 = +0b1.1 \times 2^19 = 786432.0$	$0xa7 = 1.010011.1 = -0b1.1 \times 2^-13 \approx -0.00018310547$	$0xe7 = 1.110011.1 = -0b1.1 \times 2^19 = -786432.0$
$0x28 = 0_010100_0 = +0b1.0 \times 2^-12 = 0.000244140625$	$0x68 = 0_110100_0 = +0b1.0 \times 2^20 = 1048576.0$	$0xa8 = 1_010100_0 = -0b1.0 \times 2^-12 \approx -0.00024414062$	$0xe8 = 1_110100_0 = -0b1.0 \times 2^20 = -1048576.0$
$0x29 = 0_010100_1 = +0b1.1 \times 2^-12 \approx 0.00036621094$	$0x69 = 0_110100_1 = +0b1.1 \times 2^20 = 1572864.0$	$0xa9 = 1_010100_1 = -0b1.1 \times 2^-12 \approx -0.00036621094$	$0xe9 = 1_110100_1 = -0b1.1 \times 2^20 = -1572864.0$
$0x2a = 0.010101.0 = +0b1.0 \times 2^{-11} = 0.00048828125$	$0x6a = 0.110101.0 = +0b1.0 \times 2^2 1 = 2097152.0$	$0$ xaa = 1_010101_0 = $-0$ b1.0 $\times$ 2 $^-$ 11 = $-0.00048828125$	$0xea = 1.110101.0 = -0b1.0 \times 2^2 1 = -2097152.0$
$0x2b = 0.010101.1 = +0b1.1 \times 2^{-11} = 0.000732421875$	$0x6b = 0.110101.1 = +0b1.1 \times 2^2 = 3145728.0$	$0xab = 1.010101.1 = -0b1.1 \times 2^{-11} \approx -0.00073242188$	$0xeb = 1.110101.1 = -0b1.1 \times 2^2 1 = -3145728.0$
$0x2c = 0_010110_0 = +0b1.0 \times 2^-10 = 0.0009765625$	$0x6c = 0_110110_0 = +0b1.0 \times 2^2 = 4194304.0$	$0xac = 1_010110_0 = -0b1.0 \times 2^-10 = -0.0009765625$	$0 \text{xec} = 1.110110.0 = -0 \text{b} 1.0 \times 2^2 2 = -4194304.0$
$0x2d = 0_010110_1 = +0b1.1 \times 2^-10 = 0.00146484375$	$0x6d = 0_110110_1 = +0b1.1 \times 2^2 = 6291456.0$	$0xad = 1_010110_1 = -0b1.1 \times 2^-10 = -0.00146484375$	$0xed = 1_110110_1 = -0b1.1 \times 2^2 = -6291456.0$
$0x2e = 0.010111.0 = +0b1.0 \times 2^{-9} = 0.001953125$	$0x6e = 0.110111.0 = +0b1.0 \times 2^2 = 8388608.0$	$0xae = 1.010111.0 = -0b1.0 \times 2^-9 = -0.001953125$	$0 \text{xee} = 1.110111.0 = -0 \text{b} 1.0 \times 2^2 3 = -8388608.0$
$0x2f = 0.010111.1 = +0b1.1 \times 2^{-9} = 0.0029296875$	$0x6f = 0.110111.1 = +0b1.1 \times 2^2 = 12582912.0$	$0xaf = 1_010111_1 = -0b1.1 \times 2^-9 = -0.0029296875$	$0xef = 1.110111.1 = -0b1.1 \times 2^2 = -12582912.0$
$0x30 = 0.011000_0 = +0b1.0 \times 2^-8 = 0.00390625$	$0x70 = 0_111000_0 = +0b1.0 \times 2^2 4 = 16777216.0$	$0xb0 = 1_011000_0 = -0b1.0 \times 2^-8 = -0.00390625$	$0xf0 = 1_111000_0 = -0b1.0 \times 2^2 4 = -16777216.0$
$0x31 = 0.011000_1 = +0b1.1 \times 2^-8 = 0.005859375$	$0x71 = 0_111000_1 = +0b1.1 \times 2^2 = 25165824.0$	$0xb1 = 1_011000_1 = -0b1.1 \times 2^-8 = -0.005859375$	$0xf1 = 1_111000_1 = -0b1.1 \times 2^2 4 = -25165824.0$
$0x32 = 0.011001.0 = +0b1.0 \times 2^{-7} = 0.0078125$	$0x72 = 0.111001.0 = +0b1.0 \times 2^2 = 33554432.0$	$0xb2 = 1.011001.0 = -0b1.0 \times 2^{-7} = -0.0078125$	$0xf2 = 1.111001_0 = -0b1.0 \times 2^25 = -33554432.0$
$0x33 = 0.011001_1 = +0b1.1 \times 2^{-7} = 0.01171875$	$0x73 = 0.111001.1 = +0b1.1 \times 2^25 = 50331648.0$	$0xb3 = 1.011001.1 = -0b1.1 \times 2^{-7} = -0.01171875$	$0xf3 = 1.111001.1 = -0b1.1 \times 2^25 = -50331648.0$
$0x34 = 0.011010.0 = +0b1.0 \times 2^{-6} = 0.015625$	$0x74 = 0_111010_0 = +0b1.0 \times 2^26 = 67108864.0$	$0xb4 = 1_011010_0 = -0b1.0 \times 2^-6 = -0.015625$	$0xf4 = 1_111010_0 = -0b1.0 \times 2^26 = -67108864.0$
$0x35 = 0.011010_1 = +0b1.1 \times 2^-6 = 0.0234375$	$0x75 = 0_111010_1 = +0b1.1 \times 2^26 = 100663296.0$	$0xb5 = 1_011010_1 = -0b1.1 \times 2^-6 = -0.0234375$	$0xf5 = 1_111010_1 = -0b1.1 \times 2^26 = -100663296.0$
$0x36 = 0.011011.0 = +0b1.0 \times 2^{-5} = 0.03125$	$0x76 = 0.111011.0 = +0b1.0 \times 2^2 = 134217728.0$	$0xb6 = 1.011011.0 = -0b1.0 \times 2^{-5} = -0.03125$	$0xf6 = 1.111011.0 = -0b1.0 \times 2^27 = -134217728.0$
$0x37 = 0.011011_1 = +0b1.1 \times 2^{-5} = 0.046875$	$0x77 = 0.111011.1 = +0b1.1 \times 2^2 = 201326592.0$	$0xb7 = 1.011011.1 = -0b1.1 \times 2^{-5} = -0.046875$	$0xf7 = 1.111011.1 = -0b1.1 \times 2^27 = -201326592.0$
$0x38 = 0.011100_0 = +0b1.0 \times 2^-4 = 0.0625$	$0x78 = 0.111100.0 = +0b1.0 \times 2^{\circ}28 = 268435456.0$	$0xb8 = 1.011100.0 = -0b1.0 \times 2^{-4} = -0.0625$	$0xf8 = 1.111100_0 = -0b1.0 \times 2^28 = -268435456.0$
$0x30 = 0.011100.0 = +001.0 \times 2 = 4 = 0.0025$ $0x39 = 0.011100.1 = +001.1 \times 2^{-4} = 0.09375$	$0x79 = 0.111100.0 =  0b1.0 \times 2.20 = 200453400.0$ $0x79 = 0.111100.1 = +0b1.1 \times 2^28 = 402653184.0$	$0xb0 = 1.011100.0 = 0b1.0 \times 2 \cdot 4 = 0.0023$ $0xb9 = 1.011100.1 = -0b1.1 \times 2^{-4} = -0.09375$	$0xf9 = 1_111100_1 = -0b1.1 \times 2^28 = -402653184.0$
$0x33 = 0.011100.1 = +0b1.1 \times 2 = 4 = 0.03373$ $0x3a = 0.011101.0 = +0b1.0 \times 2^{-3} = 0.125$	$0x7a = 0.111100.1 = +0b1.1 \times 2.20 = 402033104.0$ $0x7a = 0.111101.0 = +0b1.0 \times 2^29 = 536870912.0$	$0xb3 = 1_0011100_01 = 0b1.1 \times 2^{-4} = 0.03575$ $0xba = 1_0011101_0 = -0b1.0 \times 2^{-3} = -0.125$	$0xfa = 1.111100.1 = 0b1.1 \times 2.20 = 402005104.0$ $0xfa = 1.111101.0 = -0b1.0 \times 2^29 = -536870912.0$
$0x3b = 0.011101.0 = +001.0 \times 2 - 3 = 0.123$ $0x3b = 0.011101.1 = +0b1.1 \times 2^{-3} = 0.1875$	$0x7b = 0.111101.0 = +0b1.0 \times 2.29 = 350870912.0$ $0x7b = 0.111101.1 = +0b1.1 \times 2^29 = 805306368.0$	$0xbb = 1.011101.0 = -0b1.0 \times 2 - 3 = -0.123$ $0xbb = 1.011101.1 = -0b1.1 \times 2^{-3} = -0.1875$	$0xfb = 1.111101.0 = -0b1.0 \times 2.29 = -0.00070912.0$ $0xfb = 1.111101.1 = -0b1.1 \times 2^29 = -805306368.0$
$0x3c = 0.011101.1 = +001.1 \times 2 - 3 = 0.1675$ $0x3c = 0.011110.0 = +0b1.0 \times 2^{2} - 2 = 0.25$	$0x7b = 0.111101.1 = +0b1.1 \times 2.29 = 8003300300.0$ $0x7c = 0.111110.0 = +0b1.0 \times 2^30 = 1073741824.0$	$0xbc = 1.011101.1 = -0b1.1 \times 2 - 3 = -0.1673$ $0xbc = 1.011110.0 = -0b1.0 \times 2^{-2} = -0.25$	$0xfc = 1.11110111 = -0b1.1 \times 2.29 = -003300300.0$ $0xfc = 1.111110_0 = -0b1.0 \times 2^30 = -1073741824.0$
$0x3c = 0.011110.0 = +001.0 \times 2 - 2 = 0.25$ $0x3d = 0.011110.1 = +001.1 \times 2^2 - 2 = 0.375$	$0x7c = 0.111110.0 = +0b1.0 \times 2.30 = 1073741624.0$ $0x7d = 0.111110.1 = +0b1.1 \times 2^30 = 1610612736.0$	$0xbc = 1.011110.0 = -0b1.0 \times 2 - 2 = -0.25$ $0xbd = 1.011110.1 = -0b1.1 \times 2^{-2} = -0.375$	$0xfc = 1.111110_0 = -0b1.0 \times 2.30 = -1073741824.0$ $0xfd = 1_1111110_1 = -0b1.1 \times 2^30 = -1610612736.0$
$0x3d = 0.011110_1 = +001.1 \times 2 - 2 = 0.575$ $0x3e = 0.011111_0 = +001.0 \times 2^-1 = 0.5$	$0x7d = 0.111110.1 = +001.1 \times 2.30 = 1010012730.0$ $0x7e = 0.111111.0 = +001.0 \times 2^31 = 2147483648.0$	$0xbd = 1.011110_1 = -001.1 \times 2 - 2 = -0.575$ $0xbe = 1.011111_0 = -0b1.0 \times 2^-1 = -0.5$	$0x1d = 1.111110_1 = -0b1.1 \times 2.30 = -1610612736.0$ $0xfe = 1.111111_0 = -0b1.0 \times 2^31 = -2147483648.0$
$0x36 = 0.011111.0 = +001.0 \times 2 - 1 = 0.5$ $0x3f = 0.011111.1 = +0b1.1 \times 2^{2} - 1 = 0.75$	$0x76 = 0.1111111.0 = +001.0 \times 2.31 = 2147463646.0$ 0x7f = 0.1111111.1 = +Inf	$0xbf = 1.011111.0 = -0b1.0 \times 2 - 1 = -0.5$ $0xbf = 1.011111.1 = -0b1.1 \times 2^{-1} = -0.75$	$0xfe = 1.111111.0 = -0b1.0 \times 2.51 = -2147463646.0$ $0xff = 1.111111.1 = -Inf$
0.10 — 0.011111_1 —   001.1 \ \ 2 -1 — 0.10	VALL — VIIIIIIII —   IIII	VADI — 1_01111111 — VD1.1∧2 -1 — -0.10	ANT — ITITITIT — INI

# $\textbf{C.2} \quad \textbf{Value Table: P3,} \ p=3, \\ \text{emax} = 15$

0x00 = 0.0000000 = 0.0	$0x40 = 0.10000.00 = +0b1.00 \times 2^{\circ}0 = 1.0$	0x80 = 1.00000.00 = NaN	$0xc0 = 1.10000.00 = -0b1.00 \times 2^{\circ}0 = -1.0$
	·		$0xc0 = 1.10000_00 = -0b1.00 \times 2 = -1.00$ $0xc1 = 1.10000_01 = -0b1.01 \times 2 = -1.25$
$0x01 = 0.00000_01 = +0b0.01 \times 2^-15 \approx 7.6293945E-06$	$0x41 = 0.10000.01 = +0b1.01 \times 2^{\circ} = 1.25$	$0x81 = 1.00000.01 = -0b0.01 \times 2^{-1}5 \approx -7.6293945E-06$	
$0x02 = 0.00000.10 = +0b0.10 \times 2^{-15} \approx 1.5258789E-05$	$0x42 = 0.10000.10 = +0b1.10 \times 2^{\circ}0 = 1.5$	$0x82 = 1.00000.10 = -0b0.10 \times 2^{-15} \approx -1.5258789E-05$	$0xc2 = 1_{-}10000_{-}10 = -0b1.10 \times 2^{\circ}0 = -1.5$
$0x03 = 0.00000_{11} = +0b0.11 \times 2^{-15} \approx 2.2888184E-05$	$0x43 = 0_10000_11 = +0b1.11 \times 2^{\circ} = 1.75$	$0x83 = 1_00000_11 = -0b0.11 \times 2^-15 \approx -2.2888184E-05$	$0xc3 = 1_10000_11 = -0b1.11 \times 2^0 = -1.75$
$0x04 = 0.00001.00 = +0b1.00 \times 2^-15 \approx 3.0517578E-05$	$0x44 = 0_10001_00 = +0b1.00 \times 2^1 = 2.0$	$0x84 = 1.00001.00 = -0b1.00 \times 2^-15 \approx -3.0517578E-05$	$0xc4 = 1_10001_00 = -0b1.00 \times 2^1 = -2.0$
$0x05 = 0.00001.01 = +0b1.01 \times 2^{-15} \approx 3.8146973E-05$	$0x45 = 0_10001_01 = +0b1.01 \times 2^1 = 2.5$	$0x85 = 1_00001_01 = -0b1.01 \times 2^-15 \approx -3.8146973E-05$	$0xc5 = 1_10001_01 = -0b1.01 \times 2^1 = -2.5$
$0x06 = 0.00001.10 = +0b1.10 \times 2^{-15} \approx 4.5776367E-05$	$0x46 = 0.10001.10 = +0b1.10 \times 2^1 = 3.0$	$0x86 = 1.00001.10 = -0b1.10 \times 2^{-15} \approx -4.5776367E-05$	$0xc6 = 1.10001.10 = -0b1.10 \times 2^1 = -3.0$
$0x07 = 0.00001.11 = +0b1.11 \times 2^{-15} \approx 5.3405762E-05$	$0x47 = 0.10001.11 = +0b1.11 \times 2^1 = 3.5$	$0x87 = 1.00001.11 = -0b1.11 \times 2^{-15} \approx -5.3405762E-05$	$0xc7 = 1.10001.11 = -0b1.11 \times 2^1 = -3.5$
$0x08 = 0.00010.00 = +0b1.00 \times 2^{-14} \approx 6.1035156E-05$	$0x48 = 0.100101.00 = +0b1.00 \times 2^2 = 4.0$	$0x88 = 1.00010.00 = -0b1.00 \times 2^{-14} \approx -6.1035156E-05$	$0xc8 = 1.10010.10 = -0b1.00 \times 2^2 = -4.0$
·			
$0x09 = 0.00010_01 = +0b1.01 \times 2^-14 \approx 7.6293945E-05$	$0x49 = 0_10010_01 = +0b1.01 \times 2^2 = 5.0$	$0x89 = 1_00010_01 = -0b1.01 \times 2^-14 \approx -7.6293945E-05$	$0xc9 = 1_10010_01 = -0b1.01 \times 2^2 = -5.0$
$0x0a = 0.00010.10 = +0b1.10 \times 2^{-14} \approx 9.1552734E-05$	$0x4a = 0.10010.10 = +0b1.10 \times 2^2 = 6.0$	$0x8a = 1.00010.10 = -0b1.10 \times 2^{2}-14 \approx -9.1552734E-05$	$0xca = 1.10010.10 = -0b1.10 \times 2^2 = -6.0$
$0x0b = 0.00010.11 = +0b1.11 \times 2^-14 \approx 0.00010681152$	$0x4b = 0_10010_11 = +0b1.11 \times 2^2 = 7.0$	$0x8b = 1_00010_11 = -0b1.11 \times 2^-14 \approx -0.00010681152$	$0xcb = 1_10010_11 = -0b1.11 \times 2^2 = -7.0$
$0x0c = 0.00011.00 = +0b1.00 \times 2^{-13} \approx 0.00012207031$	$0x4c = 0_10011_00 = +0b1.00 \times 2^3 = 8.0$	$0x8c = 1_00011_00 = -0b1.00 \times 2^-13 \approx -0.00012207031$	$0xcc = 1_10011_00 = -0b1.00 \times 2^3 = -8.0$
$0x0d = 0_00011_01 = +0b1.01 \times 2^{-13} \approx 0.00015258789$	$0x4d = 0_10011_01 = +0b1.01 \times 2^3 = 10.0$	$0x8d = 1_00011_01 = -0b1.01 \times 2^-13 \approx -0.00015258789$	$0xcd = 1_10011_01 = -0b1.01 \times 2^3 = -10.0$
$0x0e = 0.00011.10 = +0b1.10 \times 2^{-13} \approx 0.00018310547$	$0x4e = 0_{-}10011_{-}10 = +0b1.10 \times 2^{3} = 12.0$	$0x8e = 1.00011.10 = -0b1.10 \times 2^{-13} \approx -0.00018310547$	$0xce = 1_{-}10011_{-}10 = -0b1.10 \times 2^{3} = -12.0$
$0x0f = 0.00011.11 = +0b1.11 \times 2^{-13} \approx 0.00021362305$	$0x4f = 0.10011.11 = +0b1.11 \times 2^3 = 14.0$	$0x8f = 1.00011.11 = -0b1.11 \times 2^{-13} \approx -0.00021362305$	$0xcf = 1.10011.11 = -0b1.11 \times 2^3 = -14.0$
$0x10 = 0.00100.00 = +0b1.00 \times 2^{-12} = 0.000244140625$	$0x50 = 0.10100.00 = +0b1.00 \times 2^4 = 16.0$	$0x90 = 1.00100.00 = -0b1.00 \times 2^{-12} \approx -0.00024414062$	$0xd0 = 1.10100.00 = -0b1.00 \times 2^4 = -16.0$
$0x11 = 0.00100.01 = +0b1.01 \times 2^{-1}12 \approx 0.00030517578$	$0x51 = 0.10100.01 = +0b1.01 \times 2^4 = 20.0$	$0x91 = 1.00100.01 = -0b1.01 \times 2^{-12} \approx -0.00030517578$	$0xd1 = 1.10100.01 = -0b1.01 \times 2^{2}4 = -20.0$
$0x12 = 0.00100.10 = +0b1.10 \times 2^{-1}2 \approx 0.00036621094$	$0x52 = 0.10100.10 = +0b1.10 \times 2^{2}4 = 24.0$	$0x92 = 1.00100.10 = -0b1.10 \times 2^{-1}2 \approx -0.00036621094$	$0xd2 = 1.10100.10 = -0b1.10 \times 2^4 = -24.0$
$0x13 = 0.00100.11 = +0b1.11 \times 2^{-12} \approx 0.00042724609$	$0x53 = 0.10100.11 = +0b1.11 \times 2^4 = 28.0$	$0x93 = 1.00100.11 = -0b1.11 \times 2^{-12} \approx -0.00042724609$	$0xd3 = 1.10100.11 = -0b1.11 \times 2^4 = -28.0$
$0x14 = 0.00101.00 = +0b1.00 \times 2^-11 = 0.00048828125$	$0x54 = 0_10101_00 = +0b1.00 \times 2^5 = 32.0$	$0x94 = 1_00101_00 = -0b1.00 \times 2^-11 = -0.00048828125$	$0xd4 = 1_10101_00 = -0b1.00 \times 2^5 = -32.0$
$0x15 = 0.00101_01 = +0b1.01 \times 2^-11 \approx 0.00061035156$	$0x55 = 0_10101_01 = +0b1.01 \times 2^5 = 40.0$	$0x95 = 1_00101_01 = -0b1.01 \times 2^-11 \approx -0.00061035156$	$0xd5 = 1_10101_01 = -0b1.01 \times 2^5 = -40.0$
$0x16 = 0.00101.10 = +0b1.10 \times 2^{-11} = 0.000732421875$	$0x56 = 0.10101.10 = +0b1.10 \times 2^5 = 48.0$	$0x96 = 1.00101.10 = -0b1.10 \times 2^{-11} \approx -0.00073242188$	$0xd6 = 1.10101.10 = -0b1.10 \times 2^5 = -48.0$
$0x17 = 0.00101.11 = +0b1.11 \times 2^{-11} \approx 0.00085449219$	$0x57 = 0.10101.11 = +0b1.11 \times 2^5 = 56.0$	$0x97 = 1.00101.11 = -0b1.11 \times 2^{-11} \approx -0.00085449219$	$0xd7 = 1.10101.11 = -0b1.11 \times 2^5 = -56.0$
$0x18 = 0.00110.00 = +0b1.00 \times 2^{-10} = 0.0009765625$	$0x58 = 0_10110_00 = +0b1.00 \times 2^6 = 64.0$	$0x98 = 1_00110_00 = -0b1.00 \times 2^-10 = -0.0009765625$	$0xd8 = 1_10110_00 = -0b1.00 \times 2^6 = -64.0$
$0x19 = 0.00110.01 = +0b1.01 \times 2^{-1}0 = 0.001220703125$	$0x59 = 0.10110_01 = +0b1.01 \times 2^6 = 80.0$	$0x99 = 1_00110_01 = -0b1.01 \times 2^-10 \approx -0.0012207031$	$0xd9 = 1_10110_01 = -0b1.01 \times 2^6 = -80.0$
$0x13 = 0.00110.01 = +0.01.01 \times 2 - 10 = 0.001220703123$ $0x1a = 0.00110.10 = +0.01.10 \times 2^{-1}0 = 0.00146484375$	$0x5a = 0.10110.10 = +0b1.10 \times 2\% = 96.0$ $0x5a = 0.10110.10 = +0b1.10 \times 2\% = 96.0$	$0x9a = 1.00110.01 = 0b1.01 \times 2 \cdot 10 \approx 0.0012207001$ $0x9a = 1.00110.10 = -0b1.10 \times 2^{-1}0 = -0.00146484375$	$0xda = 1.10110.01 = 0b1.01 \times 2.0 = 00.0$ $0xda = 1.10110.10 = -0b1.10 \times 2.06 = -96.0$
·			
$0x1b = 0.00110.11 = +0b1.11 \times 2^{-1}0 = 0.001708984375$	$0x5b = 0.10110_{-11} = +0b1.11 \times 2\% = 112.0$	$0x9b = 1.00110.11 = -0b1.11 \times 2^{-1}0 \approx -0.0017089844$	$0xdb = 1.10110.11 = -0b1.11 \times 2^6 = -112.0$
$0x1c = 0.00111.00 = +0b1.00 \times 2^{-9} = 0.001953125$	$0x5c = 0.10111_{-}00 = +0b1.00 \times 27 = 128.0$	$0x9c = 1.00111.00 = -0b1.00 \times 2^{-9} = -0.001953125$	$0xdc = 1_10111_00 = -0b1.00 \times 27 = -128.0$
$0x1d = 0.00111_01 = +0b1.01 \times 2^-9 = 0.00244140625$	$0x5d = 0_10111_01 = +0b1.01 \times 27 = 160.0$	$0x9d = 1_00111_01 = -0b1.01 \times 2^-9 = -0.00244140625$	$0xdd = 1_10111_01 = -0b1.01 \times 27 = -160.0$
$0x1e = 0.00111.10 = +0b1.10 \times 2^-9 = 0.0029296875$	$0x5e = 0.10111.10 = +0b1.10 \times 27 = 192.0$	$0x9e = 1.00111.10 = -0b1.10 \times 2^-9 = -0.0029296875$	$0xde = 1.10111.10 = -0b1.10 \times 27 = -192.0$
$0x1f = 0.00111.11 = +0b1.11 \times 2^-9 = 0.00341796875$	$0x5f = 0.10111.11 = +0b1.11 \times 27 = 224.0$	$0x9f = 1.00111.11 = -0b1.11 \times 2^-9 = -0.00341796875$	$0xdf = 1.10111.11 = -0b1.11 \times 2^7 = -224.0$
$0x20 = 0.01000.00 = +0b1.00 \times 2^{-8} = 0.00390625$	$0x60 = 0_11000_00 = +0b1.00 \times 28 = 256.0$	$0xa0 = 1_01000_00 = -0b1.00 \times 2^-8 = -0.00390625$	$0xe0 = 1_11000_00 = -0b1.00 \times 2^8 = -256.0$
$0x21 = 0.01000.01 = +0b1.01 \times 2^-8 = 0.0048828125$	$0x61 = 0_11000_01 = +0b1.01 \times 28 = 320.0$	$0xa1 = 1_01000_01 = -0b1.01 \times 2^-8 = -0.0048828125$	$0xe1 = 1_11000_01 = -0b1.01 \times 2^8 = -320.0$
$0x22 = 0.01000.10 = +0b1.10 \times 2^{-8} = 0.005859375$	$0x62 = 0.11000.10 = +0b1.10 \times 2^8 = 384.0$	$0xa2 = 1.01000.10 = -0b1.10 \times 2^{-8} = -0.005859375$	$0xe2 = 1.11000.10 = -0b1.10 \times 2^8 = -384.0$
0x22 = 0.01000.10 = +0.0110.2 = 0.000003375 $0x23 = 0.01000.11 = +0.0111.1 \times 2^{-8} = 0.0068359375$	$0x63 = 0.11000.10 = +0b1.10 \times 2.0 = 304.0$ $0x63 = 0.11000.11 = +0b1.11 \times 2.8 = 448.0$	$0xa3 = 1.01000.11 = -0b1.11 \times 2^{-8} = -0.0068359375$	$0 \text{xe} 3 = 1.11000.11 = -0b1.11 \times 2^{\circ}8 = -448.0$
·			
$0x24 = 0.01001.00 = +0b1.00 \times 2^{-7} = 0.0078125$	$0x64 = 0.11001.00 = +0b1.00 \times 2^{\circ}9 = 512.0$	$0xa4 = 1.01001.00 = -0b1.00 \times 2^{-7} = -0.0078125$	$0xe4 = 1.11001.00 = -0b1.00 \times 2^9 = -512.0$
$0x25 = 0.01001.01 = +0b1.01 \times 2^{-7} = 0.009765625$	$0x65 = 0_11001_01 = +0b1.01 \times 2^9 = 640.0$	$0xa5 = 1_01001_01 = -0b1.01 \times 2^-7 = -0.009765625$	$0xe5 = 1_11001_01 = -0b1.01 \times 2^9 = -640.0$
$0x26 = 0.01001.10 = +0b1.10 \times 2^-7 = 0.01171875$	$0x66 = 0_11001_10 = +0b1.10 \times 2^9 = 768.0$	$0xa6 = 1.01001.10 = -0b1.10 \times 2^{-7} = -0.01171875$	$0xe6 = 1.11001.10 = -0b1.10 \times 2^9 = -768.0$
$0x27 = 0.01001.11 = +0b1.11 \times 2^-7 = 0.013671875$	$0x67 = 0_11001_11 = +0b1.11 \times 29 = 896.0$	$0xa7 = 1_01001_11 = -0b1.11 \times 2^-7 = -0.013671875$	$0xe7 = 1_11001_11 = -0b1.11 \times 2^9 = -896.0$
$0x28 = 0.01010.00 = +0b1.00 \times 2^{-6} = 0.015625$	$0x68 = 0_11010_00 = +0b1.00 \times 2^10 = 1024.0$	$0xa8 = 1_01010_00 = -0b1.00 \times 2^-6 = -0.015625$	$0xe8 = 1_11010_00 = -0b1.00 \times 2^10 = -1024.0$
$0x29 = 0.01010.01 = +0b1.01 \times 2^{-6} = 0.01953125$	$0x69 = 0_11010_01 = +0b1.01 \times 2^10 = 1280.0$	$0xa9 = 1_01010_01 = -0b1.01 \times 2^-6 = -0.01953125$	$0xe9 = 1_11010_01 = -0b1.01 \times 2^10 = -1280.0$
$0x2a = 0.01010.10 = +0b1.10 \times 2^{-6} = 0.0234375$	$0x6a = 0_11010_10 = +0b1.10 \times 2^10 = 1536.0$	$0$ xaa = 1_01010_10 = $-0$ b1.10 $\times$ 2 $^-6$ = $-0.0234375$	$0xea = 1.11010.10 = -0b1.10 \times 2^10 = -1536.0$
$0x2b = 0.01010.11 = +0b1.11 \times 2^{-6} = 0.02734375$	$0x6b = 0_11010_11 = +0b1.11 \times 2^10 = 1792.0$	$0xab = 1_01010_11 = -0b1.11 \times 2^-6 = -0.02734375$	$0xeb = 1.11010.11 = -0b1.11 \times 2^10 = -1792.0$
$0x2c = 0.01011.00 = +0b1.00 \times 2^{-5} = 0.03125$	$0x6c = 0_11011_00 = +0b1.00 \times 2^11 = 2048.0$	$0 \text{xac} = 1.01011.00 = -0b1.00 \times 2^{-5} = -0.03125$	$0 \text{xec} = 1.11011.00 = -0b1.00 \times 2^11 = -2048.0$
$0x2d = 0.01011.00 = +0.01.00 \times 2 = 0.00120$ $0x2d = 0.01011.01 = +0.01.01 \times 2^{-5} = 0.0390625$	$0x6d = 0.11011.00 = +0b1.00 \times 2.11 = 2040.0$ $0x6d = 0.11011.01 = +0b1.01 \times 2.11 = 2560.0$	$0xad = 1.01011.00 = 001.00 \times 2 = 0.00120$ $0xad = 1.01011.01 = -001.01 \times 2^{-5} = -0.0390625$	$0 \text{ xed} = 1.11011.00 = 001.00 \times 2.11 = 2040.0$ $0 \text{ xed} = 1.11011.01 = -001.01 \times 2^{\circ}11 = -2560.0$
•			
$0x2e = 0.01011.10 = +0b1.10 \times 2^{-5} = 0.046875$	$0x6e = 0.11011.10 = +0b1.10 \times 2^{\circ}11 = 3072.0$	$0xae = 1.01011.10 = -0b1.10 \times 2^{-5} = -0.046875$	$0 \times e = 1.11011.10 = -0b1.10 \times 2^{\circ}11 = -3072.0$
$0x2f = 0.01011.11 = +0b1.11 \times 2^{-5} = 0.0546875$	$0x6f = 0.11011.11 = +0b1.11 \times 2^11 = 3584.0$	$0xaf = 1_01011_11 = -0b1.11 \times 2^-5 = -0.0546875$	$0 \text{xef} = 1.11011.11 = -0b1.11 \times 2^11 = -3584.0$
$0x30 = 0_01100_00 = +0b1.00 \times 2^-4 = 0.0625$	$0x70 = 0_11100_00 = +0b1.00 \times 2^12 = 4096.0$	$0xb0 = 1_01100_00 = -0b1.00 \times 2^-4 = -0.0625$	$0xf0 = 1_11100_00 = -0b1.00 \times 2^12 = -4096.0$
$0x31 = 0_01100_01 = +0b1.01 \times 2^-4 = 0.078125$	$0x71 = 0_11100_01 = +0b1.01 \times 2^12 = 5120.0$	$0xb1 = 1_01100_01 = -0b1.01 \times 2^-4 = -0.078125$	$0xf1 = 1_11100_01 = -0b1.01 \times 2^12 = -5120.0$
$0x32 = 0.01100.10 = +0b1.10 \times 2^{-4} = 0.09375$	$0x72 = 0_{-}11100_{-}10 = +0b1.10 \times 2^{2}12 = 6144.0$	$0xb2 = 1_01100_10 = -0b1.10 \times 2^4 = -0.09375$	$0xf2 = 1_{-}11100_{-}10 = -0b1.10 \times 2^{-}12 = -6144.0$
$0x33 = 0.01100_{-}11 = +0b1.11 \times 2^{-}4 = 0.109375$	$0x73 = 0_11100_11 = +0b1.11 \times 2^12 = 7168.0$	$0xb3 = 1_01100_11 = -0b1.11 \times 2^-4 = -0.109375$	$0xf3 = 1.11100.11 = -0b1.11 \times 2^12 = -7168.0$
$0x34 = 0_01101_00 = +0b1.00 \times 2^{-3} = 0.125$	$0x74 = 0_11101_00 = +0b1.00 \times 2^13 = 8192.0$	$0xb4 = 1_01101_00 = -0b1.00 \times 2^{-3} = -0.125$	$0xf4 = 1_11101_00 = -0b1.00 \times 2^13 = -8192.0$
$0x35 = 0.01101.01 = +0b1.01 \times 2^{-3} = 0.15625$	$0x75 = 0_11101_01 = +0b1.01 \times 2^13 = 10240.0$	$0xb5 = 1_01101_01 = -0b1.01 \times 2^-3 = -0.15625$	$0xf5 = 1_11101_01 = -0b1.01 \times 2^13 = -10240.0$
$0x36 = 0.01101.10 = +0b1.10 \times 2^{-3} = 0.1875$	$0x76 = 0.11101.10 = +0b1.10 \times 2^13 = 12288.0$	$0xb6 = 1.01101.10 = -0b1.10 \times 2^{-3} = -0.1875$	$0xf6 = 1.11101.10 = -0b1.10 \times 2^13 = -12288.0$
$0x37 = 0.01101.11 = +0b1.11 \times 2^{-3} = 0.21875$	$0x77 = 0.11101.11 = +0b1.11 \times 2^{\circ}13 = 14336.0$	$0xb7 = 1.01101.11 = -0b1.11 \times 2^{-3} = -0.21875$ $0xb7 = 1.01101.11 = -0b1.11 \times 2^{-3} = -0.21875$	$0xf7 = 1.11101.11 = -0b1.11 \times 2^{\circ}13 = -14336.0$
$0x38 = 0.01110.00 = +0b1.00 \times 2^{-2} = 0.25$	$0x78 = 0.11110_00 = +0b1.00 \times 2^14 = 16384.0$	$0xb8 = 1.01110.00 = -0b1.00 \times 2^{-2} = -0.25$	$0xf8 = 1.11110.00 = -0b1.00 \times 2^{2}14 = -16384.0$
$0x39 = 0_01110_01 = +0b1.01 \times 2^2 - 2 = 0.3125$	$0x79 = 0_11110_01 = +0b1.01 \times 2^14 = 20480.0$	$0xb9 = 1_01110_01 = -0b1.01 \times 2^2 - 2 = -0.3125$	$0xf9 = 1_11110_01 = -0b1.01 \times 2^14 = -20480.0$
$0x3a = 0.01110.10 = +0b1.10 \times 2^{-2} = 0.375$	$0x7a = 0_11110_10 = +0b1.10 \times 2^14 = 24576.0$	$0xba = 1_01110_10 = -0b1.10 \times 2^2 = -0.375$	$0xfa = 1.11110.10 = -0b1.10 \times 2^14 = -24576.0$
$0x3b = 0_01110_11 = +0b1.11 \times 2^2 = 0.4375$	$0x7b = 0_11110_11 = +0b1.11 \times 2^14 = 28672.0$	$0xbb = 1_01110_11 = -0b1.11 \times 2^2 = -0.4375$	$0xfb = 1_111110_11 = -0b1.11 \times 2^14 = -28672.0$
$0x3c = 0_01111_00 = +0b1.00 \times 2^-1 = 0.5$	$0x7c = 0_11111_00 = +0b1.00 \times 2^15 = 32768.0$	$0xbc = 1_01111_00 = -0b1.00 \times 2^-1 = -0.5$	$0xfc = 1_11111_00 = -0b1.00 \times 2^15 = -32768.0$
$0x3d = 0_01111_01 = +0b1.01 \times 2^-1 = 0.625$	$0x7d = 0_11111_01 = +0b1.01 \times 2^15 = 40960.0$	$0xbd = 1_01111_01 = -0b1.01 \times 2^-1 = -0.625$	$0xfd = 1_11111_01 = -0b1.01 \times 2^15 = -40960.0$
$0x3e = 0.01111.10 = +0b1.10 \times 2^{-1} = 0.75$	$0x7e = 0_11111_10 = +0b1.10 \times 2^15 = 49152.0$	$0xbe = 1.01111.10 = -0b1.10 \times 2^{-1} = -0.75$	$0xfe = 1.11111.10 = -0b1.10 \times 2^15 = -49152.0$
$0x3f = 0.01111.11 = +0b1.11 \times 2^{-1} = 0.875$	0x7f = 0.11111.11 = +Inf	$0xbf = 1.01111.11 = -0b1.11 \times 2^{-1} = -0.875$	0xff = 1.11111.11 = -Inf
,			

# **C.3 Value Table: P4,** p = 4, emax = 7

 $0x00 = 0.0000_000 = 0.0$  $0x40 = 0_1000_000 = +0b1.000 \times 2^{\circ} = 1.0$  $0x80 = 1_0000_000 = NaN$  $0xc0 = 1_1000_000 = -0b1.000 \times 2^{\circ}0 = -1.0$  $0x01 = 0.0000_001 = +0b0.001 \times 2^{-7} = 0.0009765625$  $0x81 = 1_0000_001 = -0b0.001 \times 2^-7 = -0.0009765625$  $0x41 = 0.1000.001 = +0b1.001 \times 2^{\circ} = 1.125$  $0xc1 = 1_1000_001 = -0b1.001 \times 2^0 = -1.125$  $0x02 = 0.0000.010 = +0b0.010 \times 2^{-7} = 0.001953125$  $0x42 = 0.1000.010 = +0b1.010 \times 2^{\circ} = 1.25$  $0x82 = 1.0000.010 = -0b0.010 \times 2^{-7} = -0.001953125$  $0xc2 = 1.1000.010 = -0b1.010 \times 2^{\circ} = -1.25$  $0x03 = 0.0000_011 = +0b0.011 \times 2^{-7} = 0.0029296875$  $0x43 = 0.1000.011 = +0b1.011 \times 2^{\circ}0 = 1.375$  $0x83 = 1.0000_011 = -0b0.011 \times 2^-7 = -0.0029296875$  $0xc3 = 1.1000.011 = -0b1.011 \times 2^{\circ} = -1.375$  $0x04 = 0.0000.100 = +0b0.100 \times 2^{-7} = 0.00390625$  $0x44 = 0_1000_100 = +0b1.100 \times 2^{\circ} = 1.5$  $0x84 = 1_0000_100 = -0b0.100 \times 2^{-7} = -0.00390625$  $0xc4 = 1_{-}1000_{-}100 = -0b1.100 \times 2^{\circ}0 = -1.5$  $0x05 = 0.0000_101 = +0b0.101 \times 2^{-7} = 0.0048828125$  $0x45 = 0.1000.101 = +0b1.101 \times 2^{\circ} = 1.625$  $0x85 = 1_0000_101 = -0b0.101 \times 2^-7 = -0.0048828125$  $0xc5 = 1_{-1000_{-101}} = -0b1.101 \times 2^{\circ} = -1.625$  $0x06 = 0.0000_{-}110 = +0b0.110 \times 2^{-}7 = 0.005859375$  $0x46 = 0.1000.110 = +0b1.110 \times 2^{\circ} = 1.75$  $0x86 = 1.0000.110 = -0b0.110 \times 2^{-7} = -0.005859375$  $0xc6 = 1.1000.110 = -0b1.110 \times 2^{\circ}0 = -1.75$  $0x07 = 0.0000_{-}111 = +0b0.111 \times 2^{-}7 = 0.0068359375$  $0x47 = 0.1000.111 = +0b1.111 \times 20 = 1.875$  $0x87 = 1.0000_{-}111 = -0b0.111 \times 2^{-}7 = -0.0068359375$  $0xc7 = 1.1000.111 = -0b1.111 \times 2^{\circ} = -1.875$  $0x08 = 0.0001.000 = +0b1.000 \times 2^{-7} = 0.0078125$  $0x88 = 1_0001_000 = -0b1.000 \times 2^-7 = -0.0078125$  $0xc8 = 1_1001_000 = -0b1.000 \times 2^1 = -2.0$  $0x48 = 0_1001_000 = +0b1.000 \times 2^1 = 2.0$  $0x09 = 0.0001.001 = +0b1.001 \times 2^{-7} = 0.0087890625$  $0x49 = 0_1001_001 = +0b1.001 \times 2^1 = 2.25$  $0x89 = 1_0001_001 = -0b1.001 \times 2^-7 = -0.0087890625$  $0xc9 = 1_1001_001 = -0b1.001 \times 2^1 = -2.25$  $0x0a = 0.0001.010 = +0b1.010 \times 2^{-7} = 0.009765625$  $0x4a = 0.1001.010 = +0b1.010 \times 2^1 = 2.5$  $0x8a = 1.0001.010 = -0b1.010 \times 2^{-7} = -0.009765625$  $0xca = 1.1001.010 = -0b1.010 \times 2^1 = -2.5$  $0x0b = 0.0001.011 = +0b1.011 \times 2^{-7} = 0.0107421875$  $0x4b = 0_1001_011 = +0b1.011 \times 2^1 = 2.75$  $0x8b = 1.0001.011 = -0b1.011 \times 2^{-7} = -0.0107421875$  $0xcb = 1_1001_011 = -0b1.011 \times 2^1 = -2.75$  $0x0c = 0.0001.100 = +0b1.100 \times 2^{-7} = 0.01171875$  $0x4c = 0_{-}1001_{-}100 = +0b1.100 \times 2^{2} = 3.0$  $0x8c = 1_0001_100 = -0b1.100 \times 2^{-7} = -0.01171875$  $0xcc = 1_1001_100 = -0b1.100 \times 2^1 = -3.0$  $0x0d = 0.0001.101 = +0b1.101 \times 2^{-7} = 0.0126953125$  $0x4d = 0_1001_101 = +0b1.101 \times 2^1 = 3.25$  $0x8d = 1_0001_101 = -0b1.101 \times 2^-7 = -0.0126953125$  $0xcd = 1_1001_101 = -0b1.101 \times 2^1 = -3.25$  $0x0e = 0.0001.110 = +0b1.110 \times 2^-7 = 0.013671875$  $0x4e = 0.1001.110 = +0b1.110 \times 2^1 = 3.5$  $0x8e = 1.0001.110 = -0b1.110 \times 2^{-7} = -0.013671875$  $0xce = 1_{-}1001_{-}110 = -0b1.110 \times 2^{-}1 = -3.5$  $0x0f = 0.0001.111 = +0b1.111 \times 2^{-7} = 0.0146484375$  $0x4f = 0.1001.111 = +0b1.111 \times 2^1 = 3.75$  $0x8f = 1.0001.111 = -0b1.111 \times 2^{-7} = -0.0146484375$  $0xcf = 1.1001.111 = -0b1.111 \times 2^1 = -3.75$  $0x10 = 0.0010.000 = +0b1.000 \times 2^{-6} = 0.015625$  $0x90 = 1_0010_000 = -0b1.000 \times 2^-6 = -0.015625$  $0xd0 = 1_1010_000 = -0b1.000 \times 2^2 = -4.0$  $0x50 = 0_1010_000 = +0b1.000 \times 2^2 = 4.0$  $0x11 = 0_0010_001 = +0b1.001 \times 2^-6 = 0.017578125$  $0x51 = 0_1010_001 = +0b1.001 \times 2^2 = 4.5$  $0x91 = 1_0010_001 = -0b1.001 \times 2^-6 = -0.017578125$  $0xd1 = 1_1010_001 = -0b1.001 \times 2^2 = -4.5$  $0xd2 = 1.1010.010 = -0b1.010 \times 2^2 = -5.0$  $0x12 = 0.0010.010 = +0b1.010 \times 2^{-6} = 0.01953125$  $0x52 = 0.1010.010 = +0b1.010 \times 2^2 = 5.0$  $0x92 = 1.0010.010 = -0b1.010 \times 2^{-6} = -0.01953125$  $0x13 = 0.0010.011 = +0b1.011 \times 2^{-6} = 0.021484375$  $0x53 = 0_1010_011 = +0b1.011 \times 2^2 = 5.5$  $0x93 = 1.0010.011 = -0b1.011 \times 2^-6 = -0.021484375$  $0xd3 = 1.1010.011 = -0b1.011 \times 2^2 = -5.5$  $0x14 = 0.0010.100 = +0b1.100 \times 2^{-6} = 0.0234375$  $0x54 = 0.1010.100 = +0b1.100 \times 2^2 = 6.0$  $0x94 = 1.0010.100 = -0b1.100 \times 2^{-6} = -0.0234375$  $0xd4 = 1_1010_100 = -0b1.100 \times 2^2 = -6.0$  $0x15 = 0.0010_101 = +0b1.101 \times 2^-6 = 0.025390625$  $0x55 = 0.1010.101 = +0b1.101 \times 2^2 = 6.5$  $0x95 = 1.0010.101 = -0b1.101 \times 2^{-6} = -0.025390625$  $0xd5 = 1_1010_101 = -0b1.101 \times 2^2 = -6.5$  $0x16 = 0.0010.110 = +0b1.110 \times 2^{-6} = 0.02734375$  $0x56 = 0.1010.110 = +0b1.110 \times 2^2 = 7.0$  $0x96 = 1.0010.110 = -0b1.110 \times 2^{-6} = -0.02734375$  $0xd6 = 1.1010.110 = -0b1.110 \times 2^2 = -7.0$  $0x17 = 0.0010.111 = +0b1.111 \times 2^{-6} = 0.029296875$  $0x57 = 0.1010.111 = +0b1.111 \times 2^2 = 7.5$  $0x97 = 1.0010.111 = -0b1.111 \times 2^{-6} = -0.029296875$  $0xd7 = 1_1010_111 = -0b1.111 \times 2^2 = -7.5$  $0x18 = 0.0011.000 = +0b1.000 \times 2^{-5} = 0.03125$  $0x58 = 0_1011_000 = +0b1.000 \times 2^3 = 8.0$  $0x98 = 1.0011.000 = -0b1.000 \times 2^{-5} = -0.03125$  $0xd8 = 1_1011_000 = -0b1.000 \times 2^3 = -8.0$  $0x19 = 0_0011_001 = +0b1.001 \times 2^5 = 0.03515625$  $0x59 = 0_1011_001 = +0b1.001 \times 2^3 = 9.0$  $0x99 = 1_0011_001 = -0b1.001 \times 2^{-5} = -0.03515625$  $0xd9 = 1_1011_001 = -0b1.001 \times 2^3 = -9.0$  $0x1a = 0.0011.010 = +0b1.010 \times 2^{-5} = 0.0390625$  $0x5a = 0.1011.010 = +0b1.010 \times 2^3 = 10.0$  $0x9a = 1.0011.010 = -0b1.010 \times 2^{-5} = -0.0390625$  $0xda = 1.1011.010 = -0b1.010 \times 2^3 = -10.0$  $0x1b = 0.0011.011 = +0b1.011 \times 2^{-5} = 0.04296875$  $0x5b = 0_1011_011 = +0b1.011 \times 2^3 = 11.0$  $0x9b = 1.0011.011 = -0b1.011 \times 2^-5 = -0.04296875$  $0xdb = 1.1011.011 = -0b1.011 \times 2^3 = -11.0$  $0x1c = 0.0011.100 = +0b1.100 \times 2^{-5} = 0.046875$  $0x5c = 0_1011_100 = +0b1.100 \times 2^3 = 12.0$  $0x9c = 1_0011_100 = -0b1.100 \times 2^5 = -0.046875$  $0xdc = 1_1011_100 = -0b1.100 \times 2^3 = -12.0$  $0 \texttt{x1d} = 0\_0011\_101 = +0 \texttt{b1.101} \times 2 \texttt{^--5} = 0.05078125$  $0x9d = 1_0011_101 = -0b1.101 \times 2^-5 = -0.05078125$  $0x5d = 0_1011_101 = +0b1.101 \times 2^3 = 13.0$  $0xdd = 1_1011_101 = -0b1.101 \times 2^3 = -13.0$  $0xde = 1.1011.110 = -0b1.110 \times 2^3 = -14.0$  $0x1e = 0.0011.110 = +0b1.110 \times 2^{-5} = 0.0546875$  $0x5e = 0.1011.110 = +0b1.110 \times 2^3 = 14.0$  $0x9e = 1.0011.110 = -0b1.110 \times 2^{-5} = -0.0546875$  $0x1f = 0.0011.111 = +0b1.111 \times 2^{-5} = 0.05859375$  $0x9f = 1.0011.111 = -0b1.111 \times 2^{-5} = -0.05859375$  $0x5f = 0.1011.111 = +0b1.111 \times 2^3 = 15.0$  $0xdf = 1.1011.111 = -0b1.111 \times 2^3 = -15.0$  $0x20 = 0.0100.000 = +0b1.000 \times 2^{-4} = 0.0625$  $0x60 = 0_1100_000 = +0b1.000 \times 2^4 = 16.0$  $0xa0 = 1_0100_000 = -0b1.000 \times 2^4 = -0.0625$  $0xe0 = 1_1100_000 = -0b1.000 \times 2^4 = -16.0$  $0x21 = 0_0100_001 = +0b1.001 \times 2^-4 = 0.0703125$  $0x61 = 0_1100_001 = +0b1.001 \times 2^4 = 18.0$  $0xa1 = 1_0100_001 = -0b1.001 \times 2^-4 = -0.0703125$  $0xe1 = 1_1100_001 = -0b1.001 \times 2^4 = -18.0$  $0x22 = 0.0100.010 = +0b1.010 \times 2^{-4} = 0.078125$  $0x62 = 0.1100.010 = +0b1.010 \times 2^4 = 20.0$  $0xa2 = 1.0100.010 = -0b1.010 \times 2^{-4} = -0.078125$  $0xe2 = 1.1100.010 = -0b1.010 \times 2^4 = -20.0$  $0x23 = 0.0100.011 = +0b1.011 \times 2^{-4} = 0.0859375$  $0x63 = 0.1100.011 = +0b1.011 \times 2^4 = 22.0$  $0xa3 = 1.0100.011 = -0b1.011 \times 2^{-4} = -0.0859375$  $0xe3 = 1.1100.011 = -0b1.011 \times 2^4 = -22.0$  $0x24 = 0.0100.100 = +0b1.100 \times 2^-4 = 0.09375$  $0x64 = 0_1100_100 = +0b1.100 \times 2^4 = 24.0$  $0xa4 = 1_0100_100 = -0b1.100 \times 2^-4 = -0.09375$  $0xe4 = 1_1100_100 = -0b1.100 \times 2^4 = -24.0$  $0x25 = 0.0100.101 = +0b1.101 \times 2^{-4} = 0.1015625$  $0xa5 = 1_0100_101 = -0b1.101 \times 2^-4 = -0.1015625$  $0xe5 = 1_1100_101 = -0b1.101 \times 2^4 = -26.0$  $0x65 = 0_1100_101 = +0b1.101 \times 2^4 = 26.0$  $0x26 = 0.0100.110 = +0b1.110 \times 2^{-4} = 0.109375$  $0x66 = 0.1100.110 = +0b1.110 \times 2^4 = 28.0$  $0xa6 = 1.0100.110 = -0b1.110 \times 2^{-4} = -0.109375$  $0xe6 = 1.1100.110 = -0b1.110 \times 2^4 = -28.0$  $0x27 = 0.0100.111 = +0b1.111 \times 2^-4 = 0.1171875$  $0xa7 = 1.0100.111 = -0b1.111 \times 2^-4 = -0.1171875$  $0xe7 = 1.1100.111 = -0b1.111 \times 2^4 = -30.0$  $0x67 = 0.1100.111 = +0b1.111 \times 2^4 = 30.0$  $0x28 = 0_0101_000 = +0b1.000 \times 2^-3 = 0.125$  $0xa8 = 1_0101_000 = -0b1.000 \times 2^{-3} = -0.125$  $0xe8 = 1_1101_000 = -0b1.000 \times 2^5 = -32.0$  $0x68 = 0_1101_000 = +0b1.000 \times 2^5 = 32.0$  $0xa9 = 1_0101_001 = -0b1.001 \times 2^-3 = -0.140625$  $0xe9 = 1_1101_001 = -0b1.001 \times 2^5 = -36.0$  $0x29 = 0_0101_001 = +0b1.001 \times 2^{-3} = 0.140625$  $0x69 = 0_1101_001 = +0b1.001 \times 2^5 = 36.0$  $0x2a = 0.0101.010 = +0b1.010 \times 2^{-3} = 0.15625$  $0x6a = 0.1101.010 = +0b1.010 \times 25 = 40.0$  $0xaa = 1.0101.010 = -0b1.010 \times 2^{-3} = -0.15625$  $0xea = 1.1101.010 = -0b1.010 \times 2^5 = -40.0$  $0x2b = 0.0101.011 = +0b1.011 \times 2^{-3} = 0.171875$  $0x6b = 0_1101_011 = +0b1.011 \times 2^5 = 44.0$  $0xab = 1.0101.011 = -0b1.011 \times 2^{-3} = -0.171875$  $0xeb = 1.1101.011 = -0b1.011 \times 2^5 = -44.0$  $0x2c = 0.0101.100 = +0b1.100 \times 2^{-3} = 0.1875$  $0x6c = 0_1101_100 = +0b1.100 \times 25 = 48.0$  $0xac = 1_0101_100 = -0b1.100 \times 2^3 = -0.1875$  $0 \text{xec} = 1_{-}1101_{-}100 = -0 \text{b}1.100 \times 2^{5} = -48.0$  $0x2d = 0.0101.101 = +0b1.101 \times 2^{-3} = 0.203125$  $0x6d = 0_1101_101 = +0b1.101 \times 2^5 = 52.0$  $0xad = 1_0101_101 = -0b1.101 \times 2^{-3} = -0.203125$  $0xed = 1_1101_101 = -0b1.101 \times 2^5 = -52.0$  $0x2e = 0.0101.110 = +0b1.110 \times 2^{-3} = 0.21875$  $0x6e = 0.1101.110 = +0b1.110 \times 2^5 = 56.0$  $0xae = 1.0101.110 = -0b1.110 \times 2^{-3} = -0.21875$  $0xee = 1.1101.110 = -0b1.110 \times 2^5 = -56.0$  $0x2f = 0.0101.111 = +0b1.111 \times 2^{-3} = 0.234375$  $0x6f = 0.1101.111 = +0b1.111 \times 2^5 = 60.0$  $0xaf = 1_0101_111 = -0b1.111 \times 2^{-3} = -0.234375$  $0xef = 1.1101.111 = -0b1.111 \times 2^5 = -60.0$  $0x30 = 0.0110.000 = +0b1.000 \times 2^{-2} = 0.25$  $0x70 = 0.1110.000 = +0b1.000 \times 2^{6} = 64.0$  $0xb0 = 1_0110_000 = -0b1.000 \times 2^2 = -0.25$  $0xf0 = 1_1110_000 = -0b1.000 \times 2^6 = -64.0$  $0x31 = 0_0110_001 = +0b1.001 \times 2^-2 = 0.28125$  $0x71 = 0_1110_001 = +0b1.001 \times 2^6 = 72.0$  $0xb1 = 1_0110_001 = -0b1.001 \times 2^2 = -0.28125$  $0xf1 = 1_1110_001 = -0b1.001 \times 26 = -72.0$  $0x32 = 0.0110.010 = +0b1.010 \times 2^{-2} = 0.3125$  $0x72 = 0.1110.010 = +0b1.010 \times 2^6 = 80.0$  $0xb2 = 1_0110_010 = -0b1.010 \times 2^2 = -0.3125$  $0xf2 = 1.1110.010 = -0b1.010 \times 2\% = -80.0$  $0x33 = 0.0110.011 = +0b1.011 \times 2^{-2} = 0.34375$  $0x73 = 0.1110.011 = +0b1.011 \times 2^6 = 88.0$  $0xb3 = 1_0110_011 = -0b1.011 \times 2^2 = -0.34375$  $0xf3 = 1_1110_011 = -0b1.011 \times 26 = -88.0$  $0xb4 = 1_0110_100 = -0b1.100 \times 2^2 = -0.375$  $0x34 = 0.0110.100 = +0b1.100 \times 2^{-2} = 0.375$  $0x74 = 0_{1110}100 = +0b1.100 \times 26 = 96.0$  $0xf4 = 1_1110_100 = -0b1.100 \times 2^6 = -96.0$  $0x35 = 0.0110.101 = +0b1.101 \times 2^{-2} = 0.40625$  $0x75 = 0.1110.101 = +0b1.101 \times 2^6 = 104.0$  $0xb5 = 1_0110_101 = -0b1.101 \times 2^2 = -0.40625$  $0xf5 = 1_1110_101 = -0b1.101 \times 2^6 = -104.0$  $0x36 = 0.0110.110 = +0b1.110 \times 2^{-2} = 0.4375$  $0x76 = 0.1110.110 = +0b1.110 \times 2^6 = 112.0$  $0xb6 = 1.0110.110 = -0b1.110 \times 2^{-2} = -0.4375$  $0xf6 = 1.1110.110 = -0b1.110 \times 2^6 = -112.0$  $0x37 = 0.0110.111 = +0b1.111 \times 2^{-2} = 0.46875$  $0x77 = 0.1110.111 = +0b1.111 \times 2^6 = 120.0$  $0xb7 = 1_0110_111 = -0b1.111 \times 2^2 = -0.46875$  $0xf7 = 1_1110_111 = -0b1.111 \times 2^6 = -120.0$  $0x38 = 0_0111_000 = +0b1.000 \times 2^-1 = 0.5$  $0x78 = 0_1111_000 = +0b1.000 \times 27 = 128.0$  $0xb8 = 1_0111_000 = -0b1.000 \times 2^-1 = -0.5$  $0xf8 = 1_1111_000 = -0b1.000 \times 27 = -128.0$  $0x39 = 0.0111.001 = +0b1.001 \times 2^{-1} = 0.5625$  $0x79 = 0_1111_001 = +0b1.001 \times 27 = 144.0$  $0xb9 = 1_0111_001 = -0b1.001 \times 2^-1 = -0.5625$  $0xf9 = 1_1111_001 = -0b1.001 \times 2^7 = -144.0$  $0x3a = 0.0111.010 = +0b1.010 \times 2^{-1} = 0.625$  $0x7a = 0.1111.010 = +0b1.010 \times 27 = 160.0$  $0xba = 1.0111.010 = -0b1.010 \times 2^-1 = -0.625$  $0xfa = 1.1111.010 = -0b1.010 \times 27 = -160.0$  $0x3b = 0.0111.011 = +0b1.011 \times 2^-1 = 0.6875$  $0x7b = 0_1111_011 = +0b1.011 \times 27 = 176.0$  $0xbb = 1_0111_011 = -0b1.011 \times 2^-1 = -0.6875$  $0xfb = 1_1111_011 = -0b1.011 \times 2^7 = -176.0$  $0x3c = 0_0111_100 = +0b1.100 \times 2^{-1} = 0.75$  $0x7c = 0_1111_100 = +0b1.100 \times 27 = 192.0$  $0xbc = 1_0111_100 = -0b1.100 \times 2^-1 = -0.75$  $0xfc = 1_1111_100 = -0b1.100 \times 27 = -192.0$  $0x3d = 0_0111_101 = +0b1.101 \times 2^-1 = 0.8125$  $0x7d = 0_1111_101 = +0b1.101 \times 27 = 208.0$  $\mathtt{0xbd} = \mathtt{1\_0111\_101} = -\mathtt{0b1.101} \times \mathtt{2^--1} = -0.8125$  $0xfd = 1_1111_101 = -0b1.101 \times 27 = -208.0$  $0x3e = 0.0111.110 = +0b1.110 \times 2^-1 = 0.875$  $0x7e = 0_{-}1111_{-}110 = +0b1.110 \times 27 = 224.0$  $0xbe = 1_0111_110 = -0b1.110 \times 2^-1 = -0.875$  $0xfe = 1.1111.110 = -0b1.110 \times 27 = -224.0$  $0x3f = 0_0111_111 = +0b1.111 \times 2^-1 = 0.9375$  $0xbf = 1_0111_111 = -0b1.111 \times 2^-1 = -0.9375$  $0x7f = 0_1111_111 = +Inf$ 0xff = 1.1111.111 = -Inf

### **C.4 Value Table: P5,** p = 5, emax = 3

```
0x00 = 0.000_0000 = 0.0
                                                           0x40 = 0.100.0000 = +0b1.0000 \times 2^{\circ} = 1.0
                                                                                                                  0x80 = 1_000_0000 = NaN
                                                                                                                                                                               0xc0 = 1.100.0000 = -0b1.0000 \times 2^{\circ}0 = -1.0
0x01 = 0.000.0001 = +0b0.0001 \times 2^{-3} = 0.0078125
                                                           0x41 = 0.100.0001 = +0b1.0001 \times 2^{\circ}0 = 1.0625
                                                                                                                  0x81 = 1_000_0001 = -0b0.0001 \times 2^{-3} = -0.0078125
                                                                                                                                                                              0xc1 = 1_100_0001 = -0b1.0001 \times 2^{\circ} = -1.0625
0x02 = 0.000.0010 = +0b0.0010 \times 2^{-3} = 0.015625
                                                           0x42 = 0.100.0010 = +0b1.0010 \times 2^{\circ}0 = 1.125
                                                                                                                  0x82 = 1.000.0010 = -0b0.0010 \times 2^{-3} = -0.015625
                                                                                                                                                                              0xc2 = 1.100.0010 = -0b1.0010 \times 2^{\circ}0 = -1.125
0x03 = 0.000.0011 = +0b0.0011 \times 2^{-3} = 0.0234375
                                                           0x43 = 0.100.0011 = +0b1.0011 \times 2^{\circ} = 1.1875
                                                                                                                  0x83 = 1.000 \cdot 0011 = -0b0 \cdot 0011 \times 2^{-3} = -0.0234375
                                                                                                                                                                              0xc3 = 1.100.0011 = -0b1.0011 \times 2^{\circ}0 = -1.1875
0x04 = 0.000.0100 = +0b0.0100 \times 2^{-3} = 0.03125
                                                           0x44 = 0.100.0100 = +0b1.0100 \times 2^{\circ} = 1.25
                                                                                                                  0x84 = 1.000.0100 = -0b0.0100 \times 2^{-3} = -0.03125
                                                                                                                                                                              0xc4 = 1.100.0100 = -0b1.0100 \times 2^{\circ} = -1.25
0x05 = 0.000_0101 = +0b0.0101 \times 2^{-3} = 0.0390625
                                                           0x45 = 0.100.0101 = +0b1.0101 \times 2^{\circ} = 1.3125
                                                                                                                  0x85 = 1_000_0101 = -0b0.0101 \times 2^{-3} = -0.0390625
                                                                                                                                                                              0xc5 = 1_100_0101 = -0b1.0101 \times 2^{\circ} = -1.3125
0x06 = 0.000.0110 = +0b0.0110 \times 2^{-3} = 0.046875
                                                           0x46 = 0.100.0110 = +0b1.0110 \times 2^{\circ}0 = 1.375
                                                                                                                  0x86 = 1.000.0110 = -0b0.0110 \times 2^{-3} = -0.046875
                                                                                                                                                                              0xc6 = 1.100.0110 = -0b1.0110 \times 2^{\circ} = -1.375
0x07 = 0.000.0111 = +0b0.0111 \times 2^{-3} = 0.0546875
                                                           0x47 = 0.100.0111 = +0b1.0111 \times 2^{\circ} = 1.4375
                                                                                                                  0x87 = 1.000_0111 = -0b0.0111 \times 2^{-3} = -0.0546875
                                                                                                                                                                              0xc7 = 1.100.0111 = -0b1.0111 \times 2^{\circ} = -1.4375
0x08 = 0.000_1000 = +0b0.1000 \times 2^{-3} = 0.0625
                                                                                                                  0x88 = 1.000.1000 = -0b0.1000 \times 2^{-3} = -0.0625
                                                                                                                                                                              0xc8 = 1_100_1000 = -0b1.1000 \times 2^0 = -1.5
                                                           0x48 = 0_100_1000 = +0b1.1000 \times 2^0 = 1.5
                                                           0x49 = 0_100_1001 = +0b1.1001 \times 2^{\circ}0 = 1.5625
0x09 = 0.000_1001 = +0b0.1001 \times 2^{-3} = 0.0703125
                                                                                                                  0x89 = 1_000_1001 = -0b0.1001 \times 2^{-3} = -0.0703125
                                                                                                                                                                              0xc9 = 1_100_1001 = -0b1.1001 \times 20 = -1.5625
0x0a = 0.000_{-}1010 = +0b0.1010 \times 2^{-}3 = 0.078125
                                                           0x4a = 0.100.1010 = +0b1.1010 \times 2^{\circ}0 = 1.625
                                                                                                                  0x8a = 1.000.1010 = -0b0.1010 \times 2^{-3} = -0.078125
                                                                                                                                                                              0xca = 1.100.1010 = -0b1.1010 \times 2^{\circ}0 = -1.625
0x0b = 0.000 \cdot 1011 = +0b0 \cdot 1011 \times 2^{-3} = 0.0859375
                                                           0x4b = 0.100.1011 = +0b1.1011 \times 2^{\circ} = 1.6875
                                                                                                                  0x8b = 1.000_{-}1011 = -0b0.1011 \times 2^{-3} = -0.0859375
                                                                                                                                                                              0xcb = 1.100.1011 = -0b1.1011 \times 2^{\circ}0 = -1.6875
0x0c = 0.000_{-}1100 = +0b0.1100 \times 2^{-}3 = 0.09375
                                                           0x4c = 0_100_1100 = +0b1.1100 \times 2^{\circ} = 1.75
                                                                                                                  0x8c = 1_000_1100 = -0b0.1100 \times 2^{-3} = -0.09375
                                                                                                                                                                              0xcc = 1.100.1100 = -0b1.1100 \times 2^{\circ} = -1.75
0x0d = 0.000_1101 = +0b0.1101 \times 2^{-3} = 0.1015625
                                                           0x4d = 0.100.1101 = +0b1.1101 \times 2^{\circ} = 1.8125
                                                                                                                  0x8d = 1_000_1101 = -0b0.1101 \times 2^{-3} = -0.1015625
                                                                                                                                                                              0xcd = 1_100_1101 = -0b1.1101 \times 2^{\circ} = -1.8125
0x0e = 0.000_{-}1110 = +0b0.1110 \times 2^{-}3 = 0.109375
                                                           0x4e = 0.100.1110 = +0b1.1110 \times 2^{\circ}0 = 1.875
                                                                                                                  0x8e = 1.000.1110 = -0b0.1110 \times 2^{-3} = -0.109375
                                                                                                                                                                              0xce = 1.100.1110 = -0b1.1110 \times 2^{\circ} = -1.875
0x0f = 0.000.1111 = +0b0.1111 \times 2^{-3} = 0.1171875
                                                           0x4f = 0.100.1111 = +0b1.1111 \times 2^{\circ} = 1.9375
                                                                                                                  0x8f = 1.000_11111 = -0b0.1111 \times 2^{-3} = -0.1171875
                                                                                                                                                                              0xcf = 1.100.1111 = -0b1.1111 \times 2^{\circ} = -1.9375
                                                                                                                                                                              0xd0 = 1_101_0000 = -0b1.0000 \times 2^1 = -2.0
0x10 = 0.001.0000 = +0b1.0000 \times 2^{-3} = 0.125
                                                           0x50 = 0.101.0000 = +0b1.0000 \times 2^1 = 2.0
                                                                                                                  0x90 = 1_001_0000 = -0b1.0000 \times 2^{-3} = -0.125
0x11 = 0.001.0001 = +0b1.0001 \times 2^{-3} = 0.1328125
                                                           0x51 = 0_101_0001 = +0b1.0001 \times 2^1 = 2.125
                                                                                                                  0x91 = 1_001_0001 = -0b1.0001 \times 2^{-3} = -0.1328125
                                                                                                                                                                              0xd1 = 1_101_0001 = -0b1.0001 \times 2^1 = -2.125
0x12 = 0.001.0010 = +0b1.0010 \times 2^{-3} = 0.140625
                                                           0x52 = 0.101.0010 = +0b1.0010 \times 2^1 = 2.25
                                                                                                                  0x92 = 1.001.0010 = -0b1.0010 \times 2^{-3} = -0.140625
                                                                                                                                                                              0xd2 = 1.101.0010 = -0b1.0010 \times 2^1 = -2.25
                                                           0x53 = 0_101_0011 = +0b1.0011 \times 2^1 = 2.375
0x13 = 0.001.0011 = +0b1.0011 \times 2^{-3} = 0.1484375
                                                                                                                  0x93 = 1.001.0011 = -0b1.0011 \times 2^{-3} = -0.1484375
                                                                                                                                                                              0xd3 = 1.101.0011 = -0b1.0011 \times 2^1 = -2.375
0x14 = 0.001.0100 = +0b1.0100 \times 2^{-3} = 0.15625
                                                           0x54 = 0_101_0100 = +0b1.0100 \times 2^1 = 2.5
                                                                                                                  0x94 = 1.001.0100 = -0b1.0100 \times 2^{-3} = -0.15625
                                                                                                                                                                              0xd4 = 1_101_0100 = -0b1.0100 \times 2^1 = -2.5
0x15 = 0.001.0101 = +0b1.0101 \times 2^{-3} = 0.1640625
                                                           0x55 = 0_101_0101 = +0b1.0101 \times 2^1 = 2.625
                                                                                                                  0x95 = 1_001_0101 = -0b1.0101 \times 2^{-3} = -0.1640625
                                                                                                                                                                              0xd5 = 1.101.0101 = -0b1.0101 \times 2^1 = -2.625
0x16 = 0.001.0110 = +0b1.0110 \times 2^{-3} = 0.171875
                                                           0x56 = 0.101.0110 = +0b1.0110 \times 2^1 = 2.75
                                                                                                                  0x96 = 1.001.0110 = -0b1.0110 \times 2^{-3} = -0.171875
                                                                                                                                                                              0xd6 = 1_{-}101_{-}0110 = -0b1_{-}0110 \times 2^{-}1 = -2.75
0x17 = 0.001.0111 = +0b1.0111 \times 2^{-3} = 0.1796875
                                                           0x57 = 0.101.0111 = +0b1.0111 \times 2^1 = 2.875
                                                                                                                  0x97 = 1.001.0111 = -0b1.0111 \times 2^{-3} = -0.1796875
                                                                                                                                                                              0xd7 = 1.101.0111 = -0b1.0111 \times 2^1 = -2.875
0x18 = 0.001.1000 = +0b1.1000 \times 2^{-3} = 0.1875
                                                           0x58 = 0_101_1000 = +0b1.1000 \times 2^1 = 3.0
                                                                                                                  0x98 = 1.001.1000 = -0b1.1000 \times 2^{-3} = -0.1875
                                                                                                                                                                              0xd8 = 1_101_1000 = -0b1.1000 \times 2^1 = -3.0
0x19 = 0.001_1001 = +0b1.1001 \times 2^{-3} = 0.1953125
                                                           0x59 = 0_101_1001 = +0b1.1001 \times 2^1 = 3.125
                                                                                                                  0x99 = 1_001_1001 = -0b1.1001 \times 2^{-3} = -0.1953125
                                                                                                                                                                              0xd9 = 1_101_1001 = -0b1.1001 \times 2^1 = -3.125
0x1a = 0.001.1010 = +0b1.1010 \times 2^{-3} = 0.203125
                                                           0x5a = 0.101.1010 = +0b1.1010 \times 2^1 = 3.25
                                                                                                                  0x9a = 1.001.1010 = -0b1.1010 \times 2^{-3} = -0.203125
                                                                                                                                                                              0xda = 1.101.1010 = -0b1.1010 \times 2^1 = -3.25
0x1b = 0.001.1011 = +0b1.1011 \times 2^{-3} = 0.2109375
                                                           0x5b = 0.101.1011 = +0b1.1011 \times 2^1 = 3.375
                                                                                                                  0x9b = 1.001.1011 = -0b1.1011 \times 2^{-3} = -0.2109375
                                                                                                                                                                              0xdb = 1.101.1011 = -0b1.1011 \times 2^1 = -3.375
0x1c = 0.001.1100 = +0b1.1100 \times 2^{-3} = 0.21875
                                                           0x5c = 0_101_1100 = +0b1.1100 \times 2^1 = 3.5
                                                                                                                  0x9c = 1_001_1100 = -0b1.1100 \times 2^3 = -0.21875
                                                                                                                                                                              0xdc = 1_101_1100 = -0b1.1100 \times 2^1 = -3.5
                                                                                                                  0x9d = 1_001_1101 = -0b1.1101 \times 2^-3 = -0.2265625
0x1d = 0.001_1101 = +0b1.1101 \times 2^{-3} = 0.2265625
                                                           0x5d = 0_101_1101 = +0b1.1101 \times 2^1 = 3.625
                                                                                                                                                                              0xdd = 1_101_1101 = -0b1.1101 \times 2^1 = -3.625
0x1e = 0.001.1110 = +0b1.1110 \times 2^{-3} = 0.234375
                                                                                                                  0x9e = 1.001.1110 = -0b1.1110 \times 2^{-3} = -0.234375
                                                           0x5e = 0.101.1110 = +0b1.1110 \times 2^1 = 3.75
                                                                                                                                                                              0xde = 1.101.1110 = -0b1.1110 \times 2^1 = -3.75
0x1f = 0.001.1111 = +0b1.1111 \times 2^{-3} = 0.2421875
                                                           0x5f = 0.101.1111 = +0b1.1111 \times 2^1 = 3.875
                                                                                                                  0x9f = 1.001.1111 = -0b1.1111 \times 2^{-3} = -0.2421875
                                                                                                                                                                              0xdf = 1.101.1111 = -0b1.1111 \times 2^1 = -3.875
0x20 = 0.010.0000 = +0b1.0000 \times 2^{-2} = 0.25
                                                           0x60 = 0_110_0000 = +0b1.0000 \times 2^2 = 4.0
                                                                                                                  0xa0 = 1.010.0000 = -0b1.0000 \times 2^{-2} = -0.25
                                                                                                                                                                              0xe0 = 1.110.0000 = -0b1.0000 \times 2^2 = -4.0
0x21 = 0_010_0001 = +0b1.0001 \times 2^2 = 0.265625
                                                           0x61 = 0_110_0001 = +0b1.0001 \times 2^2 = 4.25
                                                                                                                  0xa1 = 1_010_0001 = -0b1.0001 \times 2^2 = -0.265625
                                                                                                                                                                              0xe1 = 1_110_0001 = -0b1.0001 \times 2^2 = -4.25
0x22 = 0.010.0010 = +0b1.0010 \times 2^{-2} = 0.28125
                                                           0x62 = 0.110.0010 = +0b1.0010 \times 2^2 = 4.5
                                                                                                                  0xa2 = 1.010.0010 = -0b1.0010 \times 2^{-2} = -0.28125
                                                                                                                                                                              0xe2 = 1.110.0010 = -0b1.0010 \times 2^2 = -4.5
0x23 = 0.010.0011 = +0b1.0011 \times 2^{-2} = 0.296875
                                                           0x63 = 0.110.0011 = +0b1.0011 \times 2^2 = 4.75
                                                                                                                  0xa3 = 1.010.0011 = -0b1.0011 \times 2^{-2} = -0.296875
                                                                                                                                                                              0xe3 = 1.110.0011 = -0b1.0011 \times 2^2 = -4.75
0x24 = 0_010_0100 = +0b1.0100 \times 2^2 = 0.3125
                                                           0x64 = 0_110_0100 = +0b1.0100 \times 2^2 = 5.0
                                                                                                                  0xa4 = 1_010_0100 = -0b1.0100 \times 2^2 = -0.3125
                                                                                                                                                                              0xe4 = 1_110_0100 = -0b1.0100 \times 2^2 = -5.0
0x25 = 0.010.0101 = +0b1.0101 \times 2^{-2} = 0.328125
                                                           0x65 = 0_110_0101 = +0b1.0101 \times 2^2 = 5.25
                                                                                                                  0xa5 = 1_010_0101 = -0b1.0101 \times 2^2 = -0.328125
                                                                                                                                                                              0xe5 = 1_110_0101 = -0b1.0101 \times 2^2 = -5.25
0x26 = 0.010.0110 = +0b1.0110 \times 2^{-2} = 0.34375
                                                           0x66 = 0.110.0110 = +0b1.0110 \times 2^2 = 5.5
                                                                                                                  0xa6 = 1.010.0110 = -0b1.0110 \times 2^{-2} = -0.34375
                                                                                                                                                                              0xe6 = 1_110_0110 = -0b1.0110 \times 2^2 = -5.5
0x27 = 0_010_0111 = +0b1.0111 \times 2^2 = 0.359375
                                                           0x67 = 0.110.0111 = +0b1.0111 \times 2^2 = 5.75
                                                                                                                  0xa7 = 1.010.0111 = -0b1.0111 \times 2^{-2} = -0.359375
                                                                                                                                                                              0xe7 = 1.110.0111 = -0b1.0111 \times 2^2 = -5.75
0 \\ x \\ 28 = 0 \\ \_010 \\ \_1000 = +0 \\ b1.1000 \\ \times 2^-2 = 0.375
                                                           0x68 = 0_110_1000 = +0b1.1000 \times 2^2 = 6.0
                                                                                                                  0xa8 = 1_010_1000 = -0b1.1000 \times 2^2 = -0.375
                                                                                                                                                                              0xe8 = 1_110_1000 = -0b1.1000 \times 2^2 = -6.0
0x29 = 0_010_1001 = +0b1.1001 \times 2^2 = 0.390625
                                                           0x69 = 0_110_1001 = +0b1.1001 \times 2^2 = 6.25
                                                                                                                  0xa9 = 1_010_1001 = -0b1.1001 \times 2^2 = -0.390625
                                                                                                                                                                              0xe9 = 1_110_1001 = -0b1.1001 \times 2^2 = -6.25
0x2a = 0.010.1010 = +0b1.1010 \times 2^{-2} = 0.40625
                                                           0x6a = 0.110.1010 = +0b1.1010 \times 2^2 = 6.5
                                                                                                                  0xaa = 1.010.1010 = -0b1.1010 \times 2^{-2} = -0.40625
                                                                                                                                                                              0xea = 1.110.1010 = -0b1.1010 \times 2^2 = -6.5
0x2b = 0.010.1011 = +0b1.1011 \times 2^{-2} = 0.421875
                                                           0x6b = 0.110.1011 = +0b1.1011 \times 2^2 = 6.75
                                                                                                                  0xab = 1.010.1011 = -0b1.1011 \times 2^{-2} = -0.421875
                                                                                                                                                                              0xeb = 1.110.1011 = -0b1.1011 \times 2^2 = -6.75
0x2c = 0_010_1100 = +0b1.1100 \times 2^2 = 0.4375
                                                           0x6c = 0.110.1100 = +0b1.1100 \times 2^2 = 7.0
                                                                                                                  0xac = 1_010_1100 = -0b1.1100 \times 2^2 = -0.4375
                                                                                                                                                                              0 \text{xec} = 1.110.1100 = -0b1.1100 \times 2^2 = -7.0
0x2d = 0.010.1101 = +0b1.1101 \times 2^{-2} = 0.453125
                                                           0x6d = 0_110_1101 = +0b1.1101 \times 2^2 = 7.25
                                                                                                                  0xad = 1_010_1101 = -0b1.1101 \times 2^2 = -0.453125
                                                                                                                                                                              0xed = 1_110_1101 = -0b1.1101 \times 2^2 = -7.25
0x2e = 0.010.1110 = +0b1.1110 \times 2^{-2} = 0.46875
                                                           0x6e = 0.110.1110 = +0b1.1110 \times 2^2 = 7.5
                                                                                                                  0xae = 1.010.1110 = -0b1.1110 \times 2^2 = -0.46875
                                                                                                                                                                              0xee = 1.110.1110 = -0b1.1110 \times 2^2 = -7.5
0x2f = 0.010.1111 = +0b1.1111 \times 2^{-2} = 0.484375
                                                           0x6f = 0_110_1111 = +0b1.1111 \times 2^2 = 7.75
                                                                                                                  0xaf = 1.010.1111 = -0b1.1111 \times 2^{-2} = -0.484375
                                                                                                                                                                              0xef = 1.110.1111 = -0b1.1111 \times 2^2 = -7.75
0x30 = 0.011.0000 = +0b1.0000 \times 2^{-1} = 0.5
                                                           0x70 = 0_111_0000 = +0b1.0000 \times 2^3 = 8.0
                                                                                                                  0xb0 = 1_011_0000 = -0b1.0000 \times 2^{-1} = -0.5
                                                                                                                                                                              0xf0 = 1_111_0000 = -0b1.0000 \times 2^3 = -8.0
0x31 = 0_011_0001 = +0b1.0001 \times 2^-1 = 0.53125
                                                           0x71 = 0_111_0001 = +0b1.0001 \times 2^3 = 8.5
                                                                                                                  0xb1 = 1_011_0001 = -0b1.0001 \times 2^-1 = -0.53125
                                                                                                                                                                              0xf1 = 1_111_0001 = -0b1.0001 \times 2^3 = -8.5
0x32 = 0.011.0010 = +0b1.0010 \times 2^-1 = 0.5625
                                                           0x72 = 0.111.0010 = +0b1.0010 \times 2^3 = 9.0
                                                                                                                  0xb2 = 1.011.0010 = -0b1.0010 \times 2^{-1} = -0.5625
                                                                                                                                                                              0xf2 = 1.111.0010 = -0b1.0010 \times 2^3 = -9.0
0x33 = 0.011.0011 = +0b1.0011 \times 2^{-1} = 0.59375
                                                           0x73 = 0_111_0011 = +0b1.0011 \times 2^3 = 9.5
                                                                                                                  0xb3 = 1_011_0011 = -0b1.0011 \times 2^-1 = -0.59375
                                                                                                                                                                              0xf3 = 1_111_0011 = -0b1.0011 \times 2^3 = -9.5
0x34 = 0.011.0100 = +0b1.0100 \times 2^{-1} = 0.625
                                                           0x74 = 0.111.0100 = +0b1.0100 \times 2^3 = 10.0
                                                                                                                  0xb4 = 1_011_0100 = -0b1.0100 \times 2^-1 = -0.625
                                                                                                                                                                              0xf4 = 1_111_0100 = -0b1.0100 \times 2^3 = -10.0
0x35 = 0.011.0101 = +0b1.0101 \times 2^{-1} = 0.65625
                                                           0x75 = 0.111_0101 = +0b1.0101 \times 2^3 = 10.5
                                                                                                                  0xb5 = 1_011_0101 = -0b1.0101 \times 2^-1 = -0.65625
                                                                                                                                                                              0xf5 = 1_111_0101 = -0b1.0101 \times 2^3 = -10.5
0x36 = 0.011.0110 = +0b1.0110 \times 2^{-1} = 0.6875
                                                           0x76 = 0.111.0110 = +0b1.0110 \times 2^3 = 11.0
                                                                                                                  0xb6 = 1.011.0110 = -0b1.0110 \times 2^{-1} = -0.6875
                                                                                                                                                                              0xf6 = 1.111.0110 = -0b1.0110 \times 2^3 = -11.0
0x37 = 0.011.0111 = +0b1.0111 \times 2^-1 = 0.71875
                                                           0x77 = 0.111.0111 = +0b1.0111 \times 2^3 = 11.5
                                                                                                                  0xb7 = 1_011_0111 = -0b1.0111 \times 2^-1 = -0.71875
                                                                                                                                                                              0xf7 = 1_111_0111 = -0b1.0111 \times 2^3 = -11.5
0x38 = 0_011_1000 = +0b1.1000 \times 2^-1 = 0.75
                                                           0x78 = 0_111_1000 = +0b1.1000 \times 2^3 = 12.0
                                                                                                                  0xb8 = 1_011_1000 = -0b1.1000 \times 2^-1 = -0.75
                                                                                                                                                                              0xf8 = 1_111_1000 = -0b1.1000 \times 2^3 = -12.0
0x39 = 0_011_1001 = +0b1.1001 \times 2^-1 = 0.78125
                                                           0x79 = 0_111_1001 = +0b1.1001 \times 2^3 = 12.5
                                                                                                                  0xb9 = 1_011_1001 = -0b1.1001 \times 2^-1 = -0.78125
                                                                                                                                                                              0xf9 = 1_111_1001 = -0b1.1001 \times 2^3 = -12.5
0x3a = 0.011.1010 = +0b1.1010 \times 2^{-1} = 0.8125
                                                           0x7a = 0.111.1010 = +0b1.1010 \times 2^3 = 13.0
                                                                                                                  0xba = 1.011.1010 = -0b1.1010 \times 2^{-1} = -0.8125
                                                                                                                                                                              0xfa = 1.111.1010 = -0b1.1010 \times 2^3 = -13.0
0x3b = 0_011_1011 = +0b1.1011 \times 2^-1 = 0.84375
                                                           0x7b = 0_111_1011 = +0b1.1011 \times 2^3 = 13.5
                                                                                                                  0xbb = 1_011_1011 = -0b1.1011 \times 2^-1 = -0.84375
                                                                                                                                                                              0xfb = 1_111_1011 = -0b1.1011 \times 2^3 = -13.5
0x3c = 0_011_1100 = +0b1.1100 \times 2^{-1} = 0.875
                                                           0x7c = 0_111_1100 = +0b1.1100 \times 2^3 = 14.0
                                                                                                                  0xbc = 1_011_1100 = -0b1.1100 \times 2^{-1} = -0.875
                                                                                                                                                                              0xfc = 1_111_1100 = -0b1.1100 \times 2^3 = -14.0
0x3d = 0_011_1101 = +0b1.1101 \times 2^-1 = 0.90625
                                                           {\tt 0x7d} = {\tt 0\_111\_1101} = +0{\tt b1.1101}{\times}2{\tt \^{-}3} = 14.5
                                                                                                                  0xbd = 1\_011\_1101 = -0b1.1101 \times 2^-1 = -0.90625
                                                                                                                                                                              0xfd = 1_111_1101 = -0b1.1101 \times 2^3 = -14.5
0x3e = 0.011.1110 = +0b1.1110 \times 2^{-1} = 0.9375
                                                           0x7e = 0.111.1110 = +0b1.1110 \times 2^3 = 15.0
                                                                                                                  0xbe = 1.011.1110 = -0b1.1110 \times 2^-1 = -0.9375
                                                                                                                                                                              0xfe = 1.111.1110 = -0b1.1110 \times 2^3 = -15.0
0x3f = 0_011_1111 = +0b1.1111 \times 2^-1 = 0.96875
                                                           0x7f = 0_{-}111_{-}1111 = +Inf
                                                                                                                  0xbf = 1_011_1111 = -0b1.1111 \times 2^-1 = -0.96875
                                                                                                                                                                              0xff = 1_111_1111 = -Inf
```

# **C.5 Value Table: P6,** p = 6, emax = 1

```
0x00 = 0.0000000 = 0.0
                                                            0x40 = 0.10.00000 = +0b1.00000 \times 20 = 1.0
                                                                                                                    0x80 = 1_00_00000 = NaN
                                                                                                                                                                                0xc0 = 1_10_00000 = -0b1.00000 \times 2^0 = -1.0
0x01 = 0.00.00001 = +0b0.00001 \times 2^{-1} = 0.015625
                                                                                                                    0x81 = 1_00_00001 = -0b0.00001 \times 2^-1 = -0.015625
                                                           0x41 = 0_10_00001 = +0b1.00001 \times 2^0 = 1.03125
                                                                                                                                                                                0xc1 = 1_10_00001 = -0b1.00001 \times 2^0 = -1.03125
0x02 = 0.00.00010 = +0b0.00010 \times 2^{-1} = 0.03125
                                                           0x42 = 0.10.00010 = +0b1.00010 \times 2^{\circ} = 1.0625
                                                                                                                    0x82 = 1.00.00010 = -0b0.00010 \times 2^{-1} = -0.03125
                                                                                                                                                                                0xc2 = 1.10.00010 = -0b1.00010 \times 2^{\circ} = -1.0625
0x03 = 0.00.00011 = +0b0.00011 \times 2^{-1} = 0.046875
                                                           0x43 = 0.10.00011 = +0b1.00011 \times 20 = 1.09375
                                                                                                                    0x83 = 1_00_00011 = -0b0.00011 \times 2^-1 = -0.046875
                                                                                                                                                                                0xc3 = 1.10.00011 = -0b1.00011 \times 2^{\circ} = -1.09375
0x04 = 0.00.00100 = +0b0.00100 \times 2^{-1} = 0.0625
                                                           0x44 = 0.10.00100 = +0b1.00100 \times 2^{\circ} = 1.125
                                                                                                                    0x84 = 1.00.00100 = -0b0.00100 \times 2^{-1} = -0.0625
                                                                                                                                                                                0xc4 = 1_10_00100 = -0b1.00100 \times 2^0 = -1.125
                                                                                                                    0x85 = 1_00_00101 = -0b0.00101 \times 2^-1 = -0.078125
0x05 = 0.00.00101 = +0b0.00101 \times 2^{-1} = 0.078125
                                                           0x45 = 0.10.00101 = +0b1.00101 \times 2^{\circ} = 1.15625
                                                                                                                                                                                0xc5 = 1_10_00101 = -0b1.00101 \times 2^0 = -1.15625
0x06 = 0.00.00110 = +0b0.00110 \times 2^{-1} = 0.09375
                                                           0x46 = 0.10.00110 = +0b1.00110 \times 2^{\circ} = 1.1875
                                                                                                                    0x86 = 1.00.00110 = -0b0.00110 \times 2^{-1} = -0.09375
                                                                                                                                                                                0xc6 = 1.10.00110 = -0b1.00110 \times 2^{\circ}0 = -1.1875
0x07 = 0.00.00111 = +0b0.00111 \times 2^{-1} = 0.109375
                                                           0x47 = 0.10.00111 = +0b1.00111 \times 2^{\circ} = 1.21875
                                                                                                                    0x87 = 1.00.00111 = -0b0.00111 \times 2^{-1} = -0.109375
                                                                                                                                                                                0xc7 = 1.10.00111 = -0b1.00111 \times 2^{\circ} = -1.21875
                                                                                                                    0x88 = 1_00_01000 = -0b0.01000 \times 2^-1 = -0.125
0x08 = 0.00.01000 = +0b0.01000 \times 2^{-1} = 0.125
                                                                                                                                                                                0xc8 = 1_10_01000 = -0b1.01000 \times 2^{\circ} = -1.25
                                                           0x48 = 0.10.01000 = +0b1.01000 \times 2^{\circ} = 1.25
0 \\ x \\ 0 \\ 9 \\ 0 \\ 0 \\ 0 \\ 0 \\ 1001 \\ = +0 \\ b \\ 0.01001 \\ \times 2 \\ \hat{} \\ -1 \\ = 0.140625
                                                                                                                    0x89 = 1_00_01001 = -0b0.01001 \times 2^-1 = -0.140625
                                                           0x49 = 0.10.01001 = +0b1.01001 \times 20 = 1.28125
                                                                                                                                                                                0xc9 = 1_10_01001 = -0b1.01001 \times 2^{\circ} = -1.28125
0x0a = 0.00.01010 = +0b0.01010 \times 2^{-1} = 0.15625
                                                           0x4a = 0.10.01010 = +0b1.01010 \times 2^{\circ} = 1.3125
                                                                                                                    0x8a = 1.00.01010 = -0b0.01010 \times 2^{-1} = -0.15625
                                                                                                                                                                                0xca = 1.10.01010 = -0b1.01010 \times 20 = -1.3125
0x0b = 0.00.01011 = +0b0.01011 \times 2^{-1} = 0.171875
                                                           0x4b = 0.10.01011 = +0b1.01011 \times 20 = 1.34375
                                                                                                                    0x8b = 1.00.01011 = -0b0.01011 \times 2^{-1} = -0.171875
                                                                                                                                                                                0xcb = 1_{-}10_{-}01011 = -0b1_{-}01011 \times 2^{\circ}0 = -1_{-}34375
0x0c = 0.00.01100 = +0b0.01100 \times 2^{-1} = 0.1875
                                                            0x4c = 0_10_01100 = +0b1.01100 \times 2^{\circ} = 1.375
                                                                                                                    0x8c = 1_00_01100 = -0b0.01100 \times 2^-1 = -0.1875
                                                                                                                                                                                0xcc = 1_{-}10_{-}01100 = -0b1.01100 \times 2^{\circ}0 = -1.375
0x0d = 0_00_01101 = +0b0.01101 \times 2^-1 = 0.203125
                                                           0x4d = 0_10_01101 = +0b1.01101 \times 20 = 1.40625
                                                                                                                    0x8d = 1_00_01101 = -0b0.01101 \times 2^-1 = -0.203125
                                                                                                                                                                                0xcd = 1_10_01101 = -0b1.01101 \times 2^0 = -1.40625
0x0e = 0.00.01110 = +0b0.01110 \times 2^{-1} = 0.21875
                                                           0x4e = 0.10.01110 = +0b1.01110 \times 2^{\circ} = 1.4375
                                                                                                                    0x8e = 1.00.01110 = -0b0.01110 \times 2^{-1} = -0.21875
                                                                                                                                                                                0xce = 1.10.01110 = -0b1.01110 \times 2^{\circ} = -1.4375
0x0f = 0.00.01111 = +0b0.01111 \times 2^{-1} = 0.234375
                                                           0x4f = 0.10.01111 = +0b1.01111 \times 2^{\circ} = 1.46875
                                                                                                                    0x8f = 1.00.01111 = -0b0.01111 \times 2^{-1} = -0.234375
                                                                                                                                                                                0xcf = 1.10.01111 = -0b1.01111 \times 2^{\circ} = -1.46875
0x10 = 0.00.10000 = +0b0.10000 \times 2^{-1} = 0.25
                                                           0x50 = 0.10.10000 = +0b1.10000 \times 2^{\circ} = 1.5
                                                                                                                    0x90 = 1.00.10000 = -0b0.10000 \times 2^{-1} = -0.25
                                                                                                                                                                                0xd0 = 1.10.10000 = -0b1.10000 \times 2^{\circ} = -1.5
0x11 = 0.00_10001 = +0b0.10001 \times 2^-1 = 0.265625
                                                           0x51 = 0_{-}10_{-}10001 = +0b1.10001 \times 2^{\circ}0 = 1.53125
                                                                                                                    0x91 = 1_00_10001 = -0b0.10001 \times 2^-1 = -0.265625
                                                                                                                                                                                0xd1 = 1_10_10001 = -0b1.10001 \times 2^0 = -1.53125
                                                                                                                    0x92 = 1.00.10010 = -0b0.10010 \times 2^{-1} = -0.28125
0x12 = 0.00.10010 = +0b0.10010 \times 2^{-1} = 0.28125
                                                           0x52 = 0.10.10010 = +0b1.10010 \times 2\% = 1.5625
                                                                                                                                                                                0xd2 = 1_{-}10_{-}10010 = -0b1.10010 \times 2^{\circ}0 = -1.5625
                                                           0x53 = 0.10.10011 = +0b1.10011 \times 20 = 1.59375
0x13 = 0.00_{-}10011 = +0b0.10011 \times 2^{-1} = 0.296875
                                                                                                                    0x93 = 1.00.10011 = -0b0.10011 \times 2^{-1} = -0.296875
                                                                                                                                                                                0xd3 = 1.10.10011 = -0b1.10011 \times 2^{\circ}0 = -1.59375
0x14 = 0.00_{-}10100 = +0b0.10100 \times 2^{-}1 = 0.3125
                                                           0x54 = 0_10_10100 = +0b1.10100 \times 20 = 1.625
                                                                                                                    0x94 = 1.00.10100 = -0b0.10100 \times 2^{-1} = -0.3125
                                                                                                                                                                                0xd4 = 1_10_10100 = -0b1.10100 \times 2^{\circ} = -1.625
0x15 = 0.00_{-}10101 = +0b0.10101 \times 2^{-1} = 0.328125
                                                           0x55 = 0.10.10101 = +0b1.10101 \times 20 = 1.65625
                                                                                                                    0x95 = 1_00_10101 = -0b0.10101 \times 2^{-1} = -0.328125
                                                                                                                                                                                0xd5 = 1_10_10101 = -0b1.10101 \times 2^{\circ}0 = -1.65625
0x16 = 0.00.10110 = +0b0.10110 \times 2^{-1} = 0.34375
                                                           0x56 = 0.10.10110 = +0b1.10110 \times 2^{\circ}0 = 1.6875
                                                                                                                    0x96 = 1.00.10110 = -0b0.10110 \times 2^{-1} = -0.34375
                                                                                                                                                                                0xd6 = 1.10.10110 = -0b1.10110 \times 2^{\circ} = -1.6875
0x17 = 0.00.10111 = +0b0.10111 \times 2^{-1} = 0.359375
                                                           0x57 = 0.10.10111 = +0b1.10111 \times 2^{\circ} = 1.71875
                                                                                                                    0x97 = 1.00.10111 = -0b0.10111 \times 2^{-1} = -0.359375
                                                                                                                                                                                0xd7 = 1.10.10111 = -0b1.10111 \times 2^{\circ} = -1.71875
0x18 = 0.00.11000 = +0b0.11000 \times 2^{-1} = 0.375
                                                           0x58 = 0.10.11000 = +0b1.11000 \times 2^{\circ}0 = 1.75
                                                                                                                    0x98 = 1_00_11000 = -0b0.11000 \times 2^-1 = -0.375
                                                                                                                                                                                0xd8 = 1_10_11000 = -0b1.11000 \times 20 = -1.75
0x19 = 0.00_11001 = +0b0.11001 \times 2^-1 = 0.390625
                                                           0x59 = 0.10.11001 = +0b1.11001 \times 20 = 1.78125
                                                                                                                    0x99 = 1_00_11001 = -0b0.11001 \times 2^-1 = -0.390625
                                                                                                                                                                                0xd9 = 1_10_11001 = -0b1.11001 \times 2^{\circ} = -1.78125
0x1a = 0.00.11010 = +0b0.11010 \times 2^{-1} = 0.40625
                                                           0x5a = 0.10.11010 = +0b1.11010 \times 20 = 1.8125
                                                                                                                    0x9a = 1.00.11010 = -0b0.11010 \times 2^{-1} = -0.40625
                                                                                                                                                                                0xda = 1.10.11010 = -0b1.11010 \times 2^{\circ} = -1.8125
0x1b = 0.00_11011 = +0b0.11011 \times 2^-1 = 0.421875
                                                           0x5b = 0.10.11011 = +0b1.11011 \times 20 = 1.84375
                                                                                                                    0x9b = 1_00_11011 = -0b0.11011 \times 2^-1 = -0.421875
                                                                                                                                                                                0xdb = 1.10.11011 = -0b1.11011 \times 2^{\circ} = -1.84375
                                                                                                                                                                                0xdc = 1_{-}10_{-}11100 = -0b1.11100 \times 2^{\circ}0 = -1.875
0x1c = 0.00_111100 = +0b0.11100 \times 2^-1 = 0.4375
                                                           0x5c = 0_10_11100 = +0b1.11100 \times 2^{\circ} = 1.875
                                                                                                                    0x9c = 1_00_11100 = -0b0.11100 \times 2^-1 = -0.4375
0x1d = 0.00_111101 = +0b0.11101 \times 2^-1 = 0.453125
                                                                                                                    0x9d = 1_00_11101 = -0b0.11101 \times 2^-1 = -0.453125
                                                                                                                                                                                0xdd = 1_10_11101 = -0b1.11101 \times 2^0 = -1.90625
                                                           0x5d = 0_10_111101 = +0b1.11101 \times 2^{\circ} = 1.90625
                                                           0x5e = 0.10.11110 = +0b1.11110 \times 2\% = 1.9375
0x1e = 0.00.111110 = +0b0.11110 \times 2^{-1} = 0.46875
                                                                                                                    0x9e = 1.00.111110 = -0b0.111110 \times 2^{-1} = -0.46875
                                                                                                                                                                                0xde = 1.10.11110 = -0b1.11110 \times 2^{\circ}0 = -1.9375
0x1f = 0.00_111111 = +0b0.111111 \times 2^{-1} = 0.484375
                                                                                                                    0x9f = 1.00.111111 = -0b0.111111 \times 2^{-1} = -0.484375
                                                           0x5f = 0.10.111111 = +0b1.111111 \times 2^{\circ} = 1.96875
                                                                                                                                                                                0xdf = 1_10_111111 = -0b1.111111 \times 2^{\circ} = -1.96875
0x20 = 0.01.00000 = +0b1.00000 \times 2^{-1} = 0.5
                                                           0x60 = 0.11.00000 = +0b1.00000 \times 2^1 = 2.0
                                                                                                                    0xa0 = 1_01_00000 = -0b1.00000 \times 2^-1 = -0.5
                                                                                                                                                                                0xe0 = 1_11_00000 = -0b1.00000 \times 2^1 = -2.0
0x21 = 0_01_00001 = +0b1.00001 \times 2^-1 = 0.515625
                                                           0x61 = 0_11_00001 = +0b1.00001 \times 2^1 = 2.0625
                                                                                                                    0xa1 = 1_01_00001 = -0b1.00001 \times 2^-1 = -0.515625
                                                                                                                                                                                0xe1 = 1_11_00001 = -0b1.00001 \times 2^1 = -2.0625
0x22 = 0.01.00010 = +0b1.00010 \times 2^{-1} = 0.53125
                                                           0x62 = 0.11.00010 = +0b1.00010 \times 2^1 = 2.125
                                                                                                                    0xa2 = 1.01.00010 = -0b1.00010 \times 2^{-1} = -0.53125
                                                                                                                                                                                0xe2 = 1_11_00010 = -0b1.00010 \times 2^1 = -2.125
0x23 = 0.01.00011 = +0b1.00011 \times 2^{-1} = 0.546875
                                                           0x63 = 0_11_00011 = +0b1.00011 \times 2^1 = 2.1875
                                                                                                                    0xa3 = 1_01_00011 = -0b1.00011 \times 2^-1 = -0.546875
                                                                                                                                                                                0xe3 = 1.11.00011 = -0b1.00011 \times 2^1 = -2.1875
0x24 = 0_01_00100 = +0b1.00100 \times 2^-1 = 0.5625
                                                           0x64 = 0_11_00100 = +0b1.00100 \times 2^1 = 2.25
                                                                                                                    0xa4 = 1_01_00100 = -0b1.00100 \times 2^-1 = -0.5625
                                                                                                                                                                                0xe4 = 1_11_00100 = -0b1.00100 \times 2^1 = -2.25
0x25 = 0_01_00101 = +0b1.00101 \times 2^-1 = 0.578125
                                                                                                                    0xa5 = 1_01_00101 = -0b1.00101 \times 2^-1 = -0.578125
                                                                                                                                                                                0xe5 = 1_11_00101 = -0b1.00101 \times 2^1 = -2.3125
                                                           0x65 = 0_11_00101 = +0b1.00101 \times 2^1 = 2.3125
0x26 = 0.01.00110 = +0b1.00110 \times 2^{-1} = 0.59375
                                                           0x66 = 0.11.00110 = +0b1.00110 \times 2^1 = 2.375
                                                                                                                    0xa6 = 1_01_00110 = -0b1.00110 \times 2^-1 = -0.59375
                                                                                                                                                                                0xe6 = 1.11.00110 = -0b1.00110 \times 2^1 = -2.375
                                                                                                                                                                                0xe7 = 1.11.00111 = -0b1.00111 \times 2^1 = -2.4375
0x27 = 0.01.00111 = +0b1.00111 \times 2^-1 = 0.609375
                                                           0x67 = 0.11.00111 = +0b1.00111 \times 2^1 = 2.4375
                                                                                                                    0xa7 = 1_01_00111 = -0b1.00111 \times 2^-1 = -0.609375
0x28 = 0_01_01000 = +0b1.01000 \times 2^-1 = 0.625
                                                           0x68 = 0_11_01000 = +0b1.01000 \times 2^1 = 2.5
                                                                                                                                                                                0xe8 = 1_11_01000 = -0b1.01000 \times 2^1 = -2.5
                                                                                                                    0xa8 = 1_01_01000 = -0b1.01000 \times 2^{-1} = -0.625
                                                                                                                    0xa9 = 1_01_01001 = -0b1.01001 \times 2^-1 = -0.640625
0x29 = 0_01_01001 = +0b1.01001 \times 2^-1 = 0.640625
                                                           0x69 = 0_11_01001 = +0b1.01001 \times 2^1 = 2.5625
                                                                                                                                                                                0xe9 = 1_11_01001 = -0b1.01001 \times 2^1 = -2.5625
0x2a = 0.01.01010 = +0b1.01010 \times 2^{-1} = 0.65625
                                                           0x6a = 0.11.01010 = +0b1.01010 \times 2^1 = 2.625
                                                                                                                    0xaa = 1.01.01010 = -0b1.01010 \times 2^{-1} = -0.65625
                                                                                                                                                                                0xea = 1.11.01010 = -0b1.01010 \times 2^1 = -2.625
0x2b = 0.01.01011 = +0b1.01011 \times 2^{-1} = 0.671875
                                                           0x6b = 0.11.01011 = +0b1.01011 \times 2^1 = 2.6875
                                                                                                                    0xab = 1_01_01011 = -0b1.01011 \times 2^-1 = -0.671875
                                                                                                                                                                                0xeb = 1.11.01011 = -0b1.01011 \times 2^1 = -2.6875
0x2c = 0_01_01100 = +0b1.01100 \times 2^-1 = 0.6875
                                                            0x6c = 0_11_01100 = +0b1.01100 \times 2^1 = 2.75
                                                                                                                    0xac = 1_01_01100 = -0b1.01100 \times 2^-1 = -0.6875
                                                                                                                                                                                 0 \text{xec} = 1_11_01100 = -0b1.01100 \times 2^1 = -2.75
0x2d = 0_01_01101 = +0b1.01101 \times 2^-1 = 0.703125
                                                           0x6d = 0_11_01101 = +0b1.01101 \times 2^1 = 2.8125
                                                                                                                    0xad = 1_01_01101 = -0b1.01101 \times 2^-1 = -0.703125
                                                                                                                                                                                0xed = 1_11_01101 = -0b1.01101 \times 2^1 = -2.8125
0x2e = 0.01.01110 = +0b1.01110 \times 2^-1 = 0.71875
                                                           0x6e = 0.11.01110 = +0b1.01110 \times 2^1 = 2.875
                                                                                                                    0xae = 1.01.01110 = -0b1.01110 \times 2^{-1} = -0.71875
                                                                                                                                                                                0xee = 1.11.01110 = -0b1.01110 \times 2^1 = -2.875
0x2f = 0_01_01111 = +0b1.01111 \times 2^-1 = 0.734375
                                                           0x6f = 0_11_01111 = +0b1.01111 \times 2^1 = 2.9375
                                                                                                                    0xaf = 1_01_01111 = -0b1.01111 \times 2^-1 = -0.734375
                                                                                                                                                                                0xef = 1.11.01111 = -0b1.01111 \times 2^1 = -2.9375
0x30 = 0.01.10000 = +0b1.10000 \times 2^{-1} = 0.75
                                                           0x70 = 0.11.10000 = +0b1.10000 \times 2^1 = 3.0
                                                                                                                    0xb0 = 1_01_10000 = -0b1.10000 \times 2^-1 = -0.75
                                                                                                                                                                                0xf0 = 1_11_10000 = -0b1.10000 \times 2^1 = -3.0
0x31 = 0_01_10001 = +0b1.10001 \times 2^-1 = 0.765625
                                                           0x71 = 0_11_10001 = +0b1.10001 \times 2^1 = 3.0625
                                                                                                                    0xb1 = 1_01_10001 = -0b1.10001 \times 2^-1 = -0.765625
                                                                                                                                                                                0xf1 = 1_11_10001 = -0b1.10001 \times 2^1 = -3.0625
0x32 = 0_01_10010 = +0b1.10010 \times 2^-1 = 0.78125
                                                           0x72 = 0.11.10010 = +0b1.10010 \times 2^1 = 3.125
                                                                                                                    0xb2 = 1_01_10010 = -0b1.10010 \times 2^-1 = -0.78125
                                                                                                                                                                                0xf2 = 1_11_0010 = -0b1.10010 \times 2^1 = -3.125
0x33 = 0.01.10011 = +0b1.10011 \times 2^-1 = 0.796875
                                                           0x73 = 0.11.10011 = +0b1.10011 \times 2^1 = 3.1875
                                                                                                                    0xb3 = 1_01_10011 = -0b1.10011 \times 2^-1 = -0.796875
                                                                                                                                                                                0xf3 = 1.11.10011 = -0b1.10011 \times 2^1 = -3.1875
0x34 = 0_01_10100 = +0b1.10100 \times 2^{-1} = 0.8125
                                                           0x74 = 0.11.10100 = +0b1.10100 \times 2^1 = 3.25
                                                                                                                    0xb4 = 1_01_10100 = -0b1.10100 \times 2^-1 = -0.8125
                                                                                                                                                                                0xf4 = 1_11_10100 = -0b1.10100 \times 2^1 = -3.25
0x35 = 0.01.10101 = +0b1.10101 \times 2^{-1} = 0.828125
                                                           0x75 = 0_11_10101 = +0b1.10101 \times 2^1 = 3.3125
                                                                                                                    0xb5 = 1_01_10101 = -0b1.10101 \times 2^-1 = -0.828125
                                                                                                                                                                                0xf5 = 1.11.10101 = -0b1.10101 \times 2^1 = -3.3125
0x36 = 0.01.10110 = +0b1.10110 \times 2^{-1} = 0.84375
                                                           0x76 = 0.11.10110 = +0b1.10110 \times 2^1 = 3.375
                                                                                                                    0xb6 = 1.01.10110 = -0b1.10110 \times 2^{-1} = -0.84375
                                                                                                                                                                                0xf6 = 1_11_10110 = -0b1.10110 \times 2^1 = -3.375
0x37 = 0.01.10111 = +0b1.10111 \times 2^{-1} = 0.859375
                                                           0x77 = 0_11_10111 = +0b1.10111 \times 2^1 = 3.4375
                                                                                                                    0xb7 = 1.01.10111 = -0b1.10111 \times 2^-1 = -0.859375
                                                                                                                                                                                0xf7 = 1.11.10111 = -0b1.10111 \times 2^1 = -3.4375
0x38 = 0_01_11000 = +0b1.11000 \times 2^-1 = 0.875
                                                            0x78 = 0_11_11000 = +0b1.11000 \times 2^1 = 3.5
                                                                                                                    0xb8 = 1_01_11000 = -0b1.11000 \times 2^-1 = -0.875
                                                                                                                                                                                0xf8 = 1_11_1000 = -0b1.11000 \times 2^1 = -3.5
0x39 = 0_01_11001 = +0b1.11001 \times 2^-1 = 0.890625
                                                           0x79 = 0_11_11001 = +0b1.11001 \times 2^1 = 3.5625
                                                                                                                    0xb9 = 1_01_11001 = -0b1.11001 \times 2^-1 = -0.890625
                                                                                                                                                                                0xf9 = 1_11_1001 = -0b1.11001 \times 2^1 = -3.5625
0x3a = 0.01.11010 = +0b1.11010 \times 2^{-1} = 0.90625
                                                           0x7a = 0.11.11010 = +0b1.11010 \times 2^1 = 3.625
                                                                                                                    0xba = 1.01.11010 = -0b1.11010 \times 2^{-1} = -0.90625
                                                                                                                                                                                0xfa = 1.11.11010 = -0b1.11010 \times 2^1 = -3.625
0x3b = 0_01_11011 = +0b1.11011 \times 2^-1 = 0.921875
                                                           0x7b = 0_11_11011 = +0b1.11011 \times 2^1 = 3.6875
                                                                                                                    0xbb = 1_01_11011 = -0b1.11011 \times 2^-1 = -0.921875
                                                                                                                                                                                0xfb = 1.11.11011 = -0b1.11011 \times 2^1 = -3.6875
0x3c = 0_01_11100 = +0b1.11100 \times 2^-1 = 0.9375
                                                           0x7c = 0_11_11100 = +0b1.11100 \times 2^1 = 3.75
                                                                                                                    0xbc = 1_01_11100 = -0b1.11100 \times 2^-1 = -0.9375
                                                                                                                                                                                0xfc = 1_11_11100 = -0b1.11100 \times 2^1 = -3.75
0 \texttt{x3d} = 0\_01\_11101 = +0 \texttt{b1}.11101 \times 2 \hat{} -1 = 0.953125
                                                           0x7d = 0_11_11101 = +0b1.11101 \times 2^1 = 3.8125
                                                                                                                                                                                0xfd = 1_11_11101 = -0b1.11101 \times 2^1 = -3.8125
                                                                                                                    0xbd = 1_01_11101 = -0b1.11101 \times 2^-1 = -0.953125
0x3e = 0_01_111110 = +0b1.111110 \times 2^-1 = 0.96875
                                                           0x7e = 0.11.11110 = +0b1.11110 \times 2^1 = 3.875
                                                                                                                    0xbe = 1_01_111110 = -0b1.111110 \times 2^-1 = -0.96875
                                                                                                                                                                                0xfe = 1.11.11110 = -0b1.11110 \times 2^1 = -3.875
0x3f = 0_01_111111 = +0b1.111111 \times 2^-1 = 0.984375
                                                                                                                    0xbf = 1_01_11111 = -0b1.111111 \times 2^-1 = -0.984375
                                                           0x7f = 0_11_11111 = +Inf
                                                                                                                                                                                0xff = 1_11_11111 = -Inf
```

# **C.6** Value Table: P7 (Linear), p = 7, emax = 0

```
0x00 = 0_0000000 = 0.0
                                                              0x40 = 0_1.000000 = +0b1.000000 \times 2^{0} = 1.0
                                                                                                                            0x80 = 1_0_0000000 = NaN
                                                                                                                                                                                            0xc0 = 1_1000000 = -0b1.000000 \times 20 = -1.0
0x01 = 0_0000001 = +0b0.000001 \times 2^0 = 0.015625
                                                                                                                            0x81 = 1_0000001 = -0b0.000001 \times 20 = -0.015625
                                                              0x41 = 0_1.000001 = +0b1.000001 \times 2^{\circ} = 1.015625
                                                                                                                                                                                            0xc1 = 1_1_000001 = -0b1.000001 \times 2^0 = -1.015625
0x02 = 0.0.000010 = +0b0.000010 \times 20 = 0.03125
                                                              0x42 = 0_{-1} - 000010 = +0b1.000010 \times 2^{\circ} = 1.03125
                                                                                                                            0x82 = 1.0.000010 = -0b0.000010 \times 2^{\circ}0 = -0.03125
                                                                                                                                                                                            0xc2 = 1_{-1} - 000010 = -0b1.000010 \times 2^{\circ} = -1.03125
0x03 = 0.0.000011 = +0b0.000011 \times 2^{\circ}0 = 0.046875
                                                              0x43 = 0_1.000011 = +0b1.000011 \times 2^{\circ} = 1.046875
                                                                                                                            0x83 = 1.0.000011 = -0b0.000011 \times 2^{\circ}0 = -0.046875
                                                                                                                                                                                            0xc3 = 1_1_000011 = -0b1.000011 \times 2^0 = -1.046875
0x04 = 0_0000100 = +0b0.000100 \times 2^0 = 0.0625
                                                              0x44 = 0_1.000100 = +0b1.000100 \times 2^{\circ} = 1.0625
                                                                                                                            0x84 = 1_0.000100 = -0b0.000100 \times 2^0 = -0.0625
                                                                                                                                                                                            0xc4 = 1_1.000100 = -0b1.000100 \times 2^{\circ} = -1.0625
                                                                                                                            0x85 = 1_0000101 = -0b0.000101 \times 2^{\circ}0 = -0.078125
0x05 = 0_0000101 = +0b0.000101 \times 2^{\circ} = 0.078125
                                                              0x45 = 0_1.000101 = +0b1.000101 \times 2^{\circ} = 1.078125
                                                                                                                                                                                            0xc5 = 1_1_000101 = -0b1.000101 \times 2^0 = -1.078125
0x06 = 0.0.000110 = +0b0.000110 \times 2^{\circ}0 = 0.09375
                                                              0x46 = 0_{-1}.000110 = +0b1.000110 \times 2^{\circ} = 1.09375
                                                                                                                            0x86 = 1_{-}0_{-}000110 = -0b0.000110 \times 2^{\circ}0 = -0.09375
                                                                                                                                                                                            0xc6 = 1_{-}1_{-}000110 = -0b1.000110 \times 2^{\circ}0 = -1.09375
                                                              0x47 = 0.1.000111 = +0b1.000111 \times 2^{\circ} = 1.109375
0x07 = 0_0000111 = +0b0.000111 \times 2^0 = 0.109375
                                                                                                                            0x87 = 1.0.000111 = -0b0.000111 \times 2^{\circ}0 = -0.109375
                                                                                                                                                                                            0xc7 = 1_{-1}.000111 = -0b1.000111 \times 2^{\circ}0 = -1.109375
                                                                                                                            0x88 = 1_0 - 001000 = -0b0.001000 \times 2^0 = -0.125
                                                                                                                                                                                            0 \texttt{xc8} = 1\_1\_001000 = -0 \texttt{b} 1.001000 \times 2 \texttt{`0} = -1.125
0x08 = 0_001000 = +0b0.001000 \times 2^0 = 0.125
                                                              0x48 = 0_1.001000 = +0b1.001000 \times 2^{\circ} = 1.125
0x09 = 0_0001001 = +0b0.001001 \times 2^{\circ} = 0.140625
                                                                                                                            0x89 = 1_0.001001 = -0b0.001001 \times 2^{\circ}0 = -0.140625
                                                              0x49 = 0_1.001001 = +0b1.001001 \times 2^{\circ} = 1.140625
                                                                                                                                                                                            0xc9 = 1_1_001001 = -0b1.001001 \times 2^{\circ} = -1.140625
0x0a = 0.0.001010 = +0b0.001010 \times 2^{\circ}0 = 0.15625
                                                              0x4a = 0_{-1}.001010 = +0b1.001010 \times 2^{\circ} = 1.15625
                                                                                                                            0x8a = 1.0.001010 = -0b0.001010 \times 2^{\circ}0 = -0.15625
                                                                                                                                                                                            0xca = 1_{-1}.001010 = -0b1.001010 \times 2^{\circ} = -1.15625
0x0b = 0.0.001011 = +0b0.001011 \times 2^{\circ}0 = 0.171875
                                                              0x4b = 0_1.001011 = +0b1.001011 \times 2^{\circ}0 = 1.171875
                                                                                                                            0x8b = 1.0.001011 = -0b0.001011 \times 2^{\circ}0 = -0.171875
                                                                                                                                                                                            0xcb = 1_1_001011 = -0b1.001011 \times 2^{\circ} = -1.171875
0x0c = 0_0.001100 = +0b0.001100 \times 2^{\circ} = 0.1875
                                                              0x4c = 0_1.001100 = +0b1.001100 \times 2^{\circ} = 1.1875
                                                                                                                             0x8c = 1_0_001100 = -0b0.001100 \times 2^{\circ} = -0.1875
                                                                                                                                                                                            0xcc = 1_1_001100 = -0b1.001100 \times 2^0 = -1.1875
0x0d = 0_001101 = +0b0.001101 \times 20 = 0.203125
                                                              0x4d = 0_1.001101 = +0b1.001101 \times 2^0 = 1.203125
                                                                                                                            0x8d = 1_0.001101 = -0b0.001101 \times 2^{\circ} = -0.203125
                                                                                                                                                                                            0xcd = 1_{-1} \cdot 001101 = -0b1.001101 \times 2^{\circ} = -1.203125
0x0e = 0.0.001110 = +0b0.001110 \times 20 = 0.21875
                                                              0x4e = 0_{-1}.001110 = +0b1.001110 \times 2^{\circ} = 1.21875
                                                                                                                            0x8e = 1_0.001110 = -0b0.001110 \times 2^{\circ} = -0.21875
                                                                                                                                                                                            0xce = 1_{-1} - 001110 = -0b1.001110 \times 2^{\circ}0 = -1.21875
0x0f = 0.0.001111 = +0b0.001111 \times 2^{\circ} = 0.234375
                                                              0x4f = 0.1.001111 = +0b1.001111 \times 2^{\circ} = 1.234375
                                                                                                                            0x8f = 1_0.001111 = -0b0.001111 \times 2^{\circ} = -0.234375
                                                                                                                                                                                            0xcf = 1_1_001111 = -0b1.001111 \times 2^0 = -1.234375
                                                                                                                            0x90 = 1_0_010000 = -0b0.010000 \times 2^0 = -0.25
0x10 = 0_0_010000 = +0b0.010000 \times 2^0 = 0.25
                                                              0x50 = 0_1.010000 = +0b1.010000 \times 2^{\circ} = 1.25
                                                                                                                                                                                            0xd0 = 1_1010000 = -0b1.010000 \times 2^0 = -1.25
                                                                                                                            0x91 = 1_0_010001 = -0b0.010001 \times 20 = -0.265625
0x11 = 0_0010001 = +0b0.010001 \times 2^0 = 0.265625
                                                              0x51 = 0_1.010001 = +0b1.010001 \times 20 = 1.265625
                                                                                                                                                                                            0xd1 = 1_1010001 = -0b1.010001 \times 20 = -1.265625
0x12 = 0.0.010010 = +0b0.010010 \times 20 = 0.28125
                                                              0x52 = 0_{-1} - 010010 = +0b1.010010 \times 2^{\circ} = 1.28125
                                                                                                                            0x92 = 1.0.010010 = -0b0.010010 \times 2^{\circ}0 = -0.28125
                                                                                                                                                                                            0xd2 = 1_{-}1_{-}010010 = -0b1.010010 \times 2^{\circ}0 = -1.28125
                                                              0x53 = 0.1.010011 = +0b1.010011 \times 2^{\circ} = 1.296875
0x13 = 0.0.010011 = +0b0.010011 \times 2^{\circ}0 = 0.296875
                                                                                                                            0x93 = 1.0.010011 = -0b0.010011 \times 2^{\circ}0 = -0.296875
                                                                                                                                                                                            0xd3 = 1_1_010011 = -0b1.010011 \times 2^0 = -1.296875
0x14 = 0.0.010100 = +0b0.010100 \times 20 = 0.3125
                                                              0x54 = 0_1.010100 = +0b1.010100 \times 20 = 1.3125
                                                                                                                            0x94 = 1 \ 0 \ 010100 = -0b0.010100 \times 20 = -0.3125
                                                                                                                                                                                            0xd4 = 1_1010100 = -0b1.010100 \times 20 = -1.3125
0x15 = 0.0.010101 = +0b0.010101 \times 2^{\circ}0 = 0.328125
                                                              0x55 = 0_1.010101 = +0b1.010101 \times 2^{\circ}0 = 1.328125
                                                                                                                            0x95 = 1_0.010101 = -0b0.010101 \times 2^{\circ} = -0.328125
                                                                                                                                                                                            0xd5 = 1_1010101 = -0b1.010101 \times 2^{\circ} = -1.328125
0x16 = 0.0.010110 = +0b0.010110 \times 20 = 0.34375
                                                              0x56 = 0_{-1} \cdot 010110 = +0b1.010110 \times 2^{\circ} = 1.34375
                                                                                                                            0x96 = 1.0.010110 = -0b0.010110 \times 2^{\circ}0 = -0.34375
                                                                                                                                                                                            0xd6 = 1_{-1} \cdot 010110 = -0b1.010110 \times 2^{\circ}0 = -1.34375
                                                                                                                            0x97 = 1.0.010111 = -0b0.010111 \times 2^{\circ}0 = -0.359375
0x17 = 0.0.010111 = +0b0.010111 \times 2^{\circ} = 0.359375
                                                              0x57 = 0_1.010111 = +0b1.010111 \times 2^{\circ} = 1.359375
                                                                                                                                                                                            0xd7 = 1_1010111 = -0b1.010111 \times 2^{\circ} = -1.359375
0x18 = 0_0011000 = +0b0.011000 \times 2^0 = 0.375
                                                              0x58 = 0_1_011000 = +0b1.011000 \times 2^0 = 1.375
                                                                                                                            0x98 = 1_0_011000 = -0b0.011000 \times 2^0 = -0.375
                                                                                                                                                                                            0xd8 = 1_1_011000 = -0b1.011000 \times 2^{\circ} = -1.375
0x19 = 0_0011001 = +0b0.011001 \times 2^{\circ} = 0.390625
                                                              0x59 = 0_1011001 = +0b1.011001 \times 20 = 1.390625
                                                                                                                            0x99 = 1_0_011001 = -0b0.011001 \times 2^{\circ} = -0.390625
                                                                                                                                                                                            0xd9 = 1_1_011001 = -0b1.011001 \times 2^0 = -1.390625
0x1a = 0.0.011010 = +0b0.011010 \times 2^{\circ} = 0.40625
                                                              0x5a = 0_1.011010 = +0b1.011010 \times 2^{\circ} = 1.40625
                                                                                                                            0x9a = 1.0.011010 = -0b0.011010 \times 2^{\circ}0 = -0.40625
                                                                                                                                                                                            0xda = 1_{-1} - 011010 = -0b1.011010 \times 2^{\circ} = -1.40625
0x1b = 0.0.011011 = +0b0.011011 \times 2^{\circ} = 0.421875
                                                              0x5b = 0_1.011011 = +0b1.011011 \times 2^{\circ} = 1.421875
                                                                                                                            0x9b = 1.0.011011 = -0b0.011011 \times 2^{\circ}0 = -0.421875
                                                                                                                                                                                            0xdb = 1_1_011011 = -0b1.011011 \times 2^0 = -1.421875
0x1c = 0_00_111100 = +0b0.011100 \times 2^0 = 0.4375
                                                              0x5c = 0_1.011100 = +0b1.011100 \times 2^{\circ} = 1.4375
                                                                                                                            0x9c = 1_0_011100 = -0b0.011100 \times 2^0 = -0.4375
                                                                                                                                                                                            0xdc = 1_1_011100 = -0b1.011100 \times 2^0 = -1.4375
                                                                                                                                                                                            0xdd = 1_1_011101 = -0b1.011101 \times 2^0 = -1.453125
0x1d = 0_0011101 = +0b0.011101 \times 2^0 = 0.453125
                                                                                                                            0x9d = 1_0.011101 = -0b0.011101 \times 2^{\circ} = -0.453125
                                                              0x5d = 0_1.011101 = +0b1.011101 \times 2^{\circ} = 1.453125
                                                              0x5e = 0_1.011110 = +0b1.011110 \times 20 = 1.46875
0x1e = 0_00_011110 = +0b0.011110 \times 2^{\circ} = 0.46875
                                                                                                                            0x9e = 1.0.011110 = -0b0.011110 \times 2^{\circ}0 = -0.46875
                                                                                                                                                                                            0xde = 1_{-1}_{-0}111110 = -0b1.0111110 \times 2^{\circ} = -1.46875
0x1f = 0.0.011111 = +0b0.0111111 \times 2^{\circ} = 0.484375
                                                                                                                            0x9f = 1.0.011111 = -0b0.011111 \times 2^{\circ} = -0.484375
                                                              0x5f = 0.1.011111 = +0b1.0111111 \times 2^{\circ} = 1.484375
                                                                                                                                                                                            0xdf = 1_1_011111 = -0b1.0111111 \times 2^{\circ} = -1.484375
0x20 = 0.0100000 = +0b0.100000 \times 2^{\circ} = 0.5
                                                              0x60 = 0_1100000 = +0b1.100000 \times 2^{\circ}0 = 1.5
                                                                                                                            0xa0 = 1_0100000 = -0b0.100000 \times 2^0 = -0.5
                                                                                                                                                                                            0xe0 = 1_1100000 = -0b1.100000 \times 20 = -1.5
0x21 = 0_0100001 = +0b0.100001 \times 2^{\circ} = 0.515625
                                                              0x61 = 0_1100001 = +0b1.100001 \times 2^{\circ} = 1.515625
                                                                                                                            0xa1 = 1_0_100001 = -0b0.100001 \times 2^0 = -0.515625
                                                                                                                                                                                            0xe1 = 1_1100001 = -0b1.100001 \times 2^{\circ} = -1.515625
0x22 = 0.0.100010 = +0b0.100010 \times 2^{\circ}0 = 0.53125
                                                              0x62 = 0_{-1}100010 = +0b1.100010 \times 2^{\circ} = 1.53125
                                                                                                                            0xa2 = 1.0.100010 = -0b0.100010 \times 2^{\circ}0 = -0.53125
                                                                                                                                                                                            0xe2 = 1_{-1}100010 = -0b1.100010 \times 2^{\circ} = -1.53125
0x23 = 0.0.100011 = +0b0.100011 \times 2^{\circ}0 = 0.546875
                                                              0x63 = 0.1.100011 = +0b1.100011 \times 2^{\circ}0 = 1.546875
                                                                                                                            0xa3 = 1_0100011 = -0b0.100011 \times 2^{\circ} = -0.546875
                                                                                                                                                                                            0xe3 = 1_1100011 = -0b1.100011 \times 2^{\circ} = -1.546875
0x24 = 0_0100100 = +060.100100 \times 2^{\circ} = 0.5625
                                                              0x64 = 0_1100100 = +0b1.100100 \times 2^{\circ} = 1.5625
                                                                                                                            0xa4 = 1_0_100100 = -0b0.100100 \times 2^0 = -0.5625
                                                                                                                                                                                            0xe4 = 1_1100100 = -0b1.100100 \times 2^{\circ} = -1.5625
0x25 = 0_0100101 = +0b0.100101 \times 2^{\circ} = 0.578125
                                                                                                                            0xa5 = 1_0_100101 = -0b0.100101 \times 2^0 = -0.578125
                                                              0x65 = 0_1100101 = +0b1.100101 \times 2^{\circ} = 1.578125
                                                                                                                                                                                            0xe5 = 1_1_100101 = -0b1.100101 \times 2^{\circ} = -1.578125
0x26 = 0_0100110 = +0b0.100110 \times 2^{\circ} = 0.59375
                                                              0x66 = 0_{-1}100110 = +0b1.100110 \times 2^{\circ} = 1.59375
                                                                                                                            0xa6 = 1_0_100110 = -0b0.100110 \times 2^0 = -0.59375
                                                                                                                                                                                            0xe6 = 1_{-1} \cdot 100110 = -0b1 \cdot 100110 \times 2^{\circ} = -1.59375
                                                              0x67 = 0.1.100111 = +0b1.100111 \times 20 = 1.609375
                                                                                                                            0xa7 = 1.0.100111 = -0b0.100111 \times 2^{\circ}0 = -0.609375
                                                                                                                                                                                            0xe7 = 1_1100111 = -0b1.100111 \times 2^{\circ}0 = -1.609375
0x27 = 0_0.100111 = +0b0.100111 \times 2^{\circ} = 0.609375
0x28 = 0_0_101000 = +0b0.101000 \times 20 = 0.625
                                                              0x68 = 0_1101000 = +0b1.101000 \times 20 = 1.625
                                                                                                                            0xa8 = 1.0.101000 = -0b0.101000 \times 2^{\circ}0 = -0.625
                                                                                                                                                                                            0xe8 = 1_1101000 = -0b1.101000 \times 2^{\circ} = -1.625
0\texttt{x29} = 0\_0\_101001 = +0\texttt{b}0.101001 \times 2 \\ \texttt{?0} = 0.640625
                                                                                                                            0xa9 = 1_0_101001 = -0b0.101001 \times 2^{\circ} = -0.640625
                                                                                                                                                                                            0xe9 = 1_1101001 = -0b1.101001 \times 2^{\circ}0 = -1.640625
                                                              0x69 = 0_1101001 = +0b1.101001 \times 20 = 1.640625
0x2a = 0.0.101010 = +0b0.101010 \times 2^{\circ}0 = 0.65625
                                                              0x6a = 0_{-1}101010 = +0b1.101010 \times 2^{\circ}0 = 1.65625
                                                                                                                            0xaa = 1.0.101010 = -0b0.101010 \times 2^{\circ} = -0.65625
                                                                                                                                                                                            0xea = 1_{-1}101010 = -0b1.101010 \times 2^{\circ}0 = -1.65625
0x2b = 0.0.101011 = +0b0.101011 \times 2^{\circ}0 = 0.671875
                                                              0x6b = 0_1101011 = +0b1.101011 \times 2^{\circ}0 = 1.671875
                                                                                                                            0xab = 1_0 101011 = -0b0.101011 \times 2^{\circ} = -0.671875
                                                                                                                                                                                            0xeb = 1_11_01011 = -0b1_101011 \times 2^{\circ} = -1.671875
                                                                                                                            0xac = 1_0_101100 = -0b0.101100 \times 20 = -0.6875
0x2c = 0_0101100 = +0b0.101100 \times 2^{\circ} = 0.6875
                                                              0x6c = 0_1101100 = +0b1.101100 \times 2^{\circ} = 1.6875
                                                                                                                                                                                            0 \text{xec} = 1_{-1} \cdot 101100 = -0b1 \cdot 101100 \times 2^{\circ} = -1.6875
0x2d = 0_0_101101 = +0b0.101101 \times 2^{\circ} = 0.703125
                                                              0x6d = 0_1101101 = +0b1.101101 \times 2^{\circ} = 1.703125
                                                                                                                            0xad = 1_0_101101 = -0b0.101101 \times 2^{\circ} = -0.703125
                                                                                                                                                                                            0xed = 1_1101101 = -0b1.101101 \times 2^{\circ} = -1.703125
0x2e = 0_0101110 = +0b0.101110 \times 2^{\circ} = 0.71875
                                                              0x6e = 0_{-1}101110 = +0b1.101110 \times 2^{\circ} = 1.71875
                                                                                                                            0xae = 1_0_101110 = -0b0.101110 \times 2^0 = -0.71875
                                                                                                                                                                                            0xee = 1_{-1}.101110 = -0b1.101110 \times 2^{\circ} = -1.71875
0x2f = 0_0101111 = +0b0.101111 \times 2^{\circ} = 0.734375
                                                              0x6f = 0_1.101111 = +0b1.1011111 \times 2^{\circ} = 1.734375
                                                                                                                            0xaf = 1_0 - 101111 = -0b0.101111 \times 2^0 = -0.734375
                                                                                                                                                                                            0xef = 1_11_011111 = -0b1.1011111 \times 2^{\circ} = -1.734375
                                                                                                                            0xb0 = 1_0_110000 = -0b0.110000 \times 2^0 = -0.75
0x30 = 0_0110000 = +0b0.110000 \times 2^0 = 0.75
                                                              0x70 = 0_1110000 = +0b1.110000 \times 2^{\circ} = 1.75
                                                                                                                                                                                            0xf0 = 1_1110000 = -0b1.110000 \times 2^{\circ} = -1.75
0x31 = 0_0110001 = +0b0.110001 \times 2^{\circ} = 0.765625
                                                              0x71 = 0_1110001 = +0b1.110001 \times 20 = 1.765625
                                                                                                                            0xb1 = 1_0_110001 = -0b0.110001 \times 2^0 = -0.765625
                                                                                                                                                                                            0xf1 = 1_110001 = -0b1.110001 \times 2^{\circ} = -1.765625
0x32 = 0_0110010 = +0b0.110010 \times 2^0 = 0.78125
                                                              0x72 = 0_{-1}10010 = +0b1.110010 \times 20 = 1.78125
                                                                                                                            0xb2 = 1.0.110010 = -0b0.110010 \times 2^{\circ} = -0.78125
                                                                                                                                                                                            0xf2 = 1_{-}1_{-}110010 = -0b1.110010 \times 2^{\circ} = -1.78125
0x33 = 0_0110011 = +0b0.110011 \times 2^{\circ} = 0.796875
                                                              0x73 = 0_1110011 = +0b1.110011 \times 2^{\circ} = 1.796875
                                                                                                                            0xb3 = 1_0_110011 = -0b0.110011 \times 2^{\circ} = -0.796875
                                                                                                                                                                                            0xf3 = 1_110011 = -0b1.110011 \times 2^{\circ} = -1.796875
0x34 = 0_0110100 = +0b0.110100 \times 2^{\circ} = 0.8125
                                                                                                                            0xb4 = 1_0_110100 = -0b0.110100 \times 2^{\circ} = -0.8125
                                                              0x74 = 0_1110100 = +0b1.110100 \times 2^{\circ} = 1.8125
                                                                                                                                                                                            0xf4 = 1_110100 = -0b1.110100 \times 2^{\circ} = -1.8125
0x35 = 0.0.110101 = +0b0.110101 \times 2^{\circ}0 = 0.828125
                                                              0x75 = 0_1110101 = +0b1.110101 \times 2^{\circ}0 = 1.828125
                                                                                                                            0xb5 = 1_0_110101 = -0b0.110101 \times 2^{\circ} = -0.828125
                                                                                                                                                                                            0xf5 = 1_110101 = -0b1.110101 \times 2^{\circ} = -1.828125
0x36 = 0.0.110110 = +0b0.110110 \times 20 = 0.84375
                                                              0x76 = 0_{-1}110110 = +0b1.110110 \times 2^{\circ} = 1.84375
                                                                                                                            0xb6 = 1_0_110110 = -0b0.110110 \times 2^{\circ} = -0.84375
                                                                                                                                                                                            0xf6 = 1_{-1}10110 = -0b1.110110 \times 2^{\circ} = -1.84375
0x37 = 0.0.110111 = +0b0.110111 \times 2^{\circ} = 0.859375
                                                              0x77 = 0_1110111 = +0b1.110111 \times 2^{\circ} = 1.859375
                                                                                                                            0xb7 = 1_0_110111 = -0b0.110111 \times 2^0 = -0.859375
                                                                                                                                                                                            0xf7 = 1_110111 = -0b1.110111 \times 2^{\circ} = -1.859375
0x38 = 0_0_111000 = +0b0.111000 \times 2^0 = 0.875
                                                              0x78 = 0_1111000 = +0b1.111000 \times 2^{\circ} = 1.875
                                                                                                                             0xb8 = 1_0_111000 = -0b0.111000 \times 2^0 = -0.875
                                                                                                                                                                                            0xf8 = 1_1111000 = -0b1.111000 \times 2^{\circ}0 = -1.875
0x39 = 0_0111001 = +0b0.111001 \times 2^{\circ} = 0.890625
                                                              0x79 = 0_1111001 = +0b1.111001 \times 2^{\circ} = 1.890625
                                                                                                                            0xb9 = 1_0_111001 = -0b0.111001 \times 2^{\circ} = -0.890625
                                                                                                                                                                                            0xf9 = 1_1111001 = -0b1.111001 \times 2^{\circ} = -1.890625
0x3a = 0.0.111010 = +0b0.111010 \times 2^{\circ} = 0.90625
                                                              0x7a = 0_1111010 = +0b1.111010 \times 2^{\circ} = 1.90625
                                                                                                                            0xba = 1_0.111010 = -0b0.111010 \times 2^{\circ} = -0.90625
                                                                                                                                                                                            0xfa = 1_1111010 = -0b1.111010 \times 2^{\circ}0 = -1.90625
0x3b = 0_0111011 = +0b0.111011 \times 2^{\circ} = 0.921875
                                                              0x7b = 0_1111011 = +0b1.111011 \times 2^{\circ} = 1.921875
                                                                                                                            0xbb = 1_0_111011 = -0b0.111011 \times 2^{\circ} = -0.921875
                                                                                                                                                                                            0xfb = 1_1111011 = -0b1.111011 \times 2^{\circ} = -1.921875
0x3c = 0_0111100 = +0b0.111100 \times 2^{\circ} = 0.9375
                                                              0x7c = 0_1111100 = +0b1.1111100 \times 2^{\circ} = 1.9375
                                                                                                                            0xbc = 1_0_1111100 = -0b0.1111100 \times 2^{\circ} = -0.9375
                                                                                                                                                                                            0xfc = 1_1111100 = -0b1.1111100 \times 2^{\circ} = -1.9375
                                                              0 \texttt{x7d} = 0\_1\_111101 = +0 \texttt{b1}.111101 \times 2 \texttt{?0} = 1.953125
0x3d = 0_0_1111101 = +0b0.1111101 \times 2^0 = 0.953125
                                                                                                                            0xbd = 1_0_1111101 = -0b0.111101 \times 2^{\circ} = -0.953125
                                                                                                                                                                                            0xfd = 1_1111101 = -0b1.111101 \times 2^{\circ} = -1.953125
0x3e = 0_01111110 = +0b0.1111110 \times 2^{\circ} = 0.96875
                                                              0x7e = 0_11111110 = +0b1.1111110 \times 2^{\circ} = 1.96875
                                                                                                                            0xbe = 1.0.1111110 = -0b0.1111110 \times 2^{\circ}0 = -0.96875
                                                                                                                                                                                            0xfe = 1_{-1}.1111110 = -0b1.1111110 \times 2^{\circ}0 = -1.96875
0x3f = 0_01111111 = +0b0.1111111 \times 2^0 = 0.984375
                                                                                                                            0xbf = 1_0_1111111 = -0b0.1111111 \times 2^0 = -0.984375
                                                              0x7f = 0_1_1111111 = +Inf
                                                                                                                                                                                            0xff = 1_1_1111111 = -Inf
```

### References

- [1] PyTorch authors. Pytorch torchtext package: \_t5\_multi\_head\_attention\_forward .
- [2] Ian Goodfellow, Yoshua Bengio, and Aaron Courville. *Deep Learning*, chapter 6.2.2.3 Softmax Units for Multinoulli Output Distributions, pages 180–184. MIT Press, 2016.
- [3] Google. Jax lax package: \_float\_to\_int\_for\_sort .
- [4] W. Kahan. Branch cuts for complex elementary functions or much ado about nothing's sign bit. *Inst. Math. Appl. Conf. Ser. New Ser.*, 1987.
- [5] W. Kahan and J. W. Thomas. Augmenting a programming language with complex arithmetic. Technical report, EECS Department, University of California, Berkeley, 1991.
- [6] P. Micikevicius, S. Oberman, P. Dubey, M. Cornea, A. Rodriguez, I. Bratt, R. Grisenthwaite, N. Jouppi, C. Chou, A. Huffman, M. Schulte, R. Wittig, D. Jani, and S. Deng. OCP 8-bit floating point specification (OFP8). Technical report, opencompute.org, 2023.
- [7] B. Noune, P. Jones, D. Justus, D. Masters, and C. Luschi. 8-bit numerical formats for deep neural networks. Technical report, arXiv cs.LG, 2022.
- [8] Tesla, Inc. Tesla Dojo Technology: A guide to Tesla's configurable floating point formats and arithmetic, 2023. https://web.archive.org/web/20230503235751/https://tesla-cdn.thron.com/static/MXMU3S\_tesla-dojo-technology\_1WDVZN.pdf.