Lab Sheet 4

List Comprehensions



Functional Programming - Winter 2018/2019 - November 14, 2018 - Schupp/Lehmann

How to succeed with the labs and exercises?

Labs and exercise sheets are published every week on the course homepage at StudIP. As described in the first lecture, each successfully completed lab and exercise earns you bonus points towards your final score in this semester's exam. Keep in mind that you only get bonus points if you would pass the exam without them. Cheating does not help you - but we will!

How to complete a lab successfully?

In the lab, you will solve the lab sheet with fellow student(s). To find out who your teammates are, please look at the group pdf in StudIP's download area. During the session, one participant of every group will be selected, who must then explain one of their task solutions to a lab assistant.

How to complete an exercise successfully?

In order to complete an exercise sheet successfully, you must upload your answers using CAT on StudIP **before the deadline** printed on the exercise sheet. We will not consider any solutions handed in after the deadline! Furthermore, you must solve and hand in the exercises **individually** and your Haskell code **must compile** and **pass certain amounts of tests** as specified. During the exercise session, we develop possible solutions together. Please participate! We encourage you to ask and answer questions from fellow students.

Technically, Haskell files you submit using CAT on StudIP must have the format as specified by CAT (usually ".hs", ".lhs", or ".txt"). Furthermore, CAT will store your last submission only. Therefore, if you first submit successfully (your code compiles and tests are passed) and afterwards unsuccessfully (your code does not compile or certain tests fail again), your last submission counts, and - if it does not compile - will therefore be ignored. Make sure your last submission was successfull!

How to get additional information?

We encourage you to discuss past and present exercise sheets with us. Either approach us during the exercise session, or visit us during the weekly office hours. We are also available via e-mail or on the StudIP forum. We try to reply as quick as possible and in general, you should get a reply the next weekday, but we cannot guarantee this.

Exercise 1 Write the following function definitions to the file Lab4Err.hs

```
add :: Int -> (Int -> Int)
add = \x -> y -> x + y

myLength :: [a] -> Int
myLength xs = sum [1 : x <- xs]

odds :: Int -> [Int]
odds n = [i | i `mod` 2 == 1, i <- [1..n]]

quadruple :: Int -> Int
quadruple x = (mult 2 x) * 2
   where mult 0 _ = 0
mult n m = m + mult (n-1) m
```

Load the file using GHCi (:load), look at the error messages, understand the problem and fix all errors. Repeat until the file loads with no errors. One error is **not** caught by GHCi. The function **quadruple** will fail when you use it. Why is that?

Exercise 2 Are the definitions repeate and repeatn legal. If so, are they equivalent?

```
repeatn :: Int -> [a] -> [a]
repeatn n xs = [x | x <- xs, i <- [1..n]]

repeatc :: Int -> [a] -> [a]
repeatc n xs = [x | i <- [1..n], x <- xs]
```

Exercise 3 Using the **prime** function from the lecture, implement the function **numprimes** using list comprehension. The purpose of **numprimes** is to determine the number of primes smaller than or equal to its argument.

Exercise 4 Define the function scalarProduct, which takes two integer lists of the same length and calculates the sum of the products.

Exercise 5 Assuming we have the following nested list of integers, and we want to *remove* every *even* integer from the list. Implement a function nestedRemoveEven to do exactly this.

```
Prelude> nestedRemoveEven [ [1,2,3], [4,5,6], [7,8,9] ] [[1,3],[5],[7,9]]
```