



# Work Plan: Data Curation Query Package

---

**V6.13**  
**April 1, 2024**

## TABLE OF CONTENTS

<b>I.</b>	<b>PURPOSE AND SCOPE .....</b>	<b>3</b>
<b>II.</b>	<b>POTENTIAL CODE ERRORS QUERY .....</b>	<b>5</b>
<b>III.</b>	<b>DATA CURATION QUERY DEFINITIONS .....</b>	<b>8</b>
<b>IV.</b>	<b>DATA CURATION QUERY OUTPUT TABLES .....</b>	<b>10</b>
<b>VI.</b>	<b>PROGRAM PACKAGE FILE STRUCTURE .....</b>	<b>13</b>
<b>VII.</b>	<b>FILES INCLUDED IN QUERY REQUEST .....</b>	<b>14</b>
<b>VIII.</b>	<b>OUTPUT FILES.....</b>	<b>16</b>
<b>IX.</b>	<b>QUERY WORKFLOW DIAGRAMS .....</b>	<b>19</b>
<b>X.</b>	<b>RESPONDING TO THE QUERY PACKAGE.....</b>	<b>21</b>
<b>XI.</b>	<b>VERSION HISTORY .....</b>	<b>23</b>

## **I. Purpose and Scope**

The purpose of the Data Curation Query Package v6.13 is to characterize the data in PCORnet Common Data Model (CDM) v6.1. This package examines all 23 tables. The package consists of the Potential Code Errors query, a Data Curation query and an Empirical Data Curation Report which summarizes key information from the query output and evaluates the results against PCORnet's Data Checks v15. Output tables will be produced by running SAS programs against static local DataMarts in PCORnet CDM v6.1 with SAS data types.

Query results will be used by the PCORnet Coordinating Center's Distributed Research Network Operations Center (DRN OC) to ensure a foundational level of data quality across the networks. Approved results may be used to provide initial feasibility estimates for prep-to-research queries, inform study planning activities, and to create DataMart-level, CRN-level or network-level reports. Data aggregated at the network level may be shared publicly. DataMart-level results may be published within PCORnet and data from this query can be used to inform the PCORnet Coordinating Center of data availability and fitness for use in response to PCORnet queries, to enable the Coordinating Center to share high-level counts of data variables with requestors, to present PCORnet-level Aggregate Data on public-facing websites, (e.g., [PCORnet.org](http://PCORnet.org)) in manuscripts consistent with the guidelines of the International Committee of Medical Journal Editors ("ICMJE"), and for use in PCORnet marketing materials.

To provide the DRN OC with additional insight into the query results, the ETL Annotated Data Dictionary (ETL ADD) must be updated prior to submitting the response to this query.

### **Low Cell Count Threshold**

Users may specify a low cell count threshold that establishes the minimum number of observations required to protect against possible identification of subject data. Query results greater than zero and less than the threshold will be changed to BT (below threshold) and treated as missing. For example, if a DataMart sets a low cell count threshold of 5, cell counts between 1 and 4 will be changed to BT. The low cell count threshold applies to all query results except for descriptive statistics. The low cell count threshold treatment for each query is shown in Section IV.

The default low cell count threshold value is set to zero (0) in accordance with the CRN Scope of Work. If this value is changed it will be highlighted in orange in the Empirical Data Curation report.

### **Potential Code Errors Report**

The query package produces a Potential Code Errors report which (a) identifies exceptions to the expected code length or content for ICD9/ICD10 diagnosis codes; ICD9/ICD10-PCS and CPT/HCPCS procedure codes; LOINC codes; RXNORM\_CUI codes; and NDC codes by applying the heuristics described in Section II and (b) identifies LOINC codes that are in the incorrect CDM table based on the LOINC CLASSTYPE attribute. The expected CLASSTYPE for each CDM table is included in the CDM specification and listed in Section II.

### **Data Curation Tables**

The query package produces up to 285 query output tables depending on how many CDM tables are populated and how the program is executed. Information about each output table is provided in Section IV.

### **Empirical Data Curation Report**

The query package produces an Empirical Data Curation (EDC) report. The EDC Report summarizes key information from the data curation query output tables and identifies exceptions to the PCORnet Data Checks. The table of contents is shown in Section V.

### **Lookback Date**

The lookback date is the earliest date included in the query results. The lookback date will be calculated by subtracting the lookback period from the Query Response Date which is the date the data curation query (specifically, the cross-table portion) was run. The default lookback period is 10 years (120 months). **The lookback value should not be modified unless you are instructed to do so.**

This date restriction does not apply to the DEMOGRAPHIC, DEATH, HARVEST, DEATH\_CAUSE, PROVIDER, LDS\_ADDRESS\_HISTORY, HASH\_TOKEN, or LAB\_HISTORY tables. The dates used to select records in the other tables are ENROLLMENT.ENR\_START\_DATE, ENROLLMENT.ENR\_END\_DATE, ENCOUNTER.ADMIT\_DATE, DIAGNOSIS.ADMIT\_DATE, PROCEDURES.ADMIT\_DATE, VITAL.MEASURE\_DATE, DISPENSING.DISPENSE\_DATE, LAB\_RESULT\_CM.RESULT\_DATE, CONDITION.REPORT\_DATE, PRO\_CM.PRO\_DATE, PRESCRIBING.RX\_ORDER\_DATE, PCORNET\_TRIAL.TRIAL\_ENROLL\_DATE, MED\_ADMIN.MEDADMIN\_START\_DATE, OBS\_CLIN.OBSCLIN\_START\_DATE, OBS\_GEN.OBSGEN\_START\_DATE and IMMUNIZATION.VX\_RECORD\_DATE. Since some of these variables do not have to be populated, records with missing dates will also be included in the data curation query results.

Questions about this query package should be sent to Laura Qualls ([laura.qualls@duke.edu](mailto:laura.qualls@duke.edu)), Jasmine Brown ([jasmine.p.brown@duke.edu](mailto:jasmine.p.brown@duke.edu)), and Yan Xu ([yan.xu2@duke.edu](mailto:yan.xu2@duke.edu)).

## II. Potential Code Errors Query

The purpose of the Potential Code Errors Program is to help network partners identify exceptions to the expected formats for selected codes. Output tables will be produced by running SAS programs against static local DataMarts in PCORnet CDM 6.1 format with SAS data types.

This program has two components. First, it identifies exceptions to the expected code length or content for 8 coding terminologies used in one or more CDM tables. Heuristics are conservative to allow for all potential implementations (e.g. current LOINC codes are 5+ digits, but the program allows for the shorter deprecated codes; ICD10 procedure codes must be 7 alphanumeric characters). These heuristics will **not** identify all erroneous codes, and will only evaluate codes which are classified as one of the qualifying terminologies (e.g. a ICD9 diagnosis code labeled as a SNOMED-CT code type will not be evaluated). The CDM specifications (available on [pcorner.org](http://pcorner.org)) provide guidance on addressing potential errors (General Implementation Guidance issue #5). The heuristics and CDM tables for each terminology are shown in the table below.

Terminology	Unexpected length (after removing decimals if applicable)	Unexpected string	Unexpected alphabetical character	Unexpected numeric character	CDM tables
CPT/HCPCS	Less than 5	00000x or 99999x	n/a	No numeric characters	IMMUNIZATION; OBS_GEN; PROCEDURES;
CVX	Not 2-3	n/a	Any alphabetical character	n/a <sup>c</sup>	IMMUNIZATION
ICD9 diagnosis	Not 3-5	000.x	Any alphabetical character other than E or V	No numeric characters	CONDITION; DIAGNOSIS; OBS_GEN
ICD10 diagnosis	Not 3-7	000.x or 999.x	First character is not alphabetical	No numeric characters	CONDITION; DIAGNOSIS; OBS_GEN
ICD9 procedures	Not 3-4	00.00	Any alphabetical character	n/a <sup>c</sup>	OBS_GEN; PROCEDURES
ICD10 procedures	Not 3-7 <sup>a</sup>	0000000 or 9999999	n/a	n/a	OBS_GEN; PROCEDURES
LOINC	Not 3-8 <sup>b</sup>	No hyphen in the penultimate position	Any alphabetical character	n/a <sup>c</sup>	LAB_RESULT_CM; LAB_HISTORY; OBS_CLIN; OBS_GEN
NDC	Not 11	00000000000 or 99999999999	Any alphabetical character <sup>2</sup>	n/a <sup>c</sup>	DISPENSING; IMMUNIZATION; MED_ADMIN; OBS_GEN; PROCEDURES
RXNORM_CUI	Not 2-7	n/a	Any alphabetical character	n/a <sup>c</sup>	IMMUNIZATION; MED_ADMIN; OBS_GEN; PRESCRIBING

a. Must be 7 digits for billing but this allows for shorter codes which may appear in electronic health record data.

b. Current LOINC codes are 5+ digits but this allows for shorter deprecated codes.

c. Redundant with the unexpected alphabetical character rule.

The program also identifies LOINC codes that are in the incorrect CDM table based on the LOINC CLASSTYPE attribute. This section contains content from LOINC® (<http://loinc.org>). The LOINC table,

LOINC codes, and LOINC panels and forms file are copyright © 1995-2022, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and available at no cost under the license at <http://loinc.org/terms-of-use>. This program uses LOINC release 2.73. The expected CLASSTYPE for each CDM table is specified in the CDM specification and listed below:

CDM table	Expected CLASSTYPE(s)
LAB_RESULT_CM	1 (laboratory class)
LAB_HISTORY	1 (laboratory class)
OBS_CLIN	2 (clinical class)
OBS_GEN	2 (clinical class), 3 (Claims attachments) or 4 (Survey)

The data dictionary for the tables produced by the Potential Code Errors query is as follows:

### code\_summary

*Note: This dataset will include 1 row for each observed combination of table and code type.*

Field	Description
DATAMARTID	
QUERY_DATE	Query run date
TABLE	CONDITION, DIAGNOSIS, DISPENSING, IMMUNIZATION, LAB_RESULT_CM, MED_ADMIN, OBS_CLIN, OBS_GEN, PRESCRIBING, and PROCEDURES
CODE_TYPE	09, DX09, PX09, 10, DX10, PX10, CH, CX, ND, LC, and RX
RECORDS	Count of records
CODES	Count of distinct codes
BAD_RECORDS	Count of potentially bad records
BAD_CODES	Count of potentially bad codes
BAD_RECORD_PCT	The percent of records which are potentially bad records. Calculated as $\text{Bad\_Records} / \text{Records} * 100$ .
MISPLACED_RECORDS	The percent of records which are placed in the wrong CDM table. Only applies to records with CODE_TYPE=LC, and will be 0 for all other code types.
MISPLACED_CODES	The percent of codes which are placed in the wrong CDM table. Only applies to records with CODE_TYPE=LC, and will be 0 for all other code types.
MISPLACED_RECORD_PCT	The percent of records which are placed in the wrong CDM table. Only applies to records with CODE_TYPE=LC, and will be 0 for all other code types. Calculated as $\text{Misplaced\_Records} / \text{Records} * 100$ .

**bad\_condition; bad\_dx; bad\_immunization; bad\_px; bad\_disp; bad\_pres; bad\_lab; bad\_lab\_hist; bad\_medadmin; bad\_obsclin; bad\_obsge**

*Note: Tables will only be created if the table contains at least 1 record for the relevant code types.*

Field	Description
[Varies]	Pseudoidentifier for the table, e.g. encounterID
CODE_TYPE	09,10, CH, CX, ND, LC, or RX
CODE	The code. This field is renamed from the table-specific fields, e.g. DX, PX, LAB_LOINC, and MEDADMIN_CODE.
CODE_CLEAN	Uppercase code which discards decimals, dashes, commas, spaces and trailing blanks
CODE_LENGTH	Length of code_clean
ANYALPHA	The position of the first alphabetical character; 0 if there are no alphabetic characters
ANYDIGIT	The position of the first numeric character; 0 if there are no numeric characters
TABLE	DIAGNOSIS, DISPENSING, LAB_RESULT_CM, MED_ADMIN, OBS_GEN, OBS_CLIN, PRESCRIBING, or PROCEDURES
UNEXP_LENGTH	Error indicator. Yes=1; No=0; null=not applicable.

UNEXP_ALPHA	Error indicator. Yes=1; No=0; null=not applicable.
UNEXP_STRING	Error indicator. Yes=1; No=0; null=not applicable.
UNEXP_NUMERIC	Error indicator. Yes=1; No=0; null=not applicable.

**misplaced\_loincs**

Field	Description
TABLE	LAB_RESULT_CM, LAB_HISTORY, OBS_CLIN, or OBS_GEN
RECORDID	The identifier for the record. This field is renamed from the table-specific fields (LAB_RESULT_ID, LABHISTORYID, OBSCLINID, or OBSGENID)
CODE	The LOINC code. This field is renamed from the table-specific fields (LAB_LOINC, OBSGEN_CODE, OBSCLIN_CODE)
CODE_DESC	The LONG_COMMON_NAME of the LOINC code.
CLASSTYPE	1, 2, 3 or 4
EXPECTED_CLASSTYPE	1 (for LAB_RESULT_CM and LAB_HISTORY), 2 (for OBS_CLIN), or 2,3,or 4 (for OBS_GEN)

### III. Data Curation Query Definitions

The definitions for variables included in the query output are as follows:

- **ADMIT\_DATE Mismatch:** These fields are replicated from the ENCOUNTER table to the PROCEDURES and DIAGNOSES table. The number of mismatched records is the number of records in PROCEDURES or DIAGNOSIS where these fields do not match the value in the ENCOUNTER table.
- **ALL\_N or RECORD\_N or N:** Count of records with non-missing values for the specified field.
- **DATASET:** CDM table name
- **DIAGNOSISID\_PLUS:** DIAGNOSIS records where (missing<ADMIT\_DATE<=REFRESH\_MAX or missing<DX\_DATE<=REFRESH\_MAX) and ENCOUNTERID is not null and DX\_TYPE is not in ('NI','UN','OT', '').
- **DISTINCT\_N:** Count of records with unique values for the specified field.
- **DISTINCT\_N\_PCT:** The percent of records with unique values for the specified field.
- **DISTINCT\_ENC\_ID\_N:** Count of records with unique values for ENCOUNTERID.
- **DISTINCT\_PATID\_N:** Count of records with unique values for PATID.
- **DISTINCT\_PROVIDERID\_N:** Count of records with unique values for PROVIDERID.
- **DISTINCT\_VISIT\_N:** Count of unique visits in the ENCOUNTER table. Visits are a concatenation of PATID + PROVIDER\_ID + ENC\_TYPE + ADMIT\_DT.
- **ELIG\_RECORD\_N:** Count of records in the ENCOUNTER table where PATID, PROVIDER\_ID, ENC\_TYPE, and ADMIT\_DT are all populated.
- **ENC\_TYPE Mismatch:** These fields are replicated from the ENCOUNTER table to the PROCEDURES and DIAGNOSES table. The number of mismatched records is the number of records in PROCEDURES or DIAGNOSIS where these fields do not match the value in the ENCOUNTER table.
- **EXP\_SPECIMEN\_SOURCE:** The expected specimen source based on the values established by LOINC®.
- **KNOWN\_TEST:** Total number of records where LAB\_LOINC is not null.
- **KNOWN\_TEST\_RESULT:** Total number of records where (1) LAB\_LOINC is not null and (2) RESULT\_NUM is not null and RESULT\_MODIFIER is not in (null, NI, UN, OT) or (3) RESULT\_QUAL is not in (null, NI, UN, OT)
- **KNOWN\_TEST\_RESULT\_NUM:** Total number of records where the test and result are known, as follows: (1) LAB\_LOINC is not null and (2) RESULT\_NUM is not null and (3) RESULT\_MODIFIER is not in (null, NI, UN, OT).
- **KNOWN\_TEST\_RESULT\_NUM\_SOURCE:** Total number of records where the test and result are known, as follows: (1) LAB\_LOINC is not null and (2) RESULT\_NUM is not null and (3) RESULT\_MODIFIER is not in (null, NI, UN, OT) and (4) SPECIMEN\_SOURCE is not in (null, NI, UN, OT, UNK\_SUB, SMPLS, SPECIMEN)
- **KNOWN\_TEST\_RESULT\_NUM\_UNIT:** Total number of records where the test and result are known, as follows: (1) LAB\_LOINC is not null and (2) RESULT\_NUM is not null and (3) RESULT\_MODIFIER is not in (null, NI, UN, OT) and (4) RESULT\_UNIT is not in (null, NI, UN, OT)
- **KNOWN\_TEST\_RESULT\_NUM\_SRCE\_UNIT:** Total number of records where the test and result are known, as follows: (1) LAB\_LOINC is not null and (2) RESULT\_NUM is not null and (3) RESULT\_MODIFIER is not in (null, NI, UN, OT) and (4) SPECIMEN\_SOURCE is not in (null, NI, UN, OT, UNK\_SUB, SMPLS, SPECIMEN) and (5) RESULT\_UNIT is not in (null, NI, UN, OT)
- **KNOWN\_TEST\_NUM\_RESULT\_RANGE:** Total number of records where the test, numeric result, and normal range are all known, as follows: (1) LAB\_LOINC is not null and (2) RESULT\_NUM is not null and (3) RESULT\_MODIFIER is not in (null, NI, UN, OT) and (4) one of the following is true: (4a) NORM\_MODIFIER\_LOW='EQ' and NORM\_MODIFIER\_HIGH='EQ' and NORM\_RANGE\_LOW is not null and NORM\_RANGE\_HIGH is not null or (4b) NORM\_MODIFIER\_LOW in ('GT','GE') and NORM\_MODIFIER\_HIGH='NO' and NORM\_RANGE\_LOW is not null and NORM\_RANGE\_HIGH



is null or (4c) NORM\_MODIFIER\_HIGH in ('LE','LT') and NORM\_MODIFIER\_LOW='NO' and NORM\_RANGE\_HIGH is not null and NORM\_RANGE\_LOW is null.

- **KNOWN\_TEST\_RESULT\_PLAUSIBLE:** Total number of records where (1) LAB\_LOINC is not null **and** (2) RESULT\_DATE is not missing and is less than the maximum refresh date **and** either (3) RESULT\_NUM is not null and RESULT\_MODIFIER is not in (null, NI, UN, OT) **or** (4) RESULT\_QUAL is not in (null, NI, UN, OT)
- **MEDADMINID\_PLUS:** MED\_ADMIN records where missing<MEDADMIN\_START\_DATE<=REFRESH\_MAX and MEDADMINID is not null MEDADMIN\_CODE is not null and MEDADMIN\_TYPE is not in ('NI','UN','OT', ' ').
- **NMISS or NULL\_N:** Count of records with null or missing values for the specified field.
- **ENCOUNTERID Orphan:** An ENCOUNTERID which is not in the ENCOUNTER table and appears in any other table.
- **LENGTH OF STAY:** Length of stay (LOS) is calculated by the following logic: If DISCHARGE\_DATE is null, then LOS=. Otherwise, LOS=DISCHARGE\_DATE-ADMIT\_DATE.
- **PATID Orphan:** A PATID which is not in the DEMOGRAPHIC table and appears in any other table.
- **PRESCRIBINGID\_PLUS:** PRESCRIBING records where (missing<RX\_START\_DATE <=REFRESH\_MAX or missing<RX\_ORDER\_DATE <= REFRESH\_MAX ) and RXNORM\_CUI is not null.
- **PROCEDURESID\_PLUS:** PROCEDURES records where missing<ADMIT\_DATE<=REFRESH\_MAX or missing<PX\_DATE<=REFRESH\_MAX ) and ENCOUNTERID is not null and PX\_TYPE is not in ('NI','UN','OT', ' ').
- **PROVIDERID orphan:** A PROVIDERID which is not in the PROVIDER table and appears in any other table.
- **RECORD\_PCT:** The percent of all records. Will be blank for rows with values of 0 or BT (below threshold).
- **RECORD\_PCT\_CAT:** The percent of records within a category. Will be blank for rows with values of 0 or BT (below threshold).
- **RECORD\_N\_RXCUI:** Count of records with non-missing values for RXNORM\_CUI.
- **RECORD\_N\_LOINC:** Count of records with non-missing values for LOINC.
- **RESPONSE\_DATE:** Date the query package was run (ie, SAS system date).
- **QUERY\_PACKAGE:** Query package name.
- **RXNORM\_CUI\_TTY\_TIER:** The term type (TTY) that the RXNORM\_CUI is mapped to. Tier 1: RXNORM\_CUI\_TTY in ('SCD','SBD','BPCK','GPCK'). Tier 2: RXNORM\_CUI\_TTY in ('SBDF','SCDF','SBDG','SCDG','SBDC','BN','MIN'). Tier 3: RXNORM\_CUI\_TTY in ('SCDC','PIN','IN'). Tier 4: RXNORM\_CUI\_TTY in ('DF','DFG'). NULL or missing=RXNORM\_CUI\_TTY='NULL or missing'.
- **STAT:** Descriptive statistic (e.g. minimum, maximum, median).
- **TAG:** CDM field name
- **VALID\_DISTINCT\_N:** Count of records with unique and valid values for a specific field.
- **VALID\_DISTINCT\_N\_PCT:** The percent of records with unique and valid values for the specified field.
- **VALID\_N:** Number of records in a valid format. Used for fields without a prespecified value set. For the HASH\_TOKEN table, this refers to non-error tokens.
- **VISIT:** As stated in the PCORnet Common Data Model, for the Encounter table, “each record will generally reflect a unique combination of PATID, ADMIT\_DATE, PROVIDERID, and ENC\_TYPE”. Thus, a visit is a concatenation of PATID + ADMIT\_DATE+ PROVIDERID + ENC\_TYPE.

## IV. Data Curation Query Output Tables

For a full list of output tables and for table shells of each dataset, please refer to the Technical Specifications available on the Data Curation page on [iMeet](#).

## V. Empirical Data Curation (EDC) Report

The data from all data curation query output tables except for the *elapsed* and *datamart\_all* datasets is compiled into a normalized dataset. The Empirical Data Curation (EDC) Report is produced from this dataset. The EDC Report summarizes key information from the query output tables and identifies exceptions to the PCORnet Data Checks. The report includes a table of contents, a data check exception summary, and up to 52 tables and charts, depending upon the number of CDM tables which are populated. The table of contents is below.

Section	Table	Table Description	Data Check(s)
n/a	n/a	Data Check Exception Summary	n/a
Section I: Descriptive Information	Table IA	Demographic Summary	n/a
	Table IB	Potential Pools of Patients	2.09, 3.04, 3.05
	Table IC	Height, Weight, and Body Mass Index (BMI)	n/a
	Table ID	Records, Refresh Dates, Patients, Encounters, and Date Ranges by Table	1.18
	Table IE	Records Per Table by Encounter Type	n/a
	Table IF	Date Obfuscation or Imputation	n/a
	Table IG	Lab Results For Selected Lab Tests	3.13
	Table IH	Patients with Selected Diagnoses	n/a
	Table II	Patients with Selected Procedures	n/a
	Chart IA	Trend in Vital Measures by Measurement Date, Past 5 Years	n/a
	Chart IB	Trend in Encounters by Admit Date and Encounter Type, Past 5 Years	n/a
	Chart IC	Trend in Institutional Encounters by Discharge Date and Encounter Type, Past 5 Years	n/a
	Chart ID	Trend in Laboratory Results by Result Date, Past 5 Years	n/a
	Chart IE	Trend in Prescribed Medications by Rx Order Date, Past 5 Years	n/a
	Chart IF	Trend in Dispensed Medications by Dispense Date, Past 5 Years	n/a
	Chart IG	Trend in Administered Medications by Start Date, Past 5 Years	n/a
	Chart IH	Trend in Condition Records by Report Date, Past 5 Years	n/a
	Chart II	Trend in Death Records by Death Date and Source, Past 5 Years	n/a
	Chart IJ	Trend in Immunization Records by Vx Record Date, Past 5 Years	n/a
	Chart IK	Trend in Clinical Observation Records by Start Date, Past 5 Years	n/a
	Chart IL	Trend in General Observation Records by Start Date, Past 5 Years	n/a
Section II: Data Model Conformance	Table IIA	Primary Key Errors	1.05
	Table IIB	Values Outside of Common Data Model (CDM) Specifications	1.06
	Table IIC	Non-Permissible Missing Values	1.07
	Table IID	Diagnostic Errors	1.01, 1.02, 1.03, 1.04, 1.17
	Table IIE	Orphan Records, Replication Errors, Encounter Duplication and Hash Token Duplication	1.08, 1.09, 1.10, 1.11, 1.12, 1.14, 1.15, 1.19
	Table IIF	Potential Code Errors and Misplaced Codes	1.13, 1.16
Section III: Data Plausibility	Table IIIA	Future Dates	2.01
	Table IIIB	Records with Extreme Values	2.02
	Table IIIC	Illogical Dates	2.03

Section	Table	Table Description	Data Check(s)
	Table IIID	Encounters Per Visit and Per Patient	2.04
	Table IIIE	Laboratory Result Specimen Source Discrepancies	2.05
	Table IIIF	Quantitative Lab Result Outliers, Selected Tests	2.06
	Table IIIG	Monthly Record Volume Outliers, Selected Domains	2.08
	Chart IIIA	Monthly Record Volume Outliers, Encounters	2.08
	Chart IIIB	Monthly Record Volume Outliers, Diagnoses	2.08
	Chart IIIC	Monthly Record Volume Outliers, Procedures	2.08
	Chart IIID	Monthly Record Volume Outliers, Vitals	2.08
	Chart IIIE	Monthly Record Volume Outliers, Prescribing	2.08
	Chart IIIF	Monthly Record Volume Outliers, Labs	2.08
Section IV: Data Completeness and Plausibility	Table IVA	Diagnosis Records Per Encounter, Overall and by Encounter Type	3.01
	Chart IVA	Diagnosis Records Per Encounter by Admit Date and Encounter Type, Past 5 Years	n/a
	Table IVB	Procedure Records Per Encounter, Overall and by Encounter Type	3.02
	Chart IVB	Procedure Records Per Encounter by Admit Date and Encounter Type, Past 5 Years	n/a
	Table IVC	Missing or Unknown Values, Required Tables	3.03
	Table IVD	Missing or Unknown Values, Optional Tables	3.03
	Table IVE	Principal Diagnoses for Institutional Encounters	2.07, 3.06
	Table IVF	Data Latency and Completeness of Encounter, Diagnosis and Procedure Data, Past 2 Years	3.07
	Table IVG	Data Latency and Completeness of Vital, Prescription, and Lab Data, Past 2 Years	3.11
	Table IVH	RXNORM Term Type Mapping, Overall and Past 5 Years	3.08, 3.15
	Table IVI	Laboratory Result Data Completeness, Overall and Past 5 Years	3.09, 3.10, 3.12
	Table IVI_Ref	Laboratory Result Data Completeness Definitions	n/a
	Table IVJ	Data Latency and Completeness of Medication Administration, Dispensing and Clinical Observation Data, Past 2 Years	3.14
Section V: Data Persistence	Table VA	Changes in Tables	4.01
	Table VB	Changes in Selected Encounter Types and Domains	4.02
	Table VC	Changes in Selected Code Types	4.03

## VI. Program Package File Structure

Each request package distributed by PCORnet's DRN OC contains several sub-folders to organize program inputs and outputs. The subfolders must reside within an outer folder labeled with the query name. The subfolders are as follows:

- ***dmlocal***: Contains output generated by the request that should be saved locally but not returned to DRN OC. Output may be used locally or to facilitate follow-up queries.
- ***drnoc***: Contains output generated by the request that should be returned to the DRN OC. These tables consist of aggregate data/output and transfer the minimum required to answer the analytic question.
- ***infolder***: Contains all input programs and files needed to execute the request. These are created for each request by the DRN OC Data Curation team; the contents of this folder should not be edited.
- ***sasprograms***: Contains the SAS programs that must be edited and then executed locally.

## VII. Files Included in Query Request

The following files are included in the Zip file distributed with the query request.

Subfolder	Type	Files
n/a	PDF and Word Document	Cycle 15 Data Curation Query Package Checklist.docx Data Curation Query Package v6.13 Work Plan.pdf Additional Approval Criteria and Exemption Request Form.docx
/infolder	SAS programs	data_curation_base.sas data_curation_print.sas data_curation_tables.sas edc_prep.sas edc_report.sas edc_template.sas normalization.sas potential_code_errors.sas
	Reference datasets	loinc.cpt: Contains loinc.sas7dat, which is used for the misplaced records portion of the Potential Code Errors query and Data Check 1.16 dc_reference.cpt: See DC_Reference.cpt below edc_reference.cpt: See EDC_Reference.cpt below
/sasprograms	SAS programs	01_run_code_errors.sas 02_run_queries.sas 03_run_edc_prep.sas 04_run_edc_report.sas

**dc\_reference.cpt**

Dataset	Description
cdm_version facility_type pat_pref_language_spoken payer_type provider_specialty_primary qual route dose_form state specimen_source unit vx_body_site vx_manufacturer	List of allowed values. Derived from the Valuesets tab of the current version of the parseable file (2023_04_03_PCORnet_Common_Data_Model_v6dot1_parseable.xlsx). The parseable file is available on <a href="#">iMeet</a> .
lab_loinc_ref	Contains the specimens (LOINC “system”) for selected LOINC codes (high volume and/or included in the DC Lab Groups). Used in Table III E and Data Check 2.05.
lab_dcgroup_ref	Code lists for the 30 concepts in the current version of the Data Curation Lab Groups (Data_Curation_Lab_Groups_v4.4.xlsx). Used in Data Checks 2.05, 2.06 and 3.13. The Data Curation Lab Groups are available as an Excel file on <a href="#">iMeet</a> .
rxnorm_cui_ref	List of RXNORM_CUI codes and their Term Type Tier mapping. Used in EDC Table IV H and Data Check 2.08.
dx_dcgroup_ref	Code lists for selected diagnosis concepts. Used in EDC Table I H.
px_dcgroup_ref	Code lists for selected procedure concepts. Used in EDC Table II.
loinc_exclude	Contains LOINC codes where the values may contain Personal Identifiable Information. These codes are excluded from the OBS_CLIN, OBS_GEN, LAB_RESULT_CM, and PRO_CM tables.

**edc\_reference.cpt**

Dataset	Description
dc_summary	Data check descriptions and network results
dc_tables	List of output tables that may be used in the EDC report. This includes the code_summary dataset produced by 01_run_potential_code_errors.sas, and all datasets produced by the 02_run_queries.sas programs except for the elapsed_datasets. This dataset also includes the dcpart_macro_value value for each dataset.
Footers	Text for the EDC report footers
Headers	Text for the EDC report headers
lab_volume_ref	Contains the lower boundary for the expected volume of selected data curation lab groups, stratified for pediatric and non-pediatric datamarts. Used in Data Check 3.13.
pediatric_datamarts	List of pediatric DataMarts
required_structure	Contains a list of the expected tables and fields (name, data type, and length) in the CDM. Derived from the Fields tab of the current parseable file.
specimen_source_category	Groups actual specimen sources into categories for Data Check 2.05
Tbl_ivl_ref	Text for Table IVI_Ref
Toc	Text for the Table of Contents in the EDC report
Toc_part1	Text for the Table of Contents in part 1 of the EDC report when running the package in a modular fashion
q2_stat_dlg_loinc	Contains clinical and statistical ranges for selected LOINC codes, stratified for pediatric and non-pediatric datamarts. Used for Data Check 2.06.

## VIII. Output Files

**Local files (*dmlocal* folder).** DMID=DataMart ID; DATE=response date

Produced by	File description
potential_code_errors.sas	code_summary (SAS dataset and csv file) misplaced_loincs (SAS dataset and csv file) <i>Up to 11 error files, if relevant code types are present:</i> bad_condition (SAS dataset and csv file) bad_dx (SAS dataset and csv file) bad_px (SAS dataset and csv file) bad_pres (SAS dataset and csv file) bad_lab (SAS dataset and csv file) bad_lab_hist (SAS dataset and csv file) bad_disp (SAS dataset and csv file) bad_medadmin (SAS dataset and csv file) bad_obsclin (SAS dataset and csv file) bad_obsgen (SAS dataset and csv file) bad_immunization (SAS dataset and csv file)
data_curation_base.sas; data_curation_tables.sas;	Up to 284 output tables (SAS datasets and csv files; see <a href="#">section IV</a> ) and set.log (contains the output results of the PROC SETINIT procedure. The set.log information is used to populate XTBL_L3_METADATA.
normalization.sas	[DMID]_[ DATE]_dc_norm.sas7dat
edc_report.sas	required_structure.csv lab_volume_ref.csv specimen_source_category.csv q2_stat_dlg_loinc.csv



**Files to be returned to the DRN OC (*drnoc* folder).** DMID=DataMart ID; DATE=response date. Log files must be checked for errors and warnings.


File name	Program produced by	File description
[DMID]_[DATE]_potential_code_errors.log	potential_code_errors.sas	The SAS log file for the program.
[DMID]_[DATE]_Potential_Code_Errors.pdf	potential_code_errors.sas	The report produced by the program.
[DMID]_[DATE]_code_summary.cpt	potential_code_errors.sas	A SAS transport file containing the code error summary dataset produced by the program
<i>If data curation queries are run at once</i> [DMID]_[DATE]_data_curation_all.cpt  <b>or</b>  <i>If data curation queries are run separately</i> [DMID]_[DATE]_data_curation_dcpart1.cpt [DMID]_[DATE]_data_curation_dcpart2.cpt	data_curation_base.sas; data_curation_tables.sas	A SAS transport file containing all the SAS datasets produced by the program(s).
<i>If data curation queries are run at once</i> [DMID]_[DATE]_data_curation_all.pdf  <b>or</b>  <i>If data curation queries are run separately</i> [DMID]_[DATE]_data_curation_dcpart1.pdf [DMID]_[DATE]_data_curation_dcpart2.pdf	data_curation_base.sas; data_curation_tables.sas data_curation_print.sas	A PDF containing a partial print of the output tables for the benefit of non-programmers. For ease of readability, it excludes the first three columns of the table (DataMartID, Response Date, and Query Package), and large tables are limited to the 100 most frequent observations. Empty tables are not printed.
<i>If data curation queries are run at once</i> [DMID]_[DATE]_data_curation_all.log [DMID]_[DATE]_data_curation_base.log  <b>or</b>  <i>If data curation queries are run separately</i> [DMID]_[DATE]_data_curation_base.log [DMID]_[DATE]_data_curation_dcpart1.log [DMID]_[DATE]_data_curation_dcpart2.log	data_curation_base.sas; data_curation_tables.sas	The SAS log files for the programs.
[DMID]_[DATE]_data_curation_progress_report.rtf	data_curation_base.sas; data_curation_tables.sas	A rtf file containing table names and their processing time
[DMID]_[DATE]_dc_norm.cpt	normalization.sas	A SAS transport file containing a normalized version of all data curation query output tables except the <i>elapsed</i> and <i>datamart_all</i> datasets.
[DMID]_[DATE]_normalization.log	normalization.sas	The SAS log file for the program.
<i>If data curation queries are run at once</i> [DMID]_[DATE]_EDCRPT_all.log  <b>or</b>  <i>If data curation queries are run separately</i> [DMID]_[DATE]_EDCRPT_dcpart1.log [DMID]_[DATE]_EDCRPT_all.log	edc_report.sas	The SAS log file for the program.
<i>If data curation queries are run at once</i> [DMID]_[DATE]_EDCRPT_all.pdf	edc_report.sas	The report produced by the program.

File name	Program produced by	File description
<b>or</b>  <i>If data curation queries are run separately</i> [DMID]_[DATE]_EDCRPT_dcpart1.pdf [DMID]_[DATE]_EDCRPT_all.pdf		

## IX. Query Workflow Diagrams


**Figure 1** illustrates how the query package uses information from the CDM tables and prior data curation results to produce the datasets in the *dmlocal* and *drnoc* folder.

**Figure 1: Required *dmlocal* inputs and outputs**




The figures below illustrate how to use the modular ([Figure 2](#)) or non-modular ([Figure 3](#)) approach to running the query package. The modular approach allows partners to identify and correct exceptions to required data checks before running the remainder of the data curation query programs. *Note:* Exceptions to Data Check 1.13 (More than 5% of ICD, CPT, LOINC, RXCUI, or NDC codes do not conform to the expected length or content) will require re-running the Potential Code Errors program, regardless of which approach is used.

**Figure 2: Data Curation Query Package Workflow, Modular Option**



**Figure 3: Data Curation Query Package Workflow, Non-Modular Option**



## X. Responding to the Query Package

- 1) Prepare for the query as instructed in the Query Package Checklist.
- 2) Open the query package. Extract the contents, save them locally as described in [Section VI](#), and create the *drnoc* and *dmlocal* folders.
- 3) Populate the directory paths as instructed below. For reasons of compatibility and standardization, directory paths must meet the following criteria:

- DO use forward slashes (e.g. /) which are always compatible on both UNIX and WINDOWS.
- DO use end of path separators (e.g. /xyz/ and not \xyz) which are assumed by many programs.
- DO use beginning of path separators (e.g. /xyz) on UNIX.
- DO NOT use beginning of path separators on WINDOWS (e.g. P:/xyz not /P:/xyz).
- DO NOT surround directory paths with quotes (e.g. /xyz/ not "/xyz/").

- a) After %let dpath=, provide the directory path where your PCORnet CDM SAS data is located.
  - b) After %let qpath=, provide the outer folder where the required folders were created.
  - c) After %let ppath=, provide the outer folder containing the most recently approved query results (i.e. results for the previous DataMart refresh). If this is the DataMart's first refresh and the DataMart does not have results from a previous DataMart refresh, provide the same value that was provided for dpath.
  - d) If the CDM data is stored in database tables, modify the user inputs to use appropriate SAS/ACCESS options on a LIBNAME statement so that the program knows where to find the database tables.
- 4) Open the **01\_run\_code\_errors.sas** program.
    - a) Assign directory paths as described in Step 3.
    - b) Run the program.
    - c) Review the log and output as instructed in the Query Package Checklist.
  - 5) Open the **02\_run\_queries.sas** program.
    - a) Assign directory paths as described in Step 3. After %let threshold=, leave the default value of 0 unless changing it is required by your institution. After %let ets\_installed=, change the default value of Yes to No if applicable (see additional instructions in the program). If you are running the program modularly, modify \_part1 and \_part2 as shown in [Figure 2](#).
    - b) Run the program. As it processes each query program, the program will print results to a PDF file, create permanent SAS datasets for each output table, and import all permanent SAS datasets into a SAS transport file. You can monitor the query progress by checking the [DMID]\_[DATE]\_data\_curation\_progress\_report.rtf document in the *drnoc* folder. Depending on your SAS processing environment, you may also see the same information in the SAS OUTPUT window or RESULTS window.
    - c) Review the output and logs as instructed in the Query Package Checklist.
    - d) If you are working in Windows and need to re-run the program, first close all open applications (e.g. PC SAS and Microsoft Word). Otherwise, you will get an error message from SAS like "Fatal ODS error has occurred. Unable to continue processing this output destination" and "File is in use".
  - 6) Open the **03\_run\_edc\_prep.sas** program.
    - a) Assign directory paths as described in Step 3. If you are running the program modularly, modify the \_part1 and \_part2 as shown in [Figure 2](#).
    - b) Run the program and review the output in the result window. You should see a statement that says "No datasets are missing". If a dataset is missing, it will be listed in the output. If there is no output, confirm that you entered the correct information after %let qpath=. If datasets are missing, re-run the **01\_run\_code\_errors.sas** and/or **02\_run\_queries.sas** programs to create the missing datasets before proceeding.
  - 7) Open the **04\_run\_edc\_report.sas** program.
    - a) Assign directory paths as described in Step 3. If you are running the program modularly, modify the \_part1 and \_part2 as shown in [Figure 2](#).

- b) Run the program. This program will first call the **normalization.sas** program to create a dataset which combines all the data curation and code errors query output tables ([DMID]\_[DATE]\_dc\_norm.sas7bdat). It will then call **edc\_report.sas** to create the Empirical Data Curation (EDC) report from the [DMID]\_[DATE]\_dc\_norm.sas7bdat dataset and the EDC reference datasets and prints results to a PDF file. If the program is run modularly (see [Figure 2](#)), part 1 will produce a portion of the EDC report mainly associated with the required data checks, while part 2 will produce the full EDC report that will be returned to the Coordinating Center.
- c) Review the logs and output as instructed in the Query Package Checklist.
- d) In investigating Data Check exceptions, you may wish to review the reference datasets used by the data checks (see [Section VII](#)). Four of these reference datasets are available as CSV files in the *dmlocal* folder, as described in [Section VIII](#). If you wish to access other datasets, you may access these by opening the *dc\_reference.cpt* or *edc\_reference.cpt* files, as shown in the example below.

```
libname outlib 'F:/pcornet/myproject/';
%let infile= 'F:/pcornet/myproject/infolder/edc_reference.cpt';
proc cimport infile=&infile library=outlib;
run;
```

- 8) Update the online ETL Annotated Dictionary as instructed in the Query Package Checklist.
- 9) If desired, verify the contents of the *cpt* files by using a `proc cimport` statement, as shown in the example below:
 

```
libname outlib 'F:/pcornet/myproject/';
%let infile= 'F:/pcornet/myproject/T1D3_20151101_data_curation_all.cpt';
proc cimport infile=&infile library=outlib;
run;
```
- 10) Return the files in the *drnoc* folder (see [section VIII](#)) and a signed Query Package Checklist. If there is more than one version of any of the files in the *drnoc* folder, archive and/or delete the earlier versions and only return the ones with the most recent date (i.e., those reflecting the final results). Zip the contents of the *drnoc* folder into a file with your datamartid (e.g. [DATAMARTID]\_DRNOC.zip).
- 11) Retain all output from the final run in the *dmlocal* folder for use in subsequent data curation queries as shown in the Query Input and Output Diagram (see [Section IX](#)).

## XI. Version History

Date	Version	Description
Feb 3, 2016	v3.00	Original release.
Mar 17, 2016	v3.01	Corrected truncation of some query results by increasing field lengths. In VITAL_L3_HT, height categories of "<0" and "0-10" were both displaying as "0-10" due to a precision issue with PROC FORMAT/PROC MEANS; this was corrected. In PRO_L3_PXDATE_Y was incorrectly labeled ADMIT_DATE; this was corrected to PX_DATE. Updated all documentation and code to v3.01.
Nov 7, 2016	v3.02	Added queries of DEATH, DISPENSING, LAB_RESULT_CM, and PRESCRIBING (35 queries). Added 7 cross-table queries. Revised 14 queries (retained backwards compatibility). Revised the low cell count threshold logic to conform to PCORnet's new minimum bin size policy. Added the Empirical Data Curation Report.
Nov 18, 2016	v3.03	Eliminated the need for the SAS ACCESS/Interface to PC Files module. Resolves the following warning: "WARNING: In a call to the CATS function, the buffer allocated for the result was not long enough to contain the concatenation of all the arguments."
Mar 21, 2017	v3.04	Modified the program so that optional variables which are 100% missing will not cause errors or omissions. In ENC_L3_ENCTYPE, corrected the calculations for ELIG_RECORD_N and UNIQUE_VISIT_N. In XTBL_L3_DASH2 and XTBL_L3_DASH3, changed the logic to use PRESCRIBING.RX_ORDER_DATE instead of RX_START_DATE. In XTBL_L3_DASH3, changed the logic to not require LAB_RESULT_CM.LAB_NAME to be populated. In Empirical Data Curation (EDC) Table IIE, corrected the highlighting and added the PRESCRIBING table for orphan ENCOUNTERIDS. In Table IIIB, corrected the percentage calculations. In EDC Table IVD, corrected the "% of encounters without a principal diagnosis" calculation.
Jul 5, 2017	V3.10	Modified queries to conform to CDM v3.1. Added queries of the CONDITION, PCORNET_TRIAL, DEATH_CAUSE, and PRO_CM tables. Added 12 queries pertaining to previously characterized tables. Revised 31 queries. Incorporated PCORnet Data Checks v3.
Sept 18, 2017	V3.11	In the Data Curation query, corrected an omission in the "enc_l3_enctype_disdisp" query. In EDC Table IIB, added RX_QUANTITY_UNIT and corrected calculation for PX_TYPE. In EDC Table IVC, added DX_ORIGIN. In EDC Table IVE, corrected the percentage calculation.
Nov 20, 2017	V3.12	Incorporated the PCORnet Code Errors v3 program. In the Data Curation query, added 13 queries pertaining to previously characterized tables; revised 3 queries; and deprecated 6 queries. In the Empirical Data Curation report, incorporated PCORnet Data Checks v4, added 1 table, and revised 14 tables.
June 8, 2018	V4.10	Modified existing queries to conform to CDM v4.1. Incorporated the PCORnet Code Errors v5 program. In the Data Curation query, added 40 queries (24 pertaining to previously characterized tables; 16 for tables new to CDM v4.1); revised 27 queries; and deprecated 2 queries. In the Empirical Data Curation report, incorporated PCORnet Data Checks v5, added 1 table and 2 charts, and revised 15 tables.
June 29, 2018	V4.11	Corrected the DIAGNOSIS and PROCEDURES information in Table ID. Added additional DATE_MGMT fields to Table IIB.
Oct 8, 2018	V4.12	Corrected minor bugs in v4.11. Split the data curation program into 3 programs. Separated the data curation and code errors "run" programs. In the Data Curation program, modified the lookback logic to remove the date restriction from the DEATH table and include records with non-missing dates. Added an Empirical Data Curation (EDC) preparation program. In the Empirical Data Curation program, updated the reference files to reflect Cycle 5 results and to exclude LOINC codes which have no variation from Data Check 2.06.
Dec 20, 2018	V4.13	Full data curation for OBS_CLIN and OBS_GEN tables. For the data curation query, added query progress check report; updated Value Set Reference File to v1.5; and added dia_l3_dxtype and pro_l3_pxtype. Updated Potential Code Errors to v6 which incorporates OBS_CLIN, OBS_GEN, and MED_ADMIN. In the Empirical Data Curation report, incorporated PCORnet Data Checks v6, added 4 tables and 1 chart, revised 11 tables and charts and switched to PDF format.

Date	Version	Description
Mar 19, 2019	V4.14	Corrected minor bugs in v4.13 affecting PRO_L3_PXTYPE and Data Check 2.07. Updated the Data Curation Lab Group reference file to v3.1 and the network-wide results displayed in the EDC report to the most recently available data.
Jun 17, 2019	V4.15	Set the low cell count threshold to 0. Added Section IX: Query Input and Output Diagram. Added information about the new CDM Value Set Conformance Query to Section X: Responding to the Query Package.
Oct 7, 2019	V5.10	Additions and revisions to support CDM v5.1 and PCORnet Data Checks v7. In the Data Curation query, added 42 queries (17 pertaining to previously characterized tables; 25 for tables new to CDM v5.1); revised 30 queries; and updated the reference files for Data Curation Lab Groups, RXCUIs, and lab outliers. In the Empirical Data Curation report, revised 21 tables and added 4 tables and 7 charts.
Jan 6, 2020	V5.11	Corrected minor bugs in V5.10. Updated the Data Check programming so that (a) Data Check 2.08 (monthly outliers) will work for DataMarts that have SAS_ETC, and (b) in Data Check 2.06 (lab outliers) the pediatric lab reference range will be applied to pediatric DataMarts created in October 2019.
Apr 7, 2020	V5.12	In the Data Curation program, added 1 new query and revised 31 queries. In DIA_L3_DASH1, ENC_L3_DASH1, ENC_L3_DASH2, XTBL_L3_DASH1, XTBL_L3_DASH2, XTBL_L3_DASH3, and VIT_L3_DASH1, the logic was changed to use SAS system date to calculate a consistent timespan for all DataMarts. Updated Empirical Data Curation programs to incorporate PCORnet Data Checks v8, to suppress printing of Tables IIB and IIC if all fields conform to specifications, and to allow the user to designate if SAS_ETC is installed. Removed Data Curation table shells from the Work Plan since these are available in the technical specifications posted on iMeet.
July 6, 2020	V5.13	In the Data Curation program, removed 10 query output tables that were no longer needed and incorporated a new parseable file (2020-06-17-PCORnet-Common-Data-Model-v5dot1-parseable.xlsx). In the Empirical Data Curation programs, fixed a defect in Data Check 3.13 that was failing to flag some exceptions for lab tests where the lab volume percent was below threshold but above 0, and modified Data Check 2.05 to use a lookup table.
Dec 21, 2020	V6.00	Updated for the CDM v6.0 specifications and a new parseable file (2020_10_22_PCORnet_Common_Data_Model_v6dot0_parseable). In the Data Curation program, added 20 query output tables and revised 37 query output tables. In the Empirical Data Curation program, updated existing tables and data checks to support CDM v6.0, added Data Checks 1.15 and 1.16, revised the logic for Data Checks 3.01, 3.02, 3.07 and 3.09, and added charts IK and IL.
Apr 5, 2021	V6.01	In the Data Curation program, added 9 query output tables and added a new query group process option, obsclin.
Apr 7, 2021	V6.02	Fixed a bug in the Empirical Data Curation portion of the package that was causing duplicate rows in Table IVI and errors on the Data Check Summary page for Data Checks 3.10 and 3.12.
Jul 6, 2021	V6.03	Updated for a new parseable file (2021_04_12_PCORnet_Common_Data_Model_v6dot0_parseable). In the Data Curation program, added 6 new query output tables and revised 13 query output tables. In the Empirical Data Curation program, added 1 new table; revised the logic for Data Checks 2.07, 2.08, 3.02, 3.03, 3.06, and 4.02; and added Data Checks 1.17, 3.14, and 3.15.
Jan 3, 2022	V6.04	Updated for a new parseable file (2021_11_29_PCORnet_Common_Data_Model_v6dot0_parseable). In the Data Curation program, revised the default lookback period to 10 years, revised the lookback date for ENROLLMENT to consider either ENR_START_DATE or ENR_END_DATE, added 2 new query output tables, and revised 9 query output tables. In the Empirical Data Curation program, fixed the calculations for Data Checks 3.06 and 2.07 in Table IVE; fixed the calculation for PRESCRIBING Tier 1 brand in Table IVH; incorporated PCORnet Data Checks v11 by revising Data Checks 1.09 and 3.03 and adding Data Checks 1.18 and 1.19.
Jul 1, 2022	V6.05	In the Data Curation program, added 9 new query output tables and revised 9 query output tables. In the Empirical Data Curation program, fixed an error in Table IVE that affected Data Check 3.06 and incorporated <a href="#">PCORnet Data Checks v12</a> .
Jan 03, 2023	V6.06	In the Data Curation program, revised 3 query output tables and revised the logic for calculating Length of Stay. In the Empirical Data Curation program, incorporated PCORnet Data Checks v13 and fixed errors in Data Check 1.19 and 2.07.
July 03, 2023	V6.10	Updated package for CDM v6.1. In the Data Curation program, added 1 query output table and revised 11 output tables, including fixing an error in the dia_l3_pdxgrp_encype table that is used for Data



Date	Version	Description
		Check 2.07. In the Empirical Data Curation program, incorporated PCORnet Data Checks v14, updated the Data Check Summary to display exceptions to the required Data Check 1.17 in red font, updated Table IB (changes to potential pool calculations and addition of Data Check 2.09), updated Table IIA and IIC (changes to HASH_TOKEN table), updated Table IVI (addition of OBS_CLIN data), and added CSV versions of 4 of the reference datasets (required_structure; lab_volume_ref; specimen_source_category; and q2_stat_dlg_loinc) to the <i>dmlocal</i> folder.
December 15, 2023	V6.11	Modified entire package to create the ability to run the query into two parts (part 1 and part 2). This updated format made the query group processing option (%let grp) obsolete. All programs associated with running the query package in parts (obsclin, lab, xtbl, main) have been consolidated into a single program (data_curation_tables.sas). The reference dataset obsclin_code was removed. Added 2 additional figures to Section IX demonstrating the use of the part1 and part2 macros. Updated the majority of the reference datasets in the Data Curation program, deprecated 13 query output tables, added 2 query output tables, and revised 2 query output tables.
January 10, 2024	V6.12	Fixed a bug in the data_curation_tables program that was causing problems for partners who ran the query package modularly and closed their SAS session before running part2. Removed duplicates from the lab_loinc_ref reference table (used in lab_l3_loinc_source, lab_l3_loinc_source_5y, and Data Curation 2.05).
March 11, 2024	V6.13	Updates made to the data_curation_tables program to improve query run time for date logic.