

SIGRun

Generated by Doxygen 1.8.15

1 Namespace Index	1
1.1 Packages	1
2 Hierarchical Index	3
2.1 Class Hierarchy	3
3 Class Index	5
3.1 Class List	5
4 File Index	7
4.1 File List	7
5 Namespace Documentation	9
5.1 Button Namespace Reference	9
5.2 Canvas Namespace Reference	9
5.3 Container Namespace Reference	9
5.4 Cursor Namespace Reference	9
5.5 Deletion Namespace Reference	9
5.6 Directory Namespace Reference	10
5.7 Entry Namespace Reference	10
5.8 ImageFile Namespace Reference	10
5.9 OpenEntry Namespace Reference	10
5.10 Preview Namespace Reference	10
5.11 SIEffect Namespace Reference	10
5.12 SimpleNotification Namespace Reference	10
5.13 Tag Namespace Reference	11
5.14 TextFile Namespace Reference	11
6 Class Documentation	13
6.1 Button.Button Class Reference	13
6.1.1 Detailed Description	14
6.1.2 Constructor & Destructor Documentation	15
6.1.2.1 __init__()	15
6.1.3 Member Function Documentation	15
6.1.3.1 on_btn_continuous_emit()	15
6.1.3.2 on_btn_enter_emit()	15
6.1.3.3 on_btn_leave_emit()	15
6.1.3.4 on_click_continuous_recv()	16
6.1.3.5 on_click_enter_recv()	16
6.1.3.6 on_click_leave_recv()	16
6.1.3.7 on_parent_enter_recv()	16
6.1.3.8 on_parent_leave_recv()	16
6.1.4 Member Data Documentation	16
6.1.4.1 color	17

6.1.4.2 height	17
6.1.4.3 icon_height	17
6.1.4.4 icon_width	17
6.1.4.5 is_triggered	17
6.1.4.6 is_triggered_reported	17
6.1.4.7 name	18
6.1.4.8 qml_path	18
6.1.4.9 region_type	18
6.1.4.10 value	18
6.1.4.11 width	18
6.2 Canvas.Canvas Class Reference	19
6.2.1 Detailed Description	20
6.2.2 Constructor & Destructor Documentation	20
6.2.2.1 __init__()	20
6.2.3 Member Function Documentation	20
6.2.3.1 on_sketch_continuous_rcv()	20
6.2.3.2 on_sketch_enter_rcv()	21
6.2.3.3 on_sketch_leave_rcv()	21
6.2.4 Member Data Documentation	21
6.2.4.1 color	21
6.2.4.2 name	21
6.2.4.3 region_type	21
6.2.4.4 source	22
6.3 Container.Container Class Reference	22
6.3.1 Detailed Description	23
6.3.2 Constructor & Destructor Documentation	23
6.3.2.1 __init__()	23
6.3.3 Member Function Documentation	23
6.3.3.1 set_geometry_from_geometry()	24
6.3.4 Member Data Documentation	24
6.3.4.1 color	24
6.3.4.2 has_data_changed	24
6.3.4.3 height	24
6.3.4.4 name	24
6.3.4.5 region_type	25
6.3.4.6 shape	25
6.3.4.7 source	25
6.3.4.8 width	25
6.3.4.9 x	25
6.3.4.10 y	25
6.4 Deletion.Deletion Class Reference	26
6.4.1 Detailed Description	27

6.4.2 Constructor & Destructor Documentation	27
6.4.2.1 <code>__init__()</code>	27
6.4.3 Member Function Documentation	27
6.4.3.1 <code>on_deletion_continuous_emit()</code>	27
6.4.3.2 <code>on_deletion_enter_emit()</code>	28
6.4.4 Member Data Documentation	28
6.4.4.1 <code>color</code>	28
6.4.4.2 <code>is_under_user_control</code>	28
6.4.4.3 <code>name</code>	28
6.4.4.4 <code>qml_path</code>	28
6.4.4.5 <code>region_type</code>	29
6.5 Directory.Directory Class Reference	29
6.5.1 Detailed Description	31
6.5.2 Constructor & Destructor Documentation	31
6.5.2.1 <code>__init__()</code>	31
6.5.3 Member Function Documentation	31
6.5.3.1 <code>on_btn_continuous_rcv()</code>	31
6.5.3.2 <code>on_btn_enter_rcv()</code>	32
6.5.3.3 <code>on_btn_leave_rcv()</code>	32
6.5.3.4 <code>on_btn_trigger()</code>	32
6.5.3.5 <code>on_child_enter_emit()</code>	32
6.5.3.6 <code>on_child_leave_emit()</code>	32
6.5.3.7 <code>on_open_entry_continuous_rcv()</code>	33
6.5.3.8 <code>on_open_entry_enter_rcv()</code>	33
6.5.3.9 <code>on_open_entry_leave_rcv()</code>	33
6.5.3.10 <code>position()</code>	33
6.5.3.11 <code>set_folder_contents_page()</code>	33
6.5.4 Member Data Documentation	34
6.5.4.1 <code>browse_pages</code>	34
6.5.4.2 <code>btn_presses</code>	34
6.5.4.3 <code>children</code>	34
6.5.4.4 <code>children_paths</code>	34
6.5.4.5 <code>color</code>	34
6.5.4.6 <code>current_page</code>	35
6.5.4.7 <code>height</code>	35
6.5.4.8 <code>is_icon_visible</code>	35
6.5.4.9 <code>is_open_entry_capability_blocked</code>	35
6.5.4.10 <code>is_opened_visible</code>	35
6.5.4.11 <code>last_x</code>	35
6.5.4.12 <code>last_y</code>	36
6.5.4.13 <code>name</code>	36
6.5.4.14 <code>num_children_per_page</code>	36

6.5.4.15 preview_height	36
6.5.4.16 preview_width	36
6.5.4.17 qml_path	36
6.5.4.18 region_type	37
6.5.4.19 shape	37
6.5.4.20 width	37
6.6 Entry.Entry Class Reference	37
6.6.1 Detailed Description	39
6.6.2 Constructor & Destructor Documentation	39
6.6.2.1 __init__()	39
6.6.3 Member Function Documentation	39
6.6.3.1 on_open_entry_continuous_recv()	39
6.6.3.2 on_open_entry_enter_recv()	39
6.6.3.3 on_open_entry_leave_recv()	40
6.6.3.4 on_parent_enter_recv()	40
6.6.3.5 on_parent_leave_recv()	40
6.6.4 Member Data Documentation	40
6.6.4.1 color	40
6.6.4.2 filename	40
6.6.4.3 height	41
6.6.4.4 icon_height	41
6.6.4.5 icon_width	41
6.6.4.6 is_child	41
6.6.4.7 is_container_visible	41
6.6.4.8 is_open_entry_capability_blocked	41
6.6.4.9 is_under_user_control	42
6.6.4.10 is_visible	42
6.6.4.11 name	42
6.6.4.12 path	42
6.6.4.13 qml_path	42
6.6.4.14 region_type	42
6.6.4.15 source	43
6.6.4.16 text_color	43
6.6.4.17 text_height	43
6.6.4.18 width	43
6.7 ImageFile.ImageFile Class Reference	44
6.7.1 Detailed Description	45
6.7.2 Constructor & Destructor Documentation	45
6.7.2.1 __init__()	45
6.7.3 Member Function Documentation	45
6.7.3.1 on_preview_continuous_recv()	46
6.7.3.2 on_preview_enter_recv()	46

6.7.3.3 on_preview_leave_recv()	46
6.7.4 Member Data Documentation	46
6.7.4.1 height	46
6.7.4.2 is_in_preview	46
6.7.4.3 name	47
6.7.4.4 qml_path	47
6.7.4.5 region_type	47
6.7.4.6 shape	47
6.7.4.7 width	47
6.8 Cursor.MouseCursor Class Reference	48
6.8.1 Detailed Description	49
6.8.2 Constructor & Destructor Documentation	49
6.8.2.1 __init__()	49
6.8.3 Member Function Documentation	50
6.8.3.1 on_btn_press_continuous_emit()	50
6.8.3.2 on_btn_press_enter_emit()	50
6.8.3.3 on_btn_press_leave_emit()	50
6.8.3.4 on_left_mouse_click()	50
6.8.3.5 on_move_continuous_emit()	50
6.8.3.6 on_move_enter_emit()	51
6.8.3.7 on_move_leave_emit()	51
6.8.3.8 on_right_mouse_click()	51
6.8.3.9 on_sketch_continuous_emit()	51
6.8.3.10 on_sketch_leave_emit()	51
6.8.3.11 position()	52
6.8.3.12 self_on_sketch_enter_emit()	52
6.8.3.13 set_position_from_position()	52
6.8.4 Member Data Documentation	52
6.8.4.1 btn_taget	52
6.8.4.2 clicks	52
6.8.4.3 color	53
6.8.4.4 height	53
6.8.4.5 last_x	53
6.8.4.6 last_y	53
6.8.4.7 move_target	53
6.8.4.8 name	53
6.8.4.9 parent_canvas	54
6.8.4.10 qml_path	54
6.8.4.11 region_type	54
6.8.4.12 source	54
6.8.4.13 width	54
6.8.4.14 x	54

6.8.4.15 y	55
6.9 OpenEntry.OpenEntry Class Reference	55
6.9.1 Detailed Description	56
6.9.2 Constructor & Destructor Documentation	56
6.9.2.1 __init__()	56
6.9.3 Member Function Documentation	56
6.9.3.1 on_open_entry_emit()	56
6.9.4 Member Data Documentation	57
6.9.4.1 color	57
6.9.4.2 name	57
6.9.4.3 qml_path	57
6.9.4.4 region_type	57
6.10 Preview.Preview Class Reference	58
6.10.1 Detailed Description	59
6.10.2 Constructor & Destructor Documentation	59
6.10.2.1 __init__()	59
6.10.3 Member Function Documentation	59
6.10.3.1 on_preview_continuous_emit()	59
6.10.3.2 on_preview_enter_emit()	60
6.10.3.3 on_preview_leave_emit()	60
6.10.4 Member Data Documentation	60
6.10.4.1 color	60
6.10.4.2 name	60
6.10.4.3 qml_path	60
6.10.4.4 region_type	61
6.10.4.5 source	61
6.11 SIEffect.SIEffect Class Reference	61
6.11.1 Detailed Description	63
6.11.2 Constructor & Destructor Documentation	63
6.11.2.1 __init__()	63
6.11.3 Member Function Documentation	63
6.11.3.1 add_point_to_region_drawing()	64
6.11.3.2 add_QML_data()	64
6.11.3.3 close_standard_application()	64
6.11.3.4 create_link()	64
6.11.3.5 disable_effect()	65
6.11.3.6 disable_link_emission()	65
6.11.3.7 disable_link_reception()	65
6.11.3.8 display_folder_contents_page()	65
6.11.3.9 enable_effect()	65
6.11.3.10 enable_link_emission()	66
6.11.3.11 enable_link_reception()	66

6.11.3.12 on_move_continuous_recv()	66
6.11.3.13 on_move_enter_recv()	66
6.11.3.14 on_move_leave_recv()	66
6.11.3.15 override_effect()	67
6.11.3.16 register_region_from_drawing()	67
6.11.3.17 register_shape_change()	67
6.11.3.18 remove_link()	67
6.11.3.19 set_position_from_position()	68
6.11.3.20 start_standard_application()	68
6.11.4 Member Data Documentation	68
6.11.4.1 aabb	68
6.11.4.2 cap_emit	68
6.11.4.3 cap_link_emit	68
6.11.4.4 cap_link_recv	69
6.11.4.5 cap_recv	69
6.11.4.6 color	69
6.11.4.7 delta_x	69
6.11.4.8 delta_y	69
6.11.4.9 EMISSION	69
6.11.4.10 height	70
6.11.4.11 is_under_user_control	70
6.11.4.12 last_delta_x	70
6.11.4.13 last_delta_y	70
6.11.4.14 last_x	70
6.11.4.15 last_y	70
6.11.4.16 name	71
6.11.4.17 NO_RESAMPLING	71
6.11.4.18 qml_path	71
6.11.4.19 RECEPTION	71
6.11.4.20 region_type	71
6.11.4.21 RESAMPLING	71
6.11.4.22 shape	72
6.11.4.23 source	72
6.11.4.24 texture_height	72
6.11.4.25 TEXTURE_PATH_NONE	72
6.11.4.26 texture_width	72
6.11.4.27 width	72
6.12 SimpleNotification.SimpleNotification Class Reference	73
6.12.1 Detailed Description	74
6.12.2 Constructor & Destructor Documentation	74
6.12.2.1 __init__()	74
6.12.3 Member Function Documentation	74

6.12.3.1 <code>update_message()</code>	74
6.12.4 Member Data Documentation	74
6.12.4.1 <code>color</code>	75
6.12.4.2 <code>height</code>	75
6.12.4.3 <code>message</code>	75
6.12.4.4 <code>name</code>	75
6.12.4.5 <code>qml_path</code>	75
6.12.4.6 <code>region_type</code>	75
6.12.4.7 <code>source</code>	76
6.12.4.8 <code>width</code>	76
6.13 Tag.Tag Class Reference	76
6.13.1 Detailed Description	77
6.13.2 Constructor & Destructor Documentation	77
6.13.2.1 <code>__init__()</code>	78
6.13.3 Member Data Documentation	78
6.13.3.1 <code>color</code>	78
6.13.3.2 <code>name</code>	78
6.13.3.3 <code>qml_path</code>	78
6.13.3.4 <code>region_type</code>	78
6.13.3.5 <code>source</code>	79
6.14 TextFile.TextFile Class Reference	79
6.14.1 Detailed Description	80
6.14.2 Constructor & Destructor Documentation	80
6.14.2.1 <code>__init__()</code>	81
6.14.3 Member Data Documentation	81
6.14.3.1 <code>name</code>	81
6.14.3.2 <code>qml_path</code>	81
6.14.3.3 <code>region_type</code>	81
7 File Documentation	83
7.1 <code>/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/button/↵</code> Button.py File Reference	83
7.2 <code>/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/canvas/↵</code> Canvas.py File Reference	83
7.3 <code>/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/cursor/↵</code> Cursor.py File Reference	83
7.4 <code>/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/deletion/↵</code> Deletion.py File Reference	84
7.5 <code>/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/external↵</code> _application/Container.py File Reference	84
7.6 <code>/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/↵</code> Directory.py File Reference	84
7.7 <code>/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/↵</code> Entry.py File Reference	84

7.8 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/filesystem/↵ ImageFile.py File Reference	85
7.9 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/filesystem/↵ OpenEntry.py File Reference	85
7.10 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/filesystem/↵ TextFile.py File Reference	85
7.11 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/notification/↵ SimpleNotification.py File Reference	85
7.12 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/preview/↵ Preview.py File Reference	86
7.13 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/Sl↵ Effect.py File Reference	86
7.14 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/tag/↵ Tag.py File Reference	86
Index	87

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

Button	9
Canvas	9
Container	9
Cursor	9
Deletion	9
Directory	10
Entry	10
ImageFile	10
OpenEntry	10
Preview	10
SIEffect	10
SimpleNotification	10
Tag	11
TextFile	11

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

PySIEffect	
SIEffect.SIEffect	61
Button.Button	13
Canvas.Canvas	19
Container.Container	22
Cursor.MouseCursor	48
Deletion.Deletion	26
Entry.Entry	37
Directory.Directory	29
ImageFile.ImageFile	44
TextFile.TextFile	79
OpenEntry.OpenEntry	55
Preview.Preview	58
SimpleNotification.SimpleNotification	73
Tag.Tag	76

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Button.Button	13
Canvas.Canvas	19
Container.Container	22
Deletion.Deletion	26
Directory.Directory	29
Entry.Entry	37
ImageFile.ImageFile	44
Cursor.MouseCursor	48
OpenEntry.OpenEntry	55
Preview.Preview	58
SIEffect.SIEffect	61
SimpleNotification.SimpleNotification	73
Tag.Tag	
Test	76
TextFile.TextFile	79

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/SIEffect.py
86

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/button/Button.py
83

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/canvas/Canvas.py
83

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/cursor/Cursor.py
83

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/deletion/Deletion.py
84

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/external↔
_application/Container.py 84

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/filesystem/Directory.py
84

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/filesystem/Entry.py
84

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/filesystem/ImageFile.py
85

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/filesystem/OpenEntry.py
85

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/filesystem/TextFile.py
85

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/notification/SimpleNotification.py
85

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/preview/Preview.py
86

/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/tag/Tag.py 86

Chapter 5

Namespace Documentation

5.1 Button Namespace Reference

Classes

- class [Button](#)

5.2 Canvas Namespace Reference

Classes

- class [Canvas](#)

5.3 Container Namespace Reference

Classes

- class [Container](#)

5.4 Cursor Namespace Reference

Classes

- class [MouseCursor](#)

5.5 Deletion Namespace Reference

Classes

- class [Deletion](#)

5.6 Directory Namespace Reference

Classes

- class [Directory](#)

5.7 Entry Namespace Reference

Classes

- class [Entry](#)

5.8 ImageFile Namespace Reference

Classes

- class [ImageFile](#)

5.9 OpenEntry Namespace Reference

Classes

- class [OpenEntry](#)

5.10 Preview Namespace Reference

Classes

- class [Preview](#)

5.11 SIEffect Namespace Reference

Classes

- class [SIEffect](#)

5.12 SimpleNotification Namespace Reference

Classes

- class [SimpleNotification](#)

5.13 Tag Namespace Reference

Classes

- class [Tag](#)
test

5.14 TextFile Namespace Reference

Classes


- class [TextFile](#)

Chapter 6


Class Documentation

6.1 Button.Button Class Reference

Inheritance diagram for Button.Button:



Collaboration diagram for Button.Button:



Public Member Functions

- `def __init__ (self, shape=PySIEffect.PointVector(), aabb=PySIEffect.PointVector(), uuid="", kwargs={})`
- `def on_btn_enter_emit (self, other)`
- `def on_btn_continuous_emit (self, other)`
- `def on_btn_leave_emit (self, other)`
- `def on_click_enter_recv (self)`
- `def on_click_continuous_recv (self)`
- `def on_click_leave_recv (self)`
- `def on_parent_enter_recv (self, parent_id)`
- `def on_parent_leave_recv (self, parent_id)`

Public Attributes

- `name`
- `region_type`
- `qml_path`
- `color`
- `value`
- `is_triggered`
- `is_triggered_reported`
- `icon_width`
- `icon_height`
- `width`
- `height`

Additional Inherited Members

6.1.1 Detailed Description

Definition at line 5 of file Button.py.

6.1.2 Constructor & Destructor Documentation

6.1.2.1 `__init__()`

```
def Button.Button.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Definition at line 6 of file Button.py.

6.1.3 Member Function Documentation

6.1.3.1 `on_btn_continuous_emit()`

```
def Button.Button.on_btn_continuous_emit (
    self,
    other )
```

Definition at line 35 of file Button.py.

6.1.3.2 `on_btn_enter_emit()`

```
def Button.Button.on_btn_enter_emit (
    self,
    other )
```

Definition at line 32 of file Button.py.

6.1.3.3 `on_btn_leave_emit()`

```
def Button.Button.on_btn_leave_emit (
    self,
    other )
```

Definition at line 42 of file Button.py.

6.1.3.4 on_click_continuous_recv()

```
def Button.Button.on_click_continuous_recv (
    self )
```

Definition at line 51 of file Button.py.

6.1.3.5 on_click_enter_recv()

```
def Button.Button.on_click_enter_recv (
    self )
```

Definition at line 45 of file Button.py.

6.1.3.6 on_click_leave_recv()

```
def Button.Button.on_click_leave_recv (
    self )
```

Definition at line 55 of file Button.py.

6.1.3.7 on_parent_enter_recv()

```
def Button.Button.on_parent_enter_recv (
    self,
    parent_id )
```

Definition at line 59 of file Button.py.

6.1.3.8 on_parent_leave_recv()

```
def Button.Button.on_parent_leave_recv (
    self,
    parent_id )
```

Definition at line 62 of file Button.py.

6.1.4 Member Data Documentation

6.1.4.1 color

`Button.Button.color`

Definition at line 11 of file Button.py.

6.1.4.2 height

`Button.Button.height`

Definition at line 23 of file Button.py.

6.1.4.3 icon_height

`Button.Button.icon_height`

Definition at line 21 of file Button.py.

6.1.4.4 icon_width

`Button.Button.icon_width`

Definition at line 20 of file Button.py.

6.1.4.5 is_triggered

`Button.Button.is_triggered`

Definition at line 17 of file Button.py.

6.1.4.6 is_triggered_reported

`Button.Button.is_triggered_reported`

Definition at line 18 of file Button.py.

6.1.4.7 name

`Button.Button.name`

Definition at line 8 of file Button.py.

6.1.4.8 qml_path

`Button.Button.qml_path`

Definition at line 10 of file Button.py.

6.1.4.9 region_type

`Button.Button.region_type`

Definition at line 9 of file Button.py.

6.1.4.10 value

`Button.Button.value`

Definition at line 15 of file Button.py.

6.1.4.11 width

`Button.Button.width`


Definition at line 22 of file Button.py.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/button/Button.py`

6.2 Canvas.Canvas Class Reference

Inheritance diagram for Canvas.Canvas:



Collaboration diagram for Canvas.Canvas:



Public Member Functions

- def `__init__` (self, `shape`=PySIEffect.PointVector(), `aabb`=PySIEffect.PointVector(), `uuid`="", `kwargs`={})
- def `on_sketch_enter_rcv` (self, x, y, sender_id)
- def `on_sketch_continuous_rcv` (self, x, y, cursor_id)
- def `on_sketch_leave_rcv` (self, x, y, sender_id)

Public Attributes

- [name](#)
- [region_type](#)
- [source](#)
- [color](#)

Additional Inherited Members

6.2.1 Detailed Description

Definition at line 6 of file Canvas.py.

6.2.2 Constructor & Destructor Documentation

6.2.2.1 `__init__()`

```
def Canvas.Canvas.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Definition at line 7 of file Canvas.py.

6.2.3 Member Function Documentation

6.2.3.1 `on_sketch_continuous_recv()`

```
def Canvas.Canvas.on_sketch_continuous_recv (
    self,
    x,
    y,
    cursor_id )
```

Definition at line 21 of file Canvas.py.

6.2.3.2 on_sketch_enter_recv()

```
def Canvas.Canvas.on_sketch_enter_recv (
    self,
    x,
    y,
    sender_id )
```

Definition at line 18 of file Canvas.py.

6.2.3.3 on_sketch_leave_recv()

```
def Canvas.Canvas.on_sketch_leave_recv (
    self,
    x,
    y,
    sender_id )
```

Definition at line 24 of file Canvas.py.

6.2.4 Member Data Documentation

6.2.4.1 color

```
Canvas.Canvas.color
```

Definition at line 12 of file Canvas.py.

6.2.4.2 name

```
Canvas.Canvas.name
```

Definition at line 9 of file Canvas.py.

6.2.4.3 region_type

```
Canvas.Canvas.region_type
```

Definition at line 10 of file Canvas.py.

6.2.4.4 source

`Canvas.Canvas.source`


Definition at line 11 of file `Canvas.py`.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/canvas/Canvas.py`

6.3 Container.Container Class Reference

Inheritance diagram for `Container.Container`:



Collaboration diagram for `Container.Container`:



Public Member Functions

- `def __init__(self, shape=PySIEffect.PointVector(), aabb=PySIEffect.PointVector(), uuid="", kwargs={})`
- `def set_geometry_from_geometry(self, abs_x, abs_y, width, height)`

Public Attributes

- `name`
- `region_type`
- `source`
- `color`
- `width`
- `height`
- `x`
- `y`
- `shape`
- `has_data_changed`

Additional Inherited Members

6.3.1 Detailed Description

Definition at line 6 of file Container.py.

6.3.2 Constructor & Destructor Documentation

6.3.2.1 __init__()

```
def Container.Container.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Definition at line 7 of file Container.py.

6.3.3 Member Function Documentation

6.3.3.1 `set_geometry_from_geometry()`

```
def Container.Container.set_geometry_from_geometry (
    self,
    abs_x,
    abs_y,
    width,
    height )
```

Definition at line 19 of file Container.py.

6.3.4 Member Data Documentation

6.3.4.1 `color`

```
Container.Container.color
```

Definition at line 12 of file Container.py.

6.3.4.2 `has_data_changed`

```
Container.Container.has_data_changed
```

Definition at line 29 of file Container.py.

6.3.4.3 `height`

```
Container.Container.height
```

Definition at line 20 of file Container.py.

6.3.4.4 `name`

```
Container.Container.name
```

Definition at line 9 of file Container.py.

6.3.4.5 region_type

`Container.Container.region_type`

Definition at line 10 of file Container.py.

6.3.4.6 shape

`Container.Container.shape`

Definition at line 27 of file Container.py.

6.3.4.7 source

`Container.Container.source`

Definition at line 11 of file Container.py.

6.3.4.8 width

`Container.Container.width`

Definition at line 20 of file Container.py.

6.3.4.9 x

`Container.Container.x`

Definition at line 21 of file Container.py.

6.3.4.10 y

`Container.Container.y`


Definition at line 22 of file Container.py.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/external_↔ application/Container.py`

6.4 Deletion.Deletion Class Reference

Inheritance diagram for Deletion.Deletion:



Collaboration diagram for Deletion.Deletion:



Public Member Functions

- def `__init__` (self, `shape`=PySIEffect.PointVector(), `aabb`=PySIEffect.PointVector(), `uuid`="", `kwargs`={})
- def `on_deletion_enter_emit` (self, other)
- def `on_deletion_continuous_emit` (self, other)

Public Attributes

- [name](#)
- [region_type](#)
- [qml_path](#)
- [color](#)
- [is_under_user_control](#)

Additional Inherited Members

6.4.1 Detailed Description

Definition at line 6 of file Deletion.py.

6.4.2 Constructor & Destructor Documentation

6.4.2.1 `__init__()`

```
def Deletion.Deletion.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Definition at line 7 of file Deletion.py.

6.4.3 Member Function Documentation

6.4.3.1 `on_deletion_continuous_emit()`

```
def Deletion.Deletion.on_deletion_continuous_emit (
    self,
    other )
```

Definition at line 22 of file Deletion.py.

6.4.3.2 on_deletion_enter_emit()

```
def Deletion.Deletion.on_deletion_enter_emit (
    self,
    other )
```

Definition at line 17 of file Deletion.py.

6.4.4 Member Data Documentation

6.4.4.1 color

```
Deletion.Deletion.color
```

Definition at line 12 of file Deletion.py.

6.4.4.2 is_under_user_control

```
Deletion.Deletion.is_under_user_control
```

Definition at line 13 of file Deletion.py.

6.4.4.3 name

```
Deletion.Deletion.name
```

Definition at line 9 of file Deletion.py.

6.4.4.4 qml_path

```
Deletion.Deletion.qml_path
```

Definition at line 11 of file Deletion.py.

6.4.4.5 region_type

`Deletion.Deletion.region_type`


Definition at line 10 of file `Deletion.py`.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/deletion/Deletion.py`

6.5 Directory.Directory Class Reference

Inheritance diagram for `Directory.Directory`:



Collaboration diagram for Directory.Directory:



Public Member Functions

- `def __init__ (self, shape=PySIEffect.PointVector(), aabb=PySIEffect.PointVector(), uuid="", kwargs={})`
- `def on_child_enter_emit (self, child)`
- `def on_child_leave_emit (self, child)`
- `def set_folder_contents_page (self, value)`
- `def position (self)`
- `def on_btn_trigger (self, sender, value)`
- `def on_btn_enter_rcv (self, cursor_id, link_attr)`
- `def on_btn_continuous_rcv (self, cursor_id, value)`
- `def on_btn_leave_rcv (self, cursor_id, link_attr)`
- `def on_open_entry_enter_rcv (self, is_other_controlled)`
- `def on_open_entry_continuous_rcv (self, is_other_controlled)`
- `def on_open_entry_leave_rcv (self, is_other_controlled)`

Public Attributes

- `name`
- `region_type`
- `qml_path`
- `preview_width`
- `preview_height`
- `is_icon_visible`
- `is_opened_visible`
- `children_paths`
- `children`
- `num_children_per_page`
- `current_page`

- [browse_pages](#)
- [btn_presses](#)
- [last_x](#)
- [last_y](#)
- [width](#)
- [height](#)
- [shape](#)
- [color](#)
- [is_open_entry_capability_blocked](#)

Additional Inherited Members

6.5.1 Detailed Description

Definition at line 5 of file Directory.py.

6.5.2 Constructor & Destructor Documentation

6.5.2.1 `__init__()`

```
def Directory.Directory.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Reimplemented from [Entry.Entry](#).

Definition at line 6 of file Directory.py.

6.5.3 Member Function Documentation

6.5.3.1 `on_btn_continuous_recv()`

```
def Directory.Directory.on_btn_continuous_recv (
    self,
    cursor_id,
    value )
```

Definition at line 92 of file Directory.py.

6.5.3.2 on_btn_enter_recv()

```
def Directory.Directory.on_btn_enter_recv (
    self,
    cursor_id,
    link_attrib )
```

Definition at line 89 of file Directory.py.

6.5.3.3 on_btn_leave_recv()

```
def Directory.Directory.on_btn_leave_recv (
    self,
    cursor_id,
    link_attrib )
```

Definition at line 98 of file Directory.py.

6.5.3.4 on_btn_trigger()

```
def Directory.Directory.on_btn_trigger (
    self,
    sender,
    value )
```

Definition at line 78 of file Directory.py.

6.5.3.5 on_child_enter_emit()

```
def Directory.Directory.on_child_enter_emit (
    self,
    child )
```

Definition at line 49 of file Directory.py.

6.5.3.6 on_child_leave_emit()

```
def Directory.Directory.on_child_leave_emit (
    self,
    child )
```

Definition at line 55 of file Directory.py.

6.5.3.7 on_open_entry_continuous_rcv()

```
def Directory.Directory.on_open_entry_continuous_rcv (
    self,
    is_other_controlled )
```

Reimplemented from [Entry.Entry](#).

Definition at line 104 of file Directory.py.

6.5.3.8 on_open_entry_enter_rcv()

```
def Directory.Directory.on_open_entry_enter_rcv (
    self,
    is_other_controlled )
```

Reimplemented from [Entry.Entry](#).

Definition at line 101 of file Directory.py.

6.5.3.9 on_open_entry_leave_rcv()

```
def Directory.Directory.on_open_entry_leave_rcv (
    self,
    is_other_controlled )
```

Reimplemented from [Entry.Entry](#).

Definition at line 129 of file Directory.py.

6.5.3.10 position()

```
def Directory.Directory.position (
    self )
```

Definition at line 69 of file Directory.py.

6.5.3.11 set_folder_contents_page()

```
def Directory.Directory.set_folder_contents_page (
    self,
    value )
```

Definition at line 62 of file Directory.py.

6.5.4 Member Data Documentation

6.5.4.1 browse_pages

`Directory.Directory.browse_pages`

Definition at line 22 of file `Directory.py`.

6.5.4.2 btn_presses

`Directory.Directory.btn_presses`

Definition at line 29 of file `Directory.py`.

6.5.4.3 children

`Directory.Directory.children`

Definition at line 16 of file `Directory.py`.

6.5.4.4 children_paths

`Directory.Directory.children_paths`

Definition at line 15 of file `Directory.py`.

6.5.4.5 color

`Directory.Directory.color`

Definition at line 118 of file `Directory.py`.

6.5.4.6 `current_page`

`Directory.Directory.current_page`

Definition at line 20 of file `Directory.py`.

6.5.4.7 `height`

`Directory.Directory.height`

Definition at line 110 of file `Directory.py`.

6.5.4.8 `is_icon_visible`

`Directory.Directory.is_icon_visible`

Definition at line 13 of file `Directory.py`.

6.5.4.9 `is_open_entry_capability_blocked`

`Directory.Directory.is_open_entry_capability_blocked`

Definition at line 125 of file `Directory.py`.

6.5.4.10 `is_opened_visible`

`Directory.Directory.is_opened_visible`

Definition at line 14 of file `Directory.py`.

6.5.4.11 `last_x`

`Directory.Directory.last_x`

Definition at line 73 of file `Directory.py`.

6.5.4.12 last_y

`Directory.Directory.last_y`

Definition at line 74 of file Directory.py.

6.5.4.13 name

`Directory.Directory.name`

Definition at line 8 of file Directory.py.

6.5.4.14 num_children_per_page

`Directory.Directory.num_children_per_page`

Definition at line 17 of file Directory.py.

6.5.4.15 preview_height

`Directory.Directory.preview_height`

Definition at line 12 of file Directory.py.

6.5.4.16 preview_width

`Directory.Directory.preview_width`

Definition at line 11 of file Directory.py.

6.5.4.17 qml_path

`Directory.Directory.qml_path`

Definition at line 10 of file Directory.py.

6.5.4.18 region_type

`Directory.Directory.region_type`

Definition at line 9 of file `Directory.py`.

6.5.4.19 shape

`Directory.Directory.shape`

Definition at line 112 of file `Directory.py`.

6.5.4.20 width

`Directory.Directory.width`


Definition at line 109 of file `Directory.py`.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/Directory.py`

6.6 Entry.Entry Class Reference

Inheritance diagram for `Entry.Entry`:



Collaboration diagram for Entry.Entry:



Public Member Functions

- `def __init__ (self, shape=PySIEffect.PointVector(), aabb=PySIEffect.PointVector(), uuid="", kwargs={})`
- `def on_parent_enter_recv (self, parent_id)`
- `def on_parent_leave_recv (self, parent_id)`
- `def on_open_entry_enter_recv (self, is_other_controlled)`
- `def on_open_entry_continuous_recv (self, is_other_controlled)`
- `def on_open_entry_leave_recv (self, is_other_controlled)`

Public Attributes

- [name](#)
- [region_type](#)
- [source](#)
- [qml_path](#)
- [width](#)
- [height](#)
- [icon_width](#)
- [icon_height](#)
- [text_height](#)
- [color](#)
- [text_color](#)
- [path](#)
- [is_child](#)
- [filename](#)
- [is_visible](#)
- [is_under_user_control](#)
- [is_open_entry_capability_blocked](#)
- [is_container_visible](#)

Additional Inherited Members

6.6.1 Detailed Description

Definition at line 6 of file Entry.py.

6.6.2 Constructor & Destructor Documentation

6.6.2.1 `__init__()`

```
def Entry.Entry.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Reimplemented in [Directory.Directory](#), [ImageFile.ImageFile](#), and [TextFile.TextFile](#).

Definition at line 7 of file Entry.py.

6.6.3 Member Function Documentation

6.6.3.1 `on_open_entry_continuous_recv()`

```
def Entry.Entry.on_open_entry_continuous_recv (
    self,
    is_other_controlled )
```

Reimplemented in [Directory.Directory](#).

Definition at line 58 of file Entry.py.

6.6.3.2 `on_open_entry_enter_recv()`

```
def Entry.Entry.on_open_entry_enter_recv (
    self,
    is_other_controlled )
```

Reimplemented in [Directory.Directory](#).

Definition at line 55 of file Entry.py.

6.6.3.3 on_open_entry_leave_recv()

```
def Entry.Entry.on_open_entry_leave_recv (
    self,
    is_other_controlled )
```

Reimplemented in [Directory.Directory](#).

Definition at line 65 of file Entry.py.

6.6.3.4 on_parent_enter_recv()

```
def Entry.Entry.on_parent_enter_recv (
    self,
    parent_id )
```

Definition at line 44 of file Entry.py.

6.6.3.5 on_parent_leave_recv()

```
def Entry.Entry.on_parent_leave_recv (
    self,
    parent_id )
```

Definition at line 47 of file Entry.py.

6.6.4 Member Data Documentation

6.6.4.1 color

```
Entry.Entry.color
```

Definition at line 18 of file Entry.py.

6.6.4.2 filename

```
Entry.Entry.filename
```

Definition at line 22 of file Entry.py.

6.6.4.3 height

`Entry.Entry.height`

Definition at line 14 of file Entry.py.

6.6.4.4 icon_height

`Entry.Entry.icon_height`

Definition at line 16 of file Entry.py.

6.6.4.5 icon_width

`Entry.Entry.icon_width`

Definition at line 15 of file Entry.py.

6.6.4.6 is_child

`Entry.Entry.is_child`

Definition at line 21 of file Entry.py.

6.6.4.7 is_container_visible

`Entry.Entry.is_container_visible`

Definition at line 32 of file Entry.py.

6.6.4.8 is_open_entry_capability_blocked

`Entry.Entry.is_open_entry_capability_blocked`

Definition at line 25 of file Entry.py.

6.6.4.9 is_under_user_control

`Entry.Entry.is_under_user_control`

Definition at line 24 of file Entry.py.

6.6.4.10 is_visible

`Entry.Entry.is_visible`

Definition at line 23 of file Entry.py.

6.6.4.11 name

`Entry.Entry.name`

Definition at line 9 of file Entry.py.

6.6.4.12 path

`Entry.Entry.path`

Definition at line 20 of file Entry.py.

6.6.4.13 qml_path

`Entry.Entry.qml_path`

Definition at line 12 of file Entry.py.

6.6.4.14 region_type

`Entry.Entry.region_type`

Definition at line 10 of file Entry.py.

6.6.4.15 source

`Entry.Entry.source`

Definition at line 11 of file Entry.py.

6.6.4.16 text_color

`Entry.Entry.text_color`

Definition at line 19 of file Entry.py.

6.6.4.17 text_height

`Entry.Entry.text_height`

Definition at line 17 of file Entry.py.

6.6.4.18 width

`Entry.Entry.width`


Definition at line 13 of file Entry.py.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/Entry.py`

6.7 ImageFile.ImageFile Class Reference

Inheritance diagram for ImageFile.ImageFile:



Collaboration diagram for ImageFile.ImageFile:



Public Member Functions

- `def __init__ (self, shape=PySIEffect.PointVector(), aabb=PySIEffect.PointVector(), uuid="", kwargs={})`
- `def on_preview_enter_recv (self)`
- `def on_preview_continuous_recv (self)`
- `def on_preview_leave_recv (self)`

Public Attributes

- [name](#)
- [region_type](#)
- [qml_path](#)
- [is_in_preview](#)
- [width](#)
- [height](#)
- [shape](#)

Additional Inherited Members

6.7.1 Detailed Description

Definition at line 5 of file ImageFile.py.

6.7.2 Constructor & Destructor Documentation

6.7.2.1 `__init__()`

```
def ImageFile.ImageFile.__init__ (  
    self,  
    shape = PySIEffect.PointVector(),  
    aabb = PySIEffect.PointVector(),  
    uuid = "",  
    kwargs = {} )
```

Reimplemented from [Entry.Entry](#).

Definition at line 6 of file ImageFile.py.

6.7.3 Member Function Documentation

6.7.3.1 on_preview_continuous_recv()

```
def ImageFile.ImageFile.on_preview_continuous_recv (
    self )
```

Definition at line 38 of file ImageFile.py.

6.7.3.2 on_preview_enter_recv()

```
def ImageFile.ImageFile.on_preview_enter_recv (
    self )
```

Definition at line 19 of file ImageFile.py.

6.7.3.3 on_preview_leave_recv()

```
def ImageFile.ImageFile.on_preview_leave_recv (
    self )
```

Definition at line 41 of file ImageFile.py.

6.7.4 Member Data Documentation

6.7.4.1 height

```
ImageFile.ImageFile.height
```

Definition at line 26 of file ImageFile.py.

6.7.4.2 is_in_preview

```
ImageFile.ImageFile.is_in_preview
```

Definition at line 11 of file ImageFile.py.

6.7.4.3 name

`ImageFile.ImageFile.name`

Definition at line 8 of file ImageFile.py.

6.7.4.4 qml_path

`ImageFile.ImageFile.qml_path`

Definition at line 10 of file ImageFile.py.

6.7.4.5 region_type

`ImageFile.ImageFile.region_type`

Definition at line 9 of file ImageFile.py.

6.7.4.6 shape

`ImageFile.ImageFile.shape`

Definition at line 28 of file ImageFile.py.

6.7.4.7 width

`ImageFile.ImageFile.width`


Definition at line 25 of file ImageFile.py.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/ImageFile.py`

6.8 Cursor.MouseCursor Class Reference

Inheritance diagram for Cursor.MouseCursor:



Collaboration diagram for Cursor.MouseCursor:



Public Member Functions

- def `__init__` (self, `shape`=PySIEffect.PointVector(), `aabb`=PySIEffect.PointVector(), `uuid`="", `kwargs`={})
- def `position` (self)
- def `set_position_from_position` (self, `rel_x`, `rel_y`, `abs_x`, `abs_y`)
- def `self_on_sketch_enter_emit` (self, other)
- def `on_sketch_continuous_emit` (self, other)
- def `on_sketch_leave_emit` (self, other)
- def `on_move_enter_emit` (self, other)

- def [on_move_continuous_emit](#) (self, other)
- def [on_move_leave_emit](#) (self, other)
- def [on_btn_press_enter_emit](#) (self, other)
- def [on_btn_press_continuous_emit](#) (self, other)
- def [on_btn_press_leave_emit](#) (self, other)
- def [on_left_mouse_click](#) (self, is_active)
- def [on_right_mouse_click](#) (self, is_active)

Public Attributes

- [name](#)
- [region_type](#)
- [source](#)
- [qml_path](#)
- [color](#)
- [width](#)
- [height](#)
- [clicks](#)
- [parent_canvas](#)
- [move_target](#)
- [btn_taget](#)
- [last_x](#)
- [last_y](#)
- [x](#)
- [y](#)

Additional Inherited Members

6.8.1 Detailed Description

Definition at line 5 of file Cursor.py.

6.8.2 Constructor & Destructor Documentation

6.8.2.1 `__init__()`

```
def Cursor.MouseCursor.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Definition at line 6 of file Cursor.py.

6.8.3 Member Function Documentation

6.8.3.1 on_btn_press_continuous_emit()

```
def Cursor.MouseCursor.on_btn_press_continuous_emit (
    self,
    other )
```

Definition at line 74 of file Cursor.py.

6.8.3.2 on_btn_press_enter_emit()

```
def Cursor.MouseCursor.on_btn_press_enter_emit (
    self,
    other )
```

Definition at line 70 of file Cursor.py.

6.8.3.3 on_btn_press_leave_emit()

```
def Cursor.MouseCursor.on_btn_press_leave_emit (
    self,
    other )
```

Definition at line 77 of file Cursor.py.

6.8.3.4 on_left_mouse_click()

```
def Cursor.MouseCursor.on_left_mouse_click (
    self,
    is_active )
```

Definition at line 81 of file Cursor.py.

6.8.3.5 on_move_continuous_emit()

```
def Cursor.MouseCursor.on_move_continuous_emit (
    self,
    other )
```

Definition at line 60 of file Cursor.py.

6.8.3.6 on_move_enter_emit()

```
def Cursor.MouseCursor.on_move_enter_emit (
    self,
    other )
```

Definition at line 51 of file Cursor.py.

6.8.3.7 on_move_leave_emit()

```
def Cursor.MouseCursor.on_move_leave_emit (
    self,
    other )
```

Definition at line 63 of file Cursor.py.

6.8.3.8 on_right_mouse_click()

```
def Cursor.MouseCursor.on_right_mouse_click (
    self,
    is_active )
```

Definition at line 101 of file Cursor.py.

6.8.3.9 on_sketch_continuous_emit()

```
def Cursor.MouseCursor.on_sketch_continuous_emit (
    self,
    other )
```

Definition at line 44 of file Cursor.py.

6.8.3.10 on_sketch_leave_emit()

```
def Cursor.MouseCursor.on_sketch_leave_emit (
    self,
    other )
```

Definition at line 47 of file Cursor.py.

6.8.3.11 position()

```
def Cursor.MouseCursor.position (
    self )
```

Definition at line 31 of file Cursor.py.

6.8.3.12 self_on_sketch_enter_emit()

```
def Cursor.MouseCursor.self_on_sketch_enter_emit (
    self,
    other )
```

Definition at line 40 of file Cursor.py.

6.8.3.13 set_position_from_position()

```
def Cursor.MouseCursor.set_position_from_position (
    self,
    rel_x,
    rel_y,
    abs_x,
    abs_y )
```

Reimplemented from [SIEffect.SIEffect](#).

Definition at line 34 of file Cursor.py.

6.8.4 Member Data Documentation

6.8.4.1 btn_taget

```
Cursor.MouseCursor.btn_taget
```

Definition at line 24 of file Cursor.py.

6.8.4.2 clicks

```
Cursor.MouseCursor.clicks
```

Definition at line 17 of file Cursor.py.

6.8.4.3 color

`Cursor.MouseCursor.color`

Definition at line 12 of file `Cursor.py`.

6.8.4.4 height

`Cursor.MouseCursor.height`

Definition at line 15 of file `Cursor.py`.

6.8.4.5 last_x

`Cursor.MouseCursor.last_x`

Definition at line 35 of file `Cursor.py`.

6.8.4.6 last_y

`Cursor.MouseCursor.last_y`

Definition at line 36 of file `Cursor.py`.

6.8.4.7 move_target

`Cursor.MouseCursor.move_target`

Definition at line 23 of file `Cursor.py`.

6.8.4.8 name

`Cursor.MouseCursor.name`

Definition at line 8 of file `Cursor.py`.

6.8.4.9 parent_canvas

`Cursor.MouseCursor.parent_canvas`

Definition at line 22 of file `Cursor.py`.

6.8.4.10 qml_path

`Cursor.MouseCursor.qml_path`

Definition at line 11 of file `Cursor.py`.

6.8.4.11 region_type

`Cursor.MouseCursor.region_type`

Definition at line 9 of file `Cursor.py`.

6.8.4.12 source

`Cursor.MouseCursor.source`

Definition at line 10 of file `Cursor.py`.

6.8.4.13 width

`Cursor.MouseCursor.width`

Definition at line 14 of file `Cursor.py`.

6.8.4.14 x

`Cursor.MouseCursor.x`

Definition at line 37 of file `Cursor.py`.

6.8.4.15 y

`Cursor.MouseCursor.y`


Definition at line 38 of file `Cursor.py`.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/cursor/Cursor.py`

6.9 OpenEntry.OpenEntry Class Reference

Inheritance diagram for `OpenEntry.OpenEntry`:



Collaboration diagram for `OpenEntry.OpenEntry`:



Public Member Functions

- `def __init__ (self, shape=PySIEffect.PointVector(), aabb=PySIEffect.PointVector(), uuid="", kwargs={})`
- `def on_open_entry_emit (self, other)`

Public Attributes

- `name`
- `region_type`
- `qml_path`
- `color`

Additional Inherited Members

6.9.1 Detailed Description

Definition at line 6 of file OpenEntry.py.

6.9.2 Constructor & Destructor Documentation

6.9.2.1 __init__()

```
def OpenEntry.OpenEntry.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Definition at line 7 of file OpenEntry.py.

6.9.3 Member Function Documentation

6.9.3.1 on_open_entry_emit()

```
def OpenEntry.OpenEntry.on_open_entry_emit (
    self,
    other )
```

Definition at line 16 of file OpenEntry.py.

6.9.4 Member Data Documentation

6.9.4.1 color

`OpenEntry.OpenEntry.color`

Definition at line 12 of file `OpenEntry.py`.

6.9.4.2 name

`OpenEntry.OpenEntry.name`

Definition at line 9 of file `OpenEntry.py`.

6.9.4.3 qml_path

`OpenEntry.OpenEntry.qml_path`

Definition at line 11 of file `OpenEntry.py`.

6.9.4.4 region_type

`OpenEntry.OpenEntry.region_type`


Definition at line 10 of file `OpenEntry.py`.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/OpenEntry.py`

6.10 Preview.Preview Class Reference

Inheritance diagram for Preview.Preview:



Collaboration diagram for Preview.Preview:



Public Member Functions

- def `__init__` (self, `shape`=PySIEffect.PointVector(), `aabb`=PySIEffect.PointVector(), `uuid`="", `kwargs`={})
- def `on_preview_enter_emit` (self, other)
- def `on_preview_continuous_emit` (self, other)
- def `on_preview_leave_emit` (self, other)

Public Attributes

- [name](#)
- [region_type](#)
- [source](#)
- [qml_path](#)
- [color](#)

Additional Inherited Members

6.10.1 Detailed Description

Definition at line 6 of file Preview.py.

6.10.2 Constructor & Destructor Documentation

6.10.2.1 `__init__()`

```
def Preview.Preview.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Definition at line 7 of file Preview.py.

6.10.3 Member Function Documentation

6.10.3.1 `on_preview_continuous_emit()`

```
def Preview.Preview.on_preview_continuous_emit (
    self,
    other )
```

Definition at line 20 of file Preview.py.

6.10.3.2 on_preview_enter_emit()

```
def Preview.Preview.on_preview_enter_emit (
    self,
    other )
```

Definition at line 17 of file Preview.py.

6.10.3.3 on_preview_leave_emit()

```
def Preview.Preview.on_preview_leave_emit (
    self,
    other )
```

Definition at line 23 of file Preview.py.

6.10.4 Member Data Documentation

6.10.4.1 color

```
Preview.Preview.color
```

Definition at line 13 of file Preview.py.

6.10.4.2 name

```
Preview.Preview.name
```

Definition at line 9 of file Preview.py.

6.10.4.3 qml_path

```
Preview.Preview.qml_path
```

Definition at line 12 of file Preview.py.

6.10.4.4 region_type

`Preview.Preview.region_type`

Definition at line 10 of file `Preview.py`.

6.10.4.5 source

`Preview.Preview.source`


Definition at line 11 of file `Preview.py`.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/preview/Preview.py`

6.11 SIEffect.SIEffect Class Reference

Inheritance diagram for `SIEffect.SIEffect`:



Collaboration diagram for SIEffect.SIEffect:



Public Member Functions

- `def __init__ (self, shape=PySIEffect.PointVector(), aabb=PySIEffect.PointVector(), uuid="", texture_path="", kwargs={})`
- `def set_position_from_position (self, rel_x, rel_y, abs_x, abs_y)`
- `def on_move_enter_rcv (self, cursor_id, link_attrib)`
- `def on_move_continuous_rcv (self)`
- `def on_move_leave_rcv (self, cursor_id, link_attrib)`
- `def enable_effect (self, effect, is_emit, on_enter, on_continuous, on_leave)`
- `def override_effect (self, effect, is_emit, on_enter, on_continuous, on_leave)`
- `def disable_effect (self, effect, is_emit)`
- `def enable_link_emission (self, emission_capability, emission_function)`
- `def enable_link_reception (self, emission_capability, reception_capability, reception_function)`
- `def disable_link_emission (self, emission_capability)`
- `def disable_link_reception (self, emission_capability, reception_capability="")`
- `def create_link (self, sender_uuid, sender_attribute, receiver_uuid, receiver_attribute)`
- `def remove_link (self, sender_uuid, sender_attribute, receiver_uuid, receiver_attribute)`
- `def add_QML_data (self, key, value, datatype)`
- `def register_shape_change (self, with_resampling=True)`
- `def add_point_to_region_drawing (self, x, y, cursor_id)`
- `def register_region_from_drawing (self, cursor_id)`
- `def start_standard_application (self, file_uuid, file_path)`
- `def close_standard_application (self, file_uuid)`
- `def display_folder_contents_page (self, page, source_uuid, with_buttons=True)`

Public Attributes

- [shape](#)
- [aabb](#)
- [name](#)
- [region_type](#)
- [source](#)
- [qml_path](#)
- [delta_x](#)
- [delta_y](#)
- [last_x](#)
- [last_y](#)

- [color](#)
- [is_under_user_control](#)
- [width](#)
- [height](#)
- [texture_width](#)
- [texture_height](#)
- [cap_emit](#)
- [cap_rcv](#)
- [cap_link_emit](#)
- [cap_link_rcv](#)
- [last_delta_x](#)
- [last_delta_y](#)

Static Public Attributes

- bool [EMISSION](#) = True
- bool [RECEPTION](#) = False
- string [TEXTURE_PATH_NONE](#) = ""
- bool [RESAMPLING](#) = True
- bool [NO_RESAMPLING](#) = False

6.11.1 Detailed Description

Definition at line 4 of file SIEffect.py.

6.11.2 Constructor & Destructor Documentation

6.11.2.1 `__init__()`

```
def SIEffect.SIEffect.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    texture_path = "",
    kwargs = {} )
```

Definition at line 11 of file SIEffect.py.

6.11.3 Member Function Documentation

6.11.3.1 add_point_to_region_drawing()

```
def SIEffect.SIEffect.add_point_to_region_drawing (
    self,
    x,
    y,
    cursor_id )
```

Definition at line 138 of file SIEffect.py.

6.11.3.2 add_QML_data()

```
def SIEffect.SIEffect.add_QML_data (
    self,
    key,
    value,
    datatype )
```

Definition at line 131 of file SIEffect.py.

6.11.3.3 close_standard_application()

```
def SIEffect.SIEffect.close_standard_application (
    self,
    file_uuid )
```

Definition at line 153 of file SIEffect.py.

6.11.3.4 create_link()

```
def SIEffect.SIEffect.create_link (
    self,
    sender_uuid,
    sender_attribute,
    receiver_uuid,
    receiver_attribute )
```

Definition at line 120 of file SIEffect.py.

6.11.3.5 disable_effect()

```
def SIEffect.SIEffect.disable_effect (
    self,
    effect,
    is_emit )
```

Definition at line 96 of file SIEffect.py.

6.11.3.6 disable_link_emission()

```
def SIEffect.SIEffect.disable_link_emission (
    self,
    emission_capability )
```

Definition at line 108 of file SIEffect.py.

6.11.3.7 disable_link_reception()

```
def SIEffect.SIEffect.disable_link_reception (
    self,
    emission_capability,
    reception_capability = "" )
```

Definition at line 111 of file SIEffect.py.

6.11.3.8 display_folder_contents_page()

```
def SIEffect.SIEffect.display_folder_contents_page (
    self,
    page,
    source_uuid,
    with_buttons = True )
```

Definition at line 156 of file SIEffect.py.

6.11.3.9 enable_effect()

```
def SIEffect.SIEffect.enable_effect (
    self,
    effect,
    is_emit,
    on_enter,
    on_continuous,
    on_leave )
```

Definition at line 87 of file SIEffect.py.

6.11.3.10 enable_link_emission()

```
def SIEffect.SIEffect.enable_link_emission (
    self,
    emission_capability,
    emission_function )
```

Definition at line 102 of file SIEffect.py.

6.11.3.11 enable_link_reception()

```
def SIEffect.SIEffect.enable_link_reception (
    self,
    emission_capability,
    reception_capability,
    reception_function )
```

Definition at line 105 of file SIEffect.py.

6.11.3.12 on_move_continuous_recv()

```
def SIEffect.SIEffect.on_move_continuous_recv (
    self )
```

Definition at line 71 of file SIEffect.py.

6.11.3.13 on_move_enter_recv()

```
def SIEffect.SIEffect.on_move_enter_recv (
    self,
    cursor_id,
    link_attrib )
```

Definition at line 66 of file SIEffect.py.

6.11.3.14 on_move_leave_recv()

```
def SIEffect.SIEffect.on_move_leave_recv (
    self,
    cursor_id,
    link_attrib )
```

Definition at line 74 of file SIEffect.py.

6.11.3.15 override_effect()

```
def SIEffect.SIEffect.override_effect (
    self,
    effect,
    is_emit,
    on_enter,
    on_continuous,
    on_leave )
```

Definition at line 93 of file SIEffect.py.

6.11.3.16 register_region_from_drawing()

```
def SIEffect.SIEffect.register_region_from_drawing (
    self,
    cursor_id )
```

Definition at line 145 of file SIEffect.py.

6.11.3.17 register_shape_change()

```
def SIEffect.SIEffect.register_shape_change (
    self,
    with_resampling = True )
```

Definition at line 134 of file SIEffect.py.

6.11.3.18 remove_link()

```
def SIEffect.SIEffect.remove_link (
    self,
    sender_uuid,
    sender_attribute,
    receiver_uuid,
    receiver_attribute )
```

Definition at line 124 of file SIEffect.py.

6.11.3.19 set_position_from_position()

```
def SIEffect.SIEffect.set_position_from_position (
    self,
    rel_x,
    rel_y,
    abs_x,
    abs_y )
```

Reimplemented in [Cursor.MouseCursor](#).

Definition at line 57 of file SIEffect.py.

6.11.3.20 start_standard_application()

```
def SIEffect.SIEffect.start_standard_application (
    self,
    file_uuid,
    file_path )
```

Definition at line 150 of file SIEffect.py.

6.11.4 Member Data Documentation

6.11.4.1 aabb

```
SIEffect.SIEffect.aabb
```

Definition at line 14 of file SIEffect.py.

6.11.4.2 cap_emit

```
SIEffect.SIEffect.cap_emit
```

Definition at line 45 of file SIEffect.py.

6.11.4.3 cap_link_emit

```
SIEffect.SIEffect.cap_link_emit
```

Definition at line 51 of file SIEffect.py.

6.11.4.4 cap_link_rcv

`SIEffect.SIEffect.cap_link_rcv`

Definition at line 52 of file SIEffect.py.

6.11.4.5 cap_rcv

`SIEffect.SIEffect.cap_rcv`

Definition at line 46 of file SIEffect.py.

6.11.4.6 color

`SIEffect.SIEffect.color`

Definition at line 24 of file SIEffect.py.

6.11.4.7 delta_x

`SIEffect.SIEffect.delta_x`

Definition at line 20 of file SIEffect.py.

6.11.4.8 delta_y

`SIEffect.SIEffect.delta_y`

Definition at line 21 of file SIEffect.py.

6.11.4.9 EMISSION

`bool SIEffect.SIEffect.EMISSION = True [static]`

Definition at line 5 of file SIEffect.py.

6.11.4.10 height

`SIEffect.SIEffect.height`

Definition at line 28 of file SIEffect.py.

6.11.4.11 is_under_user_control

`SIEffect.SIEffect.is_under_user_control`

Definition at line 25 of file SIEffect.py.

6.11.4.12 last_delta_x

`SIEffect.SIEffect.last_delta_x`

Definition at line 61 of file SIEffect.py.

6.11.4.13 last_delta_y

`SIEffect.SIEffect.last_delta_y`

Definition at line 62 of file SIEffect.py.

6.11.4.14 last_x

`SIEffect.SIEffect.last_x`

Definition at line 22 of file SIEffect.py.

6.11.4.15 last_y

`SIEffect.SIEffect.last_y`

Definition at line 23 of file SIEffect.py.

6.11.4.16 name

`SIEffect.SIEffect.name`

Definition at line 16 of file SIEffect.py.

6.11.4.17 NO_RESAMPLING

`bool SIEffect.SIEffect.NO_RESAMPLING = False [static]`

Definition at line 9 of file SIEffect.py.

6.11.4.18 qml_path

`SIEffect.SIEffect.qml_path`

Definition at line 19 of file SIEffect.py.

6.11.4.19 RECEPTION

`bool SIEffect.SIEffect.RECEPTION = False [static]`

Definition at line 6 of file SIEffect.py.

6.11.4.20 region_type

`SIEffect.SIEffect.region_type`

Definition at line 17 of file SIEffect.py.

6.11.4.21 RESAMPLING

`bool SIEffect.SIEffect.RESAMPLING = True [static]`

Definition at line 8 of file SIEffect.py.

6.11.4.22 shape

`SIEffect.SIEffect.shape`

Definition at line 13 of file SIEffect.py.

6.11.4.23 source

`SIEffect.SIEffect.source`

Definition at line 18 of file SIEffect.py.

6.11.4.24 texture_height

`SIEffect.SIEffect.texture_height`

Definition at line 32 of file SIEffect.py.

6.11.4.25 TEXTURE_PATH_NONE

`string SIEffect.SIEffect.TEXTURE_PATH_NONE = "" [static]`

Definition at line 7 of file SIEffect.py.

6.11.4.26 texture_width

`SIEffect.SIEffect.texture_width`

Definition at line 31 of file SIEffect.py.

6.11.4.27 width

`SIEffect.SIEffect.width`


Definition at line 27 of file SIEffect.py.

The documentation for this class was generated from the following file:


- `/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/SIEffect.py`

6.12 SimpleNotification.SimpleNotification Class Reference

Inheritance diagram for SimpleNotification.SimpleNotification:



Collaboration diagram for SimpleNotification.SimpleNotification:



Public Member Functions

- def `__init__` (self, `shape`=PySIEffect.PointVector(), `aabb`=PySIEffect.PointVector(), `uuid`="", `kwargs`={})
- def `update_message` (self, `message`)

Public Attributes

- [name](#)
- [region_type](#)
- [source](#)
- [qml_path](#)
- [color](#)
- [message](#)
- [width](#)
- [height](#)

Additional Inherited Members

6.12.1 Detailed Description

Definition at line 6 of file SimpleNotification.py.

6.12.2 Constructor & Destructor Documentation

6.12.2.1 `__init__()`

```
def SimpleNotification.SimpleNotification.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Definition at line 7 of file SimpleNotification.py.

6.12.3 Member Function Documentation

6.12.3.1 `update_message()`

```
def SimpleNotification.SimpleNotification.update_message (
    self,
    message )
```

Definition at line 23 of file SimpleNotification.py.

6.12.4 Member Data Documentation

6.12.4.1 color

`SimpleNotification.SimpleNotification.color`

Definition at line 13 of file SimpleNotification.py.

6.12.4.2 height

`SimpleNotification.SimpleNotification.height`

Definition at line 17 of file SimpleNotification.py.

6.12.4.3 message

`SimpleNotification.SimpleNotification.message`

Definition at line 14 of file SimpleNotification.py.

6.12.4.4 name

`SimpleNotification.SimpleNotification.name`

Definition at line 9 of file SimpleNotification.py.

6.12.4.5 qml_path

`SimpleNotification.SimpleNotification.qml_path`

Definition at line 12 of file SimpleNotification.py.

6.12.4.6 region_type

`SimpleNotification.SimpleNotification.region_type`

Definition at line 10 of file SimpleNotification.py.

6.12.4.7 source

`SimpleNotification.SimpleNotification.source`

Definition at line 11 of file SimpleNotification.py.

6.12.4.8 width

`SimpleNotification.SimpleNotification.width`

Definition at line 16 of file SimpleNotification.py.


The documentation for this class was generated from the following file:

- [/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/notification/SimpleNotification.p](#)


6.13 Tag.Tag Class Reference

test

Inheritance diagram for Tag.Tag:



Collaboration diagram for Tag.Tag:



Public Member Functions

- `def __init__(self, shape=PySIEffect.PointVector(), aabb=PySIEffect.PointVector(), uuid="", kwargs={})`

Public Attributes

- `name`
- `region_type`
- `source`
- `qml_path`
- `color`

Additional Inherited Members

6.13.1 Detailed Description

test

Definition at line 6 of file Tag.py.

6.13.2 Constructor & Destructor Documentation

6.13.2.1 `__init__()`

```
def Tag.Tag.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Definition at line 7 of file Tag.py.

6.13.3 Member Data Documentation

6.13.3.1 `color`

Tag.Tag.color

Definition at line 13 of file Tag.py.

6.13.3.2 `name`

Tag.Tag.name

Definition at line 9 of file Tag.py.

6.13.3.3 `qml_path`

Tag.Tag.qml_path

Definition at line 12 of file Tag.py.

6.13.3.4 `region_type`

Tag.Tag.region_type

Definition at line 10 of file Tag.py.

6.13.3.5 source

Tag.Tag.source


Definition at line 11 of file Tag.py.

The documentation for this class was generated from the following file:


- /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/tag/[Tag.py](#)

6.14 TextFile.TextFile Class Reference

Inheritance diagram for TextFile.TextFile:



Collaboration diagram for TextFile.TextFile:



Public Member Functions

- `def __init__(self, shape=PySIEffect.PointVector(), aabb=PySIEffect.PointVector(), uuid="", kwargs={})`

Public Attributes

- `name`
- `region_type`
- `qml_path`

Additional Inherited Members

6.14.1 Detailed Description

Definition at line 5 of file `TextFile.py`.

6.14.2 Constructor & Destructor Documentation

6.14.2.1 `__init__()`

```
def TextFile.TextFile.__init__ (
    self,
    shape = PySIEffect.PointVector(),
    aabb = PySIEffect.PointVector(),
    uuid = "",
    kwargs = {} )
```

Reimplemented from [Entry.Entry](#).

Definition at line 6 of file TextFile.py.

6.14.3 Member Data Documentation

6.14.3.1 `name`

`TextFile.TextFile.name`

Definition at line 8 of file TextFile.py.

6.14.3.2 `qml_path`

`TextFile.TextFile.qml_path`

Definition at line 10 of file TextFile.py.

6.14.3.3 `region_type`

`TextFile.TextFile.region_type`

Definition at line 9 of file TextFile.py.

The documentation for this class was generated from the following file:

- `/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_library/filesystem/TextFile.py`

Chapter 7

File Documentation

7.1 `/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment._library/button/Button.py` File Reference

Classes

- class [Button.Button](#)

Namespaces

- [Button](#)

7.2 `/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment._library/canvas/Canvas.py` File Reference

Classes

- class [Canvas.Canvas](#)

Namespaces

- [Canvas](#)

7.3 `/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment._library/cursor/Cursor.py` File Reference

Classes

- class [Cursor.MouseCursor](#)

Namespaces

- [Cursor](#)

7.4 [/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment._library/deletion/Deletion.py](#) File Reference ↩

Classes

- class [Deletion.Deletion](#)

Namespaces

- [Deletion](#)

7.5 [/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment._library/external_application/Container.py](#) File Reference ↩

Classes

- class [Container.Container](#)

Namespaces

- [Container](#)

7.6 [/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment._library/filesystem/Directory.py](#) File Reference ↩

Classes

- class [Directory.Directory](#)

Namespaces

- [Directory](#)

7.7 [/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment._library/filesystem/Entry.py](#) File Reference ↩

Classes

- class [Entry.Entry](#)

- [Entry](#)

7.8 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_↵ _library/filesystem/ImageFile.py File Reference

Classes

- class [ImageFile.ImageFile](#)

Namespaces

- [ImageFile](#)

7.9 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_↵ _library/filesystem/OpenEntry.py File Reference

Classes

- class [OpenEntry.OpenEntry](#)

Namespaces

- [OpenEntry](#)

7.10 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_↵ _library/filesystem/TextFile.py File Reference

Classes

- class [TextFile.TextFile](#)

Namespaces

- [TextFile](#)

7.11 /home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment_↵ _library/notification/SimpleNotification.py File Reference

Classes

- class [SimpleNotification.SimpleNotification](#)

Namespaces

- [SimpleNotification](#)

7.12 `/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment._library/preview/Preview.py` File Reference

Classes

- class [Preview.Preview](#)

Namespaces

- [Preview](#)

7.13 `/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment._library/SIEffect.py` File Reference

Classes

- class [SIEffect.SIEffect](#)

Namespaces

- [SIEffect](#)

7.14 `/home/juergen/1_dev/projects/Sketchable-Interaction/Sl/plugins/standard_environment._library/tag/Tag.py` File Reference

Classes

- class [Tag.Tag](#)
test

Namespaces

- [Tag](#)

Index

/home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/SIEffect.py, 86
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/button/Button.py, 83
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/canvas/Canvas.py, 83
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/cursor/Cursor.py, 83
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/deletion/Deletion.py, 84
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/external_application/Container.py, 84
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/Directory.py, 84
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/Entry.py, 84
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/ImageFile.py, 85
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/OpenEntry.py, 85
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/filesystem/TextFile.py, 85
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/notification/SimpleNotification.py, 85
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/preview/Preview.py, 86
 /home/juergen/1_dev/projects/Sketchable-Interaction/SI/plugins/standard_environment_library/tag/Tag.py, 86
 __init__
 Button.Button, 15
 Canvas.Canvas, 20
 Container.Container, 23
 Cursor.MouseCursor, 49
 Deletion.Deletion, 27
 Directory.Directory, 31
 Entry.Entry, 39
 ImageFile.ImageFile, 45
 OpenEntry.OpenEntry, 56
 Preview.Preview, 59
 SIEffect.SIEffect, 63
 SimpleNotification.SimpleNotification, 74
 Tag.Tag, 77
 TextFile.TextFile, 80
 aabb
 SIEffect.SIEffect, 68
 add_point_to_region_drawing
 SIEffect.SIEffect, 63
 add_QML_data
 SIEffect.SIEffect, 64
 browsable_environment_library/SIEffect.py, 86
 Directory.Directory, 34
 browsable_environment_library/button/Button.py, 83
 Directory.Directory, 34
 browsable_environment_library/canvas/Canvas.py, 83
 Cursor.MouseCursor, 52
 browsable_environment_library/cursor/Cursor.py, 83
 Button.Button, 13
 browsable_environment_library/deletion/Deletion.py, 84
 color, 16
 browsable_environment_library/external_application/Container.py, 84
 icon_height, 17
 browsable_environment_library/filesystem/Directory.py, 84
 is_triggered, 17
 browsable_environment_library/filesystem/Entry.py, 84
 name, 17
 browsable_environment_library/filesystem/ImageFile.py, 85
 on_btn_enter_emit, 15
 browsable_environment_library/filesystem/OpenEntry.py, 85
 on_click_continuous_recv, 15
 browsable_environment_library/filesystem/TextFile.py, 85
 on_click_leave_recv, 16
 browsable_environment_library/notification/SimpleNotification.py, 85
 on_parent_leave_recv, 16
 browsable_environment_library/preview/Preview.py, 86
 region_type, 18
 browsable_environment_library/tag/Tag.py, 86
 width, 18
 Canvas, 9
 Canvas.Canvas, 19
 __init__, 20
 color, 21
 name, 21
 on_sketch_continuous_recv, 20
 on_sketch_enter_recv, 20
 on_sketch_leave_recv, 21
 region_type, 21
 source, 21
 cap_emit
 SIEffect.SIEffect, 68
 cap_link_emit
 SIEffect.SIEffect, 68
 cap_link_recv
 SIEffect.SIEffect, 68
 cap_recv
 SIEffect.SIEffect, 69
 children
 Directory.Directory, 34
 children_paths

- Directory.Directory, 34
- clicks
 - Cursor.MouseCursor, 52
- close_standard_application
 - SIEffect.SIEffect, 64
- color
 - Button.Button, 16
 - Canvas.Canvas, 21
 - Container.Container, 24
 - Cursor.MouseCursor, 52
 - Deletion.Deletion, 28
 - Directory.Directory, 34
 - Entry.Entry, 40
 - OpenEntry.OpenEntry, 57
 - Preview.Preview, 60
 - SIEffect.SIEffect, 69
 - SimpleNotification.SimpleNotification, 74
 - Tag.Tag, 78
- Container, 9
- Container.Container, 22
 - __init__, 23
 - color, 24
 - has_data_changed, 24
 - height, 24
 - name, 24
 - region_type, 24
 - set_geometry_from_geometry, 23
 - shape, 25
 - source, 25
 - width, 25
 - x, 25
 - y, 25
- create_link
 - SIEffect.SIEffect, 64
- current_page
 - Directory.Directory, 34
- Cursor, 9
- Cursor.MouseCursor, 48
 - __init__, 49
 - btn_taget, 52
 - clicks, 52
 - color, 52
 - height, 53
 - last_x, 53
 - last_y, 53
 - move_target, 53
 - name, 53
 - on_btn_press_continuous_emit, 50
 - on_btn_press_enter_emit, 50
 - on_btn_press_leave_emit, 50
 - on_left_mouse_click, 50
 - on_move_continuous_emit, 50
 - on_move_enter_emit, 50
 - on_move_leave_emit, 51
 - on_right_mouse_click, 51
 - on_sketch_continuous_emit, 51
 - on_sketch_leave_emit, 51
 - parent_canvas, 53
 - position, 51
 - qml_path, 54
 - region_type, 54
 - self_on_sketch_enter_emit, 52
 - set_position_from_position, 52
 - source, 54
 - width, 54
 - x, 54
 - y, 54
- Deletion, 9
- Deletion.Deletion, 26
 - __init__, 27
 - color, 28
 - is_under_user_control, 28
 - name, 28
 - on_deletion_continuous_emit, 27
 - on_deletion_enter_emit, 27
 - qml_path, 28
 - region_type, 28
- delta_x
 - SIEffect.SIEffect, 69
- delta_y
 - SIEffect.SIEffect, 69
- Directory, 10
- Directory.Directory, 29
 - __init__, 31
 - browse_pages, 34
 - btn_presses, 34
 - children, 34
 - children_paths, 34
 - color, 34
 - current_page, 34
 - height, 35
 - is_icon_visible, 35
 - is_open_entry_capability_blocked, 35
 - is_opened_visible, 35
 - last_x, 35
 - last_y, 35
 - name, 36
 - num_children_per_page, 36
 - on_btn_continuous_recv, 31
 - on_btn_enter_recv, 31
 - on_btn_leave_recv, 32
 - on_btn_trigger, 32
 - on_child_enter_emit, 32
 - on_child_leave_emit, 32
 - on_open_entry_continuous_recv, 32
 - on_open_entry_enter_recv, 33
 - on_open_entry_leave_recv, 33
 - position, 33
 - preview_height, 36
 - preview_width, 36
 - qml_path, 36
 - region_type, 36
 - set_folder_contents_page, 33
 - shape, 37
 - width, 37
- disable_effect

- SIEffect.SIEffect, 64
- disable_link_emission
 - SIEffect.SIEffect, 65
- disable_link_reception
 - SIEffect.SIEffect, 65
- display_folder_contents_page
 - SIEffect.SIEffect, 65
- EMISSION
 - SIEffect.SIEffect, 69
- enable_effect
 - SIEffect.SIEffect, 65
- enable_link_emission
 - SIEffect.SIEffect, 65
- enable_link_reception
 - SIEffect.SIEffect, 66
- Entry, 10
- Entry.Entry, 37
 - __init__, 39
 - color, 40
 - filename, 40
 - height, 40
 - icon_height, 41
 - icon_width, 41
 - is_child, 41
 - is_container_visible, 41
 - is_open_entry_capability_blocked, 41
 - is_under_user_control, 41
 - is_visible, 42
 - name, 42
 - on_open_entry_continuous_rcv, 39
 - on_open_entry_enter_rcv, 39
 - on_open_entry_leave_rcv, 39
 - on_parent_enter_rcv, 40
 - on_parent_leave_rcv, 40
 - path, 42
 - qml_path, 42
 - region_type, 42
 - source, 42
 - text_color, 43
 - text_height, 43
 - width, 43
- filename
 - Entry.Entry, 40
- has_data_changed
 - Container.Container, 24
- height
 - Button.Button, 17
 - Container.Container, 24
 - Cursor.MouseCursor, 53
 - Directory.Directory, 35
 - Entry.Entry, 40
 - ImageFile.ImageFile, 46
 - SIEffect.SIEffect, 69
 - SimpleNotification.SimpleNotification, 75
- icon_height
 - Button.Button, 17
 - Entry.Entry, 41
- icon_width
 - Button.Button, 17
 - Entry.Entry, 41
- ImageFile, 10
- ImageFile.ImageFile, 44
 - __init__, 45
 - height, 46
 - is_in_preview, 46
 - name, 46
 - on_preview_continuous_rcv, 45
 - on_preview_enter_rcv, 46
 - on_preview_leave_rcv, 46
 - qml_path, 47
 - region_type, 47
 - shape, 47
 - width, 47
- is_child
 - Entry.Entry, 41
- is_container_visible
 - Entry.Entry, 41
- is_icon_visible
 - Directory.Directory, 35
- is_in_preview
 - ImageFile.ImageFile, 46
- is_open_entry_capability_blocked
 - Directory.Directory, 35
 - Entry.Entry, 41
- is_opened_visible
 - Directory.Directory, 35
- is_triggered
 - Button.Button, 17
- is_triggered_reported
 - Button.Button, 17
- is_under_user_control
 - Deletion.Deletion, 28
 - Entry.Entry, 41
 - SIEffect.SIEffect, 70
- is_visible
 - Entry.Entry, 42
- last_delta_x
 - SIEffect.SIEffect, 70
- last_delta_y
 - SIEffect.SIEffect, 70
- last_x
 - Cursor.MouseCursor, 53
 - Directory.Directory, 35
 - SIEffect.SIEffect, 70
- last_y
 - Cursor.MouseCursor, 53
 - Directory.Directory, 35
 - SIEffect.SIEffect, 70
- message
 - SimpleNotification.SimpleNotification, 75
- move_target
 - Cursor.MouseCursor, 53

name
 Button.Button, 17
 Canvas.Canvas, 21
 Container.Container, 24
 Cursor.MouseCursor, 53
 Deletion.Deletion, 28
 Directory.Directory, 36
 Entry.Entry, 42
 ImageFile.ImageFile, 46
 OpenEntry.OpenEntry, 57
 Preview.Preview, 60
 SIEffect.SIEffect, 70
 SimpleNotification.SimpleNotification, 75
 Tag.Tag, 78
 TextFile.TextFile, 81
 NO_RESAMPLING
 SIEffect.SIEffect, 71
 num_children_per_page
 Directory.Directory, 36

 on_btn_continuous_emit
 Button.Button, 15
 on_btn_continuous_recv
 Directory.Directory, 31
 on_btn_enter_emit
 Button.Button, 15
 on_btn_enter_recv
 Directory.Directory, 31
 on_btn_leave_emit
 Button.Button, 15
 on_btn_leave_recv
 Directory.Directory, 32
 on_btn_press_continuous_emit
 Cursor.MouseCursor, 50
 on_btn_press_enter_emit
 Cursor.MouseCursor, 50
 on_btn_press_leave_emit
 Cursor.MouseCursor, 50
 on_btn_trigger
 Directory.Directory, 32
 on_child_enter_emit
 Directory.Directory, 32
 on_child_leave_emit
 Directory.Directory, 32
 on_click_continuous_recv
 Button.Button, 15
 on_click_enter_recv
 Button.Button, 16
 on_click_leave_recv
 Button.Button, 16
 on_deletion_continuous_emit
 Deletion.Deletion, 27
 on_deletion_enter_emit
 Deletion.Deletion, 27
 on_left_mouse_click
 Cursor.MouseCursor, 50
 on_move_continuous_emit
 Cursor.MouseCursor, 50
 on_move_continuous_recv
 SIEffect.SIEffect, 66
 on_move_enter_emit
 Cursor.MouseCursor, 50
 on_move_enter_recv
 SIEffect.SIEffect, 66
 on_move_leave_emit
 Cursor.MouseCursor, 51
 on_move_leave_recv
 SIEffect.SIEffect, 66
 on_open_entry_continuous_recv
 Directory.Directory, 32
 Entry.Entry, 39
 on_open_entry_emit
 OpenEntry.OpenEntry, 56
 on_open_entry_enter_recv
 Directory.Directory, 33
 Entry.Entry, 39
 on_open_entry_leave_recv
 Directory.Directory, 33
 Entry.Entry, 39
 on_parent_enter_recv
 Button.Button, 16
 Entry.Entry, 40
 on_parent_leave_recv
 Button.Button, 16
 Entry.Entry, 40
 on_preview_continuous_emit
 Preview.Preview, 59
 on_preview_continuous_recv
 ImageFile.ImageFile, 45
 on_preview_enter_emit
 Preview.Preview, 59
 on_preview_enter_recv
 ImageFile.ImageFile, 46
 on_preview_leave_emit
 Preview.Preview, 60
 on_preview_leave_recv
 ImageFile.ImageFile, 46
 on_right_mouse_click
 Cursor.MouseCursor, 51
 on_sketch_continuous_emit
 Cursor.MouseCursor, 51
 on_sketch_continuous_recv
 Canvas.Canvas, 20
 on_sketch_enter_recv
 Canvas.Canvas, 20
 on_sketch_leave_emit
 Cursor.MouseCursor, 51
 on_sketch_leave_recv
 Canvas.Canvas, 21
 OpenEntry, 10
 OpenEntry.OpenEntry, 55
 __init__, 56
 color, 57
 name, 57
 on_open_entry_emit, 56
 qml_path, 57
 region_type, 57

- override_effect
 - SIEffect.SIEffect, 66
- parent_canvas
 - Cursor.MouseCursor, 53
- path
 - Entry.Entry, 42
- position
 - Cursor.MouseCursor, 51
 - Directory.Directory, 33
- Preview, 10
- Preview.Preview, 58
 - __init__, 59
 - color, 60
 - name, 60
 - on_preview_continuous_emit, 59
 - on_preview_enter_emit, 59
 - on_preview_leave_emit, 60
 - qml_path, 60
 - region_type, 60
 - source, 61
- preview_height
 - Directory.Directory, 36
- preview_width
 - Directory.Directory, 36
- qml_path
 - Button.Button, 18
 - Cursor.MouseCursor, 54
 - Deletion.Deletion, 28
 - Directory.Directory, 36
 - Entry.Entry, 42
 - ImageFile.ImageFile, 47
 - OpenEntry.OpenEntry, 57
 - Preview.Preview, 60
 - SIEffect.SIEffect, 71
 - SimpleNotification.SimpleNotification, 75
 - Tag.Tag, 78
 - TextFile.TextFile, 81
- RECEPTION
 - SIEffect.SIEffect, 71
- region_type
 - Button.Button, 18
 - Canvas.Canvas, 21
 - Container.Container, 24
 - Cursor.MouseCursor, 54
 - Deletion.Deletion, 28
 - Directory.Directory, 36
 - Entry.Entry, 42
 - ImageFile.ImageFile, 47
 - OpenEntry.OpenEntry, 57
 - Preview.Preview, 60
 - SIEffect.SIEffect, 71
 - SimpleNotification.SimpleNotification, 75
 - Tag.Tag, 78
 - TextFile.TextFile, 81
- register_region_from_drawing
 - SIEffect.SIEffect, 67
- register_shape_change
 - SIEffect.SIEffect, 67
- remove_link
 - SIEffect.SIEffect, 67
- RESAMPLING
 - SIEffect.SIEffect, 71
- self_on_sketch_enter_emit
 - Cursor.MouseCursor, 52
- set_folder_contents_page
 - Directory.Directory, 33
- set_geometry_from_geometry
 - Container.Container, 23
- set_position_from_position
 - Cursor.MouseCursor, 52
 - SIEffect.SIEffect, 67
- shape
 - Container.Container, 25
 - Directory.Directory, 37
 - ImageFile.ImageFile, 47
 - SIEffect.SIEffect, 71
- SIEffect, 10
- SIEffect.SIEffect, 61
 - __init__, 63
 - aabb, 68
 - add_point_to_region_drawing, 63
 - add_QML_data, 64
 - cap_emit, 68
 - cap_link_emit, 68
 - cap_link_rcv, 68
 - cap_rcv, 69
 - close_standard_application, 64
 - color, 69
 - create_link, 64
 - delta_x, 69
 - delta_y, 69
 - disable_effect, 64
 - disable_link_emission, 65
 - disable_link_reception, 65
 - display_folder_contents_page, 65
 - EMISSION, 69
 - enable_effect, 65
 - enable_link_emission, 65
 - enable_link_reception, 66
 - height, 69
 - is_under_user_control, 70
 - last_delta_x, 70
 - last_delta_y, 70
 - last_x, 70
 - last_y, 70
 - name, 70
 - NO_RESAMPLING, 71
 - on_move_continuous_rcv, 66
 - on_move_enter_rcv, 66
 - on_move_leave_rcv, 66
 - override_effect, 66
 - qml_path, 71
 - RECEPTION, 71
 - region_type, 71

- register_region_from_drawing, 67
- register_shape_change, 67
- remove_link, 67
- RESAMPLING, 71
- set_position_from_position, 67
- shape, 71
- source, 72
- start_standard_application, 68
- texture_height, 72
- TEXTURE_PATH_NONE, 72
- texture_width, 72
- width, 72
- SimpleNotification, 10
- SimpleNotification.SimpleNotification, 73
 - __init__, 74
 - color, 74
 - height, 75
 - message, 75
 - name, 75
 - qml_path, 75
 - region_type, 75
 - source, 75
 - update_message, 74
 - width, 76
- source
 - Canvas.Canvas, 21
 - Container.Container, 25
 - Cursor.MouseCursor, 54
 - Entry.Entry, 43
 - Preview.Preview, 61
 - SIEffect.SIEffect, 72
 - SimpleNotification.SimpleNotification, 75
 - Tag.Tag, 78
- start_standard_application
 - SIEffect.SIEffect, 68
- Tag, 11
- Tag.Tag, 76
 - __init__, 77
 - color, 78
 - name, 78
 - qml_path, 78
 - region_type, 78
 - source, 78
- text_color
 - Entry.Entry, 43
- text_height
 - Entry.Entry, 43
- TextFile, 11
- TextFile.TextFile, 79
 - __init__, 80
 - name, 81
 - qml_path, 81
 - region_type, 81
- texture_height
 - SIEffect.SIEffect, 72
- TEXTURE_PATH_NONE
 - SIEffect.SIEffect, 72
- texture_width
 - SIEffect.SIEffect, 72
- update_message
 - SimpleNotification.SimpleNotification, 74
- value
 - Button.Button, 18
- width
 - Button.Button, 18
 - Container.Container, 25
 - Cursor.MouseCursor, 54
 - Directory.Directory, 37
 - Entry.Entry, 43
 - ImageFile.ImageFile, 47
 - SIEffect.SIEffect, 72
 - SimpleNotification.SimpleNotification, 76
- x
 - Container.Container, 25
 - Cursor.MouseCursor, 54
- y
 - Container.Container, 25
 - Cursor.MouseCursor, 54