

# JOIN



**Telegram**  
**@PuneEngineers**



**CLICK HERE**  
**@PuneEngineers**



**THEORY OF COMPUTATION****(2015 Course) (Semester - I)***Time : 1 Hour]**[Max. Marks : 30**Instructions to the candidates:*

- 1) Attempt questions Q1 or Q2, Q3 or Q4, and Q5 or Q6.
- 2) Neat diagrams must be drawn wherever necessary.
- 3) Figures to the right indicate full marks.
- 4) Assume suitable data, if necessary.


**Q1) a)** Construct Mealy machine to find 2' complement of any binary number & convert it into Moore machine. [8]

b) Define following:- [2]

- i)  $\epsilon$ -closure of a state
- ii) NFA

OR

**Q2) a)** Construct the minimum state automation equivalent to the transition diagram given below. [8]



b) State what do you mean by FSM & state limitations of FSM. [2]

*P.T.O.*

**Q3) a)** Determine the regular expression over the  $\Sigma = \{a, b\}$  for the following [6]

- i) Set of all strings containing exactly 2 a's
- ii) Set of all strings containing at least 2 a's
- iii) Set of all strings that do not consist of two consecutive 0's

**b)** Convert the given Right-linear Grammar into its equivalent Left-linear Grammar. [4]

$$S \rightarrow 0A|1B$$

$$A \rightarrow 0C|1A|0$$

$$B \rightarrow 1B|1A|1$$

$$C \rightarrow 0|0A$$

OR

**Q4) a)** Define Pumping Lemma & Apply it to prove the following  
 $L = \{0^i / i \text{ is an integer, } i \geq 1\}$  is not regular. [6]

**b)** Describe in simple english the language defined by the following regular expressions:- [4]

i)  $(a+b)^* \cdot aa \cdot (a+b)^*$

ii)  $a+b^* \cdot c + \epsilon$

**Q5) a)** Check whether or not the following Grammar is ambiguous; if it is remove the ambiguity and write an equivalent unambiguous grammar. [6]

$$S \rightarrow i C t S \mid i c t S \in S \mid a$$

$$C \rightarrow b$$

**b)** Write note on: Chomsky Hierarchy. [4]

OR

**Q6) a)** Simplify the following Grammar [6]

i)  $S \rightarrow aA|bS| \epsilon$

$$A \rightarrow aA|bB| \epsilon$$

$$B \rightarrow aA|bc| \epsilon$$

$$C \rightarrow aC|bc$$

ii)  $S \rightarrow A|bb$

$$A \rightarrow B|b$$

$$B \rightarrow S|a$$

**b)** Find the CNF for the given CFG  $S \rightarrow 0S1S|1S0S| \epsilon$  [4]

