

Théo3XL-count-nouv.Rmd Question 3 Count, pas Sum; Données du nouveau Excel

Christoph

2023-10-08

Libraries

```
library(xlsx)           # Fichiers Excel
library(jmv)            # Analyses Jamovi
library(dplyr)          # if_else etc.
```

Données

Lire

```
setwd("/Users/christophpahl/Bureau/Travail+Hobby/Statistiques/Théo")

#TOUT <- read.xlsx("QEMS_all-corr.xlsx", sheetName="sheet1") # java.lang.OutOfMemoryError: GC overhead limit exc
TOUT <- read.xlsx("MA_Theo_tableau1-ed.xlsx", sheetName="Feuil1") # Copié Sport_catégorie dedans du 2èm
```

Afficher

(sur écran mais pas dans le PDF ou word)

```
#View(TOUT)
#colnames(TOUT) # Noms des Variables

avait <- function(item){
  #(item != "Jamais" & item != "Pas de réponse" & item != "Pas du tout") | item == "Oui"
  return( ifelse(item != "Jamais" & item != "0",1,0) ) # "0" occure seulement pour TOUT$mpsy_parent_invesstissement
}
```

PSY

```
TOUT$psy <- avait(TOUT$mpsy_paire_ignoré_item1) + avait(TOUT$mpsy_paire_investissement_item2) + # ~ nouvel Excel
  avait(TOUT$mpsy_paire_critique_perf_item3) + avait(TOUT$mpsy_paire_apparence_item4) +
  avait(TOUT$mpsy_paire_rumeur_item5) + avait(TOUT$mpsy_paire_humiliation_item6) +
  avait(TOUT$mpsy_paire_menace_exclusion_item7) + avait(TOUT$mpsy_paire_menace_physique_item8) +
  avait(TOUT$mpsy_paire_encourager_humiliation_item9) + avait(TOUT$mpsy_paire_limite_contacte_item10) +

  avait(TOUT$mpsy_adulte_ignorer_item1) + avait(TOUT$mpsy_adulte_critique_investissement_item2) + # ~
  avait(TOUT$mpsy_adulte_critique_perf_item2) + avait(TOUT$mpsy_adulte_critiquer_apparence_item3) +
  avait(TOUT$mpsy_adulte_rumeur_item4) + avait(TOUT$mpsy_adulte_ridiculiser_item5) +
  avait(TOUT$mpsy_adulte_crier-dessus_item6) + avait(TOUT$mpsy_adulte_menace_expulsion_item7) +
  avait(TOUT$mpsy_adulte_menacephysi_item8) + avait(TOUT$mpsy_adulte_humiliation_autrui_item9) +
  avait(TOUT$mpsy_adulte_limitation_contact_item10) + avait(TOUT$mpsy_adulte_jouer_blessier_item11) +
  avait(TOUT$mpsy_adulte_entrainer_a_vomir_item12) + avait(TOUT$mpsy_adulte_dopage_item13) +
  avait(TOUT$mpsy_adulte_poids_ideal_item13) +

  avait(TOUT$mpsy_parent_ignorer_item1) + avait(TOUT$mpsy_parent_invesstissement_item2) + # ~ nouvel Excel
  # item2 pas encodé comme les autres
```

```

      await(TOUT$mpsy_parent_critique_perf_item3) +
      await(TOUT$Mpsy_parent_critique_corps_item4) +
      await(TOUT$mpsy_parent_rumeur_item5) + await(TOUT$mpsy_parent_ridiculisà_perf_item6) +

      await(TOUT$mpsy_parent_crier_dessus_item7) + await(TOUT$Mpsy_parent_menace_physique_item8) +
      await(TOUT$Mpsy_parent_blessier_adversaire_item9) + await(TOUT$Mpsy_parent_limite_contact_item10) +
      await(TOUT$Mpsy_parent_blessé_soi_mm_item11) + await(TOUT$mpsy_parent_vomir_item12) +
      await(TOUT$mpsy_parent_dopage_item13) + await(TOUT$Mpsy_parent_poids_ideal_item14)

TOUT$PSY <- if_else(TOUT$psy > 0, 1, 0)
PSY <- filter(TOUT, PSY==1)

```

711 ont subi au moins une maltraitance psychologique

Paires: 4 Catégories

```

Qu3nouv <- function(df, vec){
  "print(descriptives(df, eval(vec),
                      n=F, missing=F, mean=F, median=F, sd=F, min=F, max=F,
                      freq=TRUE))          # contrôle "

  for (i in 1:length(vec)) {                # (geht auf einmal?)
    df[vec[i]][df[vec[i]]=="Ne sait pas"]<-NA  # vu pour interprétations, pas pour consequences
  }

  for (i in 1:length(vec)) {                # (geht auf einmal?)
    df[,vec[i]] <- factor(df[,vec[i]])
  }
  "print(descriptives(df, eval(vec),
                      n=F, missing=F, mean=F, median=F, sd=F, min=F, max=F,
                      freq=TRUE))          # contrôle"

  vecFT <- NULL
  for (i in 1:length(vec)) {
    vecFT[i] <- paste(vec[i],"FT",sep="") # column names "Mpsy_paire_normalisationFT" etc.
    df[vecFT[i]] <- (df[vec[i]] != "Pas du tout")
  }

  descriptives(df, eval(vecFT),
               n=F,missing=F, mean=F,median=F, sd=F,min=F,max=F,
               freq=TRUE)
}

```

```

Qu3nouv(PSY, c("Mpsy_paire_normalisation", # 74-76
               "Mpsy_paire_necessite", "Mpsy_paire_partie_entrainement"))

```

Catégorie 1

```

##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_paire_normalisationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       178        47.21485        47.21485
## TRUE        199        52.78515        100.00000
##
##
##

```

```
## Frequencies of Mpsy_paire_necessiteFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE        313        80.46272        80.46272
##      TRUE          76        19.53728        100.00000
##
##
```

```
## Frequencies of Mpsy_paire_partie_entrainementFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE        230        59.58549        59.58549
##      TRUE         156        40.41451        100.00000
##
```

```
vec <- c("Mpsy_paire_démotivation","Mpsy_paire_moins_performe", # 77-79
        "Mpsy_paire_perdu_confiance",

        "Mpsy_paire_image_corps","Mpsy_paire_peur","Mpsy_paire_colere", # 80-86
        "Mpsy_paire_triste","Mpsy_paire_stress","Mpsy_paire_ta_faute",
        "Mpsy_paire_humiliation" )

Qu3nouv(Psy, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_paire_démotivationFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE        227        56.75000        56.75000
##      TRUE         173        43.25000        100.00000
##
##
##
## Frequencies of Mpsy_paire_moins_performeFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE        229        57.25000        57.25000
##      TRUE         171        42.75000        100.00000
##
##
##
## Frequencies of Mpsy_paire_perdu_confianceFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE        193        48.25000        48.25000
##      TRUE         207        51.75000        100.00000
##
##
##
## Frequencies of Mpsy_paire_image_corpsFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE        261        65.25000        65.25000
##      TRUE         139        34.75000        100.00000
```

```
##
##
##
## Frequencies of Mpsy_paire_peurFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        325        81.25000        81.25000
## TRUE          75        18.75000        100.00000
##
##
##
## Frequencies of Mpsy_paire_colereFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        135        33.75000        33.75000
## TRUE          265        66.25000        100.00000
##
##
##
## Frequencies of Mpsy_paire_tristeFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        156        39.00000        39.00000
## TRUE          244        61.00000        100.00000
##
##
##
## Frequencies of Mpsy_paire_stressFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        240        60.00000        60.00000
## TRUE          160        40.00000        100.00000
##
##
##
## Frequencies of MPsy_paire_ta_fauteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        192        48.00000        48.00000
## TRUE          208        52.00000        100.00000
##
##
##
## Frequencies of Mpsy_paire_humiliationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        184        46.00000        46.00000
## TRUE          216        54.00000        100.00000
##
##
```

```
vec <- c("Mpsy_paire_consideration", # 92-94
        "mpsy_paire_neccesiteperf",
        "Mpsy_paire_partie_compet")
```

```
Qu3nouv(Psy, vec)
```

Catégorie 2

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_paire_considerationFT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE        331      56.87285      56.87285
##      TRUE         251      43.12715      100.00000
##
##
##
## Frequencies of mpsy_paire_neccesiteperffT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE        427      72.12838      72.12838
##      TRUE         165      27.87162      100.00000
##
##
##
## Frequencies of Mpsy_paire_partie_competFT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE        346      58.24916      58.24916
##      TRUE         248      41.75084      100.00000
##
```

```
vec <- c("Mpsy_paire_demotive","mpsy_paire_moins_perf", # 95-104
        "Mpsy_paire_perte_confiance",
        "mpsy_paire_image_corps","Mpsy_paire_peur_2","Mpsy_paire_colere_2",
        "Mpsy_paire_triste_2","Mpsy_paire_stress_2","mpsy_paire_faute",
        "Mpsy_paire_humiliation_2"
        )
```

```
Qu3nouv(Psy, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_paire_demotiveFT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE        353      62.64463      62.64463
##      TRUE         226      37.35537      100.00000
##
##
##
## Frequencies of mpsy_paire_moins_perffT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE        379      62.64463      62.64463
##      TRUE         226      37.35537      100.00000
##
##
##
```

```
## Frequencies of Mpsy_paire_perte_confianceFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        272        44.95868        44.95868
## TRUE         333        55.04132        100.00000
##
##
##
```

```
## Frequencies of mpsy_paire_image_corpsFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        369        60.99174        60.99174
## TRUE         236        39.00826        100.00000
##
##
##
```

```
## Frequencies of Mpsy_paire_peur_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        500        82.64463        82.64463
## TRUE         105        17.35537        100.00000
##
##
##
```

```
## Frequencies of Mpsy_paire_colere_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        229        37.85124        37.85124
## TRUE         376        62.14876        100.00000
##
##
##
```

```
## Frequencies of Mpsy_paire_triste_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        275        45.45455        45.45455
## TRUE         330        54.54545        100.00000
##
##
##
```

```
## Frequencies of Mpsy_paire_stress_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        337        55.70248        55.70248
## TRUE         268        44.29752        100.00000
##
##
##
```

```
## Frequencies of mpsy_paire_fauteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        312        51.57025        51.57025
## TRUE         293        48.42975        100.00000
##
##
##
```

```
## Frequencies of Mpsy_paire_humiliation_2FT
```

```
##
## Levels Counts % of Total Cumulative %
##
## FALSE 300 49.58678 49.58678
## TRUE 305 50.41322 100.00000
##
```

```
vec <- c("mpsy_paire_normlisation", # 107-109
        "mpsy_paire_necessite_perf", "mpsy_paire_partie_entrainement")
```

```
Qu3nouv(Psy, vec)
```

Catégorie 3

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of mpsy_paire_normlisationFT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 95 79.83193 79.83193
## TRUE 24 20.16807 100.00000
##
##
##
## Frequencies of mpsy_paire_necessite_perfFT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 110 89.43089 89.43089
## TRUE 13 10.56911 100.00000
##
##
##
## Frequencies of mpsy_paire_partie_entrainementFT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 90 73.77049 73.77049
## TRUE 32 26.22951 100.00000
##
```

```
vec <- c("mpsy_paire_demotive_sport", "mpsy_paire_moins_perf_2", # 110-119
        "mpsy_paire_perdu_confiance",
        "Mpsy_paire_image_corps_2", "Mpsy_paire_peur_3", "Mpsy_paire_colere_3",
        "mpsy_paire_triste", "mpsy_paire_stress", "Mpsy_paire_ta_faute",
        "Mpsy_paire_humiliation_3"
        )
```

```
Qu3nouv(Psy, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of mpsy_paire_demotive_sportFT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 74 58.73016 58.73016
```

```
##      TRUE          52      41.26984      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_paire_moins_perf_2FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          79      62.69841      62.69841
```

```
##      TRUE          47      37.30159      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_paire_perdu_confianceFT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          73      57.93651      57.93651
```

```
##      TRUE          53      42.06349      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mpsy_paire_image_corps_2FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          90      71.42857      71.42857
```

```
##      TRUE          36      28.57143      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mpsy_paire_peur_3FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          79      62.69841      62.69841
```

```
##      TRUE          47      37.30159      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mpsy_paire_colere_3FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          32      25.39683      25.39683
```

```
##      TRUE          94      74.60317      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_paire_tristeFT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          61      48.41270      48.41270
```

```
##      TRUE          65      51.58730      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_paire_stressFT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          60      47.61905      47.61905
```

```
##      TRUE          66      52.38095      100.00000
```



```
##
##
##
## Frequencies of Mpsy_paire_ta_fauteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          77      61.11111      61.11111
## TRUE           49      38.88889      100.00000
##
##
##
## Frequencies of Mpsy_paire_humiliation_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          61      48.41270      48.41270
## TRUE           65      51.58730      100.00000
##
##
```

```
vec <- c("Mpsy_paire_normalisation_2", # 122-124
        "mpsy_paire_necessaireperf", "mpsy_paire_partie_entrainement_2")
```

```
Qu3nouv(Psy, vec)
```

Catégorie 4

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_paire_normalisation_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          97      56.06936      56.06936
## TRUE           76      43.93064      100.00000
##
##
##
## Frequencies of mpsy_paire_necessaireperfFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          98      56.64740      56.64740
## TRUE           75      43.35260      100.00000
##
##
##
## Frequencies of mpsy_paire_partie_entrainement_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          88      50.57471      50.57471
## TRUE           86      49.42529      100.00000
##
```

```
vec <- c("mpsy_paire_demotive", # 125-134
        "mpsy_paire_moins_perf_3", "mpsy_paire_perte_confiance",
        "mpsy_paire_image_neg", "mpsy_paire_peur", "mpsy_paire_colere",
        "mpsy_paire_triste_2", "Mpsy_paire_stress_3", "Mpsy_paire_faute",
        "mpsy_paire_humiliation")
```

)

Qu3nouv(PSY, vec)

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of mpsy_paire_demotiveFT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE    128    72.31638    72.31638
##   TRUE      49    27.68362    100.00000
##
##
##
## Frequencies of mpsy_paire_moins_perf_3FT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE    138    77.96610    77.96610
##   TRUE      39    22.03390    100.00000
##
##
##
## Frequencies of mpsy_paire_perte_confianceFT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE    139    78.53107    78.53107
##   TRUE      38    21.46893    100.00000
##
##
##
## Frequencies of mpsy_paire_image_negFT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE    147    83.05085    83.05085
##   TRUE      30    16.94915    100.00000
##
##
##
## Frequencies of mpsy_paire_peurFT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE    138    77.96610    77.96610
##   TRUE      39    22.03390    100.00000
##
##
##
## Frequencies of mpsy_paire_colereFT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE    100    56.49718    56.49718
##   TRUE      77    43.50282    100.00000
##
##
##
```

```
## Frequencies of mpsy_paire_triste_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        108        61.01695        61.01695
## TRUE          69        38.98305        100.00000
##
##
##
## Frequencies of Mpsy_paire_stress_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        116        65.53672        65.53672
## TRUE          61        34.46328        100.00000
##
##
##
## Frequencies of Mpsy_paire_fauteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        129        72.88136        72.88136
## TRUE          48        27.11864        100.00000
##
##
##
## Frequencies of mpsy_paire_humiliationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        145        81.92090        81.92090
## TRUE          32        18.07910        100.00000
##
##
```

Adultes: 4 Catégories

```
vec <- c("mpsy_adulte_considerer",
        "mpsy_adulte_necessaire", "Mpsy_adulte_faisant_partie") # 143-145
Qu3nouv(PSY, vec)
```

Catégorie 1

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of mpsy_adulte_considererFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        131        63.59223        63.59223
## TRUE          75        36.40777        100.00000
##
##
##
## Frequencies of mpsy_adulte_necessaireFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        164        78.84615        78.84615
## TRUE          44        21.15385        100.00000
```

```
##
##
##
## Frequencies of Mpsy_adulte_faisant_partieFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        146        70.19231        70.19231
## TRUE          62        29.80769        100.00000
##
```

```
vec <- c( "Mpsy_adulte_demotive","mpsy_adulte_moins_perf","Mpsy_adulte_perdu_confiance", # 146-155
          "mpsy_adulte_image_corps","mpsy_adulte_peur","mpsy_adulte_colere",
          "mpsy_adulte_triste","mpsy_adulte_stress","mpsy_adulte_ta_faute",
          "mpsy_adulte_humiliation")
Qu3nouv(Psy, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_adulte_demotiveFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        70        33.33333        33.33333
## TRUE         140        66.66667        100.00000
##
##
##
## Frequencies of mpsy_adulte_moins_perfFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        77        36.66667        36.66667
## TRUE         133        63.33333        100.00000
##
##
##
## Frequencies of Mpsy_adulte_perdu_confianceFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        65        30.95238        30.95238
## TRUE         145        69.04762        100.00000
##
##
##
## Frequencies of mpsy_adulte_image_corpsFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        141        67.14286        67.14286
## TRUE          69        32.85714        100.00000
##
##
##
## Frequencies of mpsy_adulte_peurFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        155        73.80952        73.80952
## TRUE          55        26.19048        100.00000
##
```

```
##
##
##
## Frequencies of mpsy_adulte_colereFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        43        20.47619        20.47619
## TRUE         167        79.52381        100.00000
##
##
##
## Frequencies of mpsy_adulte_tristeFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        67        31.90476        31.90476
## TRUE         143        68.09524        100.00000
##
##
##
## Frequencies of mpsy_adulte_stressFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       104        49.52381        49.52381
## TRUE        106        50.47619        100.00000
##
##
##
## Frequencies of mpsy_adulte_ta_fauteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        82        39.04762        39.04762
## TRUE         128        60.95238        100.00000
##
##
##
## Frequencies of mpsy_adulte_humiliationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        81        38.57143        38.57143
## TRUE         129        61.42857        100.00000
##
##
```

```
vec <- c("Mpsy_adulte_consideration","mpsy_adulte_necessaire_2","Mpsy_adulte_partie_compet") # 169-171
Qu3nouv(Psy, vec)
```

Catégorie 2

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_adulte_considerationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       184        36.58052        36.58052
## TRUE        319        63.41948        100.00000
```

```
##
##
##
## Frequencies of mpsy_adulte_necessaire_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        219        43.28063        43.28063
## TRUE         287        56.71937        100.00000
##
##
```

```
##
## Frequencies of Mpsy_adulte_partie_competFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        176        34.44227        34.44227
## TRUE         335        65.55773        100.00000
##
```

```
vec <- c( "Mpsy_adulte_demotive_2","mpsy_adulte_moins_perf_2","Mpsy_adulte_perduconfiance", # 172-181
          "Mpsy_adulte_image_corps","mpsy_adulte_peur_2","mpsy_adulte_colere_2",
          "mpsy_adulte_triste_2","mpsy_adulte_stress_2","mpsy_adulte_ta_faute_2",
          "mpsy_adulte_humiliation_2")
Qu3nouv(Psy, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_adulte_demotive_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        270        52.22437        52.22437
## TRUE         247        47.77563        100.00000
##
##
```

```
##
## Frequencies of mpsy_adulte_moins_perf_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        275        53.19149        53.19149
## TRUE         242        46.80851        100.00000
##
##
```

```
##
## Frequencies of Mpsy_adulte_perduconfianceFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        235        45.45455        45.45455
## TRUE         282        54.54545        100.00000
##
##
```

```
##
## Frequencies of Mpsy_adulte_image_corpsFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        354        68.47195        68.47195
## TRUE         163        31.52805        100.00000
##
```

```
##
##
##
## Frequencies of mpsy_adulte_peur_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        384        74.27466        74.27466
## TRUE         133        25.72534        100.00000
##
```

```
##
##
## Frequencies of mpsy_adulte_colere_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        179        34.62282        34.62282
## TRUE         338        65.37718        100.00000
##
```

```
##
##
## Frequencies of mpsy_adulte_triste_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        252        48.74275        48.74275
## TRUE         265        51.25725        100.00000
##
```

```
##
##
## Frequencies of mpsy_adulte_stress_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        237        45.84139        45.84139
## TRUE         280        54.15861        100.00000
##
```

```
##
##
## Frequencies of mpsy_adulte_ta_faute_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        212        41.00580        41.00580
## TRUE         305        58.99420        100.00000
##
```

```
##
##
## Frequencies of mpsy_adulte_humiliation_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        255        49.32302        49.32302
## TRUE         262        50.67698        100.00000
##
```

```
vec <- c("Mpsy_adulte_auteur_considerer_normal", "mpsy_adulte_necessaireperf", # 191-193
        "mpsy_adulte_partie_entrainement")
Qu3nouv(PSY, vec)
```

Catégorie 3:

```
##
```

```
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_adulte_auteur_considerer_normalFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         71      59.16667      59.16667
##      TRUE          49      40.83333      100.00000
##
##
##
## Frequencies of mpsy_adulte_necessaireperffT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         78      64.46281      64.46281
##      TRUE          43      35.53719      100.00000
##
##
##
## Frequencies of mpsy_adulte_partie_entrainementFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         67      55.37190      55.37190
##      TRUE          54      44.62810      100.00000
##
##
```

```
vec <- c("mpsy_adulte_demotive","mpsy_adulte_moins_perf_3","mpsy_adulte_perdu_confiance", # 194-203
        "mpsy_adulte_image_neg","mpsy_adulte_peur_3","mpsy_adulte_colere_3",
        "mpsy_adulte_triste_3","Mpsy_Adulte_stress","mpsy_adulte_ta_faute_3",
        "mpsy_adulte_ressenti_humiliation")
Qu3nouv(Psy, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of mpsy_adulte_demotiveFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         51      41.80328      41.80328
##      TRUE          71      58.19672      100.00000
##
##
##
## Frequencies of mpsy_adulte_moins_perf_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         53      43.44262      43.44262
##      TRUE          69      56.55738      100.00000
##
##
##
## Frequencies of mpsy_adulte_perdu_confianceFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         50      40.98361      40.98361
```



```
##      TRUE          72      59.01639      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_adulte_image_negFT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          71      58.19672      58.19672
```

```
##      TRUE           51      41.80328      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_adulte_peur_3FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          68      55.73770      55.73770
```

```
##      TRUE           54      44.26230      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_adulte_colere_3FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          29      23.77049      23.77049
```

```
##      TRUE           93      76.22951      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_adulte_triste_3FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          42      34.42623      34.42623
```

```
##      TRUE           80      65.57377      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mpsy_Adulte_stressFT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          44      36.06557      36.06557
```

```
##      TRUE           78      63.93443      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_adulte_ta_faute_3FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          51      41.80328      41.80328
```

```
##      TRUE           71      58.19672      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_adulte_ressenti_humiliationFT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          48      39.34426      39.34426
```

```
##      TRUE           74      60.65574      100.00000
```

```
##
```

```
vec <- c("mpsy_adulte_consideration_normale","mpsy_adulte_necessaire_perf", # 217-219
        "mpsy_adulte_partie_compet")
Qu3nouv(PSY, vec)
```

Catégorie 4:

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of mpsy_adulte_consideration_normaleFT
##
##      Levels      Counts    % of Total    Cumulative %
##      FALSE         111     28.90625      28.90625
##      TRUE          273     71.09375     100.00000
```

```
##
## Frequencies of mpsy_adulte_necessaire_perfFT
##
##      Levels      Counts    % of Total    Cumulative %
##      FALSE         90     23.49869      23.49869
##      TRUE          293     76.50131     100.00000
```

```
##
## Frequencies of mpsy_adulte_partie_competFT
##
##      Levels      Counts    % of Total    Cumulative %
##      FALSE         83     21.61458      21.61458
##      TRUE          301     78.38542     100.00000
```

```
vec <- c("mpsy_adulte_demotive_sport","Mpsy_adulte_moins_perf","mpsy_adulte_perdu_confiance_2", # 220-229
        "Mpsy_adulte_image_neg","Mpsy_adulte_peur","mpsy_adulte_colere",
        "Mpsy_adulte_triste","mpsy_adulte_stress_3","mpsy_adulte_ta_faute_4",
        "Mpsy_adulte_humiliation")
Qu3nouv(PSY, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of mpsy_adulte_demotive_sportFT
##
##      Levels      Counts    % of Total    Cumulative %
##      FALSE         266     67.68448      67.68448
##      TRUE          127     32.31552     100.00000
```

```
##
## Frequencies of Mpsy_adulte_moins_perfFT
##
##      Levels      Counts    % of Total    Cumulative %
##      FALSE         249     63.35878      63.35878
```

```
##      TRUE          144      36.64122      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_adulte_perdu_confiance_2FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE        260        66.15776        66.15776
```

```
##      TRUE         133        33.84224        100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mpsy_adulte_image_negFT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE        268        68.19338        68.19338
```

```
##      TRUE         125        31.80662        100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mpsy_adulte_peurFT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE        311        79.13486        79.13486
```

```
##      TRUE          82        20.86514        100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_adulte_colèreFT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE        247        62.84987        62.84987
```

```
##      TRUE         146        37.15013        100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mpsy_adulte_tristeFT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE        265        67.43003        67.43003
```

```
##      TRUE         128        32.56997        100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_adulte_stress_3FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE        222        56.48855        56.48855
```

```
##      TRUE         171        43.51145        100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of mpsy_adulte_ta_faute_4FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE        261        66.41221        66.41221
```

```
##      TRUE         132        33.58779        100.00000
```

```
##
##
##
## Frequencies of Mpsy_adulte_humiliationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        304        77.35369        77.35369
## TRUE          89        22.64631        100.00000
##
```

Parents: 4 Catégories

Catégorie 1 = “Mpsy_parent_ignorer_item1” Avec le nouvel Excel y a des interprétations:

```
vec <- c("Mpsy_parent_normale_categorie_1", "Mpsy_parent_necessaire_categorie_1", # 231-233
        "Mpsy_parent_faisantpartie_categorie_1"
        )
Qu3nouv(Psy, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_parent_normale_categorie_1FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        23        53.48837        53.48837
## TRUE         20        46.51163        100.00000
##
##
##
## Frequencies of Mpsy_parent_necessaire_categorie_1FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        29        65.90909        65.90909
## TRUE         15        34.09091        100.00000
##
##
##
## Frequencies of Mpsy_parent_faisantpartie_categorie_1FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        30        68.18182        68.18182
## TRUE         14        31.81818        100.00000
##
```

```
vec <- c("mpsy_parent_demotiver_sport", "mpsy_parent_moins_perf", # 234-243
        "mpsy_parent_perdu_confiance", "mpsy_parent_image_corps", "mpsy_parent_peur",
        "mpsy_parent_colere", "mpsy_parent_triste", "mpsy_parent_stress",
        "mpsy_parent_ta_faute", "mpsy_parent_humiliation"
        )
Qu3nouv(Psy, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of mpsy_parent_demotiver_sportFT
##
```

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	12	26.66667	26.66667
##	TRUE	33	73.33333	100.00000

Frequencies of mpsy_parent_moins_perfFT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	16	35.55556	35.55556
##	TRUE	29	64.44444	100.00000

Frequencies of Mpsy_parent_perdu_confianceFT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	17	37.77778	37.77778
##	TRUE	28	62.22222	100.00000

Frequencies of mpsy_parent_image_corpsFT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	27	60.00000	60.00000
##	TRUE	18	40.00000	100.00000

Frequencies of mpsy_parent_peurFT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	27	60.00000	60.00000
##	TRUE	18	40.00000	100.00000

Frequencies of mpsy_parent_colereFT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	12	26.66667	26.66667
##	TRUE	33	73.33333	100.00000

Frequencies of Mpsy_parent_tristeFT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	9	20.00000	20.00000
##	TRUE	36	80.00000	100.00000

Frequencies of Mpsy_parent_stressFT

##	Levels	Counts	% of Total	Cumulative %
----	--------	--------	------------	--------------

```
##
## FALSE      21      46.66667      46.66667
## TRUE       24      53.33333     100.00000
##
##
##
## Frequencies of Mpsy_parent_ta_fauteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        13      28.88889      28.88889
## TRUE         32      71.11111     100.00000
##
##
##
## Frequencies of Mpsy_parent_humiliationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        21      46.66667      46.66667
## TRUE         24      53.33333     100.00000
##
```

```
vec <- c("Mpsy_parent_normalisation", "mpsy_parent_necessaire", "mpsy_parent_faisant_partie") # 250-252
Qu3nouv(PSY, vec)
```

Catégorie 2

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_parent_normalisationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        90      33.83459      33.83459
## TRUE        176      66.16541     100.00000
##
##
##
## Frequencies of mpsy_parent_necessaireFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       130      48.50746      48.50746
## TRUE       138      51.49254     100.00000
##
##
##
## Frequencies of mpsy_parent_faisant_partieFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       130      48.87218      48.87218
## TRUE       136      51.12782     100.00000
##
```

Il y avait qu'une consequence, maintenant les 10:

```
vec <- c("Mpsy_parent_demotive_e_categorie_2", # 253-262
        "Mpsy_parent_moinsperf_categorie_2",
        "Mpsy_parent_perdu_confiance_2",
```

```

"Mpsy_parent_imageneg_categorie_2",
"Mpsy_parent_peur_categorie_2",
"Mpsy_parent_colere_categorie_2",
"Mpsy_parent_tristess_categorie_2",
"Mpsy_parent_stress_categorie_2",
"Mpsy_parent_tafaute_categorie_2",
"Mpsy_parent_humiliation_categorie_2")

```

```
Qu3nouv(PSY, vec)
```

```

##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_parent_demotive_e_categorie_2FT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE     194     70.54545     70.54545
##   TRUE       81     29.45455     100.00000
##
##
##
## Frequencies of Mpsy_parent_moinsperf_categorie_2FT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE     197     71.63636     71.63636
##   TRUE       78     28.36364     100.00000
##
##
##
## Frequencies of Mpsy_parent_perdu_confiance_2FT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE     152     55.27273     55.27273
##   TRUE      123     44.72727     100.00000
##
##
##
## Frequencies of Mpsy_parent_imageneg_categorie_2FT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE     183     66.54545     66.54545
##   TRUE       92     33.45455     100.00000
##
##
##
## Frequencies of Mpsy_parent_peur_categorie_2FT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE     227     82.54545     82.54545
##   TRUE       48     17.45455     100.00000
##
##
##
## Frequencies of Mpsy_parent_colere_categorie_2FT
##
##   Levels   Counts   % of Total   Cumulative %
##

```

```
##      FALSE      116      42.18182      42.18182
##      TRUE       159      57.81818      100.00000
##
##
##
## Frequencies of Mpsy_parent_tristess_categorie_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       119       43.27273       43.27273
##      TRUE        156       56.72727       100.00000
##
##
##
## Frequencies of Mpsy_parent_stress_categorie_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       174       63.27273       63.27273
##      TRUE        101       36.72727       100.00000
##
##
##
## Frequencies of Mpsy_parent_tafaute_categorie_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       137       49.81818       49.81818
##      TRUE        138       50.18182       100.00000
##
##
##
## Frequencies of Mpsy_parent_humiliation_categorie_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       182       66.18182       66.18182
##      TRUE         93       33.81818       100.00000
##
##
```

```
vec <- c("mpsy_parent_normalisation","mpsy_parent_necessaire_perf", # 264-266
        "Mpsy_parent_faisant_partie_entrainement")
Qu3nouv(PSY, vec)
```

Catégorie 3

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of mpsy_parent_normalisationFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       11       68.75000       68.75000
##      TRUE         5       31.25000       100.00000
##
##
##
## Frequencies of mpsy_parent_necessaire_perfFT
##
##      Levels      Counts      % of Total      Cumulative %
```



```
##
## FALSE      11      68.75000      68.75000
## TRUE       5       31.25000     100.00000
##
##
##
## Frequencies of Mpsy_parent_faisant_partie_entrainementFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      11      68.75000      68.75000
## TRUE       5       31.25000     100.00000
##
```

consequences changés:

```
vec <- c("Mpsy_parent_demotive_e_categorie_3",      # 267-276
        "Mpsy_parent_moinsperf_categorie_3",
        "Mpsy_parent_perdu_confiance_3",
        "Mpsy_parent_imageneg_categorie_3",
        "Mpsy_parent_peur",
        "Mpsy_parent_colere",
        "Mpsy_parent_triste_2",
        "Mpsy_parent_stress_2",
        "Mpsy_parent_tafaute_categorie_3",
        "Mpsy_parent_humiliation_categorie_3"
)
Qu3nouv(Psy, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_parent_demotive_e_categorie_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      4       25.00000      25.00000
## TRUE      12       75.00000     100.00000
##
##
##
## Frequencies of Mpsy_parent_moinsperf_categorie_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      5       31.25000      31.25000
## TRUE      11       68.75000     100.00000
##
##
##
## Frequencies of Mpsy_parent_perdu_confiance_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      5       31.25000      31.25000
## TRUE      11       68.75000     100.00000
##
##
##
## Frequencies of Mpsy_parent_imageneg_categorie_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
```


Catégorie 4

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_parent_consideration_normalFT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE         30      30.00000      30.00000
##      TRUE          70      70.00000      100.00000
##
##
##
## Frequencies of mpsy_parent_necessaire_perf_2FT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE         24      24.48980      24.48980
##      TRUE          74      75.51020      100.00000
##
##
##
## Frequencies of Mpsy_parent_partie_competFT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE         28      28.28283      28.28283
##      TRUE          71      71.71717      100.00000
##
```

9 conséquences de plus:

```
vec <- c(          # 286-295
"Mpsy_parent_demotiver",
"Mpsy_parent_moinsperf_categorie_4",
"Mpsy_parent_perdu_confiance_categorie_4",
"Mpsy_parent_imageneg_categorie_4",
"Mpsy_parent_peur_categorie_4",
"Mpsy_parent_colere_categorie_4",
"Mpsy_parent_triste_2_categorie_4",
"Mpsy_parent_stress_2_categorie_4",
"Mpsy_parent_tafaute_categorie_4",
"Mpsy_parent_humiliation_categorie_4"
)
Qu3nouv(Psy, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mpsy_parent_demotiverFT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE         73      70.87379      70.87379
##      TRUE          30      29.12621      100.00000
##
##
##
## Frequencies of Mpsy_parent_moinsperf_categorie_4FT
##
##      Levels      Counts    % of Total    Cumulative %
```

```

##
## FALSE      74      71.84466      71.84466
## TRUE       29      28.15534      100.00000
##
##
##
## Frequencies of Mpsy_parent_perdu_confiance_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       68       66.01942       66.01942
## TRUE        35       33.98058       100.00000
##
##
##
## Frequencies of Mpsy_parent_imageneg_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       64       62.13592       62.13592
## TRUE        39       37.86408       100.00000
##
##
##
## Frequencies of Mpsy_parent_peur_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       81       78.64078       78.64078
## TRUE        22       21.35922       100.00000
##
##
##
## Frequencies of Mpsy_parent_colere_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       69       66.99029       66.99029
## TRUE        34       33.00971       100.00000
##
##
##
## Frequencies of Mpsy_parent_triste_2_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       59       57.28155       57.28155
## TRUE        44       42.71845       100.00000
##
##
##
## Frequencies of Mpsy_parent_stress_2_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       62       60.19417       60.19417
## TRUE        41       39.80583       100.00000
##
##
##
## Frequencies of Mpsy_parent_tafaute_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##

```

##	FALSE	62	60.19417	60.19417
##	TRUE	41	39.80583	100.00000
##				
##				
##				
##	Frequencies of Mpsy_parent_humiliation_categorie_4FT			
##				
##	Levels	Counts	% of Total	Cumulative %
##				
##	FALSE	78	75.72816	75.72816
##	TRUE	25	24.27184	100.00000
##				

MPS

```

TOUT$mps <- await(TOUT$mphysique_pairs_item1) + await(TOUT$mphysique_paire_item2) +
  await(TOUT$mphysique_paire_item3) +
  await(TOUT$mphysique_adulte_secoue_agrippe_item1) + await(TOUT$mphysique_adulte_frappe_item2) +
  await(TOUT$mphysique_adulte_etouffe_item3) +
  await(TOUT$mphysique_parent_secoue) + await(TOUT$mphysique_parent_frappe) +
  await(TOUT$mphysique_parent_ettoufe)

TOUT$MPS <- if_else(TOUT$mps>0, 1, 0)

MPS <- filter(TOUT, MPS==1)

```

Au total: 344 des 781 participants ont subi au moins une MPS.

Paires : 1 Catégorie

```

vec <- c(
  "Mphysique_paire_normalisation","Mphysique_paire_necessite_perf","Mphysique_paire_faire_partie") # 21-23
Qu3nouv(MPS, vec)

```

##				
##	DESCRIPTIVES			
##				
##	FREQUENCIES			
##				
##	Frequencies of Mphysique_paire_normalisationFT			
##				
##	Levels	Counts	% of Total	Cumulative %
##				
##	FALSE	119	44.23792	44.23792
##	TRUE	150	55.76208	100.00000
##				
##				
##				
##	Frequencies of Mphysique_paire_necessite_perfFT			
##				
##	Levels	Counts	% of Total	Cumulative %
##				
##	FALSE	166	60.80586	60.80586
##	TRUE	107	39.19414	100.00000
##				
##				
##				
##	Frequencies of Mphysique_paire_faire_partieFT			

```
##
## Levels Counts % of Total Cumulative %
##
## FALSE 120 43.32130 43.32130
## TRUE 157 56.67870 100.00000
##
```

```
vec <- c(
  "Mphysique_paire_demotivation", "Mphysique_paire_moins_performé", "Mphysique_paire_perteconfiance", # 24-33
  "Mphysique_paire_image_neg", "Mphysique_paire_peur", "Mphysique_paire_colere",
  "Mphysique_paire_triste", "Mphysique_paire_stress", "Mphysique_paire_ta_faute",
  "Mphysique_paire_humiliation"
)
Qu3nouv(MPS, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mphysique_paire_demotivationFT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 222 78.72340 78.72340
## TRUE 60 21.27660 100.00000
##
##
##
## Frequencies of Mphysique_paire_moins_performéFT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 221 78.36879 78.36879
## TRUE 61 21.63121 100.00000
##
##
##
## Frequencies of Mphysique_paire_perteconfianceFT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 216 76.59574 76.59574
## TRUE 66 23.40426 100.00000
##
##
##
## Frequencies of Mphysique_paire_image_negFT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 230 81.56028 81.56028
## TRUE 52 18.43972 100.00000
##
##
##
## Frequencies of Mphysique_paire_peurFT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 179 63.47518 63.47518
## TRUE 103 36.52482 100.00000
##
##
```

```
##
## Frequencies of Mphysique_paire_colereFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           63      22.34043      22.34043
## TRUE            219      77.65957      100.00000
##
##
##
## Frequencies of Mphysique_paire_tristeFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           198      70.21277      70.21277
## TRUE             84      29.78723      100.00000
##
##
##
## Frequencies of Mphysique_paire_stressFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           170      60.28369      60.28369
## TRUE            112      39.71631      100.00000
##
##
##
## Frequencies of Mphysique_paire_ta_fauteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           207      73.40426      73.40426
## TRUE             75      26.59574      100.00000
##
##
##
## Frequencies of Mphysique_paire_humiliationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           177      62.76596      62.76596
## TRUE            105      37.23404      100.00000
##
##
```

Adultes: 1 Catégorie

nouveau Excel 3 interprétations

```
vec <- c(
  "Mphysique_adulte_auteur_normlisation",  # 44-46
  "Mphysique_adulte_performance",
  "Mphysique_adulte_faisant_partie_categorie_1"
)
Qu3nouv(MPS, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Mphysique_adulte_auteur_normlisationFT
##
## Levels      Counts      % of Total      Cumulative %
```

```
##
## FALSE      32      29.35780      29.35780
## TRUE       77      70.64220      100.00000
##
##
```

```
## Frequencies of Mphysique_adulte_performanceFT
```

```
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       50       44.64286       44.64286
## TRUE        62       55.35714       100.00000
##
```

```
## Frequencies of Mphysique_adulte_faisant_partie_categorie_1FT
```

```
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       47       41.59292       41.59292
## TRUE        66       58.40708       100.00000
##
```

```
vec <- c( # 47-56
  "Mphysique_adulte_domotivation",
  "Mphysique_adulte_moins_performe_categorie_1",
  "Mphysique_adulte_confiance", "Mphysique_adulte_imagecorps", "Mphysique_adulte_peur",
  "Mphysique_adulte_colere", "Mphysique_adulte_triste", "Mphysique_adulte_stress",
  "Mphysique_adulte_responsabilite", "Mphysique_adulte_humiliation"
)
Qu3nouv(MPS, vec)
```

```
##
## DESCRIPTIVES
##
```

```
## FREQUENCIES
```

```
## Frequencies of Mphysique_adulte_domotivationFT
```

```
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       73       63.47826       63.47826
## TRUE        42       36.52174       100.00000
##
```

```
## Frequencies of Mphysique_adulte_moins_performe_categorie_1FT
```

```
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       75       65.21739       65.21739
## TRUE        40       34.78261       100.00000
##
```

```
## Frequencies of Mphysique_adulte_confianceFT
```

```
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       59       51.30435       51.30435
## TRUE        56       48.69565       100.00000
##
```



```

## Frequencies of Mphysique_adulte_imagecorpsFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           68      59.13043      59.13043
## TRUE            47      40.86957      100.00000
##
##
##
## Frequencies of Mphysique_adulte_peurFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           68      59.13043      59.13043
## TRUE            47      40.86957      100.00000
##
##
##
## Frequencies of Mphysique_adulte_colereFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           51      44.34783      44.34783
## TRUE            64      55.65217      100.00000
##
##
##
## Frequencies of Mphysique_adulte_tristeFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           60      52.17391      52.17391
## TRUE            55      47.82609      100.00000
##
##
##
## Frequencies of Mphysique_adulte_stressFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           48      41.73913      41.73913
## TRUE            67      58.26087      100.00000
##
##
##
## Frequencies of Mphysique_adulte_responsabiliteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           49      42.60870      42.60870
## TRUE            66      57.39130      100.00000
##
##
##
## Frequencies of Mphysique_adulte_humiliationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           51      44.34783      44.34783
## TRUE            64      55.65217      100.00000
##
##

```

Parents: 1 Catégorie

Nouvelles interprétations et conséquences

```
vec <- c(          # 60-62
  "Mphysique_parent_consideration_normal_categorie_1",
  "Mphysique_parent_necessaire_perf_categorie_1",
  "Mphysique_parent_faisant_partie_"
)
Qu3nouv(MPS, vec)
```

```
##
##  DESCRIPTIVES
##
##  FREQUENCIES
##
##  Frequencies of Mphysique_parent_consideration_normal_categorie_1FT
##
##    Levels    Counts    % of Total    Cumulative %
##
##  FALSE         10    27.77778      27.77778
##  TRUE          26    72.22222     100.00000
##
##
##
##  Frequencies of Mphysique_parent_necessaire_perf_categorie_1FT
##
##    Levels    Counts    % of Total    Cumulative %
##
##  FALSE         16    43.24324      43.24324
##  TRUE          21    56.75676     100.00000
##
##
##
##  Frequencies of Mphysique_parent_faisant_partie_FT
##
##    Levels    Counts    % of Total    Cumulative %
##
##  FALSE         19    54.28571      54.28571
##  TRUE          16    45.71429     100.00000
##
```

```
vec <- c("Mphysique_parent_demotive_categorie_1",      # 63-72
  "Mphysique_parent_moinsperf_categorie_1",
  "Mphysique_parent_perduconfiance_categorie_1",
  "Mphysique_parent_imageneg_categorie_1",
  "Mphysique_parent_peur_categorie_1",
  "Mphysique_parent_colere_categorie_1",
  "Mphysique_parent_triste_categorie_1",
  "Mphysique_parent_stress_categorie_1",
  "Mphysique_parent_tafaute_categorie_1",
  "Mphysique_parent_humiliation_categorie_1"
)
Qu3nouv(MPS, vec)
```

```
##
##  DESCRIPTIVES
##
##  FREQUENCIES
##
##  Frequencies of Mphysique_parent_demotive_categorie_1FT
##
##    Levels    Counts    % of Total    Cumulative %
##
##  FALSE         30    75.00000      75.00000
```

```
##      TRUE          10      25.00000      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mphysique_parent_moinsperf_categorie_1FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          28      70.00000      70.00000
```

```
##      TRUE           12      30.00000      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mphysique_parent_perduconfiance_categorie_1FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          21      52.50000      52.50000
```

```
##      TRUE           19      47.50000      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mphysique_parent_imageneg_categorie_1FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          26      65.00000      65.00000
```

```
##      TRUE           14      35.00000      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mphysique_parent_peur_categorie_1FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          25      62.50000      62.50000
```

```
##      TRUE           15      37.50000      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mphysique_parent_colere_categorie_1FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          14      35.00000      35.00000
```

```
##      TRUE           26      65.00000      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mphysique_parent_triste_categorie_1FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          17      42.50000      42.50000
```

```
##      TRUE           23      57.50000      100.00000
```

```
##
```

```
##
```

```
##
```

```
## Frequencies of Mphysique_parent_stress_categorie_1FT
```

```
##
```

```
##      Levels      Counts      % of Total      Cumulative %
```

```
##
```

```
##      FALSE          17      42.50000      42.50000
```

```
##      TRUE           23      57.50000      100.00000
```

```
##
##
##
## Frequencies of Mphysique_parent_tafaute_categorie_1FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        18        45.00000        45.00000
## TRUE         22        55.00000        100.00000
##
##
##
## Frequencies of Mphysique_parent_humiliation_categorie_1FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        23        57.50000        57.50000
## TRUE         17        42.50000        100.00000
##
```

SEX

- et paires et adultes 7 catégories, la première avec 2 items (Franzoni p. 92)
- paires 9 items
- adultes 8 items

```
TOUT$sex <- await(TOUT$Msex_paire_remarque_apparence_item1) + await(TOUT$Msex_paire_proposition_sex_item2) +
await(TOUT$Msex_paire_exhibitionisme_item3) + await(TOUT$Msex_paire_photo_intime_item4) +
await(TOUT$Msex_paire_attouchement_item5) + await(TOUT$Msex_paire_embrasser_item6) +
await(TOUT$Msex_paire_frotter_partie_intime_item7) + await(TOUT$Msex_paire_viol_penetration_item7) +
await(TOUT$Msex_paire_avec_sans_penetration_non_consentie_item8) +

await(TOUT$Msex_adulte_remarque_sex_item1) + await(TOUT$Msex_adulte_envoi_image_sex_item2)
await(TOUT$Msex_adulte_exhibition_partie_intime_item_3_categorie_2) + # = Excel
# Msex_adulte_exhibition_partie_intime_item2...item_3_categorie_2.. # = .txt, egal
await(TOUT$Msex_adulte_photo_partie_intime_item_4_categorie_3) +
await(TOUT$Msex_adulte_force.a_toucher_item_5_categorie_4) +
await(TOUT$Msex_adulte_toucher_malalaise_Item6_categorie_5) +
await(TOUT$Msex_adulte_embrasser_bouche_Item_7_categorie_5) +
await(TOUT$Msex_adulte_frotter_partie_intime_item_8_categorie_5) +
await(TOUT$Msex_adulte_tentation_relation_sex_item_9_categorie_6) +
await(TOUT$Msex_adulte_forcer_relation_sex_avec_sans_pene_item8)

TOUT$SEX <- if_else(TOUT$sex > 0, 1, 0)

SEX <- filter(TOUT, SEX==1)
```

178 ont subi SEX.

Paires: 7 Catégories

```
vec <- c( # 289-300
"msex_paire_normalite", "Msex_paire_necesstite", "msex_paire_partie_compet")
Qu3nouv(SEX, vec)
```

Catégorie 1

```
##
## DESCRIPTIVES
##
## FREQUENCIES
```

```
##
## Frequencies of msex_paire_normaliteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          77      65.25424      65.25424
## TRUE           41      34.74576      100.00000
##
```

```
##
## Frequencies of Msex_paire_necesstiteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        120      96.00000      96.00000
## TRUE          5       4.00000      100.00000
##
```

```
##
## Frequencies of msex_paire_partie_competFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        111      89.51613      89.51613
## TRUE         13      10.48387      100.00000
##
```

```
vec <- c( # 301-310
  "Msex_paire_demotive", "Msex_paire_moins_perf", "Msex_paire_perdu_confiance",
  "Msex_paire_image_neg_corps", "msex_paire_peur", "Msex_paire_colere",
  "msex_paire_triste", "msex_paire_stress", "Msex_paire_ta_faute",
  "Msex_paire_humiliation"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_paire_demotiveFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        107      85.60000      85.60000
## TRUE          18      14.40000      100.00000
##
```

```
##
## Frequencies of Msex_paire_moins_perfFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        109      87.20000      87.20000
## TRUE          16      12.80000      100.00000
##
```

```
##
## Frequencies of Msex_paire_perdu_confianceFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE         99      79.20000      79.20000
## TRUE          26      20.80000      100.00000
##
```

```

##
##
##
## Frequencies of Msex_paire_image_neg_corpsFT
##
##   Levels      Counts    % of Total    Cumulative %
##
##   FALSE         87      69.60000      69.60000
##   TRUE          38      30.40000      100.00000
##
##
##
## Frequencies of msex_paire_peurFT
##
##   Levels      Counts    % of Total    Cumulative %
##
##   FALSE         93      74.40000      74.40000
##   TRUE          32      25.60000      100.00000
##
##
##
## Frequencies of Msex_paire_colereFT
##
##   Levels      Counts    % of Total    Cumulative %
##
##   FALSE         73      58.40000      58.40000
##   TRUE          52      41.60000      100.00000
##
##
##
## Frequencies of msex_paire_tristeFT
##
##   Levels      Counts    % of Total    Cumulative %
##
##   FALSE         99      79.20000      79.20000
##   TRUE          26      20.80000      100.00000
##
##
##
## Frequencies of msex_paire_stressFT
##
##   Levels      Counts    % of Total    Cumulative %
##
##   FALSE         84      67.20000      67.20000
##   TRUE          41      32.80000      100.00000
##
##
##
## Frequencies of Msex_paire_ta_fauteFT
##
##   Levels      Counts    % of Total    Cumulative %
##
##   FALSE        106      84.80000      84.80000
##   TRUE          19      15.20000      100.00000
##
##
##
## Frequencies of Msex_paire_humiliationFT
##
##   Levels      Counts    % of Total    Cumulative %
##
##   FALSE         75      60.00000      60.00000
##   TRUE          50      40.00000      100.00000
##
##

```

```

VEC <- c( # 312-314
  "msex_paire_consideration_normale", "msex_paire_necessaire_perf", "Msex_paire_fait_partie_compet"
)
Qu3nouv(SEX, vec)

```

Catégorie 2

```

##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_paire_demotiveFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         107       85.60000       85.60000
##      TRUE           18       14.40000       100.00000
##
##
##
## Frequencies of Msex_paire_moins_perfFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         109       87.20000       87.20000
##      TRUE           16       12.80000       100.00000
##
##
##
## Frequencies of Msex_paire_perdu_confianceFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          99       79.20000       79.20000
##      TRUE           26       20.80000       100.00000
##
##
##
## Frequencies of Msex_paire_image_neg_corpsFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          87       69.60000       69.60000
##      TRUE           38       30.40000       100.00000
##
##
##
## Frequencies of msex_paire_peurFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          93       74.40000       74.40000
##      TRUE           32       25.60000       100.00000
##
##
##
## Frequencies of Msex_paire_colereFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          73       58.40000       58.40000
##      TRUE           52       41.60000       100.00000

```

```
##
##
##
## Frequencies of msex_paire_tristeFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           99       79.20000       79.20000
## TRUE            26       20.80000       100.00000
##
```

```
##
##
## Frequencies of msex_paire_stressFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           84       67.20000       67.20000
## TRUE            41       32.80000       100.00000
##
```

```
##
##
## Frequencies of Msex_paire_ta_fauteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          106       84.80000       84.80000
## TRUE            19       15.20000       100.00000
##
```

```
##
##
## Frequencies of Msex_paire_humiliationFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          75       60.00000       60.00000
## TRUE           50       40.00000       100.00000
##
```

```
vec <- c( # 315-324
  "msex_paire_demotive", "msex_paire_moins_perf", "msex_paire_perdu_confiance",
  "Msex_paire_image_corps", "Msex_paire_peur_2", "msex_paire_colere",
  "msex_paire_triste_2", "msex_paire_stress_2", "msex_paire_ta_faute",
  "msex_paire_humiliation"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_paire_demotiveFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE           9       56.25000       56.25000
## TRUE            7       43.75000       100.00000
##
```

```
##
## Frequencies of msex_paire_moins_perfFT
##
## Levels      Counts      % of Total      Cumulative %
##
```


##	FALSE	11	68.75000	68.75000
##	TRUE	5	31.25000	100.00000

##

##

##

##

##

Frequencies of msex_paire_perdu_confianceFT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	12	75.00000	75.00000
##	TRUE	4	25.00000	100.00000

##

##

##

##

##

Frequencies of Msex_paire_image_corpsFT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	12	75.00000	75.00000
##	TRUE	4	25.00000	100.00000

##

##

##

##

##

Frequencies of Msex_paire_peur_2FT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	11	68.75000	68.75000
##	TRUE	5	31.25000	100.00000

##

##

##

##

##

Frequencies of msex_paire_colereFT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	10	62.50000	62.50000
##	TRUE	6	37.50000	100.00000

##

##

##

##

##

Frequencies of msex_paire_triste_2FT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	10	62.50000	62.50000
##	TRUE	6	37.50000	100.00000

##

##

##

##

##

Frequencies of msex_paire_stress_2FT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	10	62.50000	62.50000
##	TRUE	6	37.50000	100.00000

##

##

##

##

##

Frequencies of msex_paire_ta_fauteFT

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	12	75.00000	75.00000

```
##      TRUE          4      25.00000      100.00000
##
##
##
##
## Frequencies of msex_paire_humiliationFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          8      50.00000      50.00000
##      TRUE           8      50.00000      100.00000
##
##
```

```
vec <- c( # 326-328
  "msex_paire_normalite_2", "msex_paire_consideration_necessaire_perf", "msex_paire_consideration_partie_perf"
)
Qu3nouv(SEX, vec)
```

Catégorie 3

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_paire_normalite_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          17      73.91304      73.91304
##      TRUE           6      26.08696      100.00000
##
##
##
## Frequencies of msex_paire_consideration_necessaire_perfFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          19      86.36364      86.36364
##      TRUE           3      13.63636      100.00000
##
##
##
## Frequencies of msex_paire_consideration_partie_perfFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          20      90.90909      90.90909
##      TRUE           2       9.09091      100.00000
##
##
```

```
vec <- c( # 329-338
  "Msex_paire_consideration_demotive", "msex_paire_moins_perf_2", "msex_paire_perdu_confiance_2",
  "Msex_paire_image_corps_2", "msex_paire_peur_3", "msex_paire_colere_3",
  "msex_paire_triste", "msex_paire_stress_3", "msex_paire_ta_faute_3",
  "msex_paire_humiliation_2"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_paire_consideration_demotiveFT
```

```

##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      14      60.86957      60.86957
## TRUE       9      39.13043      100.00000
##
##
##
## Frequencies of msex_paire_moins_perf_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      13      56.52174      56.52174
## TRUE       10      43.47826      100.00000
##
##
##
## Frequencies of msex_paire_perdu_confiance_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      12      52.17391      52.17391
## TRUE       11      47.82609      100.00000
##
##
##
## Frequencies of Msex_paire_image_corps_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      12      52.17391      52.17391
## TRUE       11      47.82609      100.00000
##
##
##
## Frequencies of msex_paire_peur_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      12      52.17391      52.17391
## TRUE       11      47.82609      100.00000
##
##
##
## Frequencies of msex_paire_colere_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      2      8.69565      8.69565
## TRUE      21      91.30435      100.00000
##
##
##
## Frequencies of msex._paire_tristeFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      10      43.47826      43.47826
## TRUE      13      56.52174      100.00000
##
##
##
## Frequencies of msex_paire_stress_3FT
##

```

```
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         11      47.82609      47.82609
##      TRUE          12      52.17391      100.00000
##
##
##
## Frequencies of msex_paire_ta_faute_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         18      78.26087      78.26087
##      TRUE           5      21.73913      100.00000
##
##
##
## Frequencies of msex_paire_humiliation_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          6      26.08696      26.08696
##      TRUE          17      73.91304      100.00000
##
##
```

je ne donnerais pas de pourcentages pour des Counts plus petits que 5, ils ne seront pas du tout exacts.

```
vec <- c(
  "Msex_paire_normalite", "msex_paire_neccesite_perf", "Msex_paire_partie_entrainement" # 340-342
)
Qu3nouv(SEX, vec)
```

Catégorie 4

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_paire_normaliteFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          6      66.66667      66.66667
##      TRUE           3      33.33333      100.00000
##
##
##
## Frequencies of msex_paire_neccesite_perfFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          6      66.66667      66.66667
##      TRUE           3      33.33333      100.00000
##
##
##
## Frequencies of Msex_paire_partie_entrainementFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          7      77.77778      77.77778
##      TRUE           2      22.22222      100.00000
##
##
```

```
vec <- c( # 343-352
  "Msex_paire_demotive_2", "msex_paire_moins_perf_3",
  "msex_paire_perdu_confiance_3", "msex_paire_image_neg",
  "msex_paire_peur_4", "msex_paire_peur_5",
  "msex_paire_triste_3", "msex_paire_stress_4",
  "Msex_paire_humiliation_categorie_4"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_paire_demotive_2FT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE      3      33.33333      33.33333
##   TRUE       6      66.66667      100.00000
##
##
##
## Frequencies of msex_paire_moins_perf_3FT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE      2      22.22222      22.22222
##   TRUE       7      77.77778      100.00000
##
##
##
## Frequencies of msex_paire_perdu_confiance_3FT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE      2      22.22222      22.22222
##   TRUE       7      77.77778      100.00000
##
##
##
## Frequencies of msex_paire_image_negFT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE      1      11.11111      11.11111
##   TRUE       8      88.88889      100.00000
##
##
##
## Frequencies of msex_paire_peur_4FT
##
##   Levels   Counts   % of Total   Cumulative %
##
##   FALSE      1      11.11111      11.11111
##   TRUE       8      88.88889      100.00000
##
##
##
## Frequencies of msex_paire_peur_5FT
##
##   Levels   Counts   % of Total   Cumulative %
##
```

```
## FALSE 1 11.11111 11.11111
## TRUE 8 88.88889 100.00000
##
##
##
## Frequencies of msex_paire_triste_3FT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 2 22.22222 22.22222
## TRUE 7 77.77778 100.00000
##
##
##
## Frequencies of msex_paire_stress_4FT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 2 22.22222 22.22222
## TRUE 7 77.77778 100.00000
##
##
##
## Frequencies of Msex_paire_humiliation_categorie_4FT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 1 11.11111 11.11111
## TRUE 8 88.88889 100.00000
##
##
```

Catégorie 5 355 Msex_paire_normalité 356 msex_paire_necessaire_perf_2 357 Msex_paire_faisant_partie_entrainement

```
vec <- c( # 355-357
  "Msex_paire_normalité", "msex_paire_necessaire_perf_2", "Msex_paire_faisant_partie_entrainement"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_paire_normalitéFT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 15 83.33333 83.33333
## TRUE 3 16.66667 100.00000
##
##
##
## Frequencies of msex_paire_necessaire_perf_2FT
##
## Levels Counts % of Total Cumulative %
##
## FALSE 16 88.88889 88.88889
## TRUE 2 11.11111 100.00000
##
##
##
## Frequencies of Msex_paire_faisant_partie_entrainementFT
##
## Levels Counts % of Total Cumulative %
```

```
##
## FALSE      16      88.88889      88.88889
## TRUE       2      11.11111     100.00000
##
```

```
vec <- c( # 358-367
  "msex_paire_demotivation_categorie_5",
  "msex_paire_moins_perf_4",
  "Msex_paire_perte_confiance",
  "msex_paire_imageneg_cat_5",
  "Msex_paire_peur",
  "msex_paire_colere_4",
  "msex_paire_triste_4",
  "msex_paire_stress_5",
  "msex_paire_tafaute_categorie_5",
  "msex_paire_humiliation_categorie_5"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_paire_demotivation_categorie_5FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       12       63.15789       63.15789
## TRUE        7       36.84211      100.00000
##
##
##
## Frequencies of msex_paire_moins_perf_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       12       63.15789       63.15789
## TRUE        7       36.84211      100.00000
##
##
##
## Frequencies of Msex_paire_perte_confianceFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       10       52.63158       52.63158
## TRUE        9       47.36842      100.00000
##
##
##
## Frequencies of msex_paire_imageneg_cat_5FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       11       57.89474       57.89474
## TRUE        8       42.10526      100.00000
##
##
##
## Frequencies of Msex_paire_peurFT
##
## Levels      Counts      % of Total      Cumulative %
##
```

```
##      FALSE          9      47.36842      47.36842
##      TRUE           10      52.63158      100.00000
##
##
##
## Frequencies of msex_paire_colere_4FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          7      36.84211      36.84211
##      TRUE           12      63.15789      100.00000
##
##
##
## Frequencies of msex_paire_triste_4FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          10      52.63158      52.63158
##      TRUE           9      47.36842      100.00000
##
##
##
## Frequencies of msex_paire_stress_5FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          10      52.63158      52.63158
##      TRUE           9      47.36842      100.00000
##
##
##
## Frequencies of msex_paire_tafaute_categorie_5FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          12      63.15789      63.15789
##      TRUE           7      36.84211      100.00000
##
##
##
## Frequencies of msex_paire_humiliation_categorie_5FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          7      36.84211      36.84211
##      TRUE          12      63.15789      100.00000
##
##
```

Catégorie 6 “msex_paire_viol_penetration_item7”

```
vec <- c( # 369-371
  "msex_paire_normalite_3","msex_paire_necessaire_perf_3","msex_paire_faisant_partie"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_paire_normalite_3FT
##
##      Levels      Counts      % of Total      Cumulative %
```



```
##
## FALSE      7      77.77778      77.77778
## TRUE       2      22.22222     100.00000
##
##
##
## Frequencies of msex_paire_necessaire_perf_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       7      77.77778      77.77778
## TRUE        2      22.22222     100.00000
##
##
##
## Frequencies of msex_paire_faisant_partieFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       7      77.77778      77.77778
## TRUE        2      22.22222     100.00000
##
##
```

```
vec <- c( # 372-381
  "msex_paire_demotivation_categorie_6",
  "msex_paire_moins_perf_5",
  "msex_paire_perteconfiance_categorie_6",
  "msex_paire_imageneg_categorie_6",
  "msex_paire_peur_6",
  "msex_paire_colere_5",
  "msex_paire_triste_5",
  "msex_paire_stress_6",
  "msex_paire_tafaute_categorie_6",
  "msex_paire_humiliation_categorie_6"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_paire_demotivation_categorie_6FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       5      50.00000      50.00000
## TRUE        5      50.00000     100.00000
##
##
##
## Frequencies of msex_paire_moins_perf_5FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE       4      40.00000      40.00000
## TRUE        6      60.00000     100.00000
##
##
##
## Frequencies of msex_paire_perteconfiance_categorie_6FT
##
## Levels      Counts      % of Total      Cumulative %
##
```

##	FALSE	4	40.00000	40.00000
##	TRUE	6	60.00000	100.00000

##

##

##

Frequencies of msex_paire_imageneg_categorie_6FT

##

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	3	30.00000	30.00000
##	TRUE	7	70.00000	100.00000

##

##

##

Frequencies of msex_paire_peur_6FT

##

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	2	20.00000	20.00000
##	TRUE	8	80.00000	100.00000

##

##

##

Frequencies of msex_paire_colere_5FT

##

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	3	30.00000	30.00000
##	TRUE	7	70.00000	100.00000

##

##

##

Frequencies of msex_paire_triste_5FT

##

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	4	40.00000	40.00000
##	TRUE	6	60.00000	100.00000

##

##

##

Frequencies of msex_paire_stress_6FT

##

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	3	30.00000	30.00000
##	TRUE	7	70.00000	100.00000

##

##

##

Frequencies of msex_paire_tafaute_categorie_6FT

##

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	4	40.00000	40.00000
##	TRUE	6	60.00000	100.00000

##

##

##

Frequencies of msex_paire_humiliation_categorie_6FT

##

##	Levels	Counts	% of Total	Cumulative %
##	FALSE	4	40.00000	40.00000

```
##      TRUE          6      60.00000      100.00000
##
```

Catégorie 7 Nouveau: 3 interprétations

```
vec <- c( # 383-385
  "msex_paire_normalite_4",
  "msex_paire_necessaire_perf_4",
  "msex_pair_faisantpartie_categorie_7"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_paire_normalite_4FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         2      40.00000      40.00000
##      TRUE          3      60.00000      100.00000
##
##
##
## Frequencies of msex_paire_necessaire_perf_4FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         3      60.00000      60.00000
##      TRUE          2      40.00000      100.00000
##
##
##
## Frequencies of msex_pair_faisantpartie_categorie_7FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         3      60.00000      60.00000
##      TRUE          2      40.00000      100.00000
##
```

5 consequences de plus:

```
vec <- c( # 386-395
  "msex_pair_demotivation_categorie_7",
  "msex_paire_moins_perf_categorie_7",
  "msex_paire_perteconfiance_categorie_7",
  "msex_pair_imagecoprs_categorie7",
  "msex_paire_peur_7",
  "msex_paire_colere_6",
  "msex_paire_triste_6",
  "msex_paire_stress_7",
  "msex_pair_tafaute_categorie_7",
  "msex_pair_humiliation_categorie_7"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_pair_demotivation_categorie_7FT
```

```
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          2      40.00000      40.00000
## TRUE           3      60.00000      100.00000
##
##
##
```

```
## Frequencies of msex_paire_moins_perf_categorie_7FT
##
```

```
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          2      40.00000      40.00000
## TRUE           3      60.00000      100.00000
##
##
##
```

```
## Frequencies of msex_paire_perteconfiance_categorie_7FT
##
```

```
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          1      20.00000      20.00000
## TRUE           4      80.00000      100.00000
##
##
##
```

```
## Frequencies of msex_pair_imagecoprs_categorie7FT
##
```

```
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          1      20.00000      20.00000
## TRUE           4      80.00000      100.00000
##
##
##
```

```
## Frequencies of msex_paire_peur_7FT
##
```

```
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          1      20.00000      20.00000
## TRUE           4      80.00000      100.00000
##
##
##
```

```
## Frequencies of msex_paire_colere_6FT
##
```

```
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          1      20.00000      20.00000
## TRUE           4      80.00000      100.00000
##
##
##
```

```
## Frequencies of msex_paire_triste_6FT
##
```

```
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          1      20.00000      20.00000
## TRUE           4      80.00000      100.00000
##
##
##
```

```
## Frequencies of msex_paire_stress_7FT
##
```

```
##      Levels      Counts      % of Total      Cumulative %
##
##      TRUE           5       100.00000       100.00000
##
##
##
##
## Frequencies of msex_pair_tafaute_categorie_7FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      TRUE           5       100.00000       100.00000
##
##
##
##
## Frequencies of msex_pair_humiliation_categorie_7FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          1        20.00000        20.00000
##      TRUE           4        80.00000       100.00000
##
##
```

Adultes: 6 Catégories

```
vec <- c( # 405-407
  "Msex_adulte_normalite", "msex_adulte_necessaire_perf", "Msex_adulte_fsisant_partie"
)
Qu3nouv(SEX, vec)
```

Catégorie 1

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_adulte_normaliteFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          39       79.59184       79.59184
##      TRUE           10       20.40816       100.00000
##
##
##
##
## Frequencies of msex_adulte_necessaire_perfFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          46       93.87755       93.87755
##      TRUE           3         6.12245       100.00000
##
##
##
##
## Frequencies of Msex_adulte_fsisant_partieFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          43       87.75510       87.75510
##      TRUE           6       12.24490       100.00000
##
##
```

```
vec <- c( # 408-417
  "msex_adulte_demotive", "Msex_adulte_moins_perf", "msex_adulte_perdu_confiance",
  "msex_adulte_image_corps", "msex_adulte_peur", "msex_adulte_colere",
  "msex_adulte_triste", "msex_adulte_stress", "msex_adulte_ta_faute",
  "msex_adulte_humiliation"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_adulte_demotiveFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        39        79.59184        79.59184
## TRUE         10        20.40816        100.00000
##
##
## Frequencies of Msex_adulte_moins_perfFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        36        73.46939        73.46939
## TRUE         13        26.53061        100.00000
##
##
## Frequencies of msex_adulte_perdu_confianceFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        36        73.46939        73.46939
## TRUE         13        26.53061        100.00000
##
##
## Frequencies of msex_adulte_image_corpsFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        35        71.42857        71.42857
## TRUE         14        28.57143        100.00000
##
##
## Frequencies of msex_adulte_peurFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        34        69.38776        69.38776
## TRUE         15        30.61224        100.00000
##
##
## Frequencies of msex_adulte_colereFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE        21        42.85714        42.85714
```

```
##      TRUE          28      57.14286      100.00000
##
##
##
##
## Frequencies of msex_adulte_tristeFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          39      79.59184          79.59184
##      TRUE           10      20.40816          100.00000
##
##
##
## Frequencies of msex_adulte_stressFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          30      61.22449          61.22449
##      TRUE           19      38.77551          100.00000
##
##
##
## Frequencies of msex_adulte_ta_fauteFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          38      77.55102          77.55102
##      TRUE           11      22.44898          100.00000
##
##
##
## Frequencies of msex_adulte_humiliationFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          27      55.10204          55.10204
##      TRUE           22      44.89796          100.00000
##
##
```

```
vec <- c( # 426-428
  "msex_adulte_normalite",
  "msex_adulte_necessaire_perf_5",
  "msex_adulte_faisantpartie_categorie_2")
Qu3nouv(SEX, vec)
```

Catégorie 2

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_adulte_normaliteFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          4      100.00000          100.00000
##
##
##
## Frequencies of msex_adulte_necessaire_perf_5FT
##
##      Levels      Counts      % of Total      Cumulative %
```

```
##
##      FALSE          4      100.00000      100.00000
##
##
##
##
## Frequencies of msex_adulte_faisantpartie_categorie_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          3          75.00000          75.00000
##      TRUE           1          25.00000          100.00000
##
```

429

```
vec <- c( # 429-438
  "msex_adulte_demotivation_categorie_2",
  "msex_adulte_moins_perf",
  "msex_adulte_perteconfiance_categorie_2",
  "msex_adulte_imageneg_categorie_2",
  "msex_adulte_peur_6",
  "msex_adulte_colere_6",
  "Msex_adulte_triste",
  "msex_adulte_stress..2.",
  "msex_adulte_tafaute_categorie_2",
  "msex_adulte_humiliation_categorie_2"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_adulte_demotivation_categorie_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          3          75.00000          75.00000
##      TRUE           1          25.00000          100.00000
##
##
##
## Frequencies of msex_adulte_moins_perfFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          3          75.00000          75.00000
##      TRUE           1          25.00000          100.00000
##
##
##
## Frequencies of msex_adulte_perteconfiance_categorie_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          3          75.00000          75.00000
##      TRUE           1          25.00000          100.00000
##
##
##
## Frequencies of msex_adulte_imageneg_categorie_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
```



```
##      FALSE      3      75.00000      75.00000
##      TRUE       1      25.00000     100.00000
##
##
##
## Frequencies of msex_adulte_peur_6FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       2       50.00000       50.00000
##      TRUE        2       50.00000      100.00000
##
##
##
## Frequencies of msex_adulte_colere_6FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       3       75.00000       75.00000
##      TRUE        1       25.00000      100.00000
##
##
##
## Frequencies of Msex_adulte_tristeFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       3       75.00000       75.00000
##      TRUE        1       25.00000      100.00000
##
##
##
## Frequencies of msex_adulte_stress..2.FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       2       50.00000       50.00000
##      TRUE        2       50.00000      100.00000
##
##
##
## Frequencies of msex_adulte_tafaute_categorie_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       3       75.00000       75.00000
##      TRUE        1       25.00000      100.00000
##
##
##
## Frequencies of msex_adulte_humiliation_categorie_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE       3       75.00000       75.00000
##      TRUE        1       25.00000      100.00000
##
##
```

```
vec <- c( # 447-449
  "Msex_adulte_normalité", "msex_adulte_necessaire_perf_3"
)
Qu3nouv(SEX, vec)
```

Catégorie 3

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_adulte_normalitéFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          1      50.00000      50.00000
##      TRUE           1      50.00000      100.00000
##
##
##
##
## Frequencies of msex_adulte_necessaire_perf_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          1      50.00000      50.00000
##      TRUE           1      50.00000      100.00000
##
```

```
vec <- c( #450-459
  "msex_adulte_demotivation_categorie_3",
  "msex_adulte_moinsperf_categorie_3",
  "msex_adulte_perte_confiance_categorie_3",
  "msex_adulte_imagecoprs_categorie_3",
  "msex_adulte_peur_3",
  "msex_adulte_colere_7",
  "msex_adulte_triste_2",
  "msex_adulte_stress_3",
  "msex_adulte_tafaute_categorie_3",
  "msex_adulte_humiliation_categorie_3"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_adulte_demotivation_categorie_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      TRUE          2      100.00000      100.00000
##
##
##
## Frequencies of msex_adulte_moinsperf_categorie_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      TRUE          2      100.00000      100.00000
##
##
##
## Frequencies of msex_adulte_perte_confiance_categorie_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      TRUE          2      100.00000      100.00000
##
```

```
##
##
## Frequencies of msex_adulte_imagecoprs_categorie_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         2         100.00000      100.00000
##
##
##
## Frequencies of msex_adulte_peur_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         2         100.00000      100.00000
##
##
##
## Frequencies of msex_adulte_colere_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         2         100.00000      100.00000
##
##
##
## Frequencies of msex_adulte_triste_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         2         100.00000      100.00000
##
##
##
## Frequencies of msex_adulte_stress_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         2         100.00000      100.00000
##
##
##
## Frequencies of msex_adulte_tafaute_categorie_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE         1         50.00000         50.00000
## TRUE         1         50.00000      100.00000
##
##
##
## Frequencies of msex_adulte_humiliation_categorie_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         2         100.00000      100.00000
##
##
```

```
vec <- c( # 468-470
  "msex_adulte_normalite_2", "msex_adulte_necessaire_perf_7", "msex_adulte_faisantpartie_categorie_4"
)
Qu3nouv(SEX, vec)
```

Catégorie 4

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_adulte_normalite_2FT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE         3      100.00000      100.00000
##
##
##
## Frequencies of msex_adulte_necessaire_perf_7FT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE         3      100.00000      100.00000
##
##
##
## Frequencies of msex_adulte_faisantpartie_categorie_4FT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE         2       66.66667       66.66667
##      TRUE          1       33.33333      100.00000
##
```

```
vec <- c( #
  "msex_adulte_demotivationcategorie_4",
  "msex_adulte_moins_perf_8",
  "msex_adulte_perteconfiance_categorie_4",
  "msex_adulte_imagecorps_categorie_4",
  "Msex_adulte_peur",
  "msex_adulte_colere_4",
  "msex_adulte_triste_8",
  "msex_adulte_stress_8",
  "msex_adulte_tafaute_categorie_4",
  "msex_adulte_humiliation_categorie_4"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of msex_adulte_demotivationcategorie_4FT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE         2       66.66667       66.66667
##      TRUE          1       33.33333      100.00000
##
##
##
## Frequencies of msex_adulte_moins_perf_8FT
##
##      Levels      Counts    % of Total    Cumulative %
##
##      FALSE         2       66.66667       66.66667
##      TRUE          1       33.33333      100.00000
##
```

```

##
##
##
## Frequencies of msex_adulte_perteconfiance_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              2      66.66667      66.66667
## TRUE               1      33.33333      100.00000
##
##
##
## Frequencies of msex_adulte_imagecorps_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              2      66.66667      66.66667
## TRUE               1      33.33333      100.00000
##
##
##
## Frequencies of Msex_adulte_peurFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              2      66.66667      66.66667
## TRUE               1      33.33333      100.00000
##
##
##
## Frequencies of msex_adulte_colere_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              2      66.66667      66.66667
## TRUE               1      33.33333      100.00000
##
##
##
## Frequencies of msex_adulte_triste_8FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              2      66.66667      66.66667
## TRUE               1      33.33333      100.00000
##
##
##
## Frequencies of msex_adulte_stress_8FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              2      66.66667      66.66667
## TRUE               1      33.33333      100.00000
##
##
##
## Frequencies of msex_adulte_tafaute_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              2      66.66667      66.66667
## TRUE               1      33.33333      100.00000
##
##

```

```
##
##
## Frequencies of msex_adulte_humiliation_categorie_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          2      66.66667      66.66667
## TRUE           1      33.33333      100.00000
##
```

```
vec <- c( # 491-493
  "Msex_adulte_normalite_2",
  "msex_adulte_necessaire_perf_5..2.",
  "msex_adulte_faisant_partie"
)
Qu3nouv(SEX, vec)
```

Catégorie 5

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_adulte_normalite_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          30      66.66667      66.66667
## TRUE           15      33.33333      100.00000
##
##
##
## Frequencies of msex_adulte_necessaire_perf_5..2.FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          40      88.88889      88.88889
## TRUE           5       11.11111      100.00000
##
##
##
## Frequencies of msex_adulte_faisant_partieFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE          38      86.36364      86.36364
## TRUE           6       13.63636      100.00000
##
```

```
vec <- c( # 494-503
  "Msex_adulte_demotive", "msex_adulte_moins_perf_4", "Msex_adulte_perdu_confiance",
  "Msex_adulte_image_neg_corps", "msex_adulte_peur_4", "msex_adulte_colere_5",
  "msex_adulte_triste_4", "msex_adulte_stress_5", "msex_adulte_ta_faute_2",
  "Msex_adulte_humiliation"
)
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_adulte_demotiveFT
```

```

##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      35      74.46809      74.46809
## TRUE       12      25.53191      100.00000
##
##
##
## Frequencies of msex_adulte_moins_perf_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      34      72.34043      72.34043
## TRUE       13      27.65957      100.00000
##
##
##
## Frequencies of Msex_adulte_perdu_confianceFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      35      74.46809      74.46809
## TRUE       12      25.53191      100.00000
##
##
##
## Frequencies of Msex_adulte_image_neg_corpsFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      32      68.08511      68.08511
## TRUE       15      31.91489      100.00000
##
##
##
## Frequencies of msex_adulte_peur_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      23      48.93617      48.93617
## TRUE       24      51.06383      100.00000
##
##
##
## Frequencies of msex_adulte_colere_5FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      22      46.80851      46.80851
## TRUE       25      53.19149      100.00000
##
##
##
## Frequencies of msex_adulte_triste_4FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE      37      78.72340      78.72340
## TRUE       10      21.27660      100.00000
##
##
##
## Frequencies of msex_adulte_stress_5FT
##

```



```
vec <- c( # 515-524
  "Msex_adulte_demotive_categorie_6",
  "msex_adulte_moins_perf_4_categorie_6",
  "Msex_adulte_perdu_confiance_categorie_6",
  "Msex_adulte_image_neg_corps_categorie_6",
  "msex_adulte_peur_4_categorie_6",
  "msex_adulte_colere_5_categorie_6",
  "msex_adulte_triste_4_categorie_6",
  "msex_adulte_stress_5_categorie_6",
  "msex_adulte_ta_faute_2_categorie_6",
  "Msex_adulte_humiliation_categorie_6" )
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_adulte_demotive_categorie_6FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      33.33333      33.33333
## TRUE               2      66.66667      100.00000
##
##
##
## Frequencies of msex_adulte_moins_perf_4_categorie_6FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              2      66.66667      66.66667
## TRUE              1      33.33333      100.00000
##
##
##
## Frequencies of Msex_adulte_perdu_confiance_categorie_6FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      33.33333      33.33333
## TRUE              2      66.66667      100.00000
##
##
##
## Frequencies of Msex_adulte_image_neg_corps_categorie_6FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              2      66.66667      66.66667
## TRUE              1      33.33333      100.00000
##
##
##
## Frequencies of msex_adulte_peur_4_categorie_6FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE              3      100.00000      100.00000
##
##
##
## Frequencies of msex_adulte_colere_5_categorie_6FT
```

```
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE           1       33.33333       33.33333
##      TRUE            2       66.66667       100.00000
##
##
##
##
## Frequencies of msex_adulte_triste_4_categorie_6FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE           2       66.66667       66.66667
##      TRUE            1       33.33333       100.00000
##
##
##
##
## Frequencies of msex_adulte_stress_5_categorie_6FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE           1       33.33333       33.33333
##      TRUE            2       66.66667       100.00000
##
##
##
##
## Frequencies of msex_adulte_ta_faute_2_categorie_6FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE           2       66.66667       66.66667
##      TRUE            1       33.33333       100.00000
##
##
##
##
## Frequencies of Msex_adulte_humiliation_categorie_6FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE           2       66.66667       66.66667
##      TRUE            1       33.33333       100.00000
##
##
```

Catégorie 7

nouveau: interprétations et conséquences

```
vec <- c( # 533-535
  "Msex_adulte_normalite_2_categorie_7",
  "msex_adulte_necessaire_perf_5..2._categorie_7",
  "msex_adulte_faisant_partie_categorie_7")
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_adulte_normalite_2_categorie_7FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE           2       100.00000       100.00000
##
##
```

```
##
##
## Frequencies of msex_adulte_necessaire_perf_5..2._categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
##
## Frequencies of msex_adulte_faisant_partie_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
```

pourcentages pas fiables

```
vec <- c( # 536-545
  "Msex_adulte_demotive_categorie_7",
  "msex_adulte_moins_perf_4_categorie_7",
  "Msex_adulte_perdu_confiance_categorie_7",
  "Msex_adulte_image_neg_corps_categorie_7",
  "msex_adulte_peur_4_categorie_7",
  "msex_adulte_colere_5_categorie_7",
  "msex_adulte_triste_4_categorie_7",
  "msex_adulte_stress_5_categorie_7",
  "msex_adulte_ta_faute_2_categorie_7",
  "Msex_adulte_humiliation_categorie_7")
Qu3nouv(SEX, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Msex_adulte_demotive_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
##
## Frequencies of msex_adulte_moins_perf_4_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
##
## Frequencies of Msex_adulte_perdu_confiance_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
##
```

```

##
## Frequencies of Msex_adulte_image_neg_corps_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
##
## Frequencies of msex_adulte_peur_4_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
##
## Frequencies of msex_adulte_colere_5_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
##
## Frequencies of msex_adulte_triste_4_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
##
## Frequencies of msex_adulte_stress_5_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
##
## Frequencies of msex_adulte_ta_faute_2_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##
##
##
## Frequencies of Msex_adulte_humiliation_categorie_7FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      50.00000      50.00000
## TRUE               1      50.00000      100.00000
##

```

pourcentages pas fiables

NEG

et adultes et parents 3 catégories (Franzoni p. 95) avec 5 items au total

```
TOUT$neg <- await(TOUT$negadulte_item._cat_1) + await(TOUT$negadulte_item2_cat_1) +
  await(TOUT$negadulte_item_3_cat_1) > await(TOUT$Neg_adulte_louper_ecole_item4) +
  await(TOUT$Neg_adulte_laisser_humilier_item5) +

  await(TOUT$Neg_parent_laisser_entrainer_blessier_item1) + await(TOUT$Neg_parent_dopage_item2) +
  await(TOUT$Neg_parent_poids_ideal_item3) +                await(TOUT$Neg_parent_arret_ecole_item4) +
  await(TOUT$neg_parent_laisser_humilier_autrui_item5)

TOUT$NEG <- if_else(TOUT$neg > 0, 1, 0)

NEG <- filter(TOUT, NEG==1)
```

117 ont subi NEG.

Adultes: 3 Catégorie

```
vec <- c( # 556-558
  "Neg_adulte_normal_cat_1",
  "Neg_adulte_necessite_cat_1",
  "Neg_adulte_faisant_partie_cat_1" )
Qu3nouv(NEG, vec)
```

Catégorie 1

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Neg_adulte_normal_cat_1FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         35      31.53153      31.53153
##      TRUE          76      68.46847      100.00000
##
##
##
## Frequencies of Neg_adulte_necessite_cat_1FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         41      37.27273      37.27273
##      TRUE          69      62.72727      100.00000
##
##
##
## Frequencies of Neg_adulte_faisant_partie_cat_1FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE         29      26.12613      26.12613
##      TRUE          82      73.87387      100.00000
##
```

```
vec <- c( # 559-568
  "Neg_adulte_demotiver", "Neg_adulte_moins_perf", "Neg_adulte_perdu_confiance",
  "Neg_adulte_image_neg_corps", "Neg_adulte_peur", "Neg_adulte_colere",
  "Neg_adulte_triste", "Neg_adulte_stress", "Neg_adulte_ta_faute",
```

```
"Neg_adulte_humiliation")
Qu3nouv(NEG, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Neg_adulte_demotiverFT
##
##   Levels   Counts   % of Total   Cumulative %
##   FALSE      91    79.13043     79.13043
##   TRUE       24    20.86957    100.00000
##
##
##
## Frequencies of Neg_adulte_moins_perfFT
##
##   Levels   Counts   % of Total   Cumulative %
##   FALSE      48    41.73913     41.73913
##   TRUE       67    58.26087    100.00000
##
##
##
## Frequencies of Neg_adulte_perdu_confianceFT
##
##   Levels   Counts   % of Total   Cumulative %
##   FALSE      76    66.08696     66.08696
##   TRUE       39    33.91304    100.00000
##
##
##
## Frequencies of Neg_adulte_image_neg_corpsFT
##
##   Levels   Counts   % of Total   Cumulative %
##   FALSE      88    76.52174     76.52174
##   TRUE       27    23.47826    100.00000
##
##
##
## Frequencies of Neg_adulte_peurFT
##
##   Levels   Counts   % of Total   Cumulative %
##   FALSE      89    77.39130     77.39130
##   TRUE       26    22.60870    100.00000
##
##
##
## Frequencies of Neg_adulte_colereFT
##
##   Levels   Counts   % of Total   Cumulative %
##   FALSE      81    70.43478     70.43478
##   TRUE       34    29.56522    100.00000
##
##
##
## Frequencies of Neg_adulte_tristeFT
```



```
##
## Frequencies of neg_adulte_faisant_partieFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      25.00000      25.00000
## TRUE               3      75.00000      100.00000
##
```

pourcentages pas fiables

```
vec <- c( # 580-589
  "Neg_adulte_demotive", "Neg_adulte_moins_perf_2", "Neg_adulte_perdu_confiance_2",
  "Neg_adulte_image_coprs", "Neg_Adulte_peur", "Neg_adulte_colere_2",
  "Neg_adulte_triste_2", "Neg_adulte_stress_2", "Neg_adulte_ta_faute_2",
  "Neg_adulte_humiliation_2"
)
Qu3nouv(NEG, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Neg_adulte_demotiveFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              2      50.00000      50.00000
## TRUE             2      50.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_moins_perf_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              3      75.00000      75.00000
## TRUE             1      25.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_perdu_confiance_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              3      75.00000      75.00000
## TRUE             1      25.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_image_coprsFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              3      75.00000      75.00000
## TRUE             1      25.00000      100.00000
##
##
##
## Frequencies of Neg_Adulte_peurFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              3      75.00000      75.00000
```



```
##      TRUE          1      25.00000      100.00000
##
##
##
##
## Frequencies of Neg_adulte_colere_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          3      75.00000      75.00000
##      TRUE           1      25.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_triste_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          3      75.00000      75.00000
##      TRUE           1      25.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_stress_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          3      75.00000      75.00000
##      TRUE           1      25.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_ta_faute_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          4      100.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_humiliation_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          3      75.00000      75.00000
##      TRUE           1      25.00000      100.00000
##
```

pourcentages pas fiables

```
vec <- c( # 598-600
  "Neg_adulte_normalite_2", "Neg_adulte_necessaire_perf_3", "Neg_adulte_faisant_partie_perf"
)
Qu3nouv(NEG, vec)
```

Catégorie 3

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Neg_adulte_normalite_2FT
##
##      Levels      Counts      % of Total      Cumulative %
```

```
##
##      FALSE          1      100.00000      100.00000
##
##
##
##
## Frequencies of Neg_adulte_necessaire_perf_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      TRUE          1      100.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_faisant_partie_perfFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          1      100.00000      100.00000
##
```

porcentages pas du tout fiables

```
vec<- c( # 601-610
  "Neg_adulte_demotive_2","Neg_adulte_moins_perf_3","Neg_adulte_perdu_confiance_3",
  "Neg_adulte_image_corps","Neg_adulte_peur_2","Neg_adulte_colere_3",
  "Neg_adulte_triste_3","Neg_adulte_stress_3","Neg_adulte_ta_faute_3",
  "Neg_adulte_humiliation_3"
)
Qu3nouv(NEG, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Neg_adulte_demotive_2FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      FALSE          1      100.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_moins_perf_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      TRUE          1      100.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_perdu_confiance_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      TRUE          1      100.00000      100.00000
##
##
##
## Frequencies of Neg_adulte_image_corpsFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##      TRUE          1      100.00000      100.00000
##
```

```
##
##
## Frequencies of Neg_adulte_peur_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         1         100.00000         100.00000
##
##
##
## Frequencies of Neg_adulte_colere_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         1         100.00000         100.00000
##
##
##
## Frequencies of Neg_adulte_triste_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         1         100.00000         100.00000
##
##
##
## Frequencies of Neg_adulte_stress_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         1         100.00000         100.00000
##
##
##
## Frequencies of Neg_adulte_ta_faute_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         1         100.00000         100.00000
##
##
##
## Frequencies of Neg_adulte_humiliation_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
## TRUE         1         100.00000         100.00000
##
```

pourcentages pas du tout fiables

Parents: 3 Catégories

```
vec <- c( # 614-616
  "Neg_parent_normalite", "neg_parent_necessaire_perf", "neg_parent_faisant_partie"
)
Qu3nouv(NEG, vec)
```

Catégorie 1

```
##
## DESCRIPTIVES
##
## FREQUENCIES
```

```
##
## Frequencies of Neg_parent_normaliteFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      20.00000      20.00000
## TRUE               4      80.00000      100.00000
##
##
##
## Frequencies of neg_parent_necessaire_perfFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      25.00000      25.00000
## TRUE               3      75.00000      100.00000
##
##
##
## Frequencies of neg_parent_faisant_partieFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              1      25.00000      25.00000
## TRUE               3      75.00000      100.00000
##
##
```

8 consequences nouvelles:

```
vec <- c( # 617-626
  "neg_parent_demotive",
  "neg_parent_moins_perf",
  "Neg_parent_perdu_confiance_3_cat_1",
  "Neg_parente_image_corpscat_1cat_1",
  "Neg_parent_peur_2cat_1",
  "Neg_parente_colere_3cat_1",
  "Neg_parent_triste_3cat_1",
  "Neg_parent_stress_3cat_1",
  "Neg_parent_ta_faute_3cat_1",
  "Neg_parent_humiliation_3cat_1"
)
Qu3nouv(NEG, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of neg_parent_demotiveFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              5      100.00000      100.00000
##
##
##
## Frequencies of neg_parent_moins_perfFT
##
## Levels      Counts      % of Total      Cumulative %
##
## FALSE              3      60.00000      60.00000
## TRUE               2      40.00000      100.00000
##
##
##
##
```

Frequencies of Neg_parent_perdu_confiance_3_cat_1FT

## Levels	Counts	% of Total	Cumulative %
## FALSE	2	40.00000	40.00000
## TRUE	3	60.00000	100.00000

Frequencies of Neg_parente_image_corpscat_1cat_1FT

## Levels	Counts	% of Total	Cumulative %
## FALSE	3	60.00000	60.00000
## TRUE	2	40.00000	100.00000

Frequencies of Neg_parent_peur_2cat_1FT

## Levels	Counts	% of Total	Cumulative %
## FALSE	4	80.00000	80.00000
## TRUE	1	20.00000	100.00000

Frequencies of Neg_parente_colere_3cat_1FT

## Levels	Counts	% of Total	Cumulative %
## FALSE	4	80.00000	80.00000
## TRUE	1	20.00000	100.00000

Frequencies of Neg_parent_triste_3cat_1FT

## Levels	Counts	% of Total	Cumulative %
## FALSE	2	40.00000	40.00000
## TRUE	3	60.00000	100.00000

Frequencies of Neg_parent_stress_3cat_1FT

## Levels	Counts	% of Total	Cumulative %
## FALSE	1	20.00000	20.00000
## TRUE	4	80.00000	100.00000

Frequencies of Neg_parent_ta_faute_3cat_1FT

## Levels	Counts	% of Total	Cumulative %
## FALSE	3	60.00000	60.00000
## TRUE	2	40.00000	100.00000

Frequencies of Neg_parent_humiliation_3cat_1FT

```
##
##   Levels      Counts    % of Total    Cumulative %
##
##   FALSE         3      60.00000      60.00000
##   TRUE          2      40.00000      100.00000
##
```

```
vec <- c( # 628-630
  "neg_parent_normalite", "Neg_parent_necessaire_perf", "neg_parent_faisant_partie_2"
)
Qu3nouv(NEG, vec)
```

Catégorie 2

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of neg_parent_normaliteFT
##
##   Levels      Counts    % of Total    Cumulative %
##
##
##
##
## Frequencies of Neg_parent_necessaire_perfFT
##
##   Levels      Counts    % of Total    Cumulative %
##
##
##
##
## Frequencies of neg_parent_faisant_partie_2FT
##
##   Levels      Counts    % of Total    Cumulative %
##
##
##
```

c'étaient jamais cochées.
9 nouvelles consequences:

```
vec <- c( # 631-640
  "neg_parent_demotive_2",
  "neg_parent_moins_perf_categorie_2",
  "Neg_parent_perdu_confiance_3_cat_2",
  "Neg_parente_image_corpscat_1cat_2",
  "Neg_parent_peur_2cat_2",
  "Neg_parente_colere_3cat_2",
  "Neg_parent_triste_3cat_2",
  "Neg_parent_stress_3cat_2",
  "Neg_parent_ta_faute_3cat_2",
  "Neg_parent_humiliation_3cat_2")
Qu3nouv(NEG, vec)
```

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of neg_parent_demotive_2FT
##
##   Levels      Counts    % of Total    Cumulative %
##
```

```

##
##
##
## Frequencies of neg_parent_moins_perf_categorie_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_perdu_confiance_3_cat_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parente_image_corpscat_1cat_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_peur_2cat_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parente_colere_3cat_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_triste_3cat_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_stress_3cat_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_ta_faute_3cat_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_humiliation_3cat_2FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##

```

c'étaient jamais cochées.

```
vec <- c( # 642-644
  "Neg_adulte_necessaire",
  "neg_parent_necessaire_cat_3",
  "neg_parent_faisant_partie_3"
)
Qu3nouv(NEG, vec)
```

Catégorie 3

```
##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Neg_adulte_necessaireFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##
##
## Frequencies of neg_parent_necessaire_cat_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##
##
## Frequencies of neg_parent_faisant_partie_3FT
##
##      Levels      Counts      % of Total      Cumulative %
##
##
##
```

jamais cochées.

8 nouvelles consequences:

```
vec <- c( # 645-654
  "Neg_parent_demotive",
  "neg_adulte_moins_perf",
  "Neg_parent_perdu_confiance_3_cat_3",
  "Neg_parente_image_corpscat_1cat_3",
  "Neg_parent_peur_2cat_3",
  "Neg_parente_colere_3cat_3",
  "Neg_parent_triste_3cat_3",
  "Neg_parent_stress_3cat_3",
  "Neg_parent_ta_faute_3cat_3",
  "Neg_parent_humiliation_3cat_3"
)
Qu3nouv(NEG, vec)

##
## DESCRIPTIVES
##
## FREQUENCIES
##
## Frequencies of Neg_parent_demotiveFT
##
##      Levels      Counts      % of Total      Cumulative %
##
##
##
##
```



```

##
## Frequencies of neg_adulte_moins_perfFT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_perdu_confiance_3_cat_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parente_image_corpscat_1cat_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_peur_2cat_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parente_colere_3cat_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_triste_3cat_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_stress_3cat_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_ta_faute_3cat_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##
##
## Frequencies of Neg_parent_humiliation_3cat_3FT
##
## Levels      Counts      % of Total      Cumulative %
##
##
##

```

jamais cochées.