

This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

► **B** **COMMISSION IMPLEMENTING REGULATION (EU) 2018/249**
of 15 February 2018

concerning the authorisation of taurine, beta-alanine, L-alanine, L-arginine, L-aspartic acid, L-histidine, D,L-isoleucine, L-leucine, L-phenylalanine, L-proline, D,L-serine, L-tyrosine, L-methionine, L-valine, L-cysteine, glycine, monosodium glutamate and L-glutamic acid as feed additives for all animal species and L-cysteine hydrochloride monohydrate for all species except cats and dogs

(Text with EEA relevance)

(OJ L 53, 23.2.2018, p. 134)

Amended by:

					Official Journal		
					No	page	date
► <u>M1</u>	Commission Implementing Regulation (EU) 2018/1567 of 18 October 2018				L 262	31	19.10.2018

**COMMISSION IMPLEMENTING REGULATION (EU) 2018/249****of 15 February 2018**

concerning the authorisation of taurine, beta-alanine, L-alanine, L-arginine, L-aspartic acid, L-histidine, D,L-isoleucine, L-leucine, L-phenylalanine, L-proline, D,L-serine, L-tyrosine, L-methionine, L-valine, L-cysteine, glycine, monosodium glutamate and L-glutamic acid as feed additives for all animal species and L-cysteine hydrochloride monohydrate for all species except cats and dogs

(Text with EEA relevance)

*Article 1***Authorisation**

The substances specified in the Annex, belonging to the additive category ‘sensory additives’ and to the functional group ‘flavouring compounds’, are authorised as feed additives in animal nutrition subject to the conditions laid down in that Annex.

*Article 2***Transitional measures**

1. The substances taurine, beta-alanine, L-alanine, L-arginine, L-aspartic acid, L-histidine, D,L-isoleucine, L-leucine, L-phenylalanine, L-proline, D,L-serine, L-tyrosine, L-methionine, L-valine, L-cysteine, L-cysteine hydrochloride monohydrate, glycine, monosodium glutamate and L-glutamic acid, belonging to the additive category ‘sensory additives’ and to the functional group ‘flavouring compounds’, and premixtures containing those substances, which are produced and labelled before 15 December 2018 in accordance with the rules applicable before 15 March 2018 may continue to be placed on the market and used until the existing stocks are exhausted.

2. Feed materials and compound feed containing the substances referred to in paragraph 1 which are produced and labelled before 15 September 2019 in accordance with the rules applicable before 15 March 2018 may continue to be placed on the market and used until the existing stocks are exhausted if they are intended for food-producing animals.

3. Feed materials and compound feed containing the substances referred to in paragraph 1 which are produced and labelled before 15 September 2020 in accordance with the rules applicable before 15 March 2018 may continue to be placed on the market and used until the existing stocks are exhausted if they are intended for non-food-producing animals.



Article 3

Entry into force

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

ANNEX

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
Category: Sensory additives. Functional group: Flavouring compounds									
2b16056	—	Taurine	<i>Additive composition</i> Taurine <i>Characterisation of the active substance</i> Taurine Produced by chemical synthesis or protein hydrolysis Purity: min. 98 % assay Chemical formula: C ₂ H ₇ O ₃ NS CAS number 107-35-7 FLAVIS No 16.056 <i>Method of analysis</i> ⁽¹⁾ For identification of taurine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1). For the determination of taurine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Commission Regulation (EC) No 152/2009 ⁽²⁾ (Annex III, part F).	All animal species	—	—	—	<div>1. The additive shall be incorporated into the feed in the form of a premixture.</div> <div>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</div> <div>3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</div> <div>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</div> <div>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</div>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								<div>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</div> <div>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</div>	
2b17001	—	Beta-alanine	<i>Additive composition</i> Beta-alanine <i>Characterisation of the active substance</i> Beta-alanine Produced by chemical synthesis or protein hydrolysis Purity: min. 97 % assay Chemical formula: C ₃ H ₇ O ₂ N CAS number 107-95-9 FLAVIS No 17.001	All animal species	—	—	—	<div>1. The additive shall be incorporated into the feed in the form of a premixture.</div> <div>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</div> <div>3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</div>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of beta-alanine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of beta-alanine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>					<p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</p> <p>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</p> <p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b17002	—	L-Alanine	<i>Additive composition</i> L-Alanine <i>Characterisation of the active substance</i> L-Alanine Produced by chemical synthesis or protein hydrolysis Purity: min. 98,5 % assay Chemical formula: C ₃ H ₇ NO ₂ CAS number 56-41-7 FLAVIS No 17.002 <i>Method of analysis</i> ⁽¹⁾ For identification of L-Alanine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1). For the determination of L-alanine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’ 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								<p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	
2b17003	—	L-Arginine	<i>Additive composition</i> L-Arginine <i>Characterisation of the active substance</i> L-Arginine Produced by chemical synthesis or protein hydrolysis Purity: min. 98 % assay Chemical formula: C ₆ H ₁₄ O ₂ N ₄ CAS number 74-79-3 FLAVIS No 17.003	All animal species	—	—	—	<p>1. The additive shall be incorporated into the feed in the form of a premixture.</p> <p>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</p> <p>3. On the label of the additive the following shall be indicated:</p> <p>‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</p>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of L-arginine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of L-arginine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>					<p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</p> <p>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</p> <p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b17005	—	L-Aspartic acid	<i>Additive composition</i> L-Aspartic acid <i>Characterisation of the active substance</i> L-Aspartic acid Produced by chemical synthesis or protein hydrolysis Purity: min. 98 % assay Chemical formula: C ₄ H ₇ O ₄ N CAS number 56-84-8 FLAVIS No 17.005 <i>Method of analysis</i> ⁽¹⁾ For identification of L-aspartic acid in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1). For the determination of L-aspartic acid in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’ 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								<div>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</div> <div>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</div>	
2b17008	—	L-Histidine	<i>Additive composition</i> L-Histidine <i>Characterisation of the active substance</i> L-Histidine Produced by chemical synthesis or protein hydrolysis Purity: min. 98 % assay Chemical formula: C ₆ H ₉ O ₂ N ₃ CAS number 71-00-1 FLAVIS No 17.008	All animal species	—	—	—	<div>1. The additive shall be incorporated into the feed in the form of a premixture.</div> <div>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</div> <div>3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</div>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of L-histidine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of L-histidine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>					<p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</p> <p>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</p> <p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b17010	—	D,L-Isoleucine	<i>Additive composition</i> D,L-Isoleucine <i>Characterisation of the active substance</i> D,L-Isoleucine Produced by chemical synthesis or protein hydrolysis Purity: min. 98 % assay Chemical formula: C ₆ H ₁₃ O ₂ N CAS number 443-79-8 FLAVIS No 17.010 <i>Method of analysis</i> ⁽¹⁾ For identification of D,L-isoleucine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1). For the determination of D, L-isoleucine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’ 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								<div>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</div> <div>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</div>	
2b17012	—	L-Leucine	<i>Additive composition</i> L-Leucine <i>Characterisation of the active substance</i> L-Leucine Produced by chemical synthesis or protein hydrolysis Purity: min. 98 % assay Chemical formula: C ₆ H ₁₃ O ₂ N CAS number 61-90-5 FLAVIS No 17.012	All animal species	—	—	—	<div>1. The additive shall be incorporated into the feed in the form of a premixture.</div> <div>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</div> <div>3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</div>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of L-leucine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of L-leucine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>					<p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</p> <p>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</p> <p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b17018	—	L-Phenylalanine	<i>Additive composition</i> L-Phenylalanine <i>Characterisation of the active substance</i> L-Phenylalanine Produced by chemical synthesis or protein hydrolysis Purity: min. 98 % assay Chemical formula: C ₉ H ₁₁ O ₂ N CAS number 63-91-2 FLAVIS No 17.018 <i>Method of analysis</i> ⁽¹⁾ For identification of L-phenylalanine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1). For the determination of L-phenylalanine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’ 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								<div>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</div> <div>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</div>	
2b17019	—	L-Proline	<i>Additive composition</i> L-Proline <i>Characterisation of the active substance</i> L-Proline Produced by chemical synthesis or protein hydrolysis Purity: min. 98 % assay Chemical formula: C ₅ H ₉ O ₂ N CAS number 147-85-3 FLAVIS No 17.019	All animal species	—	—	—	<div>1. The additive shall be incorporated into the feed in the form of a premixture.</div> <div>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</div> <div>3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</div>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of L-proline in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of L-proline in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>					<p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</p> <p>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</p> <p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b17020	—	D,L-Serine	<i>Additive composition</i> D,L-Serine <i>Characterisation of the active substance</i> D,L-Serine Produced by chemical synthesis or protein hydrolysis Purity: min. 95 % assay Chemical formula: C ₃ H ₇ NO ₃ CAS number 302-84-1 FLAVIS No 17.020 <i>Method of analysis</i> ⁽¹⁾ For identification of D,L-serine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1). For the determination of D, L-serine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).	All animal species	—	—	—	<div>1. The additive shall be incorporated into the feed in the form of a premixture.</div> <div>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</div> <div>3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</div> <div>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</div> <div>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</div>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								<p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	
2b17022	—	L-Tyrosine	<i>Additive composition</i> L-Tyrosine <i>Characterisation of the active substance</i> L-Tyrosine Produced by chemical synthesis or protein hydrolysis Purity: min. 98 % assay Chemical formula: C ₉ H ₁₁ O ₃ N CAS number 60-18-4 FLAVIS No 17.022	All animal species	—	—	—	<p>1. The additive shall be incorporated into the feed in the form of a premixture.</p> <p>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</p> <p>3. On the label of the additive the following shall be indicated:</p> <p>‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</p>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of L-tyrosine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of L-tyrosine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>					<p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</p> <p>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</p> <p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b17027	—	L-Methionine	<i>Additive composition</i> L-Methionine <i>Characterisation of the active substance</i> L-Methionine Produced by chemical synthesis or protein hydrolysis Purity: min. 98,5 % assay Chemical formula: C ₅ H ₁₁ NO ₂ S CAS number 63-68-3 FLAVIS No 17.027 <i>Method of analysis</i> ⁽¹⁾ For identification of L-methionine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1). For the determination of L-methionine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).	All animal species	—	—	—	<div>1. The additive shall be incorporated into the feed in the form of a premixture.</div> <div>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</div> <div>3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</div> <div>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</div> <div>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</div>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								<p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	
2b17028	—	L-Valine	<i>Additive composition</i> L-Valine <i>Characterisation of the active substance</i> L-Valine Produced by chemical synthesis or protein hydrolysis Purity: min. 98,5 % assay Chemical formula: C ₅ H ₁₁ NO ₂ CAS number 72-18-4 FLAVIS No 17.028	All animal species	—	—	—	<p>1. The additive shall be incorporated into the feed in the form of a premixture.</p> <p>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</p> <p>3. On the label of the additive the following shall be indicated:</p> <p>‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</p>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of L-valine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of L-valine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>					<p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</p> <p>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</p> <p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b17033	—	L-Cysteine	<i>Additive composition</i> L-Cysteine <i>Characterisation of the active substance</i> L-Cysteine ► M1 Produced by chemical synthesis or hydrolysis of animal or vegetal protein ◀ Purity: min. 98 % assay Chemical formula: C ₃ H ₇ O ₂ NS CAS number 52-90-4 FLAVIS No 17.033 <i>Method of analysis</i> ⁽¹⁾ For identification of L-cysteine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1). For the determination of L-cysteine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).	All animal species	—	—	—	<div>1. The additive shall be incorporated into the feed in the form of a premixture.</div> <div>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</div> <div>3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</div> <div>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</div> <div>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</div>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								<p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	
2b920	—	L-Cysteine hydrochloride monohydrate	<p><i>Additive composition</i></p> <p>L-Cysteine hydrochloride monohydrate</p> <p><i>Characterisation of the active substance</i></p> <p>L-Cysteine hydrochloride monohydrate</p> <p>► M1 Produced by chemical synthesis or hydrolysis of animal or vegetal proteins ◀</p> <p>Purity: min. 98,5 % assay</p> <p>Chemical formula: C₃H₈ClNO₂S · H₂O</p> <p>CAS number 7048-04-6</p>	All animal species except cats and dogs	—	—	—	<p>1. The additive shall be incorporated into the feed in the form of a premixture.</p> <p>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</p> <p>3. On the label of the additive the following shall be indicated:</p> <p>‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg for all species except cats and dogs’.</p>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of L-cysteine hydrochloride monohydrate in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of L-cysteine hydrochloride monohydrate in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>					<p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</p> <p>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg for all species except cats and dogs.</p> <p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b17034	—	Glycine	<p><i>Additive composition</i></p> <p>Glycine</p> <p><i>Characterisation of the active substance</i></p> <p>Glycine</p> <p>Produced by chemical synthesis or protein hydrolysis</p> <p>Purity: min. 98 % assay</p> <p>Chemical formula: C₂H₅O₂N</p> <p>CAS number 56-40-6</p> <p>FLAVIS No 17.034</p> <p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of glycine in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of glycine in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>	All animal species	—	—	—	<p>1. The additive shall be incorporated into the feed in the form of a premixture.</p> <p>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</p> <p>► M1 3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feeding stuff with a moisture content of 12 %:</p> <p>— 20 g/kg for cats and dogs;</p> <p>— 25 mg/kg for other species and categories.’ ◀</p> <p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the levels referred to in point 3.</p> <p>► M1 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feeding stuff with a moisture content of 12 % exceeds:</p> <p>— 20 g/kg for cats and dogs;</p> <p>— 25 mg/kg for other species and categories. ◀</p>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								<p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	
2b621	—	Mono-sodium glutamate	<i>Additive composition</i> Monosodium glutamate <i>Characterisation of the active substance</i> Monosodium glutamate Produced by chemical synthesis or protein hydrolysis Purity: min. 99 % assay Chemical formula: C ₅ H ₈ NaNO ₄ · H ₂ O CAS number 142-47-2	All animal species	—	—	—	<p>1. The additive shall be incorporated into the feed in the form of a premixture.</p> <p>2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.</p> <p>3. On the label of the additive the following shall be indicated:</p> <p>‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’</p>	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			<p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of monosodium glutamate in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of monosodium glutamate in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>					<p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.</p> <p>5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg.</p> <p>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</p> <p>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</p>	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
2b620	—	L-Glutamic acid	<p><i>Additive composition</i></p> <p>L-Glutamic acid</p> <p><i>Characterisation of the active substance</i></p> <p>L-Glutamic acid</p> <p>Produced by chemical synthesis or protein hydrolysis</p> <p>Purity: min. 98 % assay</p> <p>Chemical formula: C₅H₉O₄N</p> <p>CAS number 56-86-0</p> <p><i>Method of analysis</i> ⁽¹⁾</p> <p>For identification of L-glutamic acid in premixtures of flavourings: Ion-exchange chromatography with post column ninhydrin derivatisation (Ph.Eur. 6.6-2.2.56-Method 1).</p> <p>For the determination of L-glutamic acid in premixtures: Ion-exchange chromatography with post column ninhydrin derivatisation and photometric detection: based on Regulation (EC) No 152/2009 (Annex III, part F).</p>	All animal species	—	—	—	<ol style="list-style-type: none"> The additive shall be incorporated into the feed in the form of a premixture. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.’ The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg. 	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								<div>6. For additives produced from hydrolysis of animal protein, the animal species shall be indicated on the label of the additive and premixtures.</div> <div>7. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.</div>	

⁽¹⁾ Details of the analytical methods are available at the following address of the Reference Laboratory: <https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports>

⁽²⁾ Commission Regulation (EC) No 152/2009 of 27 January 2009 laying down the methods of sampling and analysis for the official control of feed (OJ L 54, 26.2.2009, p. 1).