

## 0.1 Brainstorming (21.09.15)

**Time frame:** 22.09.2015 17:00-21:00

**Preview:** Since this year FTC rules were published, every member of our team had carefully read them. Today we gathered together to discuss all the aspects of this year gameplay and think of how to get on with the most significant features of the game.

### *General aspects:*

Features	Solutions	Label
Moving to the ramp is essential if we want to achieve high score.	We need to realise the wheel base that will be good at moving on the ramp.	chassis
It will take a lot of time to climb to the 3-rd zone of the ramp.	We can deliver debris to the highest goal with elevator standing on the 2-nd zone instead of climbing to the 3-rd.	elevator
Space between each two bars in 3-rd zone is wider than the standard TETRIX wheel diameter.	We can use tracks or 3-4 wheels from each side of the robot in order to not to get stuck.	chassis
Goals for debris have a very little capacity.	It is more preferable to collect cubes than balls. That's why we need mechanism to prevent balls from collecting.	gripper
Pulling up costs 80 points. It's not difficult to realise then.	We need to spend at least 1 DC motor for pulling up. We can grasp the pull-up bar with hook and lift to it by reeling the cable.	pull up
Moving over the inclined plane and pulling up require high moment on motors. However, the number of motors is limited.	Our robot should be light enough to decrease the moment required for moving and, as a result, increase speed of moving.	weight
It's quite inconvenient to exchange ramps with your ally during the game.	We will negotiate with our ally about spheres of influence before each game. We need to make two autonomus programs for climbing onto both ramps.	strategy
Robot can grip 5 debris at once, when the maximal capacity of one bucket is 24 cubes. So, to fill one bucket robot has to repeat collecting and taking cubes to the goal 5 times per 1,5 minutes	We can make gripper for debris at the front side of the robot and extract scoring elements from the back side. It will allow us to go to the ramp backwards, so we won't need to turn around on the ramp before going down to collect debris and save time.	concept
All the zones of red alliance are the mirror reflection of blue alliance's zones.	Our robot should be symmetrical and capable of playing on both sides of field.	concept
This year autonomus period has no difficult tasks. The only hardness is that both robots in alliance have to fulfil the same tasks at the same place. Furthermore, robots can start autonomus period from different positions. So, it's difficult to predict how the another robot in our alliance will move.	We need to make a number of programs for autonomus period from different positions for easier adjustment to the ally's strategy.	strategy
It's not restricted to collect debris in autonomus period.	We need to realise automatically collection of 5 cubes in autonomus period. At the conclusion of autonomus period the robot will remain on the ramp with 5 cubes and we will put them to the goal immediately	strategy

**The main conception of engineering process:** FTC rules have a various number of heterogeneous objectives. Some of them are simple, while other are quite challenging. The quality of performance in same tasks depends on laboriousness of realisation of mechanisms.

In these conditions, we made a decision to develop two versions of robot:

1. a simple, but reliable one, to startup and perform in regional competition and
2. a high-quality one, which will take a lot of time to design and assemble to perform in further competitions.

**Detailed explanation:**

1. As we know from our previous FTC seasons experience, there are strict constraints for wheel bases can be used for climbing mountains. Firstly, omni and mecanum wheels are completely not suitable, because mecanum wheels can ride only on plain surface (when 2-nd and 3-rd zones have cross hurdles) and omni wheels have ability of undependable movement on small rollers so they behave very unstable on mountain. Various combinations of standard and omni wheels can't be used too, as in the 2-nd zone there are obstacles which can cause some wheels lose contact with ground and if the rest of wheels will behave differently, the whole robot would be unstable. In conclusion, we can use only standard wheels or tracks.

Additionally, wheel base should be symmetrical against central axis for stable climbing to the mountain. If we decided to climb 3-rd zone with standard wheels, we will have to put 3-4 wheels at the each side to avoid getting stuck on hurdles (the space between two hurdles is for about 14 cm, when the diameter of big TETRIX wheels is only 10 cm).




Рис. 1: possible wheel bases

2. To score in high zone goal from 2-nd zone robot should have a mechanism for delivering debris to the distance of 40 cm or more. Shooting debris is entirely unsuitable approach, because it's impossible to realise enough accuracy for stable scoring cubes and especially balls. Another way is elevator. There are three types of lifts which familiar to us: they're crank lift, scissor lift and retractable rails.

Scissor lift is not suitable for this year competition, because despite it's main advantage - the ability of extracting the longest distances of all - it's too difficult in development.

Crank lift allows to vary the angle of turning of each segment. However, it requires at least one DC motor of strong servo for every joint.

Retractable rails can only move along one axis. However, they require the least space and can be equipped by one DC motor (as all the motors are connected to the only reel, which winds the cable)





Рис. 2: types of elevators

***Additional comments:*** For the next meeting we need to think of two issues:

1. which tasks our robot should be able to execute without loss of efficiency  
and
2. to set the priorities of performing tasks during the game.



## 0.2 Strategy discussing (22.09.2015)


**Time frame:** 22.09.2015 17:00-21:00

**Preview:** Today we put the priorities during the building of the robot and performing tasks of the game.

### **Detailed explanation:**

1. The tasks which robot must complete (We assume that robot can do everything. Tasks located in order of priority) :
  - 1.1. Autonomous period:
    - 1.1.1. Push the button and score climbers. It give 60 points (20 - button 10x2 - climbers in autonomous 10x2 - climbers in tele op).
    - 1.1.2. Ride to opposite mountain and collect balls and bricks. It help us to save a time because when start tele op we already have 5 bricks.
    - 1.1.3. Go to middle or high zone of the mountain. It give 40 (or 20) points. Additionally, we start driver control period near the top box. So we can put 5 bricks there immediately.
  - 1.2. Driver control period:
    - 1.2.1. Put elements that we collected in autonomous period to the top box.
    - 1.2.2. Go from the mountain and collect 5 bricks. We decided to collect only bricks because the balls take up much space in the box. So if we collect only bricks we can put more elements to one goal and get more points.
    - 1.2.3. Put 5 bricks to the top box. After that the top box most likely will be full. So we won't be able to put another five bricks.
    - 1.2.4. Collect and put 5 bricks to the middle box.
    - 1.2.5. Start moving to the crossbar and score climbers.
    - 1.2.6. Turn "all clear"signal.
    - 1.2.7. Pull-up.
2. Implementation of robot that can perform following tasks (tasks are in order of priority)
  - 2.1. Stable scoring to the middle box. This task is very simple and give a lot of points.
  - 2.2. Scoring to the high box. This task is more complex but gives more points.
  - 2.3. Releasing the climbers on the rope in driver control period. We can do it very fast and get 60 points but for scoring the top climber we must be able to climb to high zone.
  - 2.4. Scoring climbers in autonomous period. It is very easy task that give 40 points (as 4 bricks in the middle box).
  - 2.5. Riding to the high zone. It can give 40 points in autonomous period and 40 points in tele op.
  - 2.6. Pulling up. This task give the most number of points.
  - 2.7. Turning "all clear"signal. It gives us 20 points and our opponent lose 20 points.
  - 2.8. Pushing button. This task is difficult in terms of programming and gives only 20 points.

**Additional comments:** Task for the next meeting: to elaborate concept of the robot.



### 0.3 Concept discussing (24.09 - 27.09)

**TIME FRAME:** 24.09 - 27.09

**PREVIEW:** The main purpose for current meeting was to figure out how the modules of high-quality robot should look and how they will be developed.

**Modules:**

Modules	Conclusive solutions	Label
Wheel base	Six standard wheels	wheel base
Lift	Retractable rails with the bucket on it	lift
Bucket for debris	Bucket mounted on rails that can overturn backwards to put debris into the box	bucket
Gripper	Rotating brush ahead of the bucket	gripper
Scoring autonomous climber and pushing button	F - shaped beam	climbers + button
Scoring climbers in tele op	Retractable slat	climbers
Pulling up	A hook with the winch	pullup
Push the clear signal	Servo with beam	clear signal

**DAYS INSIDE SESSION:**

#### 0.3.1 24.09.15

**Time frame:** 17:00 - 21:30


**Preview:** The main purpose for current meeting was to figure out how the modules of the robot should look and how they will be developed.

**Modules:**

Modules	Solutions	Label
Wheel base	Six standard wheels with leaf suspension	wheel base
Lift	Scissor lift	lift
Gripper	Rotating brush and bucket	gripper
Scoring autonomous climber and pushing button	F - shaped beam	climbers + button
Scoring climbers in tele op	Retractable slat	climbers
Pulling	Motor that reel the rope	pullup
Push the clear signal	Servo with beam	clear signal

**Detailed explanation:**

1. Wheel base will consists of six standard wheels which rotates with help of six DC motors. It allows to climb to low and middle zone fast enough. The leaf suspension ensure stability in the middle zone.
2. We decided to use the lift in our robot. It help us to score elements to high goal from low or middle zone. So we don't need climb to the high zone. We choosed the scissor lift because it is compact and extend to a big height .
3. The robot will collect elements with help of rotating brush which pull them to the special bucket which connected with the lift. This method is the most simple and fast. After collecting elements the bucket rises by the lift. Then it overturns to the side and elements fall to the box.
4. We decided to make one mechanism for scoring autonomous climbers and pushing the button. It is the F-shaped beam. In the top beam is the bucket for climbers, in the bottom - axle which push button. When we turn this mechanism the axle push the button and in the same time climbers fall to the goal.
5. For scoring climbers in tele op we decided to use horizontal retractable slat that move to the both sides by the whhel that rotate with help of servo of continuous rotation. When the slat extract it push to the hook that fix zip line.
6. The pulling mechanism is the 2 DC motors that reel the rope which connected with the hook that fixed on the lift. Also this motors rise the lift. When lift is rising the rope is extracting. When the robot pull up rope is reeling and lift is lowering.
7. For pushing clear signal we decided use the servo with beam that fixed on the lift.



# 1 Thanks and prospects

We enjoyed working on a custom and non-standard project, which, besides its technical aspect, included working with new people who shared our values of friendship and mutual understanding.

Our team is planning to continue doing robotics, setting new goals for ourselves in order to improve. This is our first year taking part in FTC and we will participate next year as well. If we don't realize ourselves this year, we'll look at all our mistakes, correct them, and perform a lot better next year.

In any case, we are ready to learn new things, improve ourselves and expand our skills.

None of us know for sure what we want to do in the future, but we are certain that our experience will be very valuable to us.

Our thanks go to the company FIRST for organizing this competition, which we are very happy to be participating in. We appreciate this wonderful opportunity to test ourselves and learn something new and wish them success and growth in their future endeavors.

Also we thank our sponsors: company PTC and it's Russian representative "Irisoft" and charitable foundation "Finist" for their support. Also we thank Physics-Mathematics Lyceum 30 and it's director Alexey Tretyakov for providing comfortable conditions for preparation to competition.

Team PML 30  $\varphi$

